

**BUILDING STANDARDS COMMISSION**

2525 Natomas Park Drive, Suite 130  
 Sacramento, California 95833  
 (916) 263-0916 FAX (916) 263-0959

**ERRATA SHEET**

**Date:** May 19, 2010  
**For the Document Titled:** Second Revised DEIR for the Adoption of Statewide Regulations Allowing the Use of PEX Tubing  
**State Clearinghouse Number:** 2007102143  
**Released for Public Review:** May 17, 2010

This Errata Sheet addresses a typographical error in the notes to Table 6-4, on page 3-4 of the Second Revised Draft Environmental Impact Report (SRDEIR) for the Adoption of Statewide Regulations Allowing the Use of PEX Tubing. The corrected table is provided below.

The table and notes are intended to reflect the regulation as a result of the January 2009 approval, and the revision to the table makes it consistent with existing regulations.

**TABLE 6-4<sup>1,2,3</sup>**

Material	Water Distribution Pipe and Fittings		Building Supply Pipe and Fittings
	Hot	Cold	
Asbestos – Cement			X
Brass	X	X	X
Copper	X	X	X
Cast Iron	X	X	X
CPVC	X	X	X
Galvanized Malleable Iron	X	X	X
Galvanized Wrought Iron	X	X	X
Galvanized Steel	X	X	X
PE			X
PE-AL-PE	X	X	X
PEX <sup>2,3</sup>	X	X	X
PEX-AL-PEX <sup>1</sup>	X	X	X
PVC			X

<sup>1</sup> The use of PEX-AL-PEX in potable water systems is not adopted.

<sup>2</sup> When PEX tubing is placed in soil and is used in potable water systems intended to supply drinking water to fixtures or appliances, the tubing or piping shall be sleeved with a material approved for potable water use in soil or other material that is impermeable to solvents or petroleum products.

<sup>3</sup> PEX tubing shall meet the requirements of NSF P171 CL-R, ASTM F 876-08 or an equivalent or more stringent standard when used in continuously recirculating hot water systems where chlorinated water is supplied to the system and the PEX tubing is exposed to the hot water 100% of the time.