

**EXPRESS TERMS
OF
PROPOSED BUILDING STANDARDS
OF THE
DIVISION OF THE STATE ARCHITECT - STRUCTURAL SAFETY (DSA-SS)

REGARDING ADOPTION OF THE 2009 UNIFORM PLUMBING CODE,
FOR USE IN THE CALIFORNIA CODE OF REGULATIONS, TITLE 24, PART 5**

LEGEND FOR EXPRESS TERMS

1. California amendment (CA) language being continued without modification is shown in *italics*.
1. New California amendment (CA) language is shown *underlined and in italics*.
2. Repealed California amendment (CA) language is shown in ~~*strikeout and in italics*~~.
3. Model code language that is modified: Model code text that is not adopted is shown in ~~normal font~~, and new California amendment language is shown *underlined and in italics*.

The Division of the State Architect - Structural Safety (DSA-SS) adopts model code provisions and promulgates amendments as required by statute for application to public elementary and secondary schools, community colleges, and state-owned or state-leased essential services buildings.

As presented on the following pages, DSA-SS proposes to adopt provisions contained in the 2009 edition of the Uniform Plumbing Code (UPC) of the International Association of Plumbing and Mechanical Officials for codification as the 2010 edition California Plumbing Code (CPC).

Amendments contained in the 2007 edition CPC adopted by DSA-SS are proposed to be continued as indicated below. DSA-SS further proposes to repeal all model code provisions contained in the Uniform Plumbing Code (UPC), 2006 edition, which were adopted by DSA-SS for codification as the 2007 edition California Plumbing Code.

These proposed regulations will also make effective the 2009 edition of the Uniform Plumbing Code (UPC) as the 2010 edition California Plumbing Code, for application by DSA-SS/CC (Division of the State Architect – Structural Safety/Community Colleges) to community colleges, which a community college district may elect to use in lieu of standards promulgated by DSA-SS (refer to Education Code Section 81053).

CALIFORNIA PLUMBING CODE – CHAPTER 1

Continue Chapter 1 of the 2007 triennial edition of the California Plumbing Code (CPC) for publication in the 2010 triennial edition of the CPC, with editorial amendments as shown below:

2007 CPC Chapter 1	2010 CPC Chapter 1	DSA-SS	<u>DSA-SS/CC</u>	Comments
101.1 Title	1.1.1	X	<u>X</u>	
101.2 Purpose	1.1.2	X	<u>X</u>	
101.3 Scope	1.1.3	X	<u>X</u>	DSA-SS adopts Item 11 of Article 1.1.3.
101.4 Appendices	1.1.4	X	<u>X</u>	
101.5 Referenced Codes	1.1.5	X	<u>X</u>	

101.6 Non-Building Standards, Orders and Regulations	1.1.6	X	<u>X</u>	
101.7 Order of Precedence and Use	1.1.7	X	<u>X</u>	
101.8 City, County, or City and County Amendments, Additions or Deletions	1.1.8			
101.9 Effective Date of this Code	1.1.9	X	<u>X</u>	
101.10 Availability of Codes	1.1.10	X	<u>X</u>	
101.11 Format	1.1.11	X	<u>X</u>	
101.12 Validity	1.1.12			
109.2. DSA-SS	1.9.2.1 (DSA-SS)	X	=	
-	1.9.2.2 (DSA-SS/CC)	-	<u>X</u>	New amendment

CALIFORNIA CHAPTER 1
GENERAL CODE PROVISIONS

CHAPTER 1
CALIFORNIA ADMINISTRATION

DIVISION I

101.0 1.1.0 General

101.1 1.1.1 Title. *These regulations shall be known as the California Plumbing Code, may be cited as such and will be referred to herein as "this code." The California Plumbing Code is Part 5 of twelve parts of the official compilation and publication of the adoptions, amendment, and repeal of Plumbing regulations to the California Code of Regulations, Title 24, also referred to as the California Building Standards Code. This part incorporates by adoption the ~~2006~~ 2009 Uniform Plumbing Code of the International Association of Plumbing and Mechanical Officials with necessary California amendments.*

101.2 1.1.2 Purpose. *The purpose of this code is to establish the minimum requirements to safeguard the public health, safety and general welfare through structural strength, means of egress facilities, stability, access to persons with disabilities, sanitation, adequate lighting and ventilation, and energy conservation; safety to life and property from fire and other hazards attributed to the built environment; and to provide safety to fire fighters and emergency responders during emergency operations.*

101.3 1.1.3 Scope. *The provisions of this code shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every building or structure or any appurtenances connected or attached to such buildings or structures throughout the State of California.*

101.3.1 1.1.3.1 Non-State-Regulated Buildings, Structures, and Applications. *The provisions in Chapters 2 through 16 of the 2006 Uniform Plumbing Code of the International Association of Plumbing*

~~and Mechanical Officials contained or referenced in this code shall apply to all occupancies and applications not regulated by a state agency. Except as modified by local ordinance pursuant to Section 1.1.8, the following standards in the California Code of Regulations, Title 24, Parts 2, 2.5, 3, 4, 5, 6, 9, 10 and 11 shall apply to all occupancies and applications not regulated by a state agency.~~

~~**401.3.2 1.1.3.2 State-Regulated Buildings, Structures, and Applications.** The model code provisions, state amendments to the model code, provisions and/or provisions state amendments where there are no relevant model code provisions, shall apply to the following buildings, structures, and applications regulated by state agencies as referenced in the Matrix Adoption Tables and as specified in Sections 402 1.2 through 443 1.14, except where modified by local ordinance pursuant to Section 401.8 1.1.8. When adopted by a state agency, the provisions of this code shall be enforced by the appropriate enforcing agency, but only to the extent of authority granted to such agency by the State Legislature.~~

Note: See Preface to distinguish the model code provisions from the California provisions.

1. ...

2. ...

3. ...

4. ...

5. ...

6. ...

7. ...

8. ...

9. ...

10. ...

11. ~~Public elementary and secondary schools, community college buildings, and state-owned or state-leased essential service buildings regulated by the Division of the State Architect. See Section 409.2 1.9.2 for additional scope provisions.~~

12. ...

13. ...

14. ...

15. ...

16. ...

17. ...

18. ...

~~**401.4 1.1.4 Appendices.** Provisions contained in the appendices of this code shall not apply unless specifically adopted by a state agency or adopted by a local enforcing agency in compliance with Health and Safety Code Section 48938 (b) 18901 et. seq. for Building Standards Law, Health and Safety Code Section 17950 for State Housing Law and Health and Safety Code Section 13869.7 for Fire Protection Districts. See Section 401.8 1.1.8 of this code.~~

401.5 1.1.5 Referenced codes. The codes, standards and publications adopted and set forth in this code, including other codes, standards and publications referred to therein are, by title and date of publication, hereby adopted as standard reference documents of this code. When this code does not specifically cover any subject related to building design and construction, recognized architectural or engineering practices shall be employed. The National Fire Codes, standards, and the Fire Protection Handbook of the National Fire Protection Association are permitted to be used as authoritative guides in determining recognized fire prevention engineering practices.

401.6 1.1.6 NonBuilding standards, orders and regulations. Requirements contained in the Uniform Plumbing Code, or in any other referenced standard, code or document, which are not building standards as defined in Health and Safety Code Section 18909, shall not be construed as part of the provisions of this code. For nonbuilding standards, orders, and regulations, see other titles of the California Code of Regulations.

401.7 1.1.7 Order of precedence and use.

401.7.1 1.1.7.1 Differences. In the event of any differences between these building standards and the standard reference documents, the text of these building standards shall govern.

401.7.2 1.1.7.2 Specific provisions. Where a specific provision varies from a general provision, the specific provision shall apply.

401.7.3 1.1.7.3 Conflicts. When the requirements of this code conflict with the requirements of any other part of the California Building Standards Code, Title 24, the most restrictive requirements shall prevail.

401.8 1.1.8 City, county, or city and county amendments, additions or deletions.

...

401.9 1.1.9 Effective date of this code. Only those standards approved by the California Building Standards Commission that are effective at the time an application for building permit is submitted shall apply to the plans and specifications for, and to the construction performed under, that permit. For the effective dates of the provisions contained in this code, see the History Note page of this code.

401.10 1.1.10 Availability of codes. At least one ~~entire~~ complete copy each of Titles 8, 19, 20, 24, and 25 with all revisions shall be maintained in the office of the building official responsible for the administration and enforcement of this code. Each state department concerned and each city, county or city and county shall have an up-to-date copy of the code available for public inspection. See Health and Safety Code Section 18942 (d)(1) and (2).

401.11 1.1.11 Format. This part fundamentally adopts the Uniform Plumbing Code by reference on a chapter-by-chapter basis. Such adoption is reflected in the Matrix Adoption Table of each chapter of this part. When the Matrix Adoption Tables make no reference to a specific chapter of the International Building Code such chapter of the International Building Code is not adopted as a portion of this code.

401.12 1.1.12 Validity. If any chapter, section, subsection, sentence, clause or phrase of this code is for any reason held to be unconstitutional, contrary to statute, exceeding the authority of the state as stipulated by statutes or otherwise inoperative, such decision shall not affect the validity of the remaining portion of this code.

SECTION 1.9
DIVISION OF THE STATE ARCHITECT

1.9.1 (Reserved for DSA-AC)

1.9.2 **Division of the State Architect - Structural Safety**

1.9.2.1. DSA-SS (Division of the State Architect – Structural Safety)

Application - Public elementary and secondary schools, community college buildings, and state-owned or state-leased essential services buildings.

Enforcing Agency - Division of the State Architect – Structural Safety (DSA-SS).

The Division of the State Architect has been delegated the responsibility and authority by the Department of General Services to review and approve the design and oversee the construction of public elementary and secondary schools, community colleges, and state-owned or state-leased essential services buildings.

Authority Cited - Education Code Section 17310 and 81142, and Health & Safety Code Section 16022.

Reference - Education Code Sections 17280 through 17317 and 81130 through 81147, and Health & Safety Code Sections 16000 through 16023.

1.9.2.2. DSA-SS/CC (Division of the State Architect – Structural Safety/Community Colleges)

Application - Community Colleges.

The Division of the State Architect has been delegated the authority by the Department of General Services to promulgate alternate building standards for application to community colleges, which a community college may elect to use in lieu of standards promulgated by DSA-SS in accordance with Section 1.9.2.1. Refer to Title 24, Part 2, Section 1.9.2.2.

Enforcing Agency - Division of the State Architect – Structural Safety/Community Colleges (DSA-SS/CC)

The Division of the State Architect has been delegated the authority by the Department of General Services to review and approve the design and oversee construction of community colleges electing to use the alternative building standards as provided in this section.

Authority Cited - Education Code Section 81053.

Reference - Education Code Sections 81052, 81053, and 81130 through 81147.

APPENDIX CHAPTER 1

ADMINISTRATION

DIVISION II

(Chapter 1, Administration has been relocated from Appendix Chapter 1 and renamed Division II)

CALIFORNIA PLUMBING CODE - CHAPTER 2
Definitions

Repeal Chapter 2 (Definitions) of the 2006 UPC, and adopt Chapter 2 (Definitions) of the 2009 UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

CALIFORNIA PLUMBING CODE - CHAPTER 3
General Regulations

Repeal Chapter 3 (General Provisions) of the 2006 edition UPC, and adopt Chapter 3 (General Regulations) of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

CALIFORNIA PLUMBING CODE - CHAPTER 4
Plumbing Fixtures and Fixture Fittings

Repeal Chapter 4 (Plumbing Fixtures and Fixture Fittings) of the 2006 edition UPC, and adopt Chapter 4 (Plumbing Fixtures and Fixture Fittings) of the 2009 edition UPC with proposed amendments shown below for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			
Adopt entire chapter as amended (amended sections listed below)	X	<u>X</u>	
Table 4-1 <i>Occupant Load Factor Table A</i> <i>Footnote 18</i>	X	<u>X</u>	

**Table 4-1
Minimum Plumbing Facilities¹**

Each building shall be provided with sanitary facilities, including provisions for persons with disabilities as prescribed by the Department Having Jurisdiction. Table 4-1 applies to new buildings, additions to a building, and changes of occupancy or type in an existing building resulting in increased occupant load. Exception: New cafeterias used only by employees.

The total occupant load shall be determined in accordance with the ~~Building Code~~ Occupant Load Factor Table A. The type of building or occupancy shall be determined based on actual use of the various spaces within the building. Building categories not shown in Table 4-1 shall be considered separately by the Authority Having Jurisdiction. The minimum number of fixtures shall be calculated at 50% male and 50% female based on the total occupant load.

Once the occupant load and uses are determined, the requirements of Section 412.0 and Table 4-1 shall be applied to determine the minimum number of plumbing fixtures required.

... (Table 4-1 and balance of notes not shown for clarity)

¹⁹⁻¹⁸ **[DSA/SS, DSA-SS/CC]** In accordance with Sections ~~408.7~~ 1.8.7 and 301.2, the Authority Having Jurisdiction may approve alternative designs when determining the minimum number of plumbing fixtures.

Table A. Occupant Load Factor:

<u>Occupancy*</u> , **	<u>Occupant Load Factor (square feet)</u>
<u>Group A</u>	
1. <u>Auditoriums, convention halls, dance floors, lodge rooms, stadiums and casinos (where no fixed seating is provided)</u>	15 <i>(use 1/2 "one-half" the number of fixed seating)</i>
2. <u>Conference rooms, dining rooms, drinking establishments, exhibit rooms, gymnasiums, lounges, stages and similar uses including restaurants classified as Group B occupancies</u>	30
3. <u>Worship places; principal assembly area, educational and activity unit <i>(use 1/2 "one-half" the number of fixed seating)</i></u>	30 <i>(where no fixed seating is provided)</i>
<u>Group B</u>	
<u>Office or public buildings (area accessible to the public)</u>	200
<u>Group E</u>	
<u>Schools for daycare, elementary, secondary</u>	50
<u>Educational Facilities Other than Group E</u>	
<u>Colleges, universities, adult center, etc</u>	50
<u>Group F</u>	
<u>Workshop, foundries and similar establishments</u>	2,000
<u>Group H</u>	

Hazardous materials fabrication and storage 2,000

Group I

Hospital general use area, Health Care facilities 200

Group M

Retail or Wholesale stores 200

Group R

Congregate residence, Group R-1 200

Group S

Warehouse 5,000

** Any uses not specifically listed shall be based on similar uses listed in this table.*

*** For building or space with mixed occupancies, use appropriate occupancy group for each area (for example, a school may have an "A" occupancy for the gymnasium, a "B" occupancy for the office, an "E" occupancy for the classrooms, etc.)*

Accessory areas may be excluded (for example: hallway, restroom, stair enclosure)

**CALIFORNIA PLUMBING CODE - CHAPTER 5
Water Heaters**

Repeal Chapter 5 (Water Heaters) of the 2006 edition UPC, and adopt Chapter 5 (Water Heaters) of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

**CALIFORNIA PLUMBING CODE - CHAPTER 6
Water Supply and Distribution**

Repeal Chapter 6 (Water Supply and Distribution) of the 2006 edition UPC, and adopt Chapter 6 (Water Supply and Distribution) of the 2009 edition UMC with DSA amendments continued with editorial revisions proposed as shown below for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			
Adopt entire Chapter as amended (amended sections listed below)	X	<u>X</u>	
Table 6-4 Footnotes 2, 3, 4	X	<u>X</u>	

**TABLE 6-4^{1,2}
Materials for Building Supply and Water Distribution Piping and Fittings**

Material	Building Supply Pipe and Fittings	Water Distribution Pipe and Fittings
Asbestos – Cement	X ¹	
Brass	X	X
Copper	X	X
CPVC	X	X
Ductile-Iron	X	X
Galvanized Steel	X	X
Malleable Iron	X	X
PE	X	
PE-AL-PE	X	X
PEX ^{2,3,4}	X	X
PEX-AL-PEX ²	X	X
PVC	X ¹	
Stainless Steel	X	X

¹ For building supply or cold-water applications.

⁴ ² ~~[DSA/SS, DSA-SS/CC]~~ The use of PEX-AL-PEX in potable water supply systems is not adopted.

² ³ ~~[DSA/SS, DSA-SS/CC]~~ When PEX tubing is placed in soil and is used in potable water systems intended to supply drinking water to fixtures or appliances, the tubing or piping shall be sleeved with a material approved for potable water use in soil or other material that is impermeable to solvents or petroleum products.

³ ⁴ ~~[DSA/SS, DSA-SS/CC]~~ PEX tubing shall meet the requirements of NSF P171 CL-R, ASTM F 876-08 or an equivalent or more stringent standard when used in continuously recirculating hot water systems where chlorinated water is supplied to the system and the PEX tubing is exposed to the hot water 100% of the time.

...

604.13 PEX-AL-PEX and PE-AL-PE.

~~[DSA-SS] PEX-AL-PEX is not adopted for use in potable water supply and distribution systems.~~

604.13.1 PEX-AL-PEX and PE-AL-PE.

~~[DSA-SS] PEX-AL-PEX is not adopted for use in potable water supply and distribution systems.~~

604.13.2 Water Heater Connections.

~~[DSA-SS] PEX-AL-PEX is not adopted for use in potable water supply and distribution systems.~~

CALIFORNIA PLUMBING CODE - CHAPTER 7 Sanitary Drainage

Repeal Chapter 7 (Sanitary Drainage) of the 2006 edition UPC, and adopt Chapter 7 (Sanitary Drainage) of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

CALIFORNIA PLUMBING CODE - CHAPTER 8 Indirect Wastes

Repeal Chapter 8 (Indirect Wastes) of the 2006 edition UPC, and adopt Chapter 8 (Indirect Wastes) of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

**CALIFORNIA PLUMBING CODE - CHAPTER 9
Vents**

Repeal Chapter 9 (Vents) of the 2006 edition UPC, and adopt Chapter 9 (Vents) of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

**CALIFORNIA PLUMBING CODE - CHAPTER 10
Traps and Interceptors**

Repeal Chapter 10 (Traps and Interceptors) of the 2006 edition UPC, and adopt Chapter 10 (Traps and Interceptors) of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

**CALIFORNIA PLUMBING CODE - CHAPTER 11
Storm Drainage**

Repeal Chapter 11 (Storm Drainage) of the 2006 edition UMC, and adopt Chapter 11 (Refrigeration) of the 2009 edition UMC without amendment for publication in the 2010 triennial edition of the California Mechanical Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

**CALIFORNIA PLUMBING CODE – CHAPTER 12
Fuel Piping**

Repeal Chapter 12 (Fuel Piping) of the 2006 edition UPC, and adopt Chapter 12 (Fuel Piping) of the 2009 edition UPC with existing amendments with editorial revisions proposed as shown below for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency		DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter		X	<u>X</u>	<p>Note: DSA adopted Sections 1203.12 and 1211.18 in the 2007 CPC pursuant to Health & Safety Code Section 19200, which is unrelated to the Field Act (DSA-SS and DSA-SS/CC).</p> <p>Editorial changes are proposed to clarify that this amendment is not applicable to the DSA-SS or DSA-SS/CC occupancies (public schools, community colleges and state essential services buildings).</p> <p>Editorial changes are also proposed which relocate the definition (Sec. 1203.10) of EQ-actuated shut-off valves into Sec. 1211.18 for simplicity and the reader's convenience.</p>

1211.18 ~~[For DSA-SS]~~ Earthquake-actuated Gas Shutoff Valves. *Earthquake-actuated gas shutoff valves, certified by the State Architect as conforming to California Referenced Standard 12-16-1, shall be provided for buildings when such installation is required by local ordinance. Earthquake-actuated gas shutoff valves which have not been certified by the State Architect shall be prohibited in buildings open to the public under mandatory installation by local ordinance.*

~~1203.10 [For DSA-SS] Earthquake-actuated Gas Shutoff Valve.~~ *An earthquake-actuated gas shutoff valve is a valve for installation in a gas piping system and designed to automatically shut off the gas at the location of the valve in the event of a seismic disturbance.*

**CALIFORNIA PLUMBING CODE – CHAPTER 13
Health Care Facilities and Medical Gas and Vacuum systems**

Chapter 13 (Health Care Facilities and Medical Gas and Vacuum Systems) of the 2006 edition UPC was not adopted by DSA, and Chapter 13 (Health Care Facilities and Medical Gas and Vacuum Systems) of the 2009 edition UPC is not proposed for adoption by DSA.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			

**CALIFORNIA PLUMBING CODE – CHAPTER 14
Referenced Standards**

Repeal Chapter 14 (Mandatory Referenced Standards) of the 2006 edition UPC, and adopt Chapter 14 (Referenced Standards) of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

**CALIFORNIA PLUMBING CODE - CHAPTER 15
Firestop Protection**

DSA is not proposing the adoption of Chapter 15 (Firestop Protection) of the 2009 edition UPC. DSA did not adopt Chapter 15 (Firestop Protection) of the 2006 edition UPC. The State Fire Marshal's Office is responsible for the adoption of fire and life safety standards contained in the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			

**CALIFORNIA PLUMBING CODE - CHAPTER 16
Nonpotable Water Reuse Systems**

DSA is not proposing adoption of Chapter 16 (Nonpotable Water Reuse Systems) of the 2009 edition UPC.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			

APPENDIX A – Recommended Rules for Sizing the Water Supply System

Repeal Appendix A of the 2006 edition UPC, and adopt Appendix A of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

APPENDIX B – Explanatory Notes on Combination Waste and Vent Systems

Repeal Appendix B of the 2006 edition UPC, and adopt Appendix B of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

Note: The 2009 UPC does not contain Appendices C, G, H, or J.

APPENDIX D – Sizing Stormwater Drainage Systems

Repeal Appendix D of the 2006 edition UPC, and adopt Appendix D of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

APPENDIX E – Manufactured / Mobile Home Parks and Recreational Vehicle Parks

DSA is not proposing the adoption of Appendix E of the 2009 edition UPC.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			

APPENDIX F – Firefighter Breathing Air Replenishment Systems

DSA is not proposing the adoption of Appendix F of the 2009 edition UPC. The State Fire Marshal's Office is responsible for the adoption of fire and life safety standards contained in the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			

APPENDIX I – Installation Standards Table of Contents

DSA is not proposing the adoption of Appendix I of the 2009 UPC (DSA did not adopt Appendix I of the 2006 edition UPC in the 2007 CPC).

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			

APPENDIX K – Private Sewage Disposal Systems

Repeal Appendix K of the 2006 edition UPC, and adopt Appendix K of the 2009 edition UPC without amendment for publication in the 2010 triennial edition of the California Plumbing Code.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter	X	<u>X</u>	

APPENDIX L – Alternate Plumbing Systems

DSA is not proposing adoption of Appendix L of the 2009 edition UPC.

Adopting Agency	DSA-SS	<u>DSA-SS/CC</u>	Comments
Adopt entire Chapter			

DSA-SS

Authority: Education Code § 17310 and 81142, and H&S Code §16022.

Reference: Education Code §§ 17280 through 17317, and 81130 through 81147, and H&S Code §§16000 through 16023.

DSA-SS/CC

Authority: Education Code § 81053.

Reference: Education Code §§ 81052, 81053, and 81130 through 81147.