

ACADEMY TRAINING MANUAL – ACCESS COMPLIANCE

CALIFORNIA BUILDING CODE – MATRIX ADOPTION TABLE CHAPTER 4 – SPECIAL DETAILED REQUIREMENTS BASED ON USE AND OCCUPANCY

Adopting Agency		B S C	S F M	HCD			DSA		OSHPD				C S A	D H S	A G R	D W R	C E C	C A	S L	S L C
				1	2	1/AC	AC	SS	1	2	3	4								
Adopt Entire Chapter																				
Adopt entire Chapter as Amended (amended sections listed below)																				
Adopt only those sections that are listed below							X													
Chapter / Section	Codes																			
406.2.2	CA						X													
410.2 Platform & Stages	IBC						X													
412.1.6	CA						X													

ACADEMY TRAINING MANUAL – ACCESS COMPLIANCE

CHAPTER 4 – SPECIAL DETAILED REQUIREMENTS BASED ON USE AND OCCUPANCY

SECTION 406 MOTOR-VEHICLE-RELATED OCCUPANCIES

406.2 Parking garages.

406.2.2 Clear height. The clear height of each floor level in vehicle and pedestrian traffic areas shall not be less than 7 feet (2134 mm). *[DSA-AC] The clear height of vehicle and pedestrian areas required to be accessible shall comply with Chapter 11A or 11B, as applicable.*



While the minimum height is required to be 7'-0", greater vertical clearance is required at van-accessible parking, at accessible parking spaces within parking structures and the accessible routes to these spaces, and at passenger drop-off and loading zones. Refer to Chapters 11A and 11B for requirements in these areas.

SECTION 410 STAGES AND PLATFORMS

410.2 Definitions.

PLATFORM. A raised area within a building used for worship, the presentation of music, plays or other entertainment; the head table for special guests; the raised area for lecturers and speakers; boxing and wrestling rings; theater-in-the-round stages; and similar purposes wherein there are no overhead hanging curtains, drops, scenery or stage effects other than lighting and sound. A temporary platform is one installed for not more than 30 days.

STAGE. A space within a building utilized for entertainment or presentations, which includes overhead hanging curtains, drops, scenery or stage effects other than lighting and sound.

SECTION 412 AIRCRAFT-RELATED OCCUPANCIES

412.1 Airport traffic control towers.

412.1.6 Accessibility. *[DSA-AC] In air traffic control towers, an accessible route shall not be required to serve the cab and the equipment areas on the floor immediately below the cab.*