

ACADEMY TRAINING MANUAL – ACCESS COMPLIANCE

CALIFORNIA BUILDING CODE – MATRIX ADOPTION TABLE CHAPTER 5 – GENERAL BUILDING HEIGHTS AND AREAS

Adopting Agency	B	S	HCD			DSA		OSHPD				C	D	A	D	C	C	S	S
	S	F	1	2	1/AC	A	SS	1	2	3	4	S	H	G	W	E	A	L	L
Adopt Entire Chapter	C	M				C						A	S	R	R	C			
Adopt entire Chapter as amended (amended sections listed below)																			
Adopt only those sections that are listed below																			
Chapter / Section	Codes																		

ACADEMY TRAINING MANUAL – ACCESS COMPLIANCE

CHAPTER 5 – GENERAL BUILDING HEIGHTS AND AREAS

SECTION 508 MIXED USE AND OCCUPANCY

508.3 Mixed occupancies.

508.3.1 Accessory occupancies.

Exceptions:

- 1.
2. Assembly areas that are accessory to Group E occupancies are not considered separate occupancies except when applying the assembly occupancy requirements of *Chapter 11B*.
- 3.



Group A Occupancy functions must be accessible to students, teachers, and parents where they serve assembly use in schools, regardless of whether such buildings are classified as Group E Occupancy.