



STATE OF CALIFORNIA
Department of General Services - Office of Procurement

PURCHASE ORDER

Purchase Order No.	Rev.	Date
62003		4/24/2008

Form GSOP 1-PIN (04/98)

Supplier No.	Solicitation No.	Delivery Date	FOB Point	Invoice Terms
776481	56681	45 Days ARO	Destination	

SUMRALL SOLUTIONS LLC
4524 MAPLE PLAIN AVENUE
SUITE 201
ELK GROVE, CA 95758
Attn: PAUL SUMRALL

Phone: 916-427-3307

S DEPT OF JUSTICE h T FREEDOM LAB i o 440 AIRPORT BLVD, BLDG A P WATSONVILLE, CA 95076 Attn: J. BERGADO 831/761-7620	C JUSTICE D-08 h T ACCOUNTING r o PO BOX 944255 e SACRAMENTO, CA 94244
--	---

Agency Billing	Agency Purchase Estimate	Purchase Estimate	Revision
43561	N2061	66695	1

Agency Contact	Phone	Date Received
ALEX CALDERON	916-324-6812	

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
----------	----------	------	----------------	-------------	------------	-----------

THE GENERAL PROVISIONS FOR NON-IT COMMODITIES ARE HEREBY INCORPORATED BY REFERENCE. THESE GENERAL PROVISIONS CAN BE OBTAINED BY PHONING (916) 375-4400 OR BY ACCESSING OUR WEBSITE AT:

www.documents.dgs.ca.gov/pd/modellang/GPnonIT0407.pdf

THE FOLLOWING INFORMATION IS PROVIDED FOR AGENCY USE ONLY:

PRIME CONTRACTOR: SB, DVBE

APPLICATION OF DVBE INCENTIVE RESULTED IN AWARD: YES

1	1	EA	6640-999-9999-2	LABORATORY EQUIPMENT (AS DESCRIBED) Bullet Recovery System per the attached Specification #6640-047BS-001 of (2) two pages dated 10/01/07.	51,975.0000	51,975.00
---	---	----	-----------------	---	-------------	-----------

Brand: CYBERNAIONAL, INC
Model: BR5-48-316

Total Value: 51,975.00

For the purpose of this order, only Destination will be accepted.

Sales and/or use tax to be extra unless noted above

Buyer GUS QUINTERO	Phone 916-375-4499	BOC Number
----------------------------------	------------------------------	-------------------

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

<i>Purchase Order No.</i>	<i>Revision</i>	<i>Date</i>	<i>Supplier No.</i>	<i>Supplier Name</i>
62003		4/24/2008	776481	SUMRALL SOLUTIONS LLC

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
<p><u>INSTALLATION AND DELIVERY:</u></p> <p>Installation of this system shall include system set up and to make the system operational. The agency will be responsible for the water connection and all required electrical connections.</p> <p>Installation shall be done by a factory trained person. After the installation is complete the contractor must demonstrate that the entire system is compliant with all of the bid requirements.</p> <p>At lease 30 days prior to the actual delivery of the system, the contractor must provide in writing, a list of pre-installation requirements. This list shall include items such as operating environment, power requirements, space requirements, and site preparation details.</p> <p><u>NOTE:</u></p> <p>Plans shall be submitted to the (DOJ) Freedom Laboratory prior to fabrication for approval and verification. It is located at 440 Airport Blvd. Bld. A, Watsonville, CA 95076. (Attn: J Bergado).</p> <p>It is the supplier's responsibility to assemble, test the unit, and confirm that the system is operational prior to shipping.</p> <p>Vendor shall provide (2) two copies of operator manuals.</p> <p><u>WARRANTY:</u></p> <p>Equipment shall operate satisfactorily and have a minimum warranty period of one year from date of acceptance to the State. Vendor shall bear all material, labor and transportation costs for repair of defects and failures occurring within the warranty period.</p> <p><u>CHANGE ORDERS:</u></p> <p>Any Purchase Order resulting from this bid may be amended, modified, or terminated at any time by mutual agreement of the parties in writing. Change orders amending, modifying or terminating the Purchase Order, including any modifications of the compensation payable, may be issued only by the State Procurement Officer. All such change orders shall be in writing and issued only upon written concurrence of the supplier. Termination, as that term is used in this section, does not include termination for default of the supplier.</p> <p>This Purchase order has been registered into the state contact and procurement registration system (https://www.scprs.dgs.ca.gov/). The registration number is 08200408300697.</p>						

STATE OF CALIFORNIA

Bid Specification Bullet Recovery System

6640-07BS-001



1.0 SCOPE

This specification describes minimum requirements for a bullet recovery system to be installed at the Bureau of Forensic Services, Freedom Laboratory. The system will be used to test fire hand guns and rifles and recover the bullets/projectiles for later comparison with bullets and projectiles submitted in homicide and assault cases.

2.0 REQUIREMENT

- 2.1 The system must be designed to test commercially loaded handgun and rifle ammunition having a muzzle velocity of 3500FPS with a corresponding energy of 5250 foot-pounds.
- 2.2 The tank shall utilize 3/16" stainless steel for the back, front and firing end and 1/4" stainless steel for the bottom and projectile receiving end.
- 2.3 It shall be fabricated as a single unit. The tank's outside width shall be less than 30 inches and other dimensions shall be as required to accomplish the listed task.
- 2.4 The system's firing port must be 1/4" thick by 6" diameter and at 22 degree angle.
- 2.5 The tank must have sloped bottom plate with high density polyethylene (HDPE) mat.
- 2.6 The system must have pharmaceutical grade 500 cfm exhaust filter with fan mounted on top of the system.
- 2.7 The system shall have a light fixture at operator's end of the tank with bulb access from the outside of the tank.
- 2.8 The tank shall have a right hand hinge access door with two electric powered linear actuators to open and close lid.
- 2.9 The interior plumbing of the tank shall consist of a water make up connection, a drain at the bottom and at the target end covered with a removable mesh screen, a dual skimmer and a filtered water distribution pipe.
- 2.10 The exterior plumbing shall be of stainless steel including filter and pump package with 1/2" ga. tubing and 1300 p.s.i. connections.
- 2.11 Must come with a vacuum wand and stick with mastic for bullet retrieval.
- 2.12 Must have a 24 hour timer control system for the pump and filtration package.
- 2.13 The casing catcher:
 - 2.13.1 Shall be easily adjustable from 19" to 40" in length.

2.13.2 Shall have an 18" diameter opening.

2.13.3 Shall have fire resistant fabric, a raschel netting, totally encloses the weapon's eject port and fits snugly around the tank gun tube.

2.13.4 Support structure shall be fabricated with aluminum.

2.13.5 Quick connect/disconnect allows the operator to easily attach or detach the unit to/from the bullet recovery system.