



Form GSOP I-PIN (04/98)

STATE OF CALIFORNIA
Department of General Services - Office of Procurement

PURCHASE ORDER

Purchase Order No.	Rev.	Date
62129		6/30/2008

Supplier No.	Solicitation No.	Delivery Date	FOB Point	Invoice Terms
801798	57013	As Specified	Destination	

FLOOR TECH AMERICA INC 2300 SOUTH RESERVOIR SUITE 201 POMONA, CA 91766 Attn: SHIRLEY CARLTON Phone: 800-334-1885	S EMPLOYMENT DEV DEPARTMENT h EDD - PARAMOUNT WAREHOUSE T 15315 TEXACO AVENUE i PARAMOUNT, CA 90723 o Attn: C. PEDROSA (562) 526-6529 P	C EMPLOYMENT DEVELOP D E-31 h MIC 52 a PO BOX 826880 T SACRAMENTO CA 94280 r o g e	
	Agency Billing 23336	Agency Purchase Estimate E869489	Purchase Estimate 67059 Revision 1
	Agency Contact JR PIZARRO	Phone 916-654-8165	Date Received

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
----------	----------	------	----------------	-------------	------------	-----------

THE GENERAL PROVISIONS FOR NON-IT COMMODITIES ARE HEREBY INCORPORATED BY REFERENCE. THESE GENERAL PROVISIONS CAN BE OBTAINED BY PHONING (916) 375-4400 OR BY ACCESSING OUR WEBSITE AT:

www.documents.dgs.ca.gov/pd/modellang/GPnonIT0407.pdf

THE FOLLOWING INFORMATION IS PROVIDED FOR AGENCY USE ONLY:

PRIME CONTRACTOR: SB

FISCAL YEAR: 2007/2008

1	2340	EA	7220-000-0030-3	CARPET (AS DESCRIBED)	50.9861	119,307.47
---	------	----	-----------------	-----------------------	---------	------------

Offered Brand/Model: Milliken "Colorweave" P/6915 w/ Traction back

(EACH = 2.340 YARDS)

* These are approximate quantities and it is the contractor's responsibility to take their own measurements and offer enough carpet and other material for 20,430 sq. ft. area plus 2% overage of carpet tiles.

DELIVERY

SHALL BE IN ACCORDANCE TO THE STATEMENT OF WORK (SEE ATTACHED) AND PERFORMED WITHIN 120 DAYS ARO.

Total Value: 119,307.47

FOR THE PURPOSE OF THIS AWARD, ONLY F.O.B. Destination will be accepted.

This Purchase order has been registered into the state contact and procurement registration system (<https://www.scprs.dgs.ca.gov/>). The registration number is: 17600808330327.

NOTE: Attachments accompany this PO as follow:

SPECIFICATIONS
ATTACHED #7220-0160 OF TWO (2) PAGES DATED MAY 30, 2008

Sales and/or use tax to be extra unless noted above

Buyer EVONNE ROGERS	Phone 916-375-4346	BOC Number
-----------------------------------	------------------------------	-------------------

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

<i>Purchase Order No.</i> 62129	<i>Revision</i>	<i>Date</i> 6/30/2008	<i>Supplier No.</i> 801798	<i>Supplier Name</i> FLOOR TECH AMERICA INC
------------------------------------	-----------------	--------------------------	-------------------------------	--

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
MISCELLANEOUS REQUIREMENTS OF TWO (2) PAGES						
<p>This purchase order is being awarded on August 25th, 2008 pursuant to Government Code Section 13332.17. Any encumbrances made pursuant to this purchase order shall be construed to have been made on the last day of the preceding fiscal year.</p>						
<p>CHANGE ORDERS:</p> <p>A Purchase Order may be amended, modified, or terminated at any time by mutual agreement of the parties in writing. Change Orders amending, modifying or terminating the Purchase Order, including any modifications of the compensation payable, may be issued only by the State Procurement Officer. All such Change Orders shall be in writing and issued only upon written concurrence of the supplier. Termination, as that term is used in this section, does not include termination for default of the supplier.</p>						

STATE OF CALIFORNIA

Bid Specification Carpet, Tile

7220-0160



1.0 SCOPE This specification establishes the minimum technical requirements for 20 ounce, tufted, carpet tiles intended for long term heavy indoor usage in Employment Development Department.

2.0 SPECIFICATIONS Specifications and standards referenced in this document in effect on the opening date of the Invitation for Bid form a part of this specification where referenced.

3.0 REQUIREMENTS:

3.1 General:

Construction: Tufted, Textured Loop Pile

Face Yarn: Fibers shall be branded or federally registered trademarked, type 6/6 or type 6 nylon with inherent and permanent capability to provide stain resistance, soil hiding and static control. The minimum denier per filament shall be 18.

Face weight: 20-22 oz/yd²

Tile Size: 36" x 36"

Pile Height: 0.151 inch, minimum

Tufts: Tuft gauge shall be 1/8 or 1/10 as appropriate to meet performance requirements. Stitches per inch shall be determined by the manufacturer to provide a balanced construction and the proper weight of pile yarn and sufficient coverage to conceal the backing.

The yarn bundle denier range ("ready to tuft" denier) shall be 4800 - 7000 for 1/8 gauge and 2400 - 5000 for 1/10 gauge.

Tufts per square inch shall be at least 62 for 1/8 gauge and at least 90 for 1/10 gauge. They shall be tufted through the backing with uniform grid type spacing. Determination shall be by Pile Yarn Floor Covering Construction, ASTM D-418.

Backing: All backing materials shall be of the types recognized and used for commercial tufted carpet and shall also accept water vapor emission levels of up to 8lbs/1000 sq.ft.

Adhesives: Installation adhesives including seam sealers must be compliant to The Carpet and Rug Institute (CRI) Indoor air Quality Adhesive (IAQ) Testing Green Label program requirements or tested for compliance to meet the CRI IAQ Adhesive Testing Program requirements and criteria.

3.2 PERFORMANCE

- Tuft Bind: 10 pound minimum as measured by ASTM D-1335
- Delamination Strength: 5 pound minimum as measured by ASTM-D3935
- Flammability: Class 1, ≥ 0.45 , ASTM E648
- ARR: Appearance Retention Rating shall be at least 3.5 (CRI TM 101)
- Edge Ravel: The carpet edges shall not ravel for a period of at least 10 years after installation.
- Delamination: The carpet shall not delaminate for a period of 10 years after installation.
- Tuft Bind: The carpet shall retain tuft bind for a period of 10 years after installation.
- Colorfastness: The carpet shall remain lightfast for a period of 10 years after installation.
- Antimicrobial: The carpet shall pass AATCC-174 after being washed 15 times in accordance with AATCC-138.
- Soiling Propensity: The carpet pile yarns shall provide inherent soil resistance either by incorporating topically applied, producer applied treatment or by advanced design of the yarn fibers.

When requested, carpet shall be tested for soiling propensity in accordance with AATCC Test Method 123, Carpet Soiling and evaluated by AATCC Method 121, Carpet Soiling. A minimum value of 4 shall be required.

Other properties shall be as specified in the Performance Standard listed in Table A-1 of California Gold Sustainable Carpet Standard – 2006.

3.3 Certification

The carpet must be third party certified as a California Gold or California Platinum/ Environmentally Preferable Product per California Gold Sustainable Carpet Standard- 2006.

Miscellaneous Requirements for Carpet

All bidders shall submit a certificate, issued by a third party, that the offered product is compliant to California Gold or California Platinum/ Environmentally Preferable Product per California Gold Sustainable Carpet Standard- 2006.

All carpet shall be standard and continuing product qualities in the manufacturer's line and shall be identified by regular name or model numbers in the manufacturer's architect folders or brochures

Manufacturer's of modular carpet shall have been producing a standard modular product line for a minimum of three (3) years to be considered for State use. The carpet shall be available from the manufacturer's normal distribution outlets within the State.

Submit samples of manufacturer's full line of patterns and colors for selection by the EDD Representative.

Carpet Replacement: The contractor shall replace defective material and repair installation deficiencies within thirty (30) days after identification and being notified by the State in writing. There shall be no additional expense to the State.

Overage: A 2% overage from the same dye lot shall be left for future repairs.

4.0 INSTALLATION

The bid price to include all materials, labor, tools, equipment, services and other incidentals required to install carpet. All listed quantities are approximate and it is bidder's responsibility to take measurements during site-inspection. Carpet shall be installed in accordance with the Carpet and Rug Institute CRI 104, standard for installation of Textile Floor covering Materials.

All carpet shall be installed with the use of full spread adhesive only and that adhesive shall be one recommended by the carpet manufacturer, an adhesive recommended by the fiber producer shall be acceptable.

All work to be performed during non-business hours (evenings and or weekends.)

The successful bidder shall guarantee the installation against bubbling, wrinkling, stretching/shrinking, opening seams, or other areas of poor materials and workmanship for a period of two years following installation.

5.0 INSPECTION OF INSTALLATION WORK

The agency personnel will be responsible for performing initial, continuing, and final inspection of the installation work by the supplier. If any deficiencies in materials and or workmanship are noted during inspection of the work in progress, the agency will immediately notify the supplier of these problems.

The supplier shall request an inspection after 100% of the work has been completed. The supplier and a designee of the agency will make this inspection jointly.