



Form GSOP 1-PIN (04/98)

STATE OF CALIFORNIA  
Department of General Services - Office of Procurement

**PURCHASE ORDER**

<b>Purchase Order No.</b>	<b>Rev.</b>	<b>Date</b>
62162		6/30/2008
<b>Supplier No.</b>	<b>Solicitation No.</b>	<b>Delivery Date</b>
176617	57035	45 Days ARO
<b>FOB Point</b>		<b>Invoice Terms</b>
Destination		

MARSHALL ENTERPRISES PO BOX 60935 SACRAMENTO, CA 95860 Attn: CHARLES R MARSHALL  Phone: 916-447-0455	<b>S</b> CALIFORNIA HIGHWAY PATROL <b>h T</b> SUPPLY SERVICES UNIT <b>i o</b> 3350 REED AVENUE <b>P</b> WEST SACRAMENTO, CA 95605 Attn: JANE DUDZIEC	<b>C</b> CALIFORNIA HIGHWAY PATROL <b>h T</b> FISCAL MANAGEMENT SECTION <b>r o</b> P.O. BOX 942901 <b>g e</b> SACRAMENTO, CA 94298-2901		
	<b>Agency Billing</b>	<b>Agency Purchase Estimate</b>	<b>Purchase Estimate</b>	<b>Revision</b>
	08076	078E7019	67063	4
<b>Agency Contact</b>		<b>Phone</b>	<b>Date Received</b>	
STEPHEN RAMIREZ		916-375-2991		

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
THE GENERAL PROVISIONS FOR NON-IT COMMODITIES ARE HEREBY INCORPORATED BY REFERENCE. THESE GENERAL PROVISIONS CAN BE OBTAINED BY PHONING (916) 375-4400 OR BY ACCESSING OUR WEBSITE AT: <a href="http://www.documents.dgs.ca.gov/pd/modellang/GPnonIT0407.pdf">www.documents.dgs.ca.gov/pd/modellang/GPnonIT0407.pdf</a>						
THE FOLLOWING INFORMATION IS PROVIDED FOR AGENCY USE ONLY:  PRIME CONTRACTOR: SB FISCAL YEAR:2007/2008						
1	15	EA	5410-123-3636-5	BUILDING UTILITY METAL Brand: <u>STOLTZ</u> Model: <u>12'X15'</u>	9,685.0000	145,275.00
12'x15' HEAVY DUTY METAL BUILDING WITH 100 LB ROOF LOAD IN ACCORDANCE WITH THE ATTACHED SPECIFICATION # 5410-08BS-002R1 OF FOUR (4) PAGES, DATED JULT 28, 2008.						
2	1	EA	5410-123-3636-5	BUILDING UTILITY METAL Brand: <u>STOLTZ</u> Model: <u>20' X 20'</u>	13,210.0000	13,210.00
20' x 20' METAL ACADEMY BUILDING, WITH FOUR (4) SKYLIGHT PANELS, 8' X 10' ROLL UP METAL DOOR W/INSIDE LATCH, (1) 3'X7' METAL DOOR W/BEST #WBIL LOCKSET. IN ACCORDANCE WITH THE ATTACHED SPECIFICATION # 5410-08BS-002R1 OF FOUR (4) PAGES, DATED JULY 28, 2008.						
<b>Total Value:</b>						158,485.00
<b>ATTACHMENTS</b>  THE FOLLOWING ATTACHED DOCUMENT IS PART OF THIS PURCHASE ORDER. SPECIFICATIONS # 5410-08BS-002R1 of four (4) pages dated July 28, 200 8.						

Sales and/or use tax to be extra unless noted above

Buyer  LONNIE WILLIAMS	Phone 916-375-4586	BOC Number
------------------------------	-----------------------	------------

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

**PURCHASE ORDER CONTINUATION**

Form GSOP 2-PIN (04/98)

<i>Purchase Order No.</i> 62162	<i>Revision</i>	<i>Date</i> 6/30/2008	<i>Supplier No.</i> 176617	<i>Supplier Name</i> MARSHALL ENTERPRISES
------------------------------------	-----------------	--------------------------	-------------------------------	--

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
<p><u>F.O.B. Destination</u></p> <p>For the purpose of this order only F.O.B. Destination will be accepted.</p> <p><u>DELIVERY INSTRUCTIONS</u></p> <p>ALL DELIVERIES TO BE MADE DURING NORMAL BUSINESS HOURS MONDAY THROUGH FRIDAY, 8:00 AM TO 4:00 PM, EXCEPT STATE HOLIDAYS.</p> <p>DELIVER TO: California Highway Patrol Supply Services Unit 3350 Reed Avenue West Sacramento, CA 95605 Contact: Jane Dudzic, Phone: (916) 375-2940</p> <p>SUPPLIER MUST PROVIDE 72 HOURS NOTIFICATION OF DELIVERY TO THE CONTACT PERSON AT THE LOCATION ADDRESS.</p> <p>SUPPLIER MUST PROVIDE PROVISIONS TO OFF-LOAD PRODUCT FOR PLACEMENT AT DESIGNATED LOCATION FOR STORAGE.</p> <p>ALL HARDWARE AND FASTENERS SHALL BE BOXED AND CLEARLY LABELED AS TO CONTENTS.</p> <p><u>DECREASING / INCREASING PURCHASE QUANTITIES</u></p> <p>The State reserves the right to increase the purchase quantity by up to 25% more units within 180 days of bid award date for State Agencies and California Local Government Agencies. The increased quantity purchased shall be at the awarded bid price.</p> <p><u>EQUIPMENT, PARTS, MANUALS, WARRANTY:</u></p> <p><u>EQUIPMENT:</u> All equipmet to be new, <u>USED, SHOPWORN, DEMONSTRATOR OR PROTOTYPE MODELS ARE NOT ACCEPTABLE.</u></p> <p><u>PARTS:</u> Parts for equipment are to be available for each model and available for purchase by the State at no greater cost then published list prices.</p> <p><u>MANUALS:</u> Vendor shall provide, a copy of necessary functional manuals, ajustment manuals, schematic diagrams and parts catalogues.</p> <p><u>WARRANTY:</u> All equipment shall operate satisfactorily and have a minimum one year warranty period from date of delivery to the State Vendor shall bare all material, labor and transportation cost for repair of defects and failures occuring within warranty period.</p> <p><u>AWARD DATE</u></p> <p>This purchase order is being awarded on September 15, 2008 pursuant to Government Code Section 13332.17. Any encumbrances made pursuant to this purchase order shall be construed to have been made on the last day of the preceding fiscal year.</p>						

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

<i>Purchase Order No.</i> 62162	<i>Revision</i>	<i>Date</i> 6/30/2008	<i>Supplier No.</i> 176617	<i>Supplier Name</i> MARSHALL ENTERPRISES
------------------------------------	-----------------	--------------------------	-------------------------------	--

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
<p><u>SCPRS REGISTRATION</u></p> <p>This Purchase order has been registered into the state contact and procurement registration system (<a href="https://www.scprs.dgs.ca.gov/">https://www.scprs.dgs.ca.gov/</a>). The registration number is 05200908332925.</p> <p>CHANGE ORDERS:</p> <p>Any Purchase Order resulting from this bid may be amended, modified, or terminated at any time by mutual agreement of the parties in writing. Change orders amending, modifying or terminating the Purchase Order, including any modifications of the compensation payable, may be issued only by the State Procurement Officer. All such change orders shall be in writing and issued only upon written concurrence of the supplier. Termination, as that term is used in this section, does not include termination for default of the supplier.</p>						



# STATE OF CALIFORNIA

## Bid Specification Prefabricated Utility Building California Highway Patrol

5410-08BS-002R1

### 1. Scope

This specification establishes the minimum requirements for pre-engineered/pre-fabricated metal utility building used by California Highway Patrol (CHP). Storage building shall be furnished in complete kit with all necessary hardware. Storage building shall be installed by CHP. The utility building shall be used in all climatic conditions from sea level to high altitudes (unto 9,000').

### 2. Applicable Specifications

Specifications and standards (latest editions) referenced in this document in effect on the opening of the invitation for bid form a part of the specification where referenced.

- 2.1 ASTM A653, Steel Sheet, Zinc-Coated (galvanized) by the hot-dip process.
- 2.2 California Code of Regulations (CCR), Title 24 California Building Code (CBC).
- 2.3 AISI specifications for the Design of Cold-Formed Steel Structural Members.
- 2.4 Metal Building Manufacturers Association (MBMA) Metal Building System Manual.

### 3. Requirements

#### 3.1 General

- 3.1.1 Building shall be complete with structural framing, including rafters, struts, purlins, columns, and beams.
- 3.1.2 Building design shall be equivalent to 80 mph wind load, exposure C of 2001 CBC but must comply with 2007 CBC as delivered.
- 3.1.3 Building shall be designed equivalent to seismic zone 4 requirements of 2001 CBC but must comply with 2007 CBC as delivered.
- 3.1.4 Framing shall be galvanized cold-formed light gage metal conforming to ASTM A653,  $S_y=50$  ksi.
- 3.1.5 Roof shall be designed for a live load of 100 lbs per square foot.
- 3.1.6 Roof and wall panels shall be galvanized cold-formed light gage metal conforming to ASTM A653,  $S_y=80$  ksi.
- 3.1.7 Shape of the roof shall be gable. Pitch shall be 2.9:12 to 4:12.
- 3.1.8 All shop welding and fabrication shall conform to AISC and AISI specifications.
- 3.1.9 Roof and wall coverings, accessories and flashing shall be watertight.
- 3.1.10 Roof panels, wall panels, and trims to be galvanized steel and painted with Kynar 500, 20 year finish warranty. Color shall be approved by State's representative from factory available colors.


- 3.1.11 Building shall have 12" DIA galvanized steel roof mounted turbine ventilator. Alternatively, 12"X18" fixed metallic wall louver (Color: White enamel) may be installed in front and back of the building at maximum height as practicable. Vent opening shall comply with the requirements for State Fire Marshall (SFM) Wildland Urban Interface Criteria CBC 701-A.3.2.
- 3.1.12 Trims shall be fabricated from 26GA sheeting conforming to ASTM A653. Trim shall be fastened to roof and/or wall panels at 24" O.C.
- 3.1.13 Supplier shall provide complete assembly drawings and instructions with each kit.
- 3.1.14 Minimum of three holes for 3/4"X12" galvanized anchor bolts shall be provided at each corner. Hole spacing shall be of adequate design to prevent pullout of the bolts. Plywood hole pattern shall be provided for each location.
- 3.1.15 Anchor bolts described above shall be provided with each building.
- 3.1.16 All roof panels, wall panels, and trim shall be coated G90 galvanized steel in accordance with ASTM A653.
- 3.1.17 All metal hardware shall have corrosion resistant coating.
- 3.1.17 Door shall be fitted with lever hardware and a dead bolt. Deadbolt should retract with operation of the interior lever.
- 3.1.18 Provide lever type hardware to comply with Title 24 Access and ADA requirements. Lockset for 12' X 15' building shall be Schlage "D" series, "Rohdes", Corbin" or equal. Latchset shall be Schlage "AL" series, "Saturn" or equal.
- 3.1.19 Furnish all hardware as required for a complete assembly. The work shall include, but is not limited to, locks, latches, door butts with non removable pins on outswing exterior doors, and door stops. The work includes metal thresholds, metal kick plates, metal push plates, single or double acting self-closing gravity operated gate hinges.
- 3.1.20 Key all locksets as directed by CHP.

4. Standard and Code Compliance:

- 4.1 Building design shall be stamped by Architect/Engineer licensed by State of California.
- 4.2 Building design shall comply with State, Local, ADA, California Code of Regulations (CCR), Title 24 (California Building Standard Code).

5. Quality Assurance:


- 5.1 Each building kit shall be delivered free of any physical damages.
- 5.2 Each building kit shall be separately packaged with all necessary hardware.
- 5.3 Painted surfaces shall be free of discoloration, peeling, or flaking of paint.



12'X 15' UTILITY BUILDING

NOTE: SKETCH NOT TO THE SCALE

FIGURE-1



20'X 20' ACADEMY BUILDING

NOTE: SKETCH NOT TO THE SCALE

FIGURE-2