



Form GSOP 1-PIN (04/98)

STATE OF CALIFORNIA
Department of General Services - Office of Procurement

PURCHASE ORDER

Purchase Order No. **62415** Rev. **6/30/2009** Date

Supplier No. 214956	Solicitation No. 57389	Delivery Date 180 Days ARC	FOB Point Destination	Invoice Terms
S CA DEPT OF FISH AND GAME h T 18110 W. HENRY MILLER AVE i o LOS BANOS, CA 93635 p		C DEPT OF FISH AND GAME h a T (SAME ADDRESS AS SHIP TO) a r o g e		
Agency Billing 28531	Agency Purchase Estimate PE780009	Purchase Estimate 67516	Revision 0	
Agency Contact WILLIAM COOK		Phone 209-826-0463	Date Received	

LOS ANGELES FREIGHTLINER
13800 VALLEY BLVD
FONTANA, CA 92335
Attn: JON ENNIS

Phone: 909-510-4406

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
<p>THE GENERAL PROVISIONS FOR NON-IT COMMODITIES ARE HEREBY INCORPORATED BY REFERENCE. THESE GENERAL PROVISIONS CAN BE OBTAINED BY PHONING (916) 375-4400 OR BY ACCESSING OUR WEBSITE AT: www.documents.dgs.ca.gov/pd/modellang/GPnonIT0407.pdf</p> <p>THE FOLLOWING INFORMATION IS PROVIDED FOR AGENCY USE ONLY: PRIME CONTRACTOR: NS FISCAL YEAR: 2008/2009</p>						
1	1	EA	2320-233-0103-0	TRACTOR TRUCK DIESEL POWERED "TRUCK,WITH/TRACTOR,THREE AXLE,DIESEL POWER" As described meeting the requirements of the attached Specification # 2320-0747 of three (3) pages, dated May 28, 2009.	103,802.0000	103,802.00
				Proposed Brand: <u>FREIGHTLINER</u>		
				Model: <u>CASCADIA</u>		
Total Value:						103,802.00
<p>F.O.B. Destination For the purpose of this order only F.O.B. Destination dwill be accepted.</p> <p>PRECONSTRUCTION CONFERENCE A preconstruction conference shall be held between the State and contractor within 30 calendar days after formal award of the purchase order. This conference shall be held prior to the start of any construction. The purpose of this meeting is to review specifications, resolve any questions concerning the specifications and/or variations of the chassis.</p> <p>Contact: Department of Fish and Game 18110 W. Henry Miller Ave. Los Banos, CA 93635 Attn: William Cook Phone: (209) 826-0463</p>						

Sales and/or use tax to be extra unless noted above

Buyer LONNIE WILLIAMS	Phone 916-375-4586	BOC Number
-------------------------------------	------------------------------	-------------------

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

<i>Purchase Order No.</i> 62415	<i>Revision</i>	<i>Date</i> 6/30/2009	<i>Supplier No.</i> 214956	<i>Supplier Name</i> LOS ANGELES FREIGHTLINER
------------------------------------	-----------------	--------------------------	-------------------------------	--

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
<p><u>PRE-DELIVERY CHECKLIST</u> Prior to delivery, the vehicles shall be completely inspected and serviced by the delivering dealer and or the manufacturer's pre-delivery service center. A copy of the pre-delivery service checklist shall be completed for each vehicle, signed by a representative of the organization performing the inspection service and delivered with the vehicle.</p> <p><u>PREPARATION FOR DELIVERY</u> The completed vehicle as presented for the "final" acceptance shall be cleaned, internally and externally (freshly washed and chamois) and delivered full of fuel and with a full charge to the battery</p> <p><u>RECEIVING INSPECTION</u> Vehicles will be inspected for compliance with these specifications by a State inspector at the dealer's place of business prior to delivery. It will be the responsibility of the dealer to ask for inspection when vehicle is ready for delivery. Inspection will commence within five (5) working days of notification.</p> <p>Inspection will include: specification compliance, workmanship, appearance and proper operation of all equipment and systems and that all documents are present. The burden of proof of compliance with this specification will be the responsibility of the bidder. Call the agency contact reference on the Purchase Order for assistance in contacting the State inspector.</p> <p>Completion of inspection or acceptance by the State inspector shall in no way release the dealer from satisfying the requirements of the contract, specifications, and warranty.</p> <p>Deviations from the specified requirements that are detected by the owning agency shall be corrected by the dealer in an expeditious manner at no expense to the owning agency.</p> <p><u>REGISTRATION</u> The original dealer's "Report of Sale" shall be furnished by all California licensed dealers at the time of delivery of each unit or units covered by these specifications. A Manufacturer's Statement of Origin and original "Bill of Sale" on the vendor's letterhead may be supplied for each unit in lieu of a dealer's Report of Sale, if the supplier is not a registered California dealer.</p> <p>An original weight certificate from a California Weigh Master for registration purposes must be supplied at the time of delivery of each unit.</p> <p>All documentation supplied for registration shall contain the following physical address:</p> <p>Department of Fish and Game 18110 W. Henery Miller Ave. Los Banos, CA 93635 Attn: William Cook Phone: (209) 826-0463</p> <p>All required documentation shall be sent to the above addresses by the time of delivery.</p> <p><u>DELIVERY</u> Delivery is to be completed in full within 180 days ARO.</p> <p>Delivery to be made during normal business hours Monday through Friday, 8:00 am to 4:00 pm, except State Holidays.</p> <p>The Truck is to be delivered to the following address: Department of Fish and Game 18110 W. Henery Miller Ave. Los Banos, CA 93635 Attn: William Cook Phone: (209) 826-0463</p>						

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

<i>Purchase Order No.</i> 62415	<i>Revision</i>	<i>Date</i> 6/30/2009	<i>Supplier No.</i> 214956	<i>Supplier Name</i> LOS ANGELES FREIGHTLINER
------------------------------------	-----------------	--------------------------	-------------------------------	--

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
<p>DOCUMENTATION: The following documents shall be delivered to the consignee (receiving agency) with the vehicle: 1.) Completed and signed pre-delivery inspection checklist, including the purchase order number and vehicle ID. 2.) "Line Set Tickets" or "Window Sticker" showing all options installed.</p> <p>Note: In accordance with paragraph 15 of the General Provisions entitled "Delivery", the contractor shall strictly adhere to the delivery terms and completion schedule as specified in this purchase order. Failure to comply with the delivery requirements, as stated, may be considered a breach of and subject the contractor to General Provisions 26, entitled "Rights and Remedies of the State for Default".</p> <p>WARRANTY The manufacturer's standard new vehicle warranty shall apply and shall be honored by all franchised dealers of the vehicle within the State of California. Vehicles not placed in service immediately upon receipt shall be warranted from the time the unit is placed in service. The receiving agency shall notify the vendor in writing of the actual "in-service" date.</p> <p>Warranty period shall cover five (5) years/400,000 miles (min), and can be a combination of manufacturer standard warranty and an extended warranty. The cost for the extended warranty shall be included in the bid price. The extended warranty coverage shall be an extension of the manufacturer's basic warranty.</p> <p>PARTS / SERVICE The supplier or the manufacturer of the equipment being supplied shall guarantee that all replacement parts for the equipment shall be available for delivery to the State within five (5) working days after the request is telephoned to the manufacturer, or supplier. This requirement shall be in effect for a period of five (5) years after the date the equipment is put into service by the State of California. Suppliers may be removed from the bid list for failure to meet the parts availability obligation.</p> <p>BOOKS, MANUALS, TECHNICAL INFORMATION One copy of the operating manual, service manual, and parts book shall be furnished at the time of delivery. If there are any special tools required for normal operation, one set shall be provided. <u>All manuals and instructions shall be in the English language.</u></p> <p>CALIFORNIA VEHICLE CODE Contractor shall comply with all provisions of the California Vehicle Code pertaining to occupational licensing requirements for vehicle dealers, manufacturers, etc. Contractor are to submit (with the bid or within 5 days of request) a copy of their valid occupational license issued by the California Department of Motor Vehicles, or a valid copy of their dealer's license issued by the state where their business is located along with a copy of the occupational license of the California.</p> <p>CALIFORNIA EMISSIONS CERTIFICATION The vehicle shall meet all current Federal emissions requirements without</p> <p>An original weight certificate from a California certified Weigh Master for registration purposes must be supplied at the time of delivery of each unit.</p> <p>FEDERAL EXCISE CERTIFICATE Federal Excise Tax Exemption Certificate will be attached to purchase order.</p>						

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

<i>Purchase Order No.</i>	<i>Revision</i>	<i>Date</i>	<i>Supplier No.</i>	<i>Supplier Name</i>
62415		6/30/2009	214956	LOS ANGELES FREIGHTLINER

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
<p>ATTACHMENTS</p> <p>The following documents are attached and are part of this purchase order.</p> <ol style="list-style-type: none">1. Specification # 2320-0747 of three (3) pages, dated May 28, 20092. Questionnaire # 67516tq of one (1) page3. Addendum #1.						
<p>SCPRS</p> <p>This Purchase order has been registered into the state contact and procurement registration system (https://www.scprs.dgs.ca.gov/). The registration number is ep1029069.</p>						
<p>AWARD DATE</p> <p>This purchase order is being awarded on September 8, 2009 pursuant to Government Code Section 13332.17. Any encumbrances made pursuant to this purchase order shall be construed to have been made on the last day of the preceding fiscal year.</p>						
<p>CHANGE ORDERS</p> <p>This Purchase Order may be amended, modified, or terminated at any time by mutual agreement of the parties in writing. Change orders amending, modifying or terminating the Purchase Order, including any modifications of the compensation payable may be issued only by the State Procurement Officer. All such change orders shall be in writing and issued only upon written concurrence of the supplier. Termination, as that term is used in this section, does not include termination for default of the supplier.</p>						



STATE OF CALIFORNIA
BID SPECIFICATION
TRUCK TRACTOR, THREE AXLE, DIESEL POWERED

2320-0747

1 SCOPE

This specification establishes the minimum requirements for a 3-axle, diesel powered truck with a conventional cab. The truck will be utilized for towing a lowboy equipment trailer on California highways, surface streets and un-maintained dirt roads with typical California ambient temperatures. The supplier is responsible for providing a truck that meets the following minimum requirements.

2 APPLICABLE SPECIFICATIONS / STANDARDS / CODES

Specifications, standards and codes referenced in this document in effect on the opening of the 'Invitation For Bid', form a part of this specification. The vehicle furnished under these specifications shall conform to all of the requirements of all Divisions and Chapters of the following publications:

1. Federal Motor Vehicle Safety Standards, Federal Highway Safety and DOT.
2. California Motor Vehicle Code.
3. California Code of Regulations (i.e. Title 8, Title 13, Title 15, Title 21).
4. A plate identifying the manufacturer, tare weight, gross vehicle weight rating (GVWR), date of manufacture and all other information as specified in the National Traffic and Motor Vehicle Safety Act, Section 114, and Federal Code of Regulations, Title 49, shall be attached to the truck frame or body in an easily accessible location.
5. Federal Certification: Final stage manufacturers shall be certified by National Highway Traffic Safety Administration and be registered to manufacture or alter vehicles in accordance with the code of Federal Regulation, Title 49, Parts 567-568.
6. Current California Air Resources Board (CARB) emission requirements.

3 REQUIREMENTS

3.1 GENERAL:

The vehicle shall be new and equivalent in style, quality, and appointments to those offered to the general public. The vehicle shall be supplied with all equipment and accessories indicated as standard equipment in the manufacturer's published literature. Optional equipment necessary to meet the requirements of this specification shall also be installed.

- GVWR: 58,000 pounds (minimum)
- GCWR: 92,000 pounds (minimum)
- Curb Weight: 19,200 pounds (maximum) with full capacity of fuel
- Cab to Axle Centerline: 99 ± 2 inches
- Cab to End of Frame: 154 ± 2 inches

3.2 ENGINE:

The vehicle shall be equipped with the manufacturer's standard diesel engine that meets the following minimum requirements:

- Power: 425 hp gross (minimum)
- Torque: 1,540 lbs.-ft. (minimum)
- Air cleaner, single element with restriction indicator mounted inside cab
- Fuel water separator
- Engine brake (Jacobs or equivalent)

3.3 COOLING SYSTEM:

The manufacturer shall upgrade the cooling system to the highest efficiency or heavy duty system available.

3.4 ELECTRICAL SYSTEM:

- System Voltage: 12 Volt
- Alternator: 160 amp (minimum)
- Batteries: Maintenance free type with 2100 CCA (total, minimum)

3.5 TRANSMISSION:

The transmission shall have a minimum of 18 forward speeds and four reverse speeds (Fuller 18918B or comparable) and equipped with a water-to-oil transmission cooler. Transmission shall be filled with synthetic oil and labeled as such.

3.6 BRAKES:

Self adjusting air brakes with an Anti-lock Brake System (ABS) shall be included. Brakes shall come equipped with an air compressor capacity of 18 CFM (minimum) and include a heated air dryer.

3.7 STEERING:

Steering shall be the manufacturer's standard power assisted steering gear.

3.8 WHEELS & TIRES:

Wheels: Ten (10) hub-piloted, 10-stud, aluminum wheels with two hand holds and wheel widths as recommended by The Tire and Rim Association Inc. and the tire manufacturer shall be supplied.

Tires: Ten (10) steel belted radial tubeless type tires (11R22.5 load range H – minimum), completely mounted and balanced on the wheels, shall be furnished. All tires supplied on this order shall be of the same make and model (Front and Rear Tires May Differ in Model), and meet the minimum GAWR.

3.9 AXLES:

Front: The front axle shall have a Gross Axle Weight Rating (GAWR) of at least 14,000 pounds. The front axle shall be equipped with Stemco style hub seals with site glass and shall be filled with synthetic oil and labeled as such.

Rear: The rear air ride dual axle shall come equipped with traction control and have a GAWR of at least 44,000 pounds and have an axle ratio determined by the truck manufacturer in order to maintain a 65 MPH road speed under full load. When fully loaded, maximum weights on each axle shall not exceed the most recent State of California Vehicle Code. Both rear axles shall be equipped with operator controlled, full locking wheel differentials. The rear axle shall have Stemco type seals filled with synthetic oil and labeled as such. A dash mounted air bag dump valve with indicator light shall be installed to relieve the air pressure in the suspension.

3.10 TRAILER CONNECTIONS:

A Holland model FW35 sliding type fifth wheel shall be supplied and mounted on the truck. The slide shall have a minimum of 35 inches of travel with increments of not less than 2 inches. Slide release/lock shall be air controlled and cab mounted. Mounting height on tractor shall be 50 inches (± 1 inch). Air hoses and two 7-conductor electrical connector shall be supplied. Kingpin air release system with inside cab mounted controls. End of frame ramp system to allow easy connection to a lowboy trailer (Cozad or equivalent)

3.11 FRAME:

The Resistance Bending Moment (RBM) of the frame shall not be less than 1,500,000 in.-lbs. per rail. The rails shall be fabricated from steel with a minimum yield strength of 110,000 PSI.

3.12 FUEL TANK:

Aluminum fuel tanks with a total capacity of no less than 150 gallons.

3.13 AIR CONDITIONING:

A multi-speed cab heater, air conditioning and windshield defroster shall be included. The system shall come equipped with fresh air ventilators or combination fresh air and recirculating ventilation system.

3.14 CAB:

The following items, supplementing if necessary those items already cataloged as standard cab equipment, shall be furnished and installed:

3.14.1 Air ride cab

3.14.2 Dual, two-speed, windshield wipers with intermittent feature

3.14.3 Dual visors

3.14.4 Dual windshield washers

3.14.5 Interior lights activated by opening either door and with a manual switch

3.14.6 Cab mounted air horns

- 3.14.7 Instrument Cluster shall contain, at a minimum the following items:
- Speedometer
 - Tachometer (with redline indicator)
 - Coolant temperature
 - Engine oil pressure
 - Fuel level
 - System voltage
 - Engine running time (hour meter)
- 3.14.8 An engine warning system that can be seen and heard from the driver position for the following:
- Coolant level
 - Coolant temperature
 - Engine oil pressure
- 3.14.9 Right and left outside rearview mirrors shall be heated with control switch inside the cab and shall be stainless steel with 102-inch wide spacing. Minimum size shall be 7" x 16"
- 3.14.10 Steps and grab handles to safely enter and exit the cab on both sides a minimum of 11" deep
- 3.14.11 Vertical and horizontal grab handles for deck plate access on left side behind the cab
- 3.14.12 Floor mats, headliner and full cab insulation
- 3.14.13 Driver and passenger cloth seats shall be adjustable air-ride suspension type with high back head support and dual arm rests
- 3.14.14 Seat belts for all seating positions
- 3.14.15 Interior color shall be one of the neutral colors among the manufacturer's standard colors
- 3.14.16 Three sets of keys shall be provided
- 3.14.17 All locks shall be keyed alike
- 3.14.18 Standard manufacturer's AM/FM/WB (Weather Band) radio, speakers and antenna
- 3.14.19 CB radio with antenna
- 3.14.20 Fog lights
- 3.14.21 Loadlights (minimum 2) rear facing mounted to the back of the cab
- 3.14.22 Adjustable tilt and telescoping steering column
- 3.14.23 Cab rear window to view trailer hookup

3.15 PAINT:

The cab, hood, fenders and body shall be finish painted with the manufacturer's standard white lead-free enamel paint (lead-free: 100-PPM maximum based on dry paint). The finish coat shall be free from runs, drips, sags, etc., and shall be evenly applied to provide a gloss finish. All other components shall be painted according to factory standard colors. Identification plates and labels placed on equipment and components by various manufacturers shall not be painted over.

3.16 MISCELLANEOUS:

The following miscellaneous equipment shall be furnished and installed:

- Standard tool kit including wheel changing tools
- Operator's instructions book
- Stainless steel full fenders over tandem axle



STATE OF CALIFORNIA
 BID SPECIFICATION
 TRUCK TRACTOR, THREE AXLE, DIESEL POWERED

67516TQ

1 QUESTIONNAIRE

For the bid to be considered complete, the following questionnaire must be filled out and submitted with the bid package.

Bidder: LA PRAGH LINER Solicitation #: 57389 Date: 7/20/09
 Make: PREBITLINER Model: CASCADIA

GENERAL:	GVWR GCWR Curb Weight <u>w/FUEL</u> Cab to Axle Centerline Distance Cab to end of frame Distance	<u>60320</u> lbs. <u>92000</u> lbs. <u>18717</u> lbs. <u>100</u> in. <u>156</u> in.
ENGINE:	Gross Power Torque Engine brake make/model Air cleaner restriction indicator? Fuel water separator?	<u>425</u> HP <u>1660</u> lbs.-ft. <u>COMMINS INTE BRAKE-JACOBS</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
ELECTRICAL:	System Voltage Alternator current rating Cold Cranking Amp rating of the batteries	<u>12 VOLTS</u> <u>160</u> Amps. <u>2280</u> CCA
TRANSMISSION:	Transmission make/model How many forward speeds does the transmission have? How many reverse speeds does the transmission have?	<u>FRONTRIER 18928 B</u> <u>18</u> Speeds <u>2</u> Speeds
BRAKES:	Anti-lock Braking System? Compressor CFM Are brakes self adjusting? Air dryer included?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <u>18.7</u> CFM <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
WHEELS & TIRES:	What is the tire size? What is the load range?	<u>215 20R 22.5</u> <u>H</u>
AXLES:	What is the front axle weight rating? What is the rear axle weight rating? Is traction control included?	<u>14700</u> <u>46000</u> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
FUEL TANK:	What is the total fuel capacity?	<u>160</u> Gal.

STATE OF CALIFORNIA
DEPARTMENT OF GENERAL SERVICES - PROCUREMENT DIVISION



Invitation For Bid

Responses must be delivered to the Procurement Division before 2:00 PM on the Due Date

DUE DATE 7/31/2009		SOLICITATION NO. 57389		REV.	DATE 7/ 9/2009	DELIVERY DATE 180 Days ARO	PAGE 1
SUPPLIER NAME AND ADDRESS JON ENNIS LOS ANGELES FREIGHTLINER 13800 VALLEY BLVD. FONTANA, CA 92335 (909) 510-4406		PURCHASE EST. NO. 67516		REV.	AGENCY BILLING CODE 28531		AGENCY PURCHASE EST. NO. PE780009
SUPPLIER CONTACT: PHONE: NUMBER:		F.O.B. DESTINATION UNLESS BIDDER STATES OTHERWISE		0% % CASH DISCOUNT FOR PAYMENT WITHIN 20 DAYS.		SHIP TO: LOS BANOS, CA 93635	
NAME (PRINT) ▶ JON ENNIS		SEE REQUIRED PAYMENT DATE OF THE GENERAL PROVISIONS PARAGRAPH 30.		Attn:		ARE YOU CLAIMING PREFERENCE AS A CALIFORNIA CERTIFIED SMALL BUSINESS? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
TITLE ▶ TRUCK SALES		FOR FURTHER INFORMATION, CONTACT LONNIE WILLIAMS		BUYER		PHONE 916-375-4586	
SIGNATURE ▶ <i>[Signature]</i>		DATE 7/30/09		Return To: DGS/PROCUREMENT DIVISION 707 3RD ST. 2ND FL(95605) P.O. BOX 989054 W SACRAMENTO, CA 95798			
TELEPHONE NUMBER ▶ 909 510 4406		FAX NUMBER ▶ 909 510 4050		SECTION 14835 ET SEQ. OF THE CALIFORNIA GOVERNMENT CODE REQUIRES THAT A 5% PREFERENCE BE GIVEN TO BIDDERS WHO QUALIFY AS A SMALL BUSINESS OR BIDDERS WHO QUALIFY AS A NON-SMALL BUSINESS CLAIMING AT LEAST 25% CALIFORNIA CERTIFIED SMALL BUSINESS PARTICIPATION. FOR REQUIREMENTS SEE TITLE 2, CALIFORNIA CODE OF REGULATIONS, SECTION 1895, ET SEQ. THE REQUIREMENTS FOR NONPROFIT VETERAN SERVICE AGENCIES QUALIFYING AS A SMALL BUSINESS ARE CONTAINED IN SECTION 999.50 ET SEQ. OF THE MILITARY AND VETERANS CODE.			
FEDERAL EMPLOYER IDENTIFICATION NUMBER ▶ 943303320		Bidder offers and agrees if this response is accepted within 45 calendar days from the date of opening to furnish all of the items upon which prices are quoted, at the prices set opposite each item, delivered at the designated point(s) by the method of delivery and within the times specified above and subject to the attached General Provisions. DECLARATIONS UNDER PENALTY OF PERJURY: By signing above, with inclusion of the date of signature, the above signed bidder DECLARES UNDER PENALTY OF PERJURY under the laws of the State of California as follows: (1) (STATEMENT OF COMPLIANCE). The above signed has complied with the non-discrimination program requirements of Government Code 12990 and Title 2, California Administrative Code Section 8103, and such declaration is true and correct. (2) The National Labor Relations Board declaration set forth in Paragraph 43 of the General Provisions is true and correct. (3) If a claim is made for the small business preference, the information set forth within is true and correct.					

ITEM NO.	QUANTITY	UNIT	COMMODITY CODE	DESCRIPTION	UNIT PRICE	EXTENSION
<p>BID ADDENDUM #1 JULY 21, 2009</p> <p>SUBJECT SOLICITATION 57389 FOR A TRUCK / TRACTOR / THREE AXLE / DIESEL POWER IS HERBY MODIFIED TO REFLECT THE FOLLOWING CHANGE:</p> <p>SECTION 3.8 WHEELS & TIRES HAS CHANGED:</p> <p>From: Wheels: Ten (10) hub-piloted, 10-stud, aluminum wheels with two hand holds and wheel widths as recommended by The Tire and Rim Association Inc. and the tire manufacture shall be supplied.</p> <p>To: Wheels: Ten (10) hub-piloted, 10-stud, aluminum wheels and wheel widths recommended by The Tire and Rim Association Inc. and the tire manufacturer shall be supplied.</p> <p>ALL OTHER TERMS AND CONDITIONS OF THE ORIGINAL SOLICITATION REMAIN THE SAME.</p>						

IMPORTANT: Read attached General Provisions carefully before bidding.