

**EMERGENCY EXPRESS TERMS
FOR
PROPOSED BUILDING STANDARDS
OF THE
DIVISION OF THE STATE ARCHITECT – STRUCTURAL SAFETY (DSA-SS)

REGARDING PROPOSED AMENDMENTS TO THE 2013
CALIFORNIA GREEN BUILDING STANDARDS CODE FOR THE
CALIFORNIA CODE OF REGULATIONS, TITLE 24, PART 11 (CALGREEN)**

LEGEND FOR EXPRESS TERMS

1. New California amendments: All such language appears underlined
2. Repealed text: All such language appears in ~~strikeout~~.

EMERGENCY EXPRESS TERMS

The Division of the State Architect-Structural Safety (DSASS) proposes to amend the 2013 California Green Building Standards Code (CALGreen) via an emergency rulemaking to align with the recently approved emergency rulemaking from the California Energy Commission updating specified appliance efficiency regulations in Title 20 of the California Code of Regulations (Refer to Docket 15-AAER-1).

These amendments are necessary to maintain uniformity and consistency between the California Green Building Standards Code (Part 11, Title 24, California Code of Regulations) with the appliance efficiency standards in Title 20 of the California Code of Regulations.

DSASS proposes to amend Chapter 5 of the 2013 CALGreen Code as follows:

**SECTION 5.303
INDOOR WATER USE**

...

5.303.3.2 Urinals.

~~The effective flush volume of urinals shall not exceed 0.5 gallons per flush~~

5.303.3.2.1 Wall mounted Urinals. *The effective flush volume of wall mounted urinals shall not exceed 0.125 gallons per flush.*

5.303.3.2.2 Floor mounted urinals. *The effective flush volume of floor mounted or other urinals shall not exceed 0.5 gallons per flush.*

...

Notation:

Authority – Education Code §17280-17317, 81130-81147; Health & Safety Code §16000-16023.

Reference – Education Code §17310 and 81142.