



STATE OF CALIFORNIA
Department of General Services - Office of Procurement

Purchase Order No. **62176** Rev. **6/30/2008** Date

PURCHASE ORDER

Form GSOP 1-PIN (04/98)

Supplier No.	Solicitation No.	Delivery Date	FOB Point	Invoice Terms
811727	57028	120 Days ARC	Destination	

GUN ACCESSORY SUPPLY PO BOX 1228 OAKDALE, CA 95361 Attn: MELISSA DUBIEL Phone: 209-845-3940	S CALIFORNIA HIGHWAY PATROL h RESEARCH & PLANNING SECT. T i 2555 FIRST AVENUE o P SACRAMENTO, CA 95818 Attn: OFFICER M. ZELHART	C CALIFORNIA HIGHWAY PATROL h FISCAL MANAGEMENT SECTION a T P.O. BOX 942901 r SACRAMENTO, CA 94298-2901 o g e	
	Agency Billing 08076	Agency Purchase Estimate 051E7033	Purchase Estimate 67112 Revision 1
	Agency Contact DAVID BAYONETA	Phone 916-375-2990	Date Received

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
----------	----------	------	----------------	-------------	------------	-----------

THE GENERAL PROVISIONS FOR NON-IT COMMODITIES ARE HEREBY INCORPORATED BY REFERENCE. THESE GENERAL PROVISIONS CAN BE OBTAINED BY PHONING (916) 375-4400 OR BY ACCESSING OUR WEBSITE AT:

www.documents.dgs.ca.gov/pd/modellang/GPhonIT0407.pdf

THE FOLLOWING INFORMATION IS PROVIDED FOR AGENCY USE ONLY:

PRIME CONTRACTOR: SB

1	70	EA	6650-566-0109-9	BINOCULAR (AS DESCRIBED) <u>BINOCULARS, HAND-HELD USE</u> WITH IMAGE STABILIZER TO ELIMINATE SHAKES OR VIBRATION FROM HAND-HELD USE. - MINIMUM MAGNIFICATION REQUIREMENT OF 12X - MINIMUM OBJECTIVE LENS DIAMETER OF 32mm (12 X 32mm WITH IMAGE STABILIZER) COLOR: BLACK POWER SOURCE: COMMERCIALLY AVAILABLE STANDARD "DC" BATTERIES (i.e. 9V, AA, C, OR D) DUE TO COST AND AVAILABILITY, LITHIUM BATTERY POWERED BINOCULARS WILL NOT BE ACCEPTED. TO INCLUDE BATTERIES AND FACTORY WARRANTY Brand: <u>NIKON</u> Model: <u>STABILEYES 12X32, N12X32A</u>	615.9500	43,116.50
2	35	EA	1095-080-0036-2	LAW ENFORCEMENT ACCESSORIES <u>NIGHT VISION MONOCULARS</u> FOR HAND-HELD USE MUST BE 2ND GENERATION BLACK - NIGHT VISION - MINIMUM MAGNIFICATION REQUIREMENT OF 3.5X - MINIMUM OBJECTIVE LENS DIAMETER OF 50mm (3.5 X 50mm 2ND GENERATION BLACK) TO INCLUDE BATTERY(S) AND FACTORY WARRANTY.	1,116.4300	39,075.05

Sales and/or use tax to be extra unless noted above

Buyer KATHLEEN SANBORN	Phone 916-375-4403	BOC Number
---------------------------	-----------------------	------------

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

Page 2 (Last)

<i>Purchase Order No.</i>	<i>Revision</i>	<i>Date</i>	<i>Supplier No.</i>	<i>Supplier Name</i>
62176		6/30/2008	811727	GUN ACCESSORY SUPPLY

<i>Item No.</i>	<i>Quantity</i>	<i>Unit</i>	<i>Commodity Code</i>	<i>Description</i>	<i>Unit Price</i>	<i>Extension</i>
				Brand: <u>AIN</u> Model: <u>NIGHT STORM 11243, 2ND GEN BLK</u>		
					Total Value:	82,191.55
<p><u>DELIVERY:</u> For the purpose of this purchase order, only F.O.B. Destination will be accepted.</p>						
<p><u>CHANGE ORDERS:</u> This Purchase Order may be amended, modified, or terminated at any time by mutual agreement of the parties in writing. Change orders amending, modifying or terminating the Purchase Order, including any modifications of the compensation payable, may be issued only by the State Procurement Officer. All such change orders shall be in writing and issued only upon written concurrence of the supplier. Termination, as that term is used in this section, does not include termination for default of the supplier.</p>						
<p><u>SUPPLIER NOTE:</u> THE STATE RESERVES THE RIGHT TO PURCHASE ADDITIONAL UNITS, AT THE PRICES QUOTED ON THE PURCHASE ORDER, FOR STATE AND LOCAL GOVERNMENT AGENCIES. ORDERS FOR SUCH ADDITIONAL UNITS SHALL BE PLACED WITHIN 180 DAYS OF THE PURCHASE ORDER DATE.</p>						
<p>This purchase order is being awarded on September 17, 2008 pursuant to Government Code Section 13332.17. Any encumbrances made pursuant to this purchase order shall be construed to have been made on the last day of the preceding fiscal year.</p>						
<p>This Purchase order has been registered into the state contact and procurement registration system (https://www.scprs.dgs.ca.gov/). The registration number is 27200908334913.</p>						



1 SCOPE

This document establishes the requirements for binoculars and monoculars to be furnished to the California Highway Patrol. The binoculars and monoculars will be used by the California Highway Patrol officers for viewing targets from patrol vehicles or during regular patrol operations.

2 APPLICABLE SPECIFICATIONS / STANDARDS / CODES

Specifications, standards and codes referenced in this document in effect on the opening of the 'Invitation For Bid', form a part of this specification.

3 REQUIREMENTS

3.1 Binocular shall:

- 3.1.1 Be hand-held, center-focused type, water resistant and for daytime use.
- 3.1.2 Have minimum magnification power of 12x.
- 3.1.3 Have objective lens with minimum diameter of 32 mm.
- 3.1.4 Be capable of stabilizing image with an image stabilizer or equivalent mechanism.
- 3.1.5 Be black finish with dimensions not to exceed 9.25" x 7" x 4".
- 3.1.6 Have lenses fully multi-layer coated, fog-proof, and in commercial grade quality.
- 3.1.7 Have either roof or porro prisms with phase correction coatings.
- 3.1.8 Have field of view (FOV) minimum of 260 feet at 1,000 yards with 12x magnification.
- 3.1.9 Have eye relief (distance from rear eyepiece lens to where image is focused) minimum of 11.0 mm.
- 3.1.10 Have near focusing distance of 85 feet or shorter.
- 3.1.11 Be powered by commercial standard 9V, AA, AAA, C or D non-rechargeable, non-Lithium type of batteries.
- 3.1.12 Have minimum operating temperature range from -10C to +50C.

3.2 Monocular shall:

- 3.2.1 Be waterproof, hand-held type with weight not to exceed 26 ounces.
- 3.2.2 Have minimum magnification power of 3.5x.
- 3.2.3 Have objective lens with minimum diameter of 50 mm.
- 3.2.4 Have field of view (FOV) minimum of 7.0 degrees with 3.5x magnification.
- 3.2.5 Have night vision image intensified with technology of "generation 2" or later - photosensitivity of photocathode on micro-channel plate in the intensified tube equal to or greater than 200 microAmpere/Lumen.
- 3.2.6 Be black finish with dimensions not to exceed 9" x 6" x 3.5".
- 3.2.7 Have minimum operating temperature range from -20C to +40C.
- 3.2.8 Be capable of adapting to camcorder and camera with optional adapter.