



Form GSOP 1-PIN (04/98)

STATE OF CALIFORNIA
 Department of General Services - Office of Procurement
PURCHASE ORDER

Purchase Order No.	Rev.	Date
62405		6/30/2009

Supplier No.	Solicitation No.	Delivery Date	FOB Point	Invoice Terms
154566	57363	105 Days ARC	Destination	1/2% / 20 DAYS

TORRES FENCE CO, INC 2357 S ORANGE AVE FRESNO, CA 93725 Phone: 559-237-4141	S DEPT. OF TRANSPORTATION h SACRAMENTO WAREHOUSE MS17 i 2001 EVERGREEN STREET P SACRAMENTO, CA 95816 Attn: MITCH MCINTIRE 9163241190	C DEPT. OF TRANSPORTATION h ASC PAYABLES a P. O. BOX 168018 T SACRAMENTO, CA 95816 r e		
	Agency Billing 60006	Agency Purchase Estimate 22-W1347JW	Purchase Estimate 67435	Revision 2
	Agency Contact JOHN WILLIAMS	Phone 916-227-6031	Date Received	

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
<p>This purchase order is being awarded on SEPTEMBER 2, 2009 pursuant to Government Code Section 13332.17. Any encumbrances made pursuant to this purchase order shall be construed to have been made on the last day of the preceding fiscal year.</p> <p>The general provisions for Non-IT commodities are hereby incorporated by reference. These General Provisions can be obtained by phoning (916) 375-4400 or by accessing our website at: www.documents.dgs.ca.gov/pd/modellang/GPhonIT0407.pdf</p> <p>THE FOLLOWING INFORMATION IS PROVIDED FOR AGENCY USE ONLY: Prime Contractor: NS</p>						
68050	FT	5660-600-0060-4	FENCE CHAIN LINK 72" HIGH	Fence, chain link, 72" high +/- 1/4", galvanized, 11 gauge, 2" mesh, 21.5 +/- 1 diamonds, right weave in 50' rolls. Shall conform with section 80-4.01B of the State of California, Dept. of Transportation, Standard Specifications, dated May 2006. (1361 Total Rolls)	1.6300	110,921.50
<p>Nine (9) rolls per pallet with butt ends separated by spacers. Load to be secured to pallet with 5/8" steel banding. <u>No shrink wrapping.</u></p> <p>Pallets shall be 48" by 48" per attached State of California Specification 3990-01A-01 dated January 2001.</p> <p>(CT# 5660-0060-0)</p>						

Sales and/or use tax to be extra unless noted above

Buyer SHANNON KELLER	Phone 916-375-4606	BOC Number
-----------------------------	-----------------------	------------

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

Purchase Order No.	Revision	Date	Supplier No.	Supplier Name
62405		6/30/2009	154566	TORRES FENCE CO, INC

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
66000	FT		5660-157-2122-0	WIRE BARBED (BY THE FOOT) Galvanized, barbed wire shall conform to the Specification of ASTM designation A121, Class 1. The barbed wire shall consist of 2 strands of 12-1/2 gauge wire, twisted w/2 or 4 points, 14 gauge barbs spaced not more than 5" apart. 1320' Rolls (50 total rolls). Pallets shall be 48" by 48" per attached State of California Specification 3990-01A-01 dated January 2001. <u>No Shrink Wrapping.</u> (CT#5660-0010-5)	0.0500	3,300.00
43230	FT		5660-600-0070-7	FENCE STOCK FARM Galvanized, 32" high, 330' rolls, approximately 148 lbs. per roll. Shall conform to specifications of ASTM designation A-116, Class 1. The wire shall be 32" wide consisting of 8 horizontal wires with continuous stays spaced 6" apart. Top and bottom wires with vertical stays shall be 12-1/2 gauge. Welds are not acceptable, fence shall be weaved. (131 total rolls). Stock farm fence shall be shipped standing on end secured to the pallet with 5/8" steel banding. <u>No shrink wrapping.</u> Pallets shall be 48" x 48" per attached State of California Specification 3990-01A-01 dated January, 2001. (CT# 5660-0070-1)	0.3700	15,995.10

STATE OF CALIFORNIA

Department of General Services - Office of Procurement

PURCHASE ORDER CONTINUATION

Form GSOP 2-PIN (04/98)

Purchase Order No.	Revision	Date	Supplier No.	Supplier Name
62405		6/30/2009	154566	TORRES FENCE CO, INC

Item No.	Quantity	Unit	Commodity Code	Description	Unit Price	Extension
3500	FT	5660-600-0020-3	FENCE CHAIN LINK 36" HIGH		1.0600	3,710.00
				Fence chain link, 36" high +/- 1/4", galvanized, 11 gauge, 2" mesh, 10.5 +/- 1 diamonds, right weave 50' rolls. Shall conform with Section 80-4.01B of the State of California, Department of Transportation Standard Specifications, dated May 2006. (70 total rolls).		
				Nine (9) rolls per pallet with butt ends separated by spacers. Load to be secured to pallet with 5/8" steel banding. <u>No shrink wrapping.</u>		
				Pallets shall be 48" by 48" per attached State of California Specification 3990-01A-01 dated January 2001.		
				(CT# 5660-0020-6)		
2850	FT	5660-600-0060-4	FENCE CHAIN LINK 72" HIGH		0.8000	2,280.00
				Fence, chain link, 48" high +/- 1/4", galvanized, 11 gauge 2" mesh 14 +/- 1 diamonds, right weave in 50' rolls. Shall conform with Section 80-4.01B of the State of California, Department of Transportation, Standard Specifications, dated May 2006. (57 total rolls).		
				Nine (9) rolls per pallet with butt ends separated by spacers, load to be secured to pallet with 5/8" steel banding. <u>No shrink wrapping.</u>		
				Pallets shall be 48" by 48" per attached State of California Specification 3990-01A-01 dated January 2001.		
				(CT# 5660-0030-7)		
Total Value:						136,206.60

State of California – DGS Procurement Division
Purchase Order 62405

FOR THE PURPOSE OF THIS AWARD

Only Free On Board (F.O.B.) Destination will be accepted.

DELIVERY

Delivery is to be completed in full within one hundred and five (105) days After Receipt of Order (ARO).

Supplier shall provide 48 hours notice to the State in advance of delivery of shipment.

Note: In accordance with paragraph 15 of the General Provisions entitled "Delivery", the contractor shall strictly adhere to the delivery terms and completion schedule as specified in this solicitation. Failure to comply with the delivery requirements, as stated, may be considered a breach of contract and subject the contractor to General Provisions 26, entitled "Rights and Remedies of the State for Default".

ACCEPTANCE TESTING

At the State's option, the State will perform acceptance testing to the items within 30 days of delivery of the shipment. All initial tests will be at State expense.

DISPOSITION OF REJECTED ITEMS

Rejected items or shipments will be returned to the supplier by common carrier at supplier's expense and risk unless supplier notifies the Department of Transportation, Transportation Laboratory that the supplier will make arrangements to pick up the items within seven (7) days of notification.

WARRANTY

Equipment shall operate satisfactorily and have a minimum warranty period of one year from date of delivery to the State. Vendor shall bear all material, labor and transportation costs for repair of defects and failures occurring within the warranty period.

PURCHASE ORDER CHANGES

This Purchase Order may be amended, modified, or terminated at any time by mutual agreement of the parties, in writing. Change orders amending, modifying or terminating the Purchase Order, including any modifications of the compensation payable, may be issued only by the State Procurement Officer. All such change orders shall be in writing and issued only upon written concurrence of the supplier. Termination, as that term is used in this section, does not include termination for default of the supplier.

SALES TAX

Sales tax was not included in the bid pricing and is not part of this award. Sales tax should be added at time of invoicing. The sales tax rate applied should be based on the rate of the area the product is to be delivered to.

SCPRS

This Purchase order has been registered into the State Contract and Procurement Registration System (SCPRS) at (<https://www.bidsync.com>). The registration number is EP1028515.

STATE OF CALIFORNIA SPECIFICATION PALLETS, WOODEN

1 SCOPE

This specification covers pallets intended for use with low lift pallet trucks or forklift trucks.


2 SPECIFICATION AND STANDARDS

Specifications and standards referenced in this document in effect on the opening of the Invitation for Bid form a part of this specification where referenced.

3 REQUIREMENTS

3.1 Material

The pallets shall be constructed from nominal size standard or better (West Coast Lumber Inspection Bureau, Standard Grading Rules for West Coast Lumber) grade Douglas Fir, Hemlock, Larch or Hem-Fir. The stringers shall be S4S and the decking S4S or S1S2E (re-



**FIG. 1 - TYPE 2
WOODEN PALLET**

sawed) with no edge knots. Sawed side is to be assembled to the inside of the pallets. Fastening shall be accomplished with $2\frac{1}{4}$ inch ($+1/16$ inch) 7 penny flat head drive screws (helical threaded nail) or $2\frac{1}{4}$ ($+1/16$ inch) #10 wire gauge annular ring nails as recommended in Specifications and Grades for Warehouse. Permanent or Returnable Pallets of West Coast Woods as published by the National Wooden Pallet and Container Association (Specifications and Grades, NWPCA).

3.2 Non-Standard Duty-Cycle Pallets


When specifically requested by the user, pallets may be manufactured using pine, oak or ash woods.

3.3 Construction

Pallet type and construction shall comply with Specifications and Grades, NWPCA. The pallets shall be Grade "Quality" (QAL).

The decking shall be secured with 3 nails or screws at each surface of contact with the stringer. Nails shall not be within $\frac{1}{2}$ inch of deck-board edges or another nails.

All leading and outside edges of the bottom deck shall be chamfered. The chamfers shall be at least 12 inches long and shall be cut on an approximate 35 degree angle to the face so as to leave an edge adjacent to the chamfer not less than $\frac{1}{4}$ inch nor more than $\frac{1}{2}$ inch from the outer



**FIG. 2 - TYPE 4
SINGLE WING WOODEN PALLET**

edge of the deck-board. The chamfer shall extend to within 3 inches of the stringers. Pallet configuration shall comply with illustration A.

COMMONLY USED PALLET TYPES & SIZE			
SIZE	TYPE	TOP DECK	BOTTOM DECK
1	2 (Fig. 1)	42"L x 36"W Six 1" x 6" x 36" deck-boards, spaced evenly along the pallet width	42"L x 36"W Min. Four 1" x 6" x 36" boards. One placed each end of the stringers Two at center of the stringers
2	2 (Fig. 1)	42"L x 42"W Six 1" x 6" x 42" deck-boards, spaced evenly along the pallet width	42"L x 42"W Min. Four 1" x 6" x 42" boards. One placed each end of the stringers Two at center of the stringers
3	2 (Fig. 1)	44"L x 44"W Six 1" x 6" x 44" deck-boards, spaced evenly along the pallet width	44"L x 44"W Min. Four 1" x 6" x 44" boards. One placed each end of the stringers Two at center of the stringers (Fig. 1)
4	2 (Fig. 1)	45"L x 36"W Six 1" x 6" x 36" deck-boards, spaced evenly along the pallet width	45"L x 36"W Min. Four 1" x 6" x 36" boards. One placed each end of the stringers Two at center of the stringers
5	2 (Fig. 1)	46"L x 44"W Six 1" x 6" x 44" deck-boards, spaced evenly along the pallet width	46"L x 44"W Min. Four 1" x 6" x 44" boards. One placed each end of the stringers Two at center of the stringers
6	2 (Fig. 1)	48"L x 48"W Six 1" x 6" x 48" deck-boards, spaced evenly along the pallet width	48"L x 48"W Min. Four 1" x 6" x 48" boards. One placed each end of the stringers Two at center of the stringers
Note: SIZE 1, TYPE 4 - has a single wing applied to top deck.			
1	4 (Fig. 2)	42"L x 36"W Six 1" x 6" x 36" deck-boards, spaced evenly along the pallet width with 3" wings extending beyond the stringers outboard faces	42"L x 30"W Min. Four 1" x 6" x 36" boards. One placed each end of the stringers, Two at center of the stringers

4 SAMPLING AND INSPECTION

This commodity will be sampled and inspected for compliance to this specification as deemed necessary. Sampling and inspection by attributes will be in accordance with ANSI/ASQ Z1.4 1993, Sampling Procedures and Tables for Inspection by Attributes. An inspection lot is defined as one delivery to one agency at one time.

4.1 Workmanship

The pallets shall be free from defects as outlined under Grade "Quality" (QAL) in the "Specifications and Grades", NWPCA.

5 MARKING

Each pallet shall be marked (two places), "STATE OF CALIFORNIA". Marking shall be easily readable, in black letters and on outboard faces of stringers.