

Phase I Environmental Site Assessment

**California Highway Patrol
Chico, California**

Prepared for:

**Department of General Services
Real Estate Services Division**

***SN* Engineers & Geologists**

350 Hartnell Ave., Ste B
Redding, CA 96002-1875
530-221-5424

September 2016
516012



Reference: 516012

September 29, 2016

Dan O'Brien
State of California
Department of General Services
707-3rd Street, 4th Floor MS 509
West Sacramento, CA 95605

**Subject: Phase I Environmental Site Assessment, California Highway Patrol,
Chico, California**

Dear Mr. O'Brien:

Enclosed is the Phase I environmental site assessment for the subject site, conducted by SHN Engineers & Geologists. The site is located at 995 Fir Street (Assessor's parcel numbers 002-060-012 and -014) in Chico, California.

As part of our detailed investigation of the subject property, SHN found no evidence of past land uses that have generated or caused the release of a hazardous material, which would be identified as a recognized environmental condition as defined in ASTM-International Standard E1527-13.

SHN's research conducted for the subject property included reviews of historical maps, aerial photographs, and agency records; conducting interviews; and reviewing the ESA questionnaires completed by the current owners and occupants.

If you have any comments or concerns regarding this report, or if we can be of further assistance, please call either of us at 707-441-8855.

Sincerely,

SHN Engineers & Geologists

Patrick Barsanti
Registered Environmental Property Assessor

Roland Rueber, PG
Environmental Services Principal

PNB:RMR/DMW:lms

Enclosure: Phase I ESA Report

Reference: 516012

Phase I Environmental Site Assessment

California Highway Patrol Chico, California

Prepared for:

**Department of General Services
Real Estate Services Division**

Prepared by:



Engineers & Geologists
350 Hartnell Ave., Ste B
Redding, CA 96002-1875
530-221-5424

September 2016

QA/QC: RMR

Table of Contents

	Page
List of Illustrations	ii
Abbreviations and Acronyms	iii
1.0 Introduction	1
1.1 Purpose	1
1.2 Involved Parties	1
2.0 Scope of Work.....	2
3.0 Site Overview	3
3.1 Location	3
3.2 Adjacent Properties	3
3.3 Site Description	3
4.0 Site History and Operations	3
4.1 General Description	3
4.2 Operations Using, Storing, or Disposing of Hazardous Substances	4
4.3 Description of Environmental Permits Held.....	4
5.0 Environmental Setting.....	4
5.1 Regional Physiographic	4
5.2 Geology	4
5.3 Groundwater Conditions.....	5
6.0 Results of the Investigation	5
6.1 Site Inspection Observations	5
6.2 Project Vicinity	7
6.3 Results of Regulatory Agency Contacts.....	12
6.4 Results of Personnel Interviews/Site Records Review	12
6.5 Synopsis of Results of Previous Environmental Investigations	13
7.0 Discussion	13
8.0 Conclusions.....	14
9.0 Recommendations.....	14
10.0 Limitations	14
11.0 References Cited.....	15
11.1 Published References.....	15
11.2 Records of Personal Communications	16
12.0 Signatures of Environmental Professionals.....	16
13.0 Statement of Qualifications of Environmental Professionals	16

Table of Contents, continued

Appendices

- A. Color Photographs
- B. Aerial Photographs, Topographic Maps, Business Directory, and Sanborn Map Review (not available)
- C. Assessor’s Parcel Map, Other Maps of Interest, GeoTracker Review, and File Review Information
- D. Environmental Data Resources (EDR)
- E. Questionnaires

List of Illustrations

Figures	Follows Page
1. Site Location Map	1
2. Site Plan	1

Tables	Page
1. Involved Parties	1
2. Site Use History	4
3. Agency-Listed Sites Within a One-Quarter Mile Radius	8
4. Historical Topographic Maps.....	10
5. Historical Aerial Photographs.....	11

Abbreviations and Acronyms

AAI	all appropriate inquiries
APN	Assessor's parcel number
AST	aboveground storage tank
ASTM	ASTM-International
AUL	activity and use limitation
BCEHD	Butte County Environmental Health Department
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CERCLIS	Comprehensive Environmental Response Compensation and Liability Information System (Federal)
CFR	Code of Federal Regulations
CHMIRS	California Hazardous Material Incident Report System
CUPA	Certified Unified Program Agency
DGS	Department of General Service
DI	drop inlet
DOQQ	digital orthophoto quarter quadrangles
DTSC	California Department of Toxic Substances Control
ECHO	enforcement and compliance history information
EDR	Environmental Data Resources
EMI	emissions inventory data
EPA	U.S. Environmental Protection Agency
ERNS	Emergency Response Notification System
ESA	environmental site assessment
FID	facility inventory database contains active and inactive underground storage tank locations
FINDS	Facility Index System/Facility Registry System
GEMS	General Environmental Management Services
H&A	Haling & Associates
HAZNET	facility and manifest data
HIST CORTESE	hazardous waste and substance site list
HIST UST	Historical UST Registered Database
LUST	Leaking Underground Storage Tank Incident Reports
NAIP	National Agriculture Imagery Program
NPDES	National Pollution Discharge Elimination System
NPL	National Priorities List
NR	no reference
PCB	polychlorinated biphenyls
PG	Professional Geologist
PQ	Public Quasi zoning designation
RCRA-SQG	Resource Conservation and Recovery Act (RCRA) of 1976, Small Quantity Generator
REC	recognized environmental condition
REPA	Registered Environmental Property Assessor
RWQCB	Central Valley Regional Water Quality Control Board
SHN	SHN Engineers & Geologists
SWEEPS UST	Statewide Environmental Evaluation and Planning System UST database
SWPPP	stormwater pollution prevention plan
SWRCB	California State Water Resources Control Board

Abbreviations and Acronyms, Continued

USC	United States Code
USDA	U.S. Department of Agriculture
USGS	U.S. Geological Survey
UST	active UST facilities
UST	underground storage tank
WDS	waste discharge system database

1.0 Introduction

1.1 Purpose

In August 2016, SHN Engineers & Geologists conducted a Phase I environmental site assessment (ESA) of the property located at 995 Fir Street, (Assessor's parcel numbers [APNs] 002-060-012 and -014), in Chico, Butte County, California (Figures 1 and 2). This Phase I ESA was conducted at the request of the Department of General Services (DGS), in order to complete the due diligence process for the sale of the property.

The purpose of conducting a Phase I ESA is to assess the property, largely based on current circumstances, with respect to the presence or absence in the environment, of regulated or hazardous materials, as defined in the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA), and Department of Toxic Substances Control (DTSC) Title 22 of the California Code of Regulations.

This Phase I ESA was prepared in general accordance with ASTM-International (ASTM) Standard Practice E1527-13 for the Phase I ESA process. Additionally, this Phase I ESA was conducted in conformance with the regulations and sections according to the U.S. Environmental Protection Agency (EPA) Final Rule pertaining to standards and practices for all appropriate inquiries (AAI). It addresses the latest landowner liability protections that have evolved as a result of the United States Congress's actions and the new EPA rule (that is, the addition of the contiguous property owner and bona fide prospective purchaser defenses related to liability under the CERCLA [or Superfund]). The AAI Rule requires the environmental professional to include an opinion regarding additional appropriate investigation, if any, to detect the presence of hazardous substances or petroleum products. This practice is intended to permit a user to satisfy one of the requirements to qualify for the innocent landowner defense to CERCLA liability; that is, practices that constitute "all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice," as defined in 42 United States Code (USC) 9601 (35)(B).

This report has been prepared on behalf of, and for the exclusive use of DGS and its designated representatives; furthermore, it is subject to and issued in connection with the agreement with SHN and the provisions thereof.

1.2 Involved Parties

Table 1 presents a list of involved parties.

Table 1	
Involved Parties	
California Highway Patrol, Chico, California	
Current Property Owner	
Name: Beth DePaola, State of California	Phone Number: 916-843-3800
Mailing Address: 707 3 rd Street, 5 th Floor, West Sacramento, CA 95605	
Site Contact	
Name: John Price, Captain/Commander	Phone Number: 530-895-3594
Mailing Address: 995 Fir Street, Chico, CA 95927	




IMAGE SOURCE: CHICO
USGS 7.5 MINUTE QUADRANGLE



\\Eureka\Projects\CAD-FILES\Redding\2016\516012\DWG - SAVED: 9/26/2016 12:23 PM NDOWNNEY, PLOTTED: 9/26/2016 12:24 PM, NATHAN DOWNEY

 Consulting Engineers & Geologists, Inc.	DGS Chico CHP Phase I ESA 995 Fir Street, Chico, California		Site Location Map SHN 516012	
	September 2016	516012-LOCATION	Figure 1	

Z:\CAD-FILES\Redding\2016\516012\DWG_SAVED_9/28/2016 9:02 AM KRUEBER_PLOTTED_9/28/2016 9:02 AM ROLAND M RUEBER




IMAGE SOURCE: BING

EXPLANATION
 DRAINAGE

NOTE: ALL LOCATIONS APPROXIMATE

 Consulting Engineers & Geologists, Inc.	DGS Chico CHP Phase 1 ESA 995 Fir Street, Chico, California	Site Plan SHN 516012
	September 2016	516012-SITE-PLAN Figure 2

2.0 Scope of Work

In accordance with ASTM Standard E1527-13, SHN performed the following ESA services in preparation of this document:

- Conducted a field reconnaissance of the subject property to look for evidence of existing or potential soil and groundwater contamination, or other potential recognized environmental conditions (RECs).
- Provided color photographs of the subject property (Appendix A).
- Conducted a survey of the property vicinity, to identify businesses or facilities that may use, produce, and/or store reportable quantities of hazardous materials or generate hazardous waste. SHN conducted a perimeter survey of the immediately adjacent properties for obvious signs of potential contaminant migration.
- Reviewed local and regional geological and groundwater conditions in the vicinity of the subject property. Identified existing or proposed municipal infrastructure for the property and vicinity, including potable water, wastewater, and stormwater provisions, as mandated by the ASTM guidelines.
- Examined aerial photographs of the property taken over the past 75 years; reviewed the available U.S. Geological Survey (USGS) topographic maps; and the business directory; no Sanborn Fire Insurance map was available (Appendix B). Additionally, SHN reviewed the Assessor's parcel map and other maps of interest (Appendix C). SHN also reviewed other reasonably ascertainable standard sources for developing a continuous site history dating back to the first known development, as recommended by the ASTM guidelines.
- Reviewed and/or discussed selected regulatory agency files and records that are maintained at the Butte County Environmental Health Department (BCEHD), the local Certified Unified Program Agency (CUPA), the City of Chico Planning Services, and at the City of Chico Building Division to evaluate whether the site or any of the immediately adjacent sites are likely to be a potential hazardous materials threat to the subject property (Appendix C).
- Using the ASTM-designated search radii, SHN reviewed publicly available federal, state, county, and other regulatory agency lists and databases (including Comprehensive Environmental Response Compensation and Liability Information System [CERCLIS], National Priorities List [NPL], and Calsites) for sites with known hazardous materials contamination and/or registered underground storage tanks (USTs) that are presently or were previously located on or near the subject property (Appendix D).
- Reviewed and completed a land use questionnaire, and discussed a follow-up list of questions (supplied by SHN, Appendix E). The user of this Phase I ESA is DGS. CHP representative Beth DePaola completed a questionnaire regarding the comparison of the purchase price to the value of the property. CHP Commander John Price completed the standard site assessment questionnaire (Appendix E).
- Identified and commented on the existence and significance of potential data gaps.
- Commented on the potential for vapor intrusion, as required by ASTM E1527-13.

SHN did not perform a visual inspection to determine condition and quantity of suspected asbestos-containing materials or lead based paint, because it is not mandated by ASTM E1527-13.

3.0 Site Overview

3.1 Location

The subject site is located at the intersection of Fir Street and Humboldt Road in Chico, Butte County, California. The approximate elevation of the subject site is 221 feet above mean sea level, according to the Environmental Data Resources (EDR) report. The topographic maps and the EDR report shows that the general slope of the land is to the southwest. The mean annual rainfall in the area is approximately 26 inches.

The subject site is zoned PQ-Public Quasi. The land within a ½-mile radius is primarily developed with municipal facilities and state highway systems. A small plaza and public, forested area are south of the subject site. No large-scale industrial facility, automobile salvage yard, livestock feed lot, or manufacturing facility operates on or immediately adjacent to the subject property.

3.2 Adjacent Properties

North: Immediately north of the subject property is the City of Chico Operations and Maintenance Division. Further north is State Highway 32 (Deer Creek Highway).

West: Immediately west of the subject property is the Chico City Park Division and Fir Street, with State Highway 99 beyond.

South: Immediately south of the subject property is Humboldt Road. A commercial plaza is further south, with a forested area and Teichert Pond beyond.

East: The City of Chico Police Station and Animal Control border the subject site to the east.

SHN did not observe any evidence of contaminants or regulated materials migrating onto the surface of the subject property from any of the adjacent sites.

3.3 Site Description

The subject site is approximately two acres in size. The station consists of two office buildings with paved driveways and parking areas; an auto maintenance bay, communication shed, communication tower, fuel log shed, two 250-gallon propane tanks, and one Aboveground Storage Tank (AST). Vegetated areas with trees are scattered throughout the site and along the site boundaries.

4.0 Site History and Operations

4.1 General Description

Based upon our review of the historical maps, aerial photographs, and business directories; and from interviews conducted with people that are knowledgeable of the project site, SHN has determined that the site has been used as a highway patrol station since 1978. Development for the station began in 1976. Prior to that, a business called Mid Valley Ice Service was at the site APN

002-060-012 for a small, undetermined period of time. Table 2 presents a more detailed site use history.

Table 2 Site Use History California Highway Patrol, Chico, California		
Date	Name and/or Operations	Site Owner
Prior to 1976	Undeveloped; agricultural land Mid Valley Ice Service	Unknown; Charles B. Kuhlmann
1976-Present	Highway Patrol station	State of California

4.2 Operations Using, Storing, or Disposing of Hazardous Substances

Historically, there was one 12,000-gallon UST on the subject site. Currently, one 10,000-gallon AST containing unleaded fuel, one waste oil AST, and small quantities of hazardous substances are being used and stored on site. The most recent hazardous materials inventory sheets are included in Appendix C.

4.3 Description of Environmental Permits Held

The BCEHD regulates hazardous materials storage and use, and above- and below-ground fuel storage tanks in the county. Air Quality Management District-Authority to Construct Permit No. CHP-78-01-2 was issued for the AST on the subject property. There is also a Permit to Operate Liquefied Petroleum Gas Tank by the State of California Department of Industrial Relations for the two propane tanks. Permits to operate and remove the former 12,000-gallon UST are included in the environmental health files.

Copies of these permits are included in Appendix C. Detailed regulatory information regarding this site is further discussed in Sections 6.2.1.1 and 6.3.1.

5.0 Environmental Setting

5.1 Regional Physiographic

The subject property is located at 995 Fir Street in Chico. The site is situated within Section 25, Township 22 North, Range 01 East (Mount Diablo Base and Meridian). The Parcel Quest information for APNs 002-060-012 and -014, and the parcel map is included in Appendix C. According to the EDR report (Appendix D), the subject site is not situated within a 100-year flood zone, 500-year flood zone, or in a wetland inventory area.

5.2 Geology

Geology in the vicinity of the site was mapped as Quaternary alluvial fan deposits; which is described as gravel, sand, silt, and clay deposited from streams (CDMG, 1962).

The EDR report described the soils in the vicinity of the subject site as BRENTWOOD clay loam, with moderate infiltration rates, respectively.

5.3 Groundwater Conditions

Shallow groundwater movement in the vicinity of the site appears to follow the topography of the general area. Based on the site topography and EDR report, the hydraulic gradient appears to flow generally to the southwest.

There is a municipal water supply well within a ¼-mile radius of the subject site.

6.0 Results of the Investigation

6.1 Site Inspection Observations

SHN staff performed site reconnaissance on August 5, 2016, which included conducting an interview with the site contact (Sergeant Dan Canalia). The site visit consisted of a visual inspection of the subject property, noting potential sources or evidence of any hazardous materials releases, location and alignment of utilities, site drainage patterns, uses of adjacent parcels, potential for migration from offsite sources, and any other pertinent or unusual information that would aid in the development of this ESA.

The facility primarily functions as a law enforcement office; however, it has a fueling station and a routine auto maintenance area. The majority of the site is paved and accessible by two entrances from the western and the southern boundaries. There are vegetated areas in the parking lots and along the property boundaries. The northern and central portions of site consist of two larger buildings, and several smaller buildings and structures. The remainder of the subject property consists of asphalt-paved vehicle parking areas/driveways that were in good condition at the time of SHN's site visit.

The main office building is located in the center of the subject site. It is constructed of cinder block, T111 siding, drywall interior, and rolled asphalt roofing. The main entrance is on the southwest corner of the building, with parking areas on both the north and south sides of the building. Two gates on the eastern and western sides of the building restrict access to the northern portion of the site.

The main office building (built in 1978) consists of offices, restrooms, storage areas, an auto maintenance bay, and a large evidence room. Storage areas throughout the building contain minimal cleaning chemicals, oxygen tanks for emergency use, and other miscellaneous items. New paints and buckets of fire retardant are also stored in the main office building, near the auto maintenance bay. The emergency shut off for the gas pump is located on the exterior of the main office building.

A corridor divides the main office building from the auto maintenance bay. The auto maintenance bay is located in the southeastern section of the main office building. This section is used for auto repairs and storage. There is an above grade hydraulic lift on a concrete slab, used oil filters stored in properly labeled 55-gallon drums, and used rags stored in 20-gallon drums.

The dispatch building is situated along the northern site boundary. It has offices, a kitchen, restrooms, a storage area, and parking area in front of the building. It is a modular structure consisting of T111 siding and stick construction, drywall interior, and rolled asphalt roofing. Along the western side of the dispatch building, there is a single-walled sump; an enclosed pad-mounted ultra isolator transformer; a backup generator; and a large electrical conduit that leads into the building. A 250-gallon, pad mounted waste oil AST (labeled) with a vent, used tire rack, and, a corrugated metal shed containing child protective car seats and road flares are adjacent to the dispatch building. No leak was noted in this area and no environmental concern was noted inside the dispatch building.

Two 250-gallon propane tanks used for the backup generator are situated on the northeastern portion of the site. The septic vaults, two dumpsters, and a fuel log shed are also in this general vicinity. The septic lift-type station, associated with the dispatch building, has an in-ground (circular) sump. A vent pipe, possibly associated with the former UST, is situated in the northeastern corner of the subject site. No information on the vent pipe was ascertainable.

Sewer service for the main building is provided by the City of Chico. A sewer cleanout was observed on the northwestern side of the main building.

The western property boundary is tree-lined, with a parking area and barbeque area situated in the northwestern corner of the site. The adjacent City of Chico property is heavily vegetated near the western subject site entrance.

One 10,000-gallon gasoline AST, with secondary containment and two dispensers, is situated along the eastern boundary. A small, wooden shed containing the permit to operate and log book for fuel dispensed is located on the northern side of AST.

Adjacent to the AST, there is a maintenance building constructed of cinder block, drywall interior, and rolled asphalt roofing. It is used as an office for the maintenance staff and stores an upright compressor, cleaning supplies, and various tools and equipment. Further south, are the communication tower and a communication shed, which is constructed of cinder block and contains electronics and computer equipment. Also in this area, a metal tire shed stores new tires and a new wheel balancer. A small steel cabinet in this area contains window wash materials for the patrol vehicles.

Further south along the eastern boundary, there is a storage shed containing files and a safe for ammunition storage. SHN observed several, open 5-gallon buckets containing mastics awaiting proper disposal.

Five pole-mounted transformers are situated near the site entrances, along the southern and western property boundaries. No blue "PCB Free"¹ stickers were observed. Overhead electrical lines extend along the property boundary along Fir Street and Humboldt Road, and are supported on wooden poles. A power drop box is situated on the southern boundary, adjacent to Humboldt Road. An underground telecommunications box and a manhole for Bell System Telecomm are also located in this area.

¹ PCB: polychlorinated biphenyls

The site buildings are serviced with natural gas and electricity by Pacific Gas & Electric. The gas main is located near the auto maintenance bay.

A water meter is adjacent to the western site entrance, and California Water Service Company (Cal Water) supplies potable water to the subject property. A copy of the most recent (2015) water quality report is included in Appendix C. According to the water quality report, Cal Water uses 63 wells to pump an average of 27 million gallons of groundwater per day, which is delivered to customers through 373 miles of pipeline, eight storage tanks, and nine booster pumps. Water supplied by Cal Water is tested on an annual basis, as mandated by the State of California Division of Drinking Water. SHN did not observe any water supply well on the subject property during the recent field reconnaissance.

The subject site is relatively flat. The vast majority of stormwater runoff from the subject property flows into three onsite drop inlets (DIs), which discharge into the City of Chico stormwater system. The asphalt surrounding the DIs was free of significant staining or cracking. SHN did not observe any pond, pit, or lagoon on the subject site.

SHN did not observe any surface evidence (vent pipe, fill port, vacated dispenser island, and so on) associated with USTs adjacent to the subject property, or anywhere else on the subject property. There was a former UST that was removed by permit, and the vent for the former UST still remains. No large area of staining or cracking was observed anywhere on the property.

SHN completed a "Site Assessment Questionnaire" following the site walk (Appendix E).

6.2 Project Vicinity

6.2.1 Historical Use Information on Properties in Surrounding Area

The target property is listed in one or more of the databases searched by EDR. Multiple "mapped sites" were identified by EDR's search of available (reasonably ascertainable) government records for sites situated within 1 mile of the subject property (Appendix D). EDR identified 10 sites within a 1-mile radius of the subject property that are known or suspected to have stored and/or used regulated materials, and where toxic material releases could have occurred, including leaking USTs.

Five of these sites, were listed within a one-quarter mile radius of the subject site, and are shown in Table 3.

All other sites listed in Table 3 are located at lower elevations than the subject property, and are in the presumed down-hydraulic-gradient direction or are located cross-hydraulic-gradient from the subject parcel. Presumed activities performed on the listed sites, as based on the types of businesses listed for each address, are unlikely to have negatively impacted soil and groundwater conditions beneath the subject property, with hazardous substances or petroleum hydrocarbons.

**Table 3
Agency-Listed Sites Within a One-Quarter Mile Radius
California Highway Patrol, Chico, California**

Site Name	Address	Miles	Direction	Elevation	Listing
CA Highway Patrol Chico; State of California	995 Fir St, Chico	Subject site			FINDS¹, ECHO², FID³, CUPA⁴, SWEEPS UST⁵, AST⁶, CHMIRS⁷, HIST UST⁸, UST⁹, EMI¹⁰, HAZNET¹¹
Verizon Wireless Chico Central	1460 Humboldt Rd, Chico	0.033	SSE	Low	CUPA
City of Chico Fire Dept; City of Chico; Municipal Services Center	901 Fir St, Chico	0.107	NW	Low	RCRA-SQG¹², FINDS, ECHO, FID, CUPA, LUST¹³, WDS¹⁴- Active, HIST CORTESE¹⁵, NPDES¹⁶, HIST UST, UST, SWEEPS UST, EMI
Fraze #1511	1390 E 9 th St, Ste 100, Chico	0.199	W	Low	CUPA
Chico Car Care	1369 E 9 th St, Chico	0.211	W	Low	CUPA
Duchi, Angelo A. & S. Ron	1588 8 th , Chico	0.230	N	High	HIST CORTESE

1. FINDS: Facility Index System/Facility Registry System
2. ECHO: enforcement and compliance history information
3. FID: facility inventory database contains active and inactive underground storage tank locations
4. CUPA: certified unified program agencies
5. SWEEPS UST: Statewide Environmental Evaluation and Planning System UST database
6. AST: aboveground storage tank
7. CHMIRS: California Hazardous Material Incident Report System
8. HIST UST: Historical UST Registered Database
9. UST: Active UST Facilities
10. EMI: emissions inventory data
11. HAZNET: facility and manifest data
12. RCRA-SQG: Resource Conservation and Recovery Act (RCRA) of 1976, Small Quantity Generator
13. LUST: leaking underground storage tanks database
14. WDS: waste discharge system database
15. HIST CORTESE: hazardous waste and substance site list
16. NPDES: National Pollution Discharge Elimination System

6.2.1.1 CA Highway Patrol Chico; State of California (subject site)

The subject property is known to have stored and/or used regulated materials and is listed in several EDR databases.

The subject site was listed in the GeoTracker database as a permitted UST site. No other information was accessible online. SHN contacted the Central Valley Regional Water Quality Control Board (RWQCB) and confirmed that they did not have a file for this site.

The following information was summarized from the BCEHD files. In 1978, a 12,000-gallon, unleaded gasoline UST was installed in the northeastern portion of the subject site. The UST was

fiberglass, non-vaulted, single-walled, with underground piping, and an electronic tank level monitoring system. There was documentation of tank tightness testing results, failure of precision testing, and state-mandated system upgrades.

In November 2002, a work plan to remove the 12,000-gallon UST and install a 12,000-gallon UST was submitted to the BCEHD. The installation of a new UST did not occur.

According to the tank removal summary report, the UST and associated piping were removed in April 2003. At the time of our site investigation no hole or pit was observed and the product lines appeared to be intact. No petroleum odors, soil discoloration, or staining was observed (GEMS, June 2003). Petroleum hydrocarbons were not detected in soil and water samples from the tank pit.

According to the EDR report, a 1,000-gallon UST was also listed in the Statewide Environmental Evaluation and Planning System (SWEEPS) UST database. In March 1997, a Butte County Inter-Departmental Memorandum stated that a 1,000-gallon tank was closed in 1994, but there is no other information. During this time, CHP submitted a formal response letter to the BCEHD stating that they have no knowledge of a 1,000-gallon UST on the site.

Given these findings, it is unlikely that there is a hazardous materials threat on the subject property.

6.2.1.2 City of Chico Fire Dept; City of Chico; Municipal Services Center

The Municipal Services Center, currently the Operations and Maintenance Division, is an approximately 11-acre facility located at 901 Fir Street in Chico. This facility borders the subject site to the northwest. According to the June 2015 industrial stormwater pollution prevention plan (SWPPP), the industrial activities that take place primarily include fueling; vehicle and equipment maintenance; vehicle and equipment cleaning; vehicle, equipment, and materials storage; and Fire Department training. The facility has an equipment maintenance building, covered heavy vehicle storage, field operations building, covered light vehicle storage, fire training building, fire training tower, warehouse building, and covered parking areas along the north and south sides of the parcel. Several of the covered parking areas have been converted to storage facilities for a variety of activities, and some areas have been secured with chain link fencing. The site was approved for a notice of non-applicability for industrial stormwater; therefore, the NPDES permit was terminated in February 2016.

According to the RWQCB's review for no further action letter, there have been three UST cases associated with this site. In December 1993, RWQCB Case No. 040025 (GeoTracker Global ID No. T0600700022) was closed. The second case was closed in 1997.

In February 2004, an unauthorized release of total petroleum hydrocarbons as diesel was discovered when the fuel dispensers were upgraded. In November 2014, RWQCB Case No. 040294 (GeoTracker Global ID No. T0600701763) received a "no further action" letter from the RWQCB.

A covered fuel service area is situated on the northwest corner of the property, at the intersection of Fir Street and State Highway 32. According to the previous investigations, the groundwater flow is generally to the southwest.

Given these findings, it is unlikely that this site poses a hazardous materials threat.

6.2.2 Sanborn Maps

There was no Sanborn map with coverage of the subject property.

6.2.3 Topographic Maps

SHN reviewed topographic maps with coverage of the subject property that were published in 1891, 1893, 1895, 1912, 1944, 1949, 1948, 1950, 1951, 1969, 1978, and 2012 (Table 4 and Appendix C).

Table 4 Historical Topographic Maps California Highway Patrol, Chico, California			
Year	Topographic Map	Minute	Description
1891, 1893, 1895	Chico	30	There is no visible structure shown on the subject site or surrounding area.
1912	TP, Durham/ N, Keefers	7.5	The topographic map shows one structure on or near the subject site. Two structures are visible across Humboldt Road. The City of Chico is developed further west. Chapmantown is visible to the south.
1944, 1949	TP, Chico, 1949/ N, Richardson, 1944	15	The topographic map shows three structures on or in the general vicinity of the subject site. Several structures are visible further north and south of Humboldt Road. Bidwell Park is visible further north. The surrounding area has developed significantly.
1948	Chico	7.5	The site and surrounding area are similar to the 1944 and 1949 topographic maps.
1950, 1951	TP, Chico, 1950/ N, Richardson Springs, 1951	7.5	The site and surrounding area are similar to the 1948 topographic map.
1969	TP, Chico, 1959/ N, Richardson Springs, 1969	7.5	This map shows one structure on the subject site, with two structures on the eastern adjacent property. North of the subject site, two structures are visible across Dead Horse Slough. The highway system is now visible to the west. More development is visible to the north of the subject site.
1978	Chico	7.5	There is no visible structure shown on the subject site or surrounding area.
2012	TP, Chico, 2012/ N, Richardson Springs, 2012	7.5	The site and surrounding area are similar to the 1978 topographic map.

6.2.4 Business Directory

SHN reviewed the business directories provided by EDR (Appendix B). Since 1983, there have been listings for the California Highway Patrol at 995 Fir Street. There was no other business listing for the subject site address.

6.2.5 Aerial Photographs

Table 5 presents descriptions of the property as seen in aerial photos of the subject property taken during the past 75 years. The aerial photographs are included in Appendix B. No environmental issue was observed.

Table 5			
Historical Aerial Photographs¹			
California Highway Patrol, Chico, California			
Year	Source	Scale	Description
1941	USGS ²	1" = 500'	This aerial photograph is of poor quality; however, the subject site surrounding properties appear to be undeveloped.
1947	USGS	1" = 500'	The site and surrounding areas appear to be undeveloped, agricultural land. The property to the west is vegetated with scattered trees. Humboldt Road is visible to the south. Developed areas of the City of Chico are visible further west and north.
1957	CARTWRIGHT	1" = 500'	The site and immediate surrounding areas appear similar to the 1947 aerial photograph. The City of Chico has expanded significantly further north and west.
1962	CARTWRIGHT	1" = 500'	The site and surrounding areas appear similar to the 1957 aerial photograph, except Highway 32 is now visible to the north.
1972	CARTWRIGHT	1" = 500'	The site and surrounding properties are undeveloped. State Highway 99 is now visible to the west. Further northwest of the subject site, a structure is now visible at the intersection Fir Street and Highway 32.
1984	USGS	1" = 500'	The subject site has been paved and developed, with a large structure in the central portion of the property. The concrete pad for the former UST is visible in the northeastern portion of the site. The adjacent sites, owned by the City of Chico, have also been developed. More development is also visible along State Highway 32. Beyond Humboldt Road, a forested area and ponds are visible further south.
1988	USGS	1" = 500'	This aerial photograph is of poor quality; however, the site appears similar to the 1984 aerial photograph.
1998	USGS/DOQQ ³	1" = 500'	In general, the site and surrounding areas appear similar to the 1984 and 1988 photographs. The concrete pad for the former UST is still visible in the northeastern portion of the site. A small structure is now visible along the northern boundary of the subject site. Properties further east have been developed.
2005-2012	USDA/NAIP ⁴	1" = 500'	The site and surrounding features appear similar to the 1998 aerial, except the concrete pad for the former UST is no longer visible in the northeastern portion of the subject site. The AST is now visible along the eastern property boundary.
<ol style="list-style-type: none"> 1. Aerial photos are included in Appendix B of this report. 2. USGS: U.S. Geological Survey 3. DOQQ: Digital Orthophoto Quarter Quadrangle 4. USDA/NAIP: U.S. Department of Agriculture/National Agriculture Imagery Program 			

6.3 Results of Regulatory Agency Contacts

6.3.1 Butte County Environmental Health Department (Local CUPA)

SHN contacted the BCEHD, which is also the local CUPA responsible for regulating the County's hazardous materials storage, use, and spill programs; and permitting and cleanups regarding underground and aboveground fuel storage tanks.

Mr. Thomas Parker, Senior Hazardous Materials Management Specialist, stated that the land use staff completed the file review for septic and wells and did not find any files.

Documentation of UST tightness testing results, failure of precision testing, and state-mandated system upgrades were in the files. In April 1992, a BCEHD inspection report listed the following UST violations: provide emergency response plan, leak detection plan, auto gauging capability plan, plot plan of tank and pump. The UST was removed in April 2003.

A 1999 site plan depicts a car wash next to the maintenance bay. No other information was available.

No hazardous materials violation has been noted since 2006. File review documentation is presented in Appendix C.

6.3.2 Regional Water Quality Control Board

Ms. Melissa Buciak of the Central Valley RWQCB confirmed that there was no file for the subject site.

6.3.3 City of Chico Community Development Department

According to Ms. Shannon Costa, Community Development Technician, the planning and building files are combined. Ms. Costa stated that the buildings are owned by the City of Chico. Correspondence, inspections, and permits were on file pertaining to building construction, sewer connection, storm drainage, water service, and maintenance of the subject site. Some "Stop Work Orders" were observed from the initial development stage of the patrol station. Prior to 1976, documentation was for the former owner, Mr. Charles Kuhlmann. The site was rezoned in 1968 and 1971. File review documentation is included Appendix C.

6.4 Results of Personnel Interviews/Site Records Review

6.4.1 Personnel Interviews

Ms. Beth DePaola, a CHP representative, reported that she is not aware of any environmental cleanup lien or activity or activity and use limitation (AUL) associated with the subject property. To the best of her knowledge, there is no current environmental violation associated with the subject property (Appendix E).

According to Mr. John Price, CHP Captain/Commander, there was a UST, a vent pipe, and hazardous materials stored onsite.

6.4.2 Site Records Review

The results of the regulatory agency file reviews for the subject property and adjacent properties are discussed in Sections 6.2.1 and 6.3 of this report.

6.5 Synopsis of Results of Previous Environmental Investigations

Using the ASTM Standard Practice E1527-13 recommended search radii, SHN reviewed the EDR database, which tracks sites with known hazardous materials and hazardous material releases (Appendix D).

EDR did not identify any potential or confirmed state or federal Superfund site located on or immediately adjacent to the subject property during its review of the EPA's CERCLIS and NPL databases. The subject property does not appear on the EPA's Emergency Response Notification System (ERNS) database, or contain any business or facility that is listed as a Resource, Conservation and Recovery Act (RCRA) large quantity generator.

SHN reviewed databases regarding hazardous materials contamination that are maintained by the following agencies:

- EPA
- DTSC
- Office of Environmental Health Hazard Assessment
- RWQCB
- State Water Resources Control Board (SWRCB)
- California Integrated Waste Management Board
- California Division of Oil and Gas
- Corrective Action Report
- Resource Conservation and Recovery Information System

The subject property was identified with regard to historical release of hazardous waste in the EDR database and in the SWRCB GeoTracker database; however, the site is listed as closed with no further action required.

7.0 Discussion

This section summarizes the findings in this assessment and identifies any RECs. A recognized environmental condition means:

...the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not recognized environmental conditions ASTM Standard Practice E1527-13.

A controlled REC is defined as an REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority (as evidenced by issuing a "no further action" letter), with hazardous substances or

petroleum products allowed to remain in place subject to the implementation of required controls. A controlled REC shall be listed as an REC; however, there is no controlled REC on the subject property. There is one offsite controlled REC associated with the northern adjacent property, based upon our review of the available information for the adjacent sites.

A historical REC is defined as a past release of any hazardous substance or petroleum product that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority, without subjecting the property to any required controls, such as, property use restrictions, activity and use limitations, institutional controls, and/or engineering controls. There is no known historical REC associated with the subject site.

No potential or confirmed state or federal Superfund site is located on or immediately adjacent to the subject property. However, the subject property was on several agency lists due to a historical unauthorized hazardous materials release. As previously reported, the case was closed by the RWQCB and the likelihood is low that there has been any significant impact to the soil or groundwater beneath the subject property.

SHN's research conducted for the subject property included reviews of historical maps, aerial photographs, and agency records; and interviews with people that are knowledgeable about the site. This ESA revealed that the subject property was historically used as a highway patrol station.

8.0 Conclusions

We have performed a Phase I ESA in conformance with the scope and limitations of ASTM Standard Practice E1527-13 for the property located at 995 Fir Street, in Chico, Butte County, California (APNs 002-060-012 and -014).

9.0 Recommendations

As part of our detailed investigation of the subject site, SHN found evidence of a past land use that generated or caused the release of a hazardous material. The former UST area is identified as a historical recognized condition, and has been investigated to the satisfaction of the RWQCB. SHN found no other evidence of a past land use that may have generated or caused the release of a hazardous material, and no evidence of a potential for vapor intrusion. SHN identified no recognized environmental condition, as defined in ASTM Standard E1527-13.

10.0 Limitations

Information contained in this ESA was obtained in part from EDR (Appendix D). SHN derived the data in this report primarily from visual inspections, examination of records in the public domain, and interviews with selected individuals with information about the property.

Except as otherwise stated in this report, SHN has not attempted to verify the accuracy or completeness of any such information. The passage of time, manifestation of latent conditions, or occurrence of future events may require further exploration at the property; analysis of the data; and re-evaluation of the findings, observations, and conclusions expressed in this report.

Because of the limitations stated above, the findings, observations, and conclusions expressed by SHN in this report are not, and should not be considered an opinion concerning the compliance of any past or present owner or operator of the property with any federal, state, or local laws or regulations. No warranty or guarantee, whether expressed or implied, is made with respect to the data reported or findings, observations, and conclusions expressed in this report. Such data, findings, observations, and conclusions are based solely on site conditions in existence at the time of the investigation, and are not representative of areas of the property that were not readily accessible or observable.

No ESA can wholly eliminate uncertainty regarding the potential for an REC in connection with a property. Performance of this practice is intended to reduce, but not eliminate, uncertainty regarding the potential for RECs in connection with a property, and this practice recognizes reasonable limits of time and cost.

The ASTM Standard E1527-13 guidance document states that one of the objectives of a Phase I ESA is to identify the subject property's usage back to when the property was first developed, or back to 1940 (whichever is earlier).

SHN has satisfied this requirement. No significant data gap has been identified during the preparation of this Phase I ESA; however, minor data gaps do exist and are as follows:

- Some of the aerial photos that were provided for review were of poor quality and were taken more than 10 years apart.
- A title report was not available.
- The purpose or use of the sump could not be determined.

These data gaps do not appear significant, because the site was undeveloped until 1975 and has been used as a law enforcement facility since that time.

The preparation of this Phase I ESA did not deviate significantly from the guidelines presented in ASTM E1527-13.

11.0 References Cited

11.1 Published References

- ASTM-International. (2013). "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process," *ASTM Standards on Environmental Site Assessments for Commercial Real Estate, Third Edition: E1527-13*. Philadelphia, PA:ASTM.
- Bing. (August 23, 2016). Bing Aerial Imagery Analyzer for Open Street Map, Chico, California. Accessed August 2016 at: <http://mvexel.dev.openstreetmap.org/bing/>.
- California Division of Mines and Geology. (1962). Geologic Map of California, Chico Sheet. San Francisco, CA:CDMG.
- Costa, Shannon. (September 6, 2016). Butte County Planning Department. Assisted with the file search of planning department records and confirmed the zoning for the subject site.
- General Environmental Management Services. (June 2003). *Tank Removal Summary Report for the California Highway Patrol Facility, 995 Fir Street, Chico, Butte County, California*. GEMS:NR.

Parker, Thomas. (September 2016). Senior Hazardous Materials Management Specialist, Butte County Environmental Health Department. Assisted with the file review of their environmental services department records.

General Environmental Management Services. (June 2003). *Tank Removal Summary Report for the California Highway Patrol Facility*, 995 Fir Street, Chico, Butte County, California. GEMS:NR.

Haling & Associates. (June 2015). *Industrial Stormwater Pollution Prevention Plan for the City of Chico Municipal Service Center*. H&A:Chico.

---. (NR). Chico 7.5-minute Quadrangle. NR:USGS.

11.2 Records of Personal Communications

Buciak, Melissa. (September 7, 2016). Central Valley Regional Water Quality Control Board. Assisted with the file review of their records.

Canalia, Dan, Site Contact. (August 5, 2016). CHP Sergeant. Personal interview regarding property history, uses, and current conditions.

DePaola, Beth, Site Contact. (August 2, 2016). Department of General Services. Personal interview regarding property history, uses, and current conditions.


Price, John, Site Contact. (August 5, 2016). CHP Captain/Commander. Personal interview regarding property history, uses, and current conditions.

12.0 Signatures of Environmental Professionals



Patrick N. Barsanti, REPA
Registered Environmental Property Assessor

9-29-16
Date



Roland Rueber, PG
Environmental Services Principal

9-29-16
Date

13.0 Statement of Qualifications of Environmental Professionals

SHN's project team included Patrick Barsanti and Roland Rueber. Patrick Barsanti is a Registered Environmental Property Assessor (REPA #202047), and has a Bachelors of Science Degree from Humboldt State University (1991). Additionally, Mr. Barsanti has worked for SHN for more than 35 years, and has been conducting Phase I ESAs for more than 20 years.

Roland Rueber is a registered Professional Geologist (PG) in the State of California. He provided the quality assurance and quality control for this project.

We declare that, to the best of our professional knowledge and belief, we meet the definition of an Environmental Professional as defined in §312.10 of 40 Code of Federal Regulations (CFR) 312. We have the specific qualifications based on education, training, and experience to assess a property of this nature, history, and setting of the subject property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

A


Color Photographs




Photograph No. 1: Western property boundary-western site entrance, looking south along Fir Street.



Photograph No. 2: Western property boundary-main site entrance from Fir Street, looking west. Note the overhead power poles with transformers in the background. The western adjacent property (right) is owned by the City of Chico.



Photograph No. 3: Western property boundary-view from the northwestern corner of the property.



Photograph No. 4: Eastern property boundary–view from the northeast corner of the subject site, facing south. The propane tanks are in the foreground, followed by the small steel cabinet, fuel log shed, and the AST. The main building is on the right (background).



Photograph No. 5: Northern property boundary–view from the northeast corner of the subject site, facing west. The car seat shed is in the foreground. The dispatch building is in the background.



Photograph No. 6: Northern property boundary–view from the northwest corner of the subject site, facing east. The dispatch building is on the right.



Photograph No. 7: Southern property boundary-view from the southeast corner of the subject site, facing west. The southern site entrance is on the right. Note the overhead power lines traversing along Humboldt Road.



Photograph No. 8: Southern property boundary-view from the southwest corner, facing east, along Humboldt Road. A large parking area and the main office building are on the left. The communication tower is in the background. Utilities are located adjacent to the sidewalk in this area.




Photograph No. 9: Southeastern portion of the subject site, looking northward at the main office building and parking lot.



Photograph No. 10: Central portion of the subject site, looking north from the western side of the main office building.



Photograph No. 11: Central portion of the subject site, looking north from the eastern side of the main office building.



Photograph No. 12: Northeastern portion of the subject site. The main office building is on the left. The maintenance building and AST are on the right. The car seat shed and dispatch building are in the background. Note the drainage inlet (center).



Photograph No. 13: Northeastern portion of the subject site, looking northwest at the dispatch building, transformer shed, generator, and car seat shed.



Photograph No. 14: Northern portion of the subject site, looking east. The dispatch building is on the left. The propane tanks, fuel log shed, AST, maintenance building, and communication tower and shed are in the background. The main building is on the right (not pictured).



Photograph No. 15: Northeastern portion of the subject site, looking south at the dumpsters, steel supply cabinet, fuel log shed, AST, maintenance building, communication tower, communication shed, and tire shed.



Photograph No. 16: Northern portion of the subject site, looking southwest from the northeastern property boundary. The propane tanks are in the foreground, the car seat shed is on the right, and the main office building is in the background.




Photograph No. 17: Propane tanks in the northeastern corner of the subject site. The car seat shed, empty plastic barrels, dispatch building, and generator are in the background.



Photograph No. 18: Vent pipe, assumed to be from the former UST, on the northeast corner of the subject site.



Photograph No. 19: Waste oil AST (in secondary containment) and used tire storage rack, adjacent to the car seat shed.



Photograph No. 20: Car seat shed is used to store car seats, flares, and other miscellaneous items.



Photograph No. 21: The backup generator is in the foreground. In the background, adjacent to the dispatch building's eastern wall, the transformer shed contains an Ultra Isolator transformer.



Photograph No. 22:
Transformer shed-interior.



Photograph No. 23: Transient suppression status indicator for the Ultra Isolator transformer, located inside the dispatch building.



Photograph No. 24: Dispatch building and parking lot-front view. The car seat shed is in the background, on the right.



Photograph No. 25: Dispatch building-office area.



Photograph No. 26: Dispatch building-break room.



Photograph No. 27: Dispatch building-hallway.



Photograph No. 28: Dispatch building-janitor room.




Photograph No. 29: Dispatch building-locker room.



Photograph No. 30: Emergency shut off for the gas pump, located on the exterior of the main office building.



Photograph No. 31: Entrance to the auto maintenance bay, located in the southeastern portion of the main office building.



Photograph No. 32: Auto maintenance bay-interior. Note the hydraulic lift and filter drain (background on the right).



Photograph No. 33: Auto maintenance bay-cart with cleaning supplies.



Photograph No. 34: Auto maintenance bay-drums for used oil filters and rags.




Photograph No. 35: Auto maintenance bay-storage room.




Photograph No. 36: Main office building-storage area for EMT supplies. Minimal cleaning supplies were also observed in this building.



Photograph No. 37: Main office building-storage area. Note the oxygen cylinders used for emergencies.



Photograph No. 38: Maintenance building, located along the eastern property boundary, has an office, a compressor, cleaning supplies, and tools.



Photograph No. 39: Communication shed, located along the eastern property boundary.



Photograph No. 40: Storage shed, situated on the eastern site boundary, is used for storing files and has a safe for ammunition storage.



Photograph No. 41: 5-gallon buckets containing mastics are awaiting disposal, near the storage shed.



Photograph No. 42: Sump man way, located east of the dispatch building.



Photograph No. 43: Sump near the dispatch building.



Photograph No. 44: Sewer cleanout, near the northeastern corner of the main office building.



Photograph No. 45: Underground telecommunications box and manhole, located on the southern property boundary. Further down the sidewalk, a power drop box is situated next to the power pole.



Photograph No. 46: PG&E gas main, near the southeastern corner of the main office building.



Photograph No. 47: Large electrical conduit leads into the dispatch building.



Photograph No. 48: Drainage inlet, near the dispatch building.

B

**Aerial Photographs, Topographic Maps, Business
Directory, and Sanborn Map Review**



DGS Chico CHP
995 Fir Street
Chico, CA 95928

Inquiry Number: 4611368.9
May 10, 2016

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

05/10/16

Site Name:

DGS Chico CHP
995 Fir Street
Chico, CA 95928
EDR Inquiry # 4611368.9

Client Name:

SHN Consulting Engineers
812 West Wabash Avenue
Eureka, CA 95501
Contact: Diana Ward



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2010	1"=500'	Flight Year: 2010	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
1998	1"=500'	Acquisition Date: August, 17 1998	USGS/DOQQ
1988	1"=500'	Flight Date: January, 01 1988	USGS
1984	1"=500'	Flight Date: June, 08 1984	USGS
1972	1"=500'	Flight Date: January, 01 1972	CARTWRIGHT
1962	1"=500'	Flight Date: January, 01 1962	CARTWRIGHT
1957	1"=500'	Flight Date: January, 01 1957	CARTWRIGHT
1947	1"=500'	Flight Date: January, 01 1947	USGS
1941	1"=500'	Flight Date: January, 01 1941	USGS

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 4611368.9

YEAR: 2012

_____ = 500'





INQUIRY #: 4611368.9

YEAR: 2010

— = 500'






INQUIRY #: 4611368.9

YEAR: 2009

————— = 500'






INQUIRY #: 4611368.9

YEAR: 2006

— = 500'





INQUIRY #: 4611368.9

YEAR: 2005

— = 500'





INQUIRY #: 4611368.9

YEAR: 1998

— = 500'





INQUIRY #: 4611368.9

YEAR: 1988

— = 500'





INQUIRY #: 4611368.9

YEAR: 1984

_____ = 500'





INQUIRY #: 4611368.9

YEAR: 1972

— = 500'





INQUIRY #: 4611368.9

YEAR: 1962

_____ = 500'





INQUIRY #: 4611368.9

YEAR: 1957

_____ = 500'





INQUIRY #: 4611368.9

YEAR: 1947

_____ = 500'





INQUIRY #: 4611368.9

YEAR: 1941

_____ = 500'





DGS Chico CHP
995 Fir Street
Chico, CA 95928

Inquiry Number: 4611368.4
May 05, 2016

EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.ednet.com

EDR Historical Topo Map Report

05/05/16

Site Name:

DGS Chico CHP
995 Fir Street
Chico, CA 95928
EDR Inquiry # 4611368.4

Client Name:

SHN Consulting Engineers
812 West Wabash Avenue
Eureka, CA 95501
Contact: Diana Ward



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by SHN Consulting Engineers were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:**Coordinates:**

P.O.#	516012	Latitude:	39.735549 39° 44' 8" North
Project:	DGS Chico CHP	Longitude:	-121.816524 -121° 48' 59" West
		UTM Zone:	Zone 10 North
		UTM X Meters:	601411.11
		UTM Y Meters:	4399075.98
		Elevation:	221.00' above sea level

Maps Provided:

2012	1893
1978	1891
1969	
1950, 1951	
1948	
1944, 1949	
1912	
1895	

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission. EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2012 Source Sheets



Chico

7.5-minute, 24000



Richardson Springs

7.5-minute, 24000


1978 Source Sheets



Chico

7.5-minute, 24000
Photo Revised 1978
Aerial Photo Revised 1975

1969 Source Sheets



Chico

7.5-minute, 24000
Photo Revised 1969
Aerial Photo Revised 1969



Richardson Springs

7.5-minute, 24000
Photo Revised 1969
Aerial Photo Revised 1969

1950, 1951 Source Sheets



Chico

7.5-minute, 24000
Aerial Photo Revised 1947




Richardson Springs

7.5-minute, 24000
Aerial Photo Revised 1947

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1948 Source Sheets



Chico

7.5-minute, 24000
Aerial Photo Revised 1947

1944, 1949 Source Sheets



Richardson Springs

15-minute, 62500



Chico

15-minute, 62500
Aerial Photo Revised 1947

1912 Source Sheets



Keepers

7.5-minute, 31680



Durham

7.5-minute, 31680

1895 Source Sheets




Chico

30-minute, 125000

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1893 Source Sheets



Chico


30-minute, 125000

1891 Source Sheets





Chico

30-minute, 125000




This report includes information from the following map sheet(s).




TP, Chico, 2012, 7.5-minute
N, Richardson Springs, 2012, 7.5-minute

SITE NAME: DGS Chico CHP
ADDRESS: 995 Fir Street
Chico, CA 95928
CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).




TP, Chico, 1978, 7.5-minute

SITE NAME: DGS Chico CHP
 ADDRESS: 995 Fir Street
 Chico, CA 95928
 CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).




TP, Chico, 1969, 7.5-minute
 N, Richardson Springs, 1969, 7.5-minute

SITE NAME: DGS Chico CHP
 ADDRESS: 995 Fir Street
 Chico, CA 95928
 CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).




TP, Chico, 1950, 7.5-minute
 N, Richardson Springs, 1951, 7.5-minute

SITE NAME: DGS Chico CHP
 ADDRESS: 995 Fir Street
 Chico, CA 95928
 CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).




TP, Chico, 1948, 7.5-minute

SITE NAME: DGS Chico CHP
 ADDRESS: 995 Fir Street
 Chico, CA 95928
 CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).





TP, Chico, 1949, 15-minute
 N, Richardson Springs, 1944, 15-minute

SITE NAME: DGS Chico CHP
 ADDRESS: 995 Fir Street
 Chico, CA 95928
 CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).




TP, Durham, 1912, 7.5-minute
N, Keepers, 1912, 7.5-minute

SITE NAME: DGS Chico CHP
ADDRESS: 995 Fir Street
Chico, CA 95928
CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).




TP, Chico, 1895, 30-minute

SITE NAME: DGS Chico CHP
ADDRESS: 995 Fir Street
Chico, CA 95928
CLIENT: SHN Consulting Engineers






This report includes information from the following map sheet(s).




TP, Chico, 1893, 30-minute

SITE NAME: DGS Chico CHP
ADDRESS: 995 Fir Street
Chico, CA 95928
CLIENT: SHN Consulting Engineers





This report includes information from the following map sheet(s).



TP, Chico, 1891, 30-minute

SITE NAME: DGS Chico CHP
ADDRESS: 995 Fir Street
Chico, CA 95928
CLIENT: SHN Consulting Engineers



DGS Chico CHP

995 Fir Street
Chico, CA 95928

Inquiry Number: 4611368.5
May 09, 2016

The EDR-City Directory Image Report

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available city directory data at 5 year intervals.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Target Street</u>	<u>Cross Street</u>	<u>Source</u>
2013	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
2008	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
2003	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1999	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1995	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1992	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cole Information Services
1988	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk City Directory
1983	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Polk City Directory
1978	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk City Directory
1973	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk City Directory
1968	<input type="checkbox"/>	<input type="checkbox"/>	Polk City Directory
1964	<input type="checkbox"/>	<input type="checkbox"/>	Polk City Directory
1960	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Polk City Directory

RECORD SOURCES

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

FINDINGS

TARGET PROPERTY STREET

995 Fir Street
Chico, CA 95928

<u>Year</u>	<u>CD Image</u>	<u>Source</u>	
<u>FIR ST</u>			
2013	pg A1	Cole Information Services	
2008	pg A5	Cole Information Services	
2003	pg A9	Cole Information Services	
1999	pg A14	Cole Information Services	
1995	pg A18	Cole Information Services	
1992	pg A21	Cole Information Services	
1988	pg A24	Polk City Directory	
1983	pg A27	Polk City Directory	
1978	pg A29	Polk City Directory	
1973	pg A30	Polk City Directory	
1968	-	Polk City Directory	Target and Adjoining not listed in Source
1964	-	Polk City Directory	Target and Adjoining not listed in Source
1960	pg A31	Polk City Directory	

FINDINGS

CROSS STREETS

Year CD Image Source

HUMBOLDT RD

2013	pg. A2	Cole Information Services	
2008	pg. A6	Cole Information Services	
2003	pg. A10	Cole Information Services	
1999	pg. A15	Cole Information Services	
1995	pg. A19	Cole Information Services	
1992	pg. A22	Cole Information Services	
1988	pg. A25	Polk City Directory	
1988	pg. A26	Polk City Directory	
1983	pg. A28	Polk City Directory	
1978	-	Polk City Directory	Street not listed in Source
1973	-	Polk City Directory	Street not listed in Source
1968	-	Polk City Directory	Street not listed in Source
1964	-	Polk City Directory	Street not listed in Source
1960	-	Polk City Directory	Street not listed in Source

City Directory Images

Target Street

Cross Street

Source

✓

-

Cole Information Services

FIR ST 2013

901	CITY OF CHICO
965	CITY OF CHICO
995	CHP CHICO BUTTE
	STATE OF CALIFORNIA

Target Street

Cross Street

Source

Cole Information Services

HUMBOLDT RD 2013

1459 957 THE WOLFKALF
KFMF FM 93 9
KQPT FM 1075
RADIO CHICO
SELBY DAN EDWARD DDS
VAN MIERLO BRADLEY L DDS

1460 CITY OF CHICO
POLICE DEPARTMENT CHICO

1469 ABORTIONINFORMATION HOTLINE
ADOPTION CHOICES
ADOPTION CHOICES OF NORTHERN CALIFOR
ECOANALYSTS
RIVERSIDE HEALTHCARE
WOMENS HEALTH SPECIALISTS

1500 CALIFORNIA PARK ASSOCIATION INC

1530 FIRM FOUNDATIONS INSURANCE & BENEF
JOHN A POWELL & ASSOCS LLP
MALONE NICHOLAS MFT
NICHOLAS MALONE

1550 ACUPUNCTURE CENTER
CALIFORNIA
CALIFORNIA STATE GOVERNMENT
LOGUE DAN ASSEMBLYMAN
STATE OF CALIFORNIA
URS CORPORATION

1560 CARTER JAMES E MD INC
CHARTER COMMUNICATIONS
GREGORY L DAVIS MD
PFITNESS OF CHICO
SPHERION

1600 FREDERICK SCHILL
GALLERT MICHAEL G
KRISTINA BERNETTE
KURLAN JENNIFER C
KURLAN JENNIFER C LAW OFFICES OF LEO
L MILLAR
LABOR LAW OFFICE APC
LAW OFFICES OF FRED SCHILL THE
LEONARD & LYDE
LYDE D MARC
MICHAEL CARVER
MICHAEL GALLERT
MILLAR ROBERT L LAW OFFICES
TRIAD FAMILY SERVICES
WINTER MARIA LATHROP

1660 ANDREQ MORRISSEY
BUCKLEY LARRY S
BUCKLEY LARRY S ATTORNEY AT LAW
CHRISTOPHER PARKER
FRANCIS MCDERMOTT

HUMBOLDT RD 2013 (Cont'd)

1660 HAWKLEY JEANESE LMFT
HORNING PHILIP D
JENNIFER KIRKHAM
KIRKHAM JENNIFER S MSW LCSW
KNOWLES SARA M
LARRY BUCKLEY
LAW OFFICES OF LARRY BUCKLEY
LAW OFFICES OF LARRY S BUCKLEY
LELAND RICHARD A JR
LELAND SCHULTZ MORRISSEY & KNOWLES L
MARK STREETS
MCDERMOTT FRANCIS MD
MEGIBOW MARVIN M PHD
MORRISSEY ANDREW J
PENNEY & ASSOCIATES ATTORNEYS AT LAW
PENNEY FRED ATTORNEY AT LAW
SCHULTZ JOSEPH L
SHUELL MICHAEL PHD
SMITH CARRIE MFT
STREETS MARK L PHD
1750 HIGNELL COMPANIES
YOUNG CONSTRUCTION & DEVELOPMENT SER
1770 COURTYARD AT LITTLE CHICO CREEK THE
1800 RINA KAWAI
1850 ALEXANDER WARD
ANGELA COLE
ARTHUR HOY
BENJAMIN THAO
BRIAN HAEHN
CHARLES JACKSON
CHARLES POTOSKI
COREY ALDERSON
DARLISSA EBELING
DARRELL DOSHIER
DAVID REEVES
DENISE CRAWFORD
DUSTIN MOSLEY
FRANCISCO GUDINO
GONZALO TORRES
HAROLD MAIN
HUMBOLDT PARK
JAMES ALLISON
JAMES HOGUE
JAMES KAERCHER
JEFFERY BURTON
JESSE MARTINEZ
JOANNA SWIGART
JODI RIVES
JOHN ANDERSON
JOHN SHEA

Target Street

Cross Street

Source

Cole Information Services



HUMBOLDT RD 2013 (Cont'd)

1850 JOSE ALVAREZ-SOTO
LUIS MORENO
MICHAEL MCCUTCHEON
MISTY CASTELLANOS
NAI LUU
PAMELA LORENZEN
PAULA HARRIS
RHIANNON CAMPOS
RICHARD MCKINNON
RICK SPARACIO
ROCIO MONTENEGRO
ROLAND ORR
SIMONE FINEMAN
STEFANI YALE
STEVEN MOGHANNAM
SUSAN GIHRING
SUZANNE LAWRY
THOMAS MURRAY
TONY PETERSON
TOUA CHANG
1876 SAM SONDERMAN

Target Street

Cross Street

Source

✓

-

Cole Information Services

FIR ST 2008

901 CITY OF CHICO

Target Street

Cross Street

Source

-

✓

Cole Information Services

HUMBOLDT RD 2008

1459 107 THE POINT
BRADLEY L VAN MIERLO DDS
DAN EDWARD SELBY DDS
KFM
KFMF FM 93 9
KPPL FM 107 5
REGENT COMMUNICATIONS INC

1460 CITY OF CHICO
CITY OF CHICO POLICE DEPARTMENT

1469 ADOPTION CHOICES OF NORTHERN CALIFOR
FEMINIST WOMEN HEALTH CENTER WOMEN
RIVERSIDE HEALTHCARE INC
WOMENS HEALTH SPECIALISTS

1500 AMANDA PLACE INVESTORS
BENEFIT MGMT ADMINISTRATIVE SERVICES
HIGNELL & HIGNELL
ROSEWOOD INVESTORS LLP

1516 SPHERION STAFFING

1530 ALAN WILHELM
CR INVESTMENT CO
DENNIS C STEVENS
LORANCE & ASSOCIATES INSURANCE
MALONE NICHOLAS MFT
NEIL A HARRIS & ASSOCIATES
PATTERSON ALDRICH M JR PHD
POWELL JOHN A & ASSOCIATES LLP
WAYNE MOHLE

1550 ACUPUNCTURE CENTER OF CHICO
AHMED ABOUESH
CAROLYN FARRELL SHAW LMFT
CARVER & DWART LAW OFFICES
CHICO BEHAVIORAL HEALTH PC
FINANCIAL NETWORK INV
JEFF KORBER
KEENE RICK ASSEMBLYMAN 3RD DST
MICHAEL CARVER
MICHAEL L CARVER LAW OFFICES
PLAYERS CHOICE
PRUDENTIAL FINANCIAL
REBECCA WINTON
URS GROUP INC
WAGNER JEFFREY D LAW OFFICE
WINTON REBECCA W

1560 BCM CONSTRUCTION CO INC
CALIFORNIA HEALTH COLLABORATIVE
JAMES E CARTER II MD
JAMES S NAGEL MD
MARK LIGHT
MARK W LIGHT MD
QUALITY OF LIFE INSTITUTE

Target Street

Cross Street

Source

Cole Information Services

HUMBOLDT RD 2008 (Cont'd)

1560 SPHERION
1600 GMW HEALTHCARE SYSTEMS
GOLF TIMES
HAROLD D HADLEY JR
LAW OFFICES OF ROBERT L MILLAR
LELAND SCHULTZ & MORRISSEY LLP
LEONARD & LYDE
LORI MILLER
MILLER LORI MFT
1660 ANDREQ MORRISSEY
CENTER FOR AESTHETIC & RESTORATIVE D
CHRISTOPHER PARKER
CHRISTOPHER PARKER MA
FIRST AMERICAN HEALTH CARE
FRANCIS MCDERMOTT
FRED SCHLAFF MD
HAWKLEY JEANESE MA FMFT PSYCHOTHERA
JENNIFER KIRKHAM
JENNIFER S KIRKHAM MSW LCSW
LADD MCDONALD
LELAND RICHARD A JR
MARK STREETS
MARRIAGE FAMILY THERAPIST
MCDERMOTT FRANCIS MD
MEGIBOW MARVIN M PHD
PENNEY & ASSOCIATES
SMITH CARRIE MFT
SOOFI JIN MD
SOOFI SCHLAFF & MCDERMOTT MDS
STREETS MARK L PHD
TOM ROLFE RACING LLC
ZELLMER LAW GROUP
1750 ACORN OAKS MINI STORAGE
CALIFORNIA PARK ASSOCIATION
FWH ENTERPRISES LLC
HIGNELL & HIGNELL INC
HIGNELL DEVELOPMENT GROUP
TABLE MOUNTAIN PARTNERS
1770 BURNETTE CARROLL
COURTYARD AT LITTLE CHICO CREEK THE
ELLICE HASSEL
HIGNELL INC
MILDRED STANGER
1778 SOMCHAI TUANTHET
1800 RINA KAWAI
1850 ALAN RELAFORD
ALAN RELAFORD GRAPHIC DESIGN
AMERICAN GENSING CO
BARBARA BOHEMAN
BRIAN RAFF

Target Street

Cross Street

Source

Cole Information Services

HUMBOLDT RD 2008 (Cont'd)

1850 CHRIS BERRY
CLIFF MATNEY
COREY ALDERSON
DARLISSA EBELING
EDWARD NIETO
ELITE ELECTRIC
EMILEE NIELSON
ERIN PITTS
ESPINOZA ALEJANDRO
GLEN WULF
H DAVIES
HARLEY PEREZ
HUMBOLDT PARK
J BETTENCOURT
J HAGER
JASON DODD
JASON JEFFERY
JEFF BOIAN
JEFFERY BURTON
JEFFERY JOHNSON
JENNIFER PACHECO
JODI RIVES
JOSE CONTRERAS
JOSHUA CALDERON
KATIE PLANTIN
KEITH CAMERON
KINDRA ADCOCK
LAVERA VIEIRA
LEAH BROWN
MADELYN SEXTON
MARIA PERRY
MELANIE DAMON
MILTON DHAS
MUOI GIANG
NAI LUU
NONA HOGUE
RAINBOW READING SERVICES
RYAN HALL
SAEED ALMEHAIRI
THOMAS FITZPATRICK
THOMAS MURRAY
TONY PETERSON
1876 KATHY BLAKELY
ORRIN HARTT
RUTH JONES

Target Street

Cross Street

Source

✓

-

Cole Information Services

FIR ST 2003

965	BUTTE COUNTY ASCTN OF GVRNMNT OCCUPANT UNKNOWN
995	CALIFORNIA STATE OF HGHWY PTRL OCCUPANT UNKNOWN

**HUMBOLDT RD 2003**

1459 BRADLEY VANMIERLO
KALF
KALF FM RADIO
KPPL FM 107
KZAP
LIVING & LOVING PROJECT
SELBY DAN EDWARD DDS
VAN MIERLO BRADLEY L DDS
WENDE CORRECTIONAL FACILITY

1469 ABORTION INFORMATION HOTLINE
CANYON OAKS LLC
CHICO FEMINIST WOMENS HLTH CTR
CORNERSTONE PROJECT MANAGEMENT
MICHAEL ORR
REMAINDER LLC
WOMEN HEALTH CTR
WOMENS HEALTH SPECIALISTS

1500 AMANDA PLACE INVESTORS
HIGNELL & HIGNELL INC

1530 ALAN WILHELM
DAVID RICCI
DENNIS STEVENS
HARRIS NEIL A ATTY AT LAW
JOHN POWELL CPA
KATIE ZUKOSKI
MATSON RICHARD S ATTY
NEIL A HARRIS
NEIL HARRIS
NICHOLAS MALONE
PATTERSON ALDRICH M JR PHD
RICHARD MATSON

1550 BRISLAIN JUDY EDD MFT INC
BRISLAIN LEARNING CTR
JOHN STRUTHERS
KEENE RICHARD J ATTY AT LAW
NEAL BUCKNELL
PENNISUE HIGNELL
STAPLETON STEVEN MARK ATTY
STEVEN STAPLETON
STRUTHERS JOHN
URS CORP

1560 BCM CO
BCM CONSTRUCTION CO
JAMES E CARTER
JAMES NAGEL
NAGEL JAMES S MD
PALMER METHOD

1600 CHILDREN TO CHERISH
DAVID W KENNEDY
HAROLD HADLEY

HUMBOLDT RD 2003 (Cont'd)

1600 LAW OFFICE OF LEONARD & LYDE
LORI MILLER
LORI MILLER
MARIA WINTER
MILLAR RBERT L ATTORN AT LW
MILLAR ROBT L LAW OFFICES
STONE SHRN A LNRD & LYDE ATTYS
W COLLIGAN JR
WINTER MARIA LATHROP

1660 CARRIE SMITH
CHRISTOPHER J PARKER MA
CHRISTOPHER PARKER
CONNIE J NEAL LCSW
EDWARD ABRAMSON PHD
FRED SCHLAFF MD
GINGRICH JAMES E LAW OFC
HAWKLEY JEANESE MA MFT
HORNING PHILIP DDS
LADD MCDONALD
LELAND SCHULTZ & MORRISSEY LLP
MCDERMOTT FRANCIS MD
MCDONALD MARGARET PHD
MEGIBOW MARVIN M PHD
PENNY & ASSOCS ATTYS AT LAW
PHILIP HORNING
SCHLAFF FRED MD
SOOFIE JIN MD
STREETS MARK L PHD
ZELLMER LAW GROUP

1770 ANN WOOD
ARLENE ECHELBERGER
CHARLES TAGGART
CRTYRD AT LTL CHICO CREEK
DOROTHY STIEFVATER
ELLICE HASSEL
ELSIE GOETTE
FRANCES MARTINO
HELEN SCHALLER
HOPE LOGAN
HOWARD MACCOOL
JAMES MYERS
KENNETH BROWNELL
MARGARET THOMAS
MARIE FISH
MARIE ROSS
MILDRED KERR
ORVILLE TEDFORD
TED BUZARELLOS
VIOLET SUNDQUIST

1778 SOMCHAI TUANTHET

Target Street

Cross Street

Source

Cole Information Services

HUMBOLDT RD 2003 (Cont'd)

1850 ALAN RELAFORD
ALLAN RELAFORD GRAPHIC DESIGN
AMY BROCE
ANDREA BEAUMONT
ANDY MCCASLAND
ANTHONY JEFFERY
APRIL BLANKENSHIP
CHAD BALES
CHARLEAN LIMTZ
CHARLES ARCHER
CHARLES JACKSON
CHRIS BERRY
CLIFF MATNEY
DANA LIND
DAVID MCCAMMON
ERIC JETT
GINA WOLFE
GRETCHEN FAWCETT
HERBERT HERNANDEZ
HUMBOLDT PARK
JAMES BECKER
JAMES HALL
JANEL RUBINO
JASON DODD
JASON SCHWEITZER
JED WALTON
JENNIFER MALONEY
JIM LEONARD
JOHN NORBERRY
JUDITH HALL
KAREN TURNER
KENDA KELLEY
KERI CUMMINGS
KERRI OWENS
KIMBERLY HUNTER
KRISTINE ANDREWS
LINDA BARKER
LUIS MORENO
MADELYN SEXTON
MANDY LOESCH
MELISSA ADKINS
MIA FRUIN
MICHAEL COOMBE
MIKE KLOBAS
MILDRED MATTIAZZI
NATALIE FROST
PAULA TIERNEY
ROBERT BONNIFET
ROBERT LAND
ROMELIA PONCE

Target Street

Cross Street

Source

Cole Information Services



HUMBOLDT RD 2003 (Cont'd)

1850	S DAISA
	SABRINA AYCOCK
	SAMUEL YANEZ
	SCOT HAMILTON
	SCOTT STANLEY
	STEVEN HOGUE
	TODD LOPEZ
	VANESSA JAQUA
	VICTORIA MCNAMES
	VIRGINIA MCCURRY
	WJM ENTERPRISES
1876	CECILIA VASQUEZ
	DEBRA FRENCH
	DIANE BRANNAN
	ERIN ONEIL
	JASON TENTER

Target Street

Cross Street

Source

✓

-

Cole Information Services

FIR ST 1999

995 CALIFORNIA STATE OF HIGHWAY PATROL

HUMBOLDT RD 1999

1459 KALF FM RADIO 95 7 BUSINESS OFFICE
KFMF FM 93 9 BUSINESS OFFICE
KFMF FM 93 9 REQUEST LINE
KPPL FM 107 5 BUSINESS OFFICE
LAMBERT ARTHUR DDS MS
VAN MIERLO BRADLEY L DDS MS

1460 CHICO CITY OF POLICE DEPARTMENT

1469 ADOPTION CHOICES OF NORTHERN CALIFORNIA
ASSESSOR
BUILDING INSPECTION
CANYON OAKS LLC
CHICO FEMINIST WOMENS HEALTH CENTER
CORNERSTONE PROJECT MANAGEMENT
JALKOTZY EVA MD
WOMENS HEALTH & WELLNESS CENTER
WOMENS HEALTH SPECIALISTS

1500 HIGNELL & HIGNELL REALTORS

1530 ALEXANDER TECHNIQUE SHERRY & BRUCE OLIVER
HARRIS NEIL A ATTORNEY AT LAW
KELLY LORI CPA
PACIFIC INSTITUTE FOR THE ALEXANDER TECHNIQUE
PARRIS A LORI CPA
POWELL JOHN A CERTIFIED PUBLIC INCORPORATED
RUSS ANNETTE L CPA
SCHOOLING JOHN W ATTORNEY AT LAW
SPRING DAVID CPA
STATE FARM INSURANCE COS AGENTS
STEVENS DENNIS C INS
STONER JOAN CPA
WOMEN ANGLER THE
ZUKOSKI KATIE MS T

1550 ACCU GRAPHICS BUSINESS & MARKETING PRINT RESOURCES
ACUPUNCTURE CENTER OF CHICO
AHMED ABOUESH
BRISLAIN LEARNING CENTER
CLINE LYNDA FINANCIAL NETWORK INVESTMENT CORPORATION
DEBBIE WEINRICH
DELANEY COLLEEN L AC
DONNER RICHARD FINANCIAL NETWORK INVESTMENT CORPORATION
FINANCIAL NETWORK INVESTMENT CORPORATION CHICO
FNIC-FINANCIAL NETWORK INVESTMENT CORPORATION
KEENE RICHARD J ATTORNEY AT LAW
KENNEDY DAVID W ATTORNEY
KORBER JEFF ATTORNEY AT LAW
MATSON DAVID W CPA
MOHLE WAYNE CPA INCORPORATED
NEILL CLIFF FINANCIAL NETWORK INVESTMENT CORPORATION
REBECCA WINTON
RICH WILLIAM FINANCIAL NETWORK INVESTMENT CORPORATION
RONEY JOHN FINANCIAL NETWORK INVESTMENT CORPORATION

HUMBOLDT RD 1999 (Cont'd)

1550 STAPLETON STEVEN MARK ATTORNEY
STRUTHERS JOHN L AC
SWEENEY BRIAN FINANCIAL NETWORK INVESTMENT CORPORATION

1560 ADVENTIST HEALTH CALIFORNIA MEDICAL GROUP
CANCER REGISTRY OF NORTHERN CALIF
CARTER JAMES E II MD
COMMUNITY HOUSING & CREDIT COUNSELING CENTER
HIGGINS JOHN M MD
MARK LIGHT
NAGEL JAMES MD
NORTHERN SIERRA HOSPITAL ASSOCIATION
PALMER METHOD
POWERS LINDA M DC INCORPORATED

1600 BACK TO WORK
COLLIGAN WILLIAM R JR ATTORNEY
FINANCIAL NETWORK INVESTMENT CORPORATION
LEONARD & LYDE ATTORNEYS
LORI MILLER
LYDE D MARC LEONARD & LYDE ATTORNEYS
MILLAR ROBERT L LAW OFFICES OF
MILLER LORI MFCC
NORTHERN CALIFORNIA YOUTH & FAMILY PROGRAMS
STINSON MICHAEL L & ASSOCIATES
STONE SHARON A LEONARD & LYDE ATTORNEYS
WINTER MARIA LATHROP

1660 BROWN SAMUEL A MD
CHRISTOPHER PARKER
FOWKES-HAWKLEY JEANESE MA MFCC
FRANCIS MCDERMOTT
HAWKLEY JEANESE MA MFCC
HORNING PHILIP DDS
JENNIFER KIRKHAM
LELAND SCHULTZ MORRISSEY LLP
MARK STREETS
MCDERMOTT FRANCIS MD
MCDONALD MARGARET PHD PSYCLGST
MEGIBOW MARVIN M PHD
MLOTOK VICTOR MD
NEAL CONNIE J LCSW
SCHLAFF FRED MD
STREETS MARK L PHD
SYMPHONY LIFE CARE REGIONAL OFFICE
WEBER PATRICIA K LCSW

1770 MILDRED STANGER

1778 SOMCHAI TUANTHET

1800 RINA KAWAI

1850 ALAN RELAFORD
AMERICAN GINSENG COMPANY
ANITA NORIEGA
ARTHUR COUTS

HUMBOLDT RD 1999 (Cont'd)

1850 BARBARA BOHEMAN
BRYAN GOMES
CHRIS BERRY
CHRISTINA WEBBER
CORAL HENDERSON
COREY ALDERSON
CYNTHIA COX
DEBORAH SLATTEN
EDWARD NIETO
EILEEN TERRAN
HUMBOLDT PARK
IDA MCKINNON
JASON JEFFERY
JASON KAMBIC
JEFFERY JOHNSON
JENNIFER PACHECO
JOHN GWENN
JOSE CONTRERAS
JOSHUA BROWN
JOY BOONE
KINDRA ADCOCK
LAUREN SWARTZENDRUBER
M MATTIAZZI
MATT LONG
MOLLY CRAFT
MUOI GIANG
NAI LUU
NATHAN YOUNIE
RACHEL NORTON
ROBERT JOHANSEN
SAM TANAKA
SIMONE FINEMAN
THOMAS FITZPATRICK
THOMAS MURRAY
TONY PETERSON
VINCENT MAI
1876 JENNIFER ALEXANDER
JERRY FRENCH
KATHY BLAKELY
RUTH JONES

Target Street

Cross Street

Source

✓

-

Cole Information Services

FIR ST 1995

965 ROLLS ANDERSON & ROLLS
995 HIGHWAY PATROL

HUMBOLDT RD 1995

0 WALSVICK, IRVING
1459 ARTHUR LAMBERT DDS
CLYDE L POWERS
ELISABETH HARVEY
HARVEY & HARVEY
HARVEY, DENNIS
1469 BUTTE COUNTY ASSESSOR
BUTTE COUNTY BUILDING INSPCTN
BUTTE COUNTY PUBLIC HEALTH
1500 BARBARA POTTS
CHABIN CONCEPTS
COTTONWOOD APARTMENTS
EASTWOOD OAKS APARTMENTS
FOREST GLEN APARTMENTS
HIGNELL & HIGNELL INC
HILLVIEW APARTMENTS
HUMBOLDT PARK
LAKEVIEW APARTMENTS
LASSEN VILLA APARTMENTS
LYNN KYLE
MORSEMAN VILLAGE DUPLEXES
RANCHERIA APARTMENTS
REDWOOD PARK APARTMENTS
SACRAMENTO APARTMENTS
SHERIDAN APARTMENTS
SHERIDAN SQUARE APARTMENTS
SIERRA MANOR APARTMENTS
TRAIN STATION APARTMENTS
VILLA DEL MAR APARTMENTS
VILLA MONTEREY APARTMENTS
WESTPARK GARDENS APARTMENTS
WHISPERING TREES APARTMENTS
WOODSIDE APARTMENTS
1530 ALEXANDER TECHNIQUE CTR
LORANCE & ASSOC
POWELL & SCUDDER
STATE FARM INSURANCE
STEVENS, DENNIS
1550 ACCU GRAPHICS FORMS & SYSTEMS
ACUPUNCTURE CENTER OF CHICO
BRISLAIN LEARNING CTR
DAVID W MATSON CPA
FINANCIAL NETWORK INVESTMENT
JEFF KORBER
JUDY BRISLAIN
LAW OFFICE OF DAVID KENNEDY
NEW YORK LIFE INSURANCE
RICH, W
STEVEN MARK STAPLETON
WAYNE MOHLE INC

Target Street

Cross Street

Source

Cole Information Services

HUMBOLDT RD 1995 (Cont'd)

1560 CANCER REGISTRY NORTHERN CA
ENLOE OCCUPATIONAL HEALTH
FAMILY PRACTICE ASSOC OF CHICO
HIGGINS, JOHN
HOSPITAL COUNCIL OF NORTHERN
JOHN M HIGGINS MD
POWERS CHIROPRACTIC INC

1600 C KEITH LYDE
D MARC LYDE
GARY E WILSON LAW OFFICE
GEORGE E WASHINGTON
KEITH LYDE
LEONARD & LYDE
ROBERT L MILLAR
ROBERT L MILLAR LAW OFFICES
STINSON & ISOM ASSOC
STINSON, MICHAEL L

1750 IBANEZ, MARY

1850 BOREL, PATRICK E
BROWN, SHARON
CHAMPION, KRYSTAL
COX, ROB
DAVENPORT, DANNY
DIANE, SHELLEY
GOOD, MERIAM
HACKER, CHRIS
HAMM, GARY
HILGEMAN, CARIN
HUFFORD, JIM
KELLAWAY, LISA L
KICKLIGHTER, RANDY
LAM, S
LYNCH, ANITA
PATTERSON, KENNETH
ROBERTS, LESLIE
SHAHENIAN, RUSSELL H
SMITH, BERTHA
SMOTHERS, JOE
STEPHENS, CRAIG
SWEENEY, K
TOBIN, RON
TREVORROW, BECKY
VOTAVA, PETER
WRIGHT, BRENDA

1876 HARDY, TIM

Target Street

Cross Street

Source

✓

-

Cole Information Services

FIR ST 1992

901	CHICO CTY METER RPR
965	ANDERSON ED
	ANDERSON, ED
995	CA ST HIGHWAY PATRL

Target Street

Cross Street

Source

Cole Information Services

HUMBOLDT RD 1992

0 BROWN, JAMES H
WALSVICK, IRVING

1459 HARVEY DENNIS ATTY
K F M F RDO BUS OFC
KANGERGA, RADE
LAMBERT ARTHUR DDS
POWERS CLYDE L CPA

1460 CHICO CTY POL

1469 BUTTE CO ASSESSOR

1500 HIGNELL FRED W 3D

1530 DELANEY, COLLEEN L
LORANCE&ASSOCIATES
MARKETING CONSLTNT
PAC INST ALEXANDER
POWELL JOHN A CPA
SCUDDER JOSEPH CPA
STEVENS DENNIS C
STRUTHERS, JOHN L

1550 ACCU GRAPHICS FORMS
ACUPUNCTURE CENTER
BRISLAIN J EDD MFCC
FINANCL NTRWK INVST
KENNEDY DAVID W
KORBER JEFF ATTY
KORBER, JEFF
KYLE BILL CLU CHFC
MOHLE WAYNE CPA INC
SCHIMMEL RAYMOND L
STAPLETON S M ATTY
VANLANINGHAM L ATTY

1560 CANCER RGSTRY NO CA
ENLOE OCCUPTNL HLTH
HIGGINS JOHN M MD
NORTHN SIERRA HSPTL
PALMER METHOD
PALMER, METHOD

1600 BLACKSTOCK, DANIEL
MILLAR ROBT L LAW
STINSON&ISOM ASSOCS
WASHINGTON GEORGE

1850 COHN, JASON
CORONA, FRED
GREEN, ELSE M
HUMBOLDT PARK
LONG, RONAN
PEARSON, C
PRICE, MIKE
RAGBUPATHI, W
SMITH, BERTHA
STICH, F

Target Street

Cross Street

Source

-

✓

Cole Information Services

HUMBOLDT RD 1992 (Cont'd)

1875 OWENS, K A
SMITH, MONTE

Target Street

Cross Street

Source

✓

-

Polk City Directory

FIR ST 1988

14

FIR ST -FROM 1554 E 8TH ST SOUTH

ZIP CODE 95928

901 Chico Municipal Services Center light
heat & power co 895-4951

965 Rolls Anderson & Rolls civ engs 895-1422

995 State Hwy Patrol 895-4444

HUMBOLDT RD 1988

14

**HUMBOLDT RD -FROM HWY 99 EAST
1 SOUTH OF E 9TH ST**

ZIP CODE 95928

FIR ST INTERSECTS

1459 Creekwood Plaza II ofc bldg 893-1700

A Prudential Insurance Co Of Am
343 1901

B Under Constn

C Lambert Arthur L 893-4867

D K M F R F M 343-8461

1460 City Police Department 895-4911

1467 Under Constn

1500 Hignell & Hignell Inc 894 0404

New York Life Insurance Co

1530 Office Building

HUMBOLDT RD 1988

HUMBOLDT RD-Contd

Suites

1 Studio The-Interior Design 895-8372

2 Powell & Scudder acct 893-1871

3 I B M 326-5181

4 Mohle Wayne C P A Inc c p a
891-1482

5 Mass Financial Group ins & financial
serv 895-3898

1550 Building

Korber & Kennedy An Associates Of
Law Firms ste 1 891-5256

Financial Network Investment Corp
suite 2 342-2900

3 Brislain Learning Center 342-2567

1601 Task Consultants Inc real est 891-4893

Almond Creek Building Co real est
891-4893

1875 Apartments

A No Return

B★Borman Phyllis 895-3809

C★Bowman Michael

D No Return

1879 Apartments

1★Wright Deanna

2 No Return

3 No Return

4 No Return

1940 No Return

Target Street

Cross Street

Source

✓

-

Polk City Directory

FIR ST 1983

14

FIR ST —FROM 1554 E 8TH ST SOUTH

ZIP CODE 95926

901 Chico Municipal Services Center

965 Rolls Anderson & Rolls civ engs

995 State Hwy Patrol 895-4444

HUMBOLDT RD 1983

14

**HUMBOLDT RD —FROM HWY 99 EAST
1 SOUTH OF E 9TH ST**

ZIP CODE 95926

FIR ST INTERSECTS

CABINS

1 Vacant

2 No Return

3★Sweet J

1469 Vacant

1500 Vacant

1601 Project Association real est 891-4893

Villages The land development 891-4893

North Valley Computing Serv electronic
equip & sup 891-4893

1875 Apartments

A★Newman Nina K 894-5150

B★Perez Delores M 343-6872

C★Dove Michael S

D Waterhouse Charles E 342-8125

Apartments

1★Mc Devitt Robt G

2 Kelly Mary M 342-5166

3★Hamaliton Philip 891-6775

4★Berentold Jim

1960 Vacant

1962 Vitt Craig © 342-3629

1965 No Return

1967 Vacant

1968 Wing Byron A ©

1970 Vacant

1980 Delangre Thos J 343-8514

bx69b Irle David © 343-7651

bx70 Affeldt Julius © 345-4590

bx 70b Evans Donald J 895-1828

bx71 Wallsvick Irving G © 345-2006

box 74a Barley Clifford 345-7081

box 75 Duzdevich Mickey © 895-0655

FOREST AVE INTERSECTS

Target Street

Cross Street

Source

✓

-

Polk City Directory

FIR ST

1978

14

**FIR ST —FROM 1554 E 8TH
ST SOUTH**

ZIP CODE 95926

901 Vacant

Target Street

Cross Street

Source

✓

-

Polk City Directory

FIR ST 1973

14

**FIR ST —FROM 1554 E 8TH
ST SOUTH**

ZIP CODE 95926

**901 Bob's Arco Service gas sta
345-0611**

Selleck R W

Target Street

Cross Street

Source

✓

-

Polk City Directory

FIR ST 1960

14

FIR — From E 8th south to Humboldt av

901 Lommen Arnold ©

△ FI2-1027

1003 Vacant

1019 Garrett Gertrude V Mrs

△ FI2-0504

1023 Scott Jos A © △ FI2-2051



DGS Chico CHP
995 Fir Street
Chico, CA 95928

Inquiry Number: 4611368.3
May 05, 2016

Certified Sanborn® Map Report



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

05/05/16

Site Name:

DGS Chico CHP
995 Fir Street
Chico, CA 95928
EDR Inquiry # 4611368.3

Client Name:

SHN Consulting Engineers
812 West Wabash Avenue
Eureka, CA 95501
Contact: Diana Ward



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by SHN Consulting Engineers were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 032C-457C-BCD9
PO # 516012
Project DGS Chico CHP

UNMAPPED PROPERTY

This report certifies that the complete holdings of the Sanborn Library, LLC collection have been searched based on client supplied target property information, and fire insurance maps covering the target property were not found.



Sanborn® Library search results

Certification #: 032C-457C-BCD9

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

SHN Consulting Engineers (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

C

**Assessor's Parcel Map, Other Maps of Interest, and
File Review Information**

PTN. SEC. 25, T.22N. R.1E. M.D.B.&M.

02-06



N05°41'28"W

05

05

S76°18'12"W

01

HWY 32 (47)

FR ST

EAST 9TH ST.

STATE HWY

13

11.30Ac±

9

.52Ac

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

150.00

8

2.51Ac±

124.98

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

10

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

190.00

15

71.87

124.98

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

7

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

8

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

176.39

6

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

5

4.09Ac±

4

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

3

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

2

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

1

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

10.89

12

1.09Ac±

14

1.66Ac±

17

.69Ac

16



1 Property Address: 995 FIR ST CHICO CA 95928-6301

Ownership

County: **BUTTE, CA**
 Assessor: **DIANE BROWN, ASSESSOR**
 Parcel # (APN): **002-060-012-000**
 Parcel Status: **ACTIVE**
 Owner Name: **STATE OF CALIFORNIA**
 Mailing Address: **650 HOWE AVE SACRAMENTO CA
 95825-4731**
 Legal Description: **BIDWELL 9TH ADD, LOTS 4 AND 5**

Assessment

Total Value:	Use Code:	CP	Use Type:	COMMERCIAL
Land Value:	Tax Rate Area:	002-352	Zoning:	CITY
Impr Value:	Year Assd:	2016	Census Tract:	9.03/3
Other Value:	Property Tax:		Price/SqFt:	
% Improved:	Delinquent Yr:			
0%				
Exempt Amt:	HO Exempt:	N		

Sale History

	Sale 1	Sale 2	Sale 3	Transfer
Document Date:				
Document Number:				
Document Type:				
Transfer Amount:				
Seller (Grantor):				

Property Characteristics

Bedrooms:	Fireplace:	Units:
Baths (Full): 2	A/C:	Stories:
Baths (Half):	Heating:	Quality: 5.5
Total Rooms:	Pool:	Building Class: D
Bldg/Liv Area: 3,360	Park Type:	Condition:
Lot Acres: 0.090	Spaces:	Site Influence:
Lot SqFt: 3,920	Garage SqFt:	Timber Preserve:
Year Built: 1975		Ag Preserve:
Effective Year:		



6 Property Address: CHICO CA 95928

Ownership

County: **BUTTE, CA**
 Assessor: **DIANE BROWN, ASSESSOR**
 Parcel # (APN): **002-060-014-000**
 Parcel Status: **ACTIVE**
 Owner Name: **STATE OF CALIFORNIA**
 Mailing Address: **650 HOWE AVE SACRAMENTO CA
 95825-4731**
 Legal Description: **HUMBOLDT RD**

Assessment

Total Value:	Use Code:	CC	Use Type:	MISCELLANEOUS
Land Value:	Tax Rate Area:	002-352	Zoning:	CITY
Impr Value:	Year Assd:	2016	Census Tract:	9.03/3
Other Value:	Property Tax:		Price/SqFt:	
% Improved:	0%	Delinquent Yr:		
Exempt Amt:	HO Exempt:	N		

Sale History

	Sale 1	Sale 2	Sale 3	Transfer
Document Date:				
Document Number:				
Document Type:				
Transfer Amount:				
Seller (Grantor):				

Property Characteristics

Bedrooms:	Fireplace:	Units:
Baths (Full):	A/C:	Stories:
Baths (Half):	Heating:	Quality:
Total Rooms:	Pool:	Building Class:
Bldg/Liv Area:	Park Type:	Condition:
Lot Acres: 1.660	Spaces:	Site Influence:
Lot SqFt: 72,309	Garage SqFt:	Timber Preserve:
Year Built:		Ag Preserve:
Effective Year:		

Quality. Service. Value.®



2015 Water Quality Report

Chico District
Chico

Este informe contiene información muy importante sobre su agua potable.
Tradúzcalo o hable con alguien que lo entienda bien.



Table of Contents

Welcome

From the Manager

Your Water System

Your Water System

Inside the Water Quality Laboratory

DWSAPP

2015 Test Results

Fluoride

Water Hardness

Possible Contaminants


About Lead

Key Definitions

Water Quality Table

More Information

Resources



Welcome



At California Water Service (Cal Water), protecting our customers' health and safety is our highest priority. It's part of our commitment to deliver quality, service, and value to our customers.

Quality. We are dedicated to providing a high-quality water supply to our customers. We have rigorous safeguards in place to make sure that our water meets or surpasses increasingly stringent water quality standards, and **we are pleased to announce that, in 2015, we met every primary state and federal standard.** In California, we conduct tests on 68,000 water samples per year to ensure we are in compliance with both state and federal standards.

Service. In addition to providing a safe supply of water whenever you need it, we also work diligently to ensure that supplies — and the infrastructure needed to deliver water from the source to your tap — are adequate to meet demand. And, as we work to make conservation a way of life in California, while still being in the midst of a historic drought, we offer a wide variety of conservation programs and rebates to help our customers use water wisely. Our dedicated team of professionals is here to assist you with both routine business and after-hours emergencies.

Value. The costs to provide water service continues to increase, but we are working to ensure that our water stays affordable. We do this in part by investing in infrastructure that is built to last and only replacing equipment when it is nearing the end of its useful life. We also work to find cost-effective solutions for securing, testing, treating, storing, and delivering the water to you. We do all it takes to deliver a clean, reliable water supply right to your home, for less than a penny per gallon in nearly all of our service areas.

This annual water quality report shows any constituents that were detected in your water in 2015, and how your water compares to state and federal water quality standards. This report also provides information about the steps we take to protect your health and safety and answers questions you may have about your water quality.

If you have any questions or concerns, you can contact us by phone or email, through our web site, or in person at your local Customer Center. For important announcements and other water-related news, please visit calwater.com or watch for information in your monthly bill.

Sincerely,

Pete Bonacich, District Manager, Chico District

CHICO DISTRICT 2222 DR. MARTIN LUTHER KING JR. PARKWAY CHICO, CA 95928 (530) 893-6300



Your Water System

Cal Water has provided high-quality water utility services in the Chico area since 1926. To meet the needs of our Chico customers, we use 63 wells to pump an average of 27 million gallons of groundwater per day, which is delivered to customers through 373 miles of pipeline, eight storage tanks, and nine booster pumps.

Cal Water proactively maintains and upgrades our facilities to ensure a reliable, high-quality supply.

If you have any questions, suggestions, or concerns, please contact our local Customer Center, either by phone or through the contact link at www.calwater.com.

USING WATER WISELY

California is still in a historic drought, and as we work to make conservation a way of life, like Governor Brown stated in his Executive Order in May, we remind our customers that we are here to help them use water wisely.

Cal Water has a robust water conservation program that includes rebates, kits, and other tools to help our customers save water. Visit www.calwater.com/conservation for details.

For more on the drought and water use restrictions, visit www.calwater.com/drought.



WATER QUALITY LABORATORY

Water professionals collect samples from throughout the water system for testing at our state-of-the-art water quality laboratory, which is certified through the stringent Environmental Laboratory Accreditation Program (ELAP). Scientists, chemists, and microbiologists test the water for more than 140 constituents with equipment so sensitive it can detect levels as low as one part per trillion. In order to maintain the ELAP certification, all of our scientists must pass blind-study proficiency tests each year for every water quality test performed.

Water quality test results are entered into our Laboratory Information Management System (LIMS), a sophisticated software program that enables us to react quickly to changes in water quality and analyze water quality trends in order to plan effectively for future needs.

DIVISION OF DRINKING WATER


On July 1, 2014, Gov. Jerry Brown transferred the State's Drinking Water Program from the California Department of Public Health to the State Water Resources Control Board's Division of Drinking Water (DDW). The transition was created to consolidate all major water quality programs within a single department. According to the Governor's office, this consolidation allows the State to better manage and protect water resources and ensure safe drinking water for Californians.

Visit www.swrcb.ca.gov/drinking_water/programs for more information about water quality requirements or the Drinking Water Program.

CROSS-CONNECTION CONTROL

To ensure that the high-quality water we deliver is not compromised in the distribution system, Cal Water has a robust cross-connection control program in place. Cross-connection control is critical to ensuring that activities on customers' properties do not affect the public water supply. Our cross-connection control specialists ensure that all of the existing backflow prevention assemblies are tested annually, assess all non-residential connections, and enforce and manage the installation of new commercial and residential assemblies. Last year, our specialists oversaw installation of 1,645 new assemblies and testing of 25,175 backflow prevention assemblies company-wide.

Number of samples collected



DWSAPP

By the end of 2002, Cal Water had submitted to the DDW a Drinking Water Source Assessment and Protection Program (DWSAPP) report for each water source in the water system. The DWSAPP report identifies possible sources of contamination to aid in prioritizing cleanup and pollution prevention efforts. All reports are available for viewing or copying at our Customer Center.

The water sources in the Chico District are considered most vulnerable to the following activities associated with contaminants detected in the water supply: sewer collection systems, septic systems, parks, RV parks, agricultural drainage, fertilizer and pesticide application, automobile body and repair shops, utility stations (maintenance areas), railroad yards (maintenance/fueling areas), electrical/electronic manufacturing, chemical/petroleum processing or storage, machine shops, grazing, lumber processing/manufacturing, wood preserving/treating, fleet/truck/bus terminals, known contaminant plumes, and drinking water treatment plants.


The water sources are considered most vulnerable to the following activities, for which no associated contaminant has been detected: gas stations, metal plating (finishing/fabricating), junk/scrap/salvage yards, furniture repair/manufacturing, dry cleaners, home manufacturing, dredging, high-density housing, storm drain discharge, freeways, railroads, road right-of-ways, chemical/petroleum processing or storage, fleet/truck/bus terminals, machine shops, photo processing/printing, above-ground storage tanks, wells (water supply and agricultural), automobile body and repair shops, parks, grazing, sewer collection systems, lumber processing/manufacturing, wood/pulp/paper processing and mills, boat services/repair/refinishing, airports (maintenance/fueling areas), irrigated crops, hospitals, farm machinery repair, historic waste dumps/landfills, and food processing.

A copy of this assessment may be viewed at:

DDW Valley District Office
364 Knollcrest Drive
Redding, CA 96002

We encourage customers to join us in our efforts to prevent water pollution and protect our most precious natural resource.





Number of constituents tested annually since 2005

SAMPLED YEAR
PARAMETER
COUNT

FLUORIDE

State law requires Cal Water to add fluoride to drinking water if public funding is available to pay for it, and it is a practice endorsed by the American Medical Association and the American Dental Association to prevent tooth decay.

In this area, low levels of fluoride occur naturally, but Cal Water doesn't add any to the water supply. Show the table in this report to your dentist to see if he or she recommends giving your children fluoride supplements.

More information about fluoridation, oral health, and related issues can be found on the DDW web site at www.waterboards.ca.gov/drinking_water/certlic/drinkingwater/Fluoridation.shtml. For general information on water fluoridation, visit us online at www.calwater.com.



Water Hardness

We use water testing equipment so sensitive it can detect levels as low as 1 part per trillion.

[That's equivalent to 2 golf ball rotations on a putting green as long as to the distance from Earth to the sun!]



Water's "hardness" is a measure of the amount of minerals (generally calcium, magnesium, and carbonate) it contains. Water is considered **soft** if its hardness is less than 75 parts per million (ppm), **moderately hard** at 75 to 150 ppm, **hard** at 150 to 300 ppm, and **very hard** at 300 ppm or higher.

The current water quality table for your service area shows an average hardness of 126 ppm.

Hard water is generally not a health concern, but it can have an impact on how well soap lathers and is significant for some industrial and manufacturing processes. Hard water may also lead to mineral buildup in pipes or water heaters.



Some people with hard water opt to buy a water softener for aesthetic reasons. However, some water softeners add salt to the water, which can cause problems at wastewater treatment plants. In addition, people on low-sodium diets should be aware that some water softeners increase the sodium content of the water.



Possible Contaminants

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency (EPA) Safe Drinking Water Hotline at (800) 426-4791.

The sources of drinking water (both tap and bottled) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or human activity.

CONTAMINANTS THAT MAY BE PRESENT IN SOURCE WATER INCLUDE:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.

Radioactive contaminants, which can be naturally occurring or the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the EPA and the DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. DDW regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised people, such as those with cancer undergoing chemotherapy, those who have undergone organ transplants, and those with HIV/AIDS or other immune system disorders; some elderly people; and infants can be particularly at risk from infections. These people should seek advice from their health care providers about drinking water. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.



About Lead

You may have questions about lead in drinking water as a result of the water quality crisis in Flint, Michigan. Although public officials continue to investigate what went wrong in Flint, several factors contributed to the problem:

- The City has a high number of lead service lines in its water system.
- The City switched from a treated supply of water to an untreated and corrosive supply. The lack of required corrosion treatment caused lead from service lines to get into the water.
- The City was not completely following the Environmental Protection Agency's Lead and Copper Rule.
- The City did not respond quickly to water quality concerns.

None of these conditions exist at Cal Water. We have worked proactively to eliminate lead-bearing materials from our water systems, and we are compliant with health and safety codes mandating the installation of lead-free materials in public water systems. We test our water sources to ensure that the water we deliver to customers' meters meets water quality standards and is not corrosive toward plumbing materials. The water we deliver may meet lead standards, but what about your home plumbing? Because lead in drinking water comes primarily from materials and components associated with service lines and home plumbing, the Lead and Copper Rule is a critical part of our water quality monitoring program.

The Lead and Copper Rule requires us to test water *inside* a representative number of homes that have plumbing most likely to contain lead and/or lead solder. This test, with other water quality testing, tells us if the water is corrosive enough to cause lead from home plumbing to leach into the water. If the "Action Level" for lead is exceeded, we work with our customers to investigate the issue and, if necessary, implement corrosion control before the lead levels create a health issue.

As the crisis in Flint has made clear, if present, elevated levels of lead can cause serious health problems, especially for pregnant women and children. If your home's plumbing contains lead piping or pipe fittings, lead solder, or brass fixtures that may contain lead, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking.

If you are concerned about lead in your water, you may wish to have your water tested by a lab. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

In your system, results from our lead monitoring program, conducted in accordance with the Lead and Copper Rule, were non-detectable for the presence of lead.



Key Definitions

Maximum Contaminant Level (MCL)

The highest level of a contaminant that is allowed in drinking water. Primary MCLs protect public health and are set as close to the PHGs (or MCLGs) as are economically and technologically feasible. Secondary MCLs relate to the odor, taste, and appearance of drinking water.

Exceeded Standard

Out of compliance with a primary MCL, a secondary MCL, or an action level, as determined by the DDW. For some compounds, compliance is determined by averaging the results for one source over a year.

Regulatory Action Level (AL)

The concentration of a contaminant which, if exceeded, triggers treatment or other required action by the water provider.

Maximum Contaminant Level Goal (MCLG)

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the EPA.

Maximum Residual Disinfectant Level (MRDL)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Notification Level (NL)

A health-based advisory level for an unregulated contaminant in drinking water. It is used by DDW to provide guidance to drinking water systems.

Primary Drinking Water Standard (PDWS)

MCLs and MRDLs for contaminants that affect health, along with their monitoring, reporting, and water treatment requirements.

Public Health Goal (PHG)

The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency's Office of Environmental Health Hazard Assessment without regard to cost or available detection and treatment technologies.

Treatment Technique (TT)

A required process intended to reduce the level of a contaminant in drinking water.



Table Introduction

Cal Water tests your water for more than 140 regulated contaminants and dozens of unregulated contaminants. This table lists only those contaminants that were detected.

In the table, water quality test results are divided into three major sections: “Primary Drinking Water Standards,” “Secondary Drinking Water Standards and Unregulated Compounds,” and “Unregulated Compounds Detected at Negligible Amounts.” Primary standards protect public health by limiting the levels of certain constituents in drinking water. Secondary standards are set for substances that don’t impact health but could affect the water’s taste, odor, or appearance. Some unregulated substances (hardness and sodium, for example) are included for your information. Compounds that were detected at amounts so low that they are considered insignificant are reported together.

TABLE KEY	
μS/cm	measure of specific conductance
n/a	not applicable
ND	not detected
NTU	nephelometric turbidity unit
pCi/L	picoCuries per liter (measure of radioactivity)
ppm	parts per million (milligrams per liter)
ppb	parts per billion (micrograms per liter)
ppt	parts per trillion (nanograms per liter)
SMCL	secondary maximum contaminant level



2015 Water Quality Table

Primary Drinking Water Standards

Radiological	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Average	Source of Substance
Gross alpha particle activity	2007–2015	pCi/L	15	(0)	No	ND–6.7	1.6	Erosion of natural deposits
Radium 228	2007–2015	pCi/L	5	0.019 (0)	No	ND–5	ND	Erosion of natural deposits
Inorganic Chemicals	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Average	Source of Substance
Hexavalent chromium	2013–2015	ppb	10	0.02	No	ND–8.1	2.5	Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis, refractory production, and textile manufacturing facilities; erosion of natural deposits
Chromium	2013–2015	ppb	50	(100)	No	ND–6.6	2.3	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Nitrate (as nitrogen) ¹	2015	ppm	10	10	No	ND–7.4	3.4	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
Organic Chemicals	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Average	Source of Substance
cis-1,2-Dichloroethylene	2013–2015	ppb	6	(70)	No	ND–1.3	ND	Discharge from industrial chemical factories; major biodegradation product of TCE and PCE groundwater contamination
Tetrachloroethylene (PCE)	2013–2015	ppb	5	0.06	No	ND–1.7	ND	Discharge from factories, dry cleaners, and auto shops (metal degreaser)
Trichloroethylene (TCE)	2013–2015	ppb	5	1.7	No	ND–0.9	ND	Discharge from metal-degreasing sites and other factories

¹ The average nitrate level was 3.4 ppm, with a maximum level of 7.4 ppm. We are closely monitoring nitrate levels. Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 ppm may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant or you are pregnant, you should seek advice from your health care provider.



2015 Water Quality Table

(Continued)

Disinfection Byproducts	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Highest Annual Average	Source of Substance
Total trihalomethanes	2015	ppb	80	n/a	No	ND-3.1	2.7	Byproduct of drinking water chlorination
Disinfectant	Year Tested	Unit	MRDL	MRDLG	Exceeded Standard?	Range	Average	Source of Substance
Chlorine	2015	ppm	4	4	No	0.2-1.2	0.5	Drinking water disinfectant added for treatment

Other Regulated Substances

Metals	Year Tested	Unit	AL	PHG (MCLG)	Exceeded Standard?	90 th Percentile	Samples > AL	Source of Substance
Copper	2014	ppm	1.3	0.3	No	0.13	0 of 32	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead	2014	ppb	15	0.2	No	ND	0 of 32	Internal corrosion of household plumbing systems; discharge from industrial manufacturers; erosion of natural deposits



2015 Water Quality Table

(Continued)

Secondary Drinking Water Standards and Unregulated Compounds

Inorganic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	Exceeded Standard?	Range	Average	Source of Substance
Calcium	2013–2015	ppm	n/a	n/a	No	17–53	24.7	Erosion of natural deposits
Chloride	2013–2015	ppm	500	n/a	No	1.7–59	10.2	Erosion of natural deposits; seawater influence
Color	2013–2015	Units	15	n/a	No	ND–5	0.4	Naturally occurring organic matter
Hardness	2013–2015	ppm	n/a	n/a	No	83–270	126	Erosion of natural deposits
Iron	2013–2015	ppb	300	n/a	No	ND–48	1.8	Leaching from natural deposits; industrial wastes
Magnesium	2013–2015	ppm	n/a	n/a	No	10–34	15.5	Erosion of natural deposits
Odor	2013–2015	TON	3	n/a	No	ND–2	0.2	Naturally occurring organic matter
pH	2013–2015	Units	n/a	n/a	No	6.3–9.2	7.5	Inherent characteristic of water
Sodium	2013–2015	ppm	n/a	n/a	No	8.4–38	13.8	Erosion of natural deposits; seawater influence
Specific conductance	2013–2015	µS/cm	1600	n/a	No	200–600	302	Erosion of natural deposits; seawater influence
Strontium	2013–2015	ppb	n/a	n/a	No	100–2500	190	Erosion of natural deposits
Sulfate	2013–2015	ppm	500	n/a	No	ND–16	6.6	Runoff/leaching from natural deposits; industrial wastes
Total dissolved solids	2013–2015	ppm	1000	n/a	No	160–490	217	Runoff/leaching from natural deposits
Turbidity (groundwater)	2013–2015	NTU	5	n/a	No	ND–0.2	0.05	Soil runoff
Vanadium	2013–2015	ppb	NL=50	n/a	No	1.6–34	16.9	Erosion of natural deposits; manufacturing of alloys and steel



2015 Water Quality Table

(Continued)

Disinfection Byproducts	Year Tested	Unit	MCL (SMCL)	PHG (MCLG)	Exceeded Standard?	Range	Highest Annual Average	Source of Substance
Chlorate	2015	ppb	NL=800	n/a	No	ND-460	70	Byproduct of drinking water chlorination
Organic Chemicals	Year Tested	Unit	SMCL	PHG (MCLG)	Exceeded Standard?	Range	Average	Source of Substance
Chlorodifluoromethane (freon 22)	2013-2015	ppt	n/a	n/a	No	ND-1300	40	Refrigerant
1,2,3-Trichloropropane (TCP) ²	2013-2015	ppt	NL=5	0.7	Yes	ND-10	ND	Pesticide that may still be present in soils due to runoff/leaching; various industrial uses
Perfluorooctanesulfonic acid ³	2014-2015	ppb	HA=0.07	n/a	No	ND-0.14	ND	Manmade compound
Perfluorohexanesulfonic acid	2014-2015	ppb	n/a	n/a	No	ND-0.08	ND	Manmade compound

²Currently, there is no MCL or SMCL for TCP, but there is a notification level because it is a constituent of interest. Cal Water is working closely with the DDW, conducting extensive monitoring, and investigating acceptable treatment methods. According to the Office of Environmental Health and Hazard Assessment, some people who consume water containing TCP in excess of the notification level over many years may have an increased risk of getting cancer, based on laboratory studies.

³Perfluorooctanesulfonic acid (PFOS), perfluoroheptanoic acid, and perfluorohexanesulfonic acid were detected in 1 of the 40 active wells during 2013-2015 Unregulated Contaminant Monitoring Rule (UCMR) testing. There is no MCL, SMCL, or NL for PFOS; however, the EPA has established a lifetime health advisory (HA) of 0.07 parts per billion (ppb). Lifetime HAs are not regulatory limits but reflect reasonable, health-based concentrations above which action should be taken to reduce exposure. Cal Water is working closely with the DDW and EPA to conduct extensive monitoring and identify the best available treatment technology. Studies indicate that long-term exposure to PFOS and PFOA over certain levels could have adverse health effects, including developmental effects to fetuses during pregnancy or breastfed infants; cancer; or liver, immunity, thyroid, and other effects. The HA limit is the level below which concentrations are not expected to result in adverse health effects over a lifetime of exposure; it has been set to reflect a margin of protection for even the most sensitive populations.



Thank you.

Thanks for taking the time to learn more about your water quality! Even more information awaits you at www.calwater.com. Visit our web site to get information about your account, water use history, water rates, and water system.

You will also find water-saving tips and news about water conservation programs and rebates available in your area.

- [Drought news](#)
- [Lead in water](#)
- [Water treatment and disinfection](#)
- [Protecting the water supply](#)



STATE WATER RESOURCES CONTROL BOARD
HAZARDOUS SUBSTANCE STORAGE CONTAINER INFORMATION FOR BUTTE COUNTY

CONTAINER TYPES: 1, 2, 3, 4, 5
(1=FARM MOTOR VEHICLE FUEL TANKS, 2=ALL OTHER PRODUCT TANKS, 3=WASTE TANKS, 4=SUMPS, 5=PITS, PONDS, LAGOONS & OTHERS)

I OWNER

CALIFORNIA HIGHWAY PATROL
P.O. BOX 898 SACRAMENTO CA 95804

II FACILITY

CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO CA 95927	MAILING ADDRESS TOWNSHIP/RANGE/SECTION P.O. BOX 1779 CHICO CA 95927	DEALER/FOREMAN/SUPERVISOR TELEPHONE (916) 322-5310	TYPE OF BUSINESS NO. OF CONTAINERS CHP 1
CROSS STREET :			

III 24-HR. CONTACT PERSON / TELEPHONE
DAY: FACILITIES SECTION

(916) 322-5310 NIGHT: DISPATCHER (916) 445-2211

***** OWNER ASSIGNED CONTAINER NUMBER: 241-2 ***** STATE BOARD ASSIGNED CONTAINER ID NUMBER: 0000035398001 *****

IV DESCRIPTION

A. CONTAINER TYPE : SUMP	E. REPAIRS : NONE IF YES WHEN :
B. MANUFACTURER/YR OF MFG: /	F. CURRENTLY USED : YES IF NO, YEAR OF LAST USE:
C. YEAR INSTALLED : LNK	G. STORES : WASTE
D. CAPACITY (GALLONS) :	H. MOTOR VEHICLE FUEL/WASTE OIL : NO CONTAINS:

IS CONTAINER LOCATED ON A FARM : NO

V CONTAINER CONSTRUCTION

A. THICKNESS:	B. VAULTING: NON-VAULTED	C. WALLING: SINGLE
D. MATERIAL : CONCRETE		
E. LINING : UNLINED		
F. WRAPPING : NONE		

VI PIPING

A. ABOVEGROUND PIPING :	B. UNDERGROUND PIPING : GRAVITY
C. REPAIRS : NONE IF YES, YEAR OF MOST RECENT REPAIR:	

VII LEAK DETECTION

NONE

VIII CHEMICAL COMPOSITION OF SUBSTANCES CURRENTLY STORED IN CONTAINER

STEAM CLEANING RUNOFF

BUTTE COUNTY

AIR QUALITY MANAGEMENT DISTRICT

629 ENTLER AVENUE, SUITE 15 CHICO, CALIFORNIA 95928
TELEPHONE: (530) 332-9400 FAX: (530) 332-9417 website: www.bcaqmd.org

PERMIT TO OPERATE No. **CHP-78-01-2**

This permit consists of this permit face, attached facility specific conditions and general conditions for all permits. For more information see reverse.

Valid From: 3/1/2016 Expires On: 2/28/2017 Amended: N/A

Granted to:

California Highway Patrol-Chico
995 Fir Street
Chico, CA 95928

Contact: Dan Canalia

For Equipment or Activities:

California Highway Patrol-Chico
995 Fir Street
Chico, CA 95928

Contact: Dan Canalia

UTM Coordinates: Zone 10S
601406 E
4399092 N

Facility No.: 278 SIC: 9221 NAICS: 922160

Process Description:

Gasoline Dispensing Facility: Non-Retail

Significant Equipment/Emission Sources and Associated Controls:

One (1) 10,000 Gallon Aboveground Gasoline Storage Tank with Phase I 2-Point Vapor Recovery per Executive Order G-70-187 and Two (2) Gasboy Dispensers with Phase II Healy Vapor Assist Vapor Recovery with Two (2) Hold-Open Latch Nozzles per Executive Order G-70-187

Permitted Emissions

Pollutant	Emission		Hourly (lbs)	Daily (lbs)	Annual (tons)	PTE: Condition or Design
	Limit	Units				

Permitted Process Limits

Hours of Operation	Daily		Yearly	
	Units	Hourly	Daily	Yearly

W. James Wagoner
Air Pollution Control Officer (APCO)

By: [Signature]
Date: 12/31/2015



SuperVault MH

Manufactured by: Modern Custom Fabrication, Inc.
Fresno, California

SWRI ID No. 96040-01-03

Multi-Hazard Rated Protected Secondary Containment
Aboveground Tank for Flammable and Combustible Liquids.

LISTED BY:

Southwest Research Institute
San Antonio, Texas

SWRI is recognized as an NRTL by
OSHA and as a testing laboratory
and quality assurance/inspection
agency by the National Evaluation
Service, Inc., ICBO-ES, and the
Standards Council of Canada.

This product has been evaluated for re-use after exposure
to a fire, puncture, or heavy-vehicle impact. Should any of
these occur, contact the manufacturer.

This product has been listed after passing a 4-hour Fire
Exposure Test, a Hose Stream Resistance Test, a Projectile
Penetration Test, a Heavy Vehicle Impact Test, an
environmental exposure evaluation, and an additional 2-
hour Fire Exposure Test using the same, fully-assembled test
tank for all tests.

This tank complies with the requirements of SWRI Test
Procedure 95-03, SWRI Test Procedure 93-01, UFC 797, UL
2085, and Interstitial Communication Test, and is a
recognized listed product by Southwest Research Institute,
San Antonio, Texas.

Manufactured under License from Super Technologies, Inc.

Serial No. C 034

STATE OF CALIFORNIA
DEPARTMENT OF INDUSTRIAL RELATIONS
DIVISION OF OCCUPATIONAL SAFETY & HEALTH
PRESSURE VESSEL UNIT
1515 Clay Street, Suite 1302
Oakland, CA 94612
Phone: (510) 622-3052 / Fax: (510) 622-3063

Permit to Operate Liquefied Petroleum Gas Tank

STATE SERIAL NO. L000683-09

N.B.#/SER.# 15256

BILL TO:

PERMIT DESK
CALIFORNIA HIGHWAY PATROL
995 FIR ST
CHICO CA 95928-6301

OWNER/USER:

CALIFORNIA HIGHWAY PATROL
995 FIR ST
CHICO CA 95927

LOCATION: PARKING LOT REAR

This Permit to Operate shall be kept conspicuously posted under glass on or near the tank or at a convenient location near the tank and shall be made available to any authorized person(s). Labor Code Section 7680

Date of Inspection: 02/01/2012

This Permit Expires: 01/31/2017

This is to certify that the above described tank has been inspected, or caused to be inspected, by the Division of Occupational Safety & Health and may be operated at a pressure not to exceed 250 pounds per square inch.

Inspected By: MIKE BRUSH

Employed By: State of California

Facility/Site CA HIGHWAY PATROL CHICO 995 FIR St CHICO, CA 95928	CERS ID 10276366
---	----------------------------

Submittal Status Submitted on 11/26/2013 by <i>Rick Miler</i> of Department of California Highway Patrol (Sacramento, CA) Submittal was Accepted ; Processed on 11/26/2013 by <i>Cierra Hancock</i> for Butte County Environmental Health

Identification					
Captain Ryan Stonebraker Area #241 Chico Operator Phone (530) 879-1999 Business Phone (530) 879-1999 Business Fax (530) 879-1998			Beginning Date Dun & Bradstreet	Ending Date SIC Code 9221	Primary NAICS

Facility/Site Mailing Address 995 Fir Street Chico, CA 95928

Primary Emergency Contact		
Ryan Stonebraker Title Captain Business Phone (530) 879-1999 24-Hour Phone (530) 879-1999 Pager Number		

Owner DEPARTMENT OF CALIFORNIA HIGHWAY PATROL (916) 843-3800 PO BOX 942898 SACRAMENTO, CA 95818
--

Secondary Emergency Contact		
Dan Canalia Title Sergeant Business Phone (530) 879-1999 24-Hour Phone (530) 879-1999 Pager Number		

Billing Contact Department of California Highway Patrol (916) 843-3540 PO BOX 942898 SACRAMENTO, CA 94298-0001

Environmental Contact	
Beth DePaola (916) 843-3800 edepaola@chp.ca.gov PO BOX 942898 Sacramento, CA 94298-0001	

Name of Signer Vicki Patterson Additional Information Auto Tech: James McCurry	Signer Title Office Technician, Facilities Section	Document Preparer Vick Patterson
--	---	-------------------------------------

Locally-collected Fields				
Some or all of the following fields may be required by your local regulator(s).				
<table border="0"> <tr> <td>Property Owner</td> </tr> <tr> <td>Phone</td> </tr> <tr> <td>Mailing Address</td> </tr> </table>	Property Owner	Phone	Mailing Address	Assessor Parcel Number (APN) Number of Employees 55 Facility ID FA0000655
Property Owner				
Phone				
Mailing Address				

Facility/Site

CA HIGHWAY PATROL CHICO
 995 FIR St
 CHICO, CA 95928

CERS ID
10276366

Submittal Status

Submitted on 11/26/2013 by *Rick Miler* of Department of California Highway Patrol (Sacramento, CA)
 Submittal was **Accepted**; Processed on 12/10/2013 by *Cierra Hancock* for Butte County Environmental Health

Chemical Identification and Physical Properties

Chemical Name		CERS Chemical Library ID
Common Name	AUTOMATIC TRANSMISSION FLUID	CAS Number US EPA SRS Number
Physical State	Hazardous Material Type	Trade Secret
Liquid	Mixture	

Chemical Hazard Classification

EHS	Fire Code Hazard Classes (by priority)	Federal Hazard Categories	DOT Hazard Class
Radioactive		Fire	State Waste Code
Curies		Reactive	
0		Pressure Release	
		Acute Health	
		Chronic Health	

Inventory Location and Quantity

Chemical Location	Average Daily Amount	Maximum Daily Amount	Units
Chemical Location Confidential EPCRA	0	60	gallons
Map# (Optional)	Largest Container	Annual Waste Amount	
Grid# (Optional)	0	0	
	Days on Site		
	365		

Inventory Storage Information

Aboveground Tank	Can	Box	Tank Truck, Tank Wagon
Underground Tank	Carboy	Cylinder	Tank Car, Rail Car
Tank Inside Building	Silo	Glass Bottle	Other
Yes Steel Drum	Fiber Drum	Plastic Bottle	
Plastic/Non-Metallic Drum	Bag	Tote Bin	
Storage Pressure	Storage Temperature		
Ambient	Ambient		

Mixture Components

Hazardous Component Name	CAS Number	% by Weight	EHS	Additional Mixture Components
--------------------------	------------	-------------	-----	-------------------------------

Additional Chemical/Material Description

Additional Chemical Material Information

Facility/Site

CA HIGHWAY PATROL CHICO
 995 FIR St
 CHICO, CA 95928

CERS ID
10276366

Submittal Status

Submitted on 11/26/2013 by *Rick Miler* of Department of California Highway Patrol (Sacramento, CA)
 Submittal was **Accepted**; Processed on 12/10/2013 by *Cierra Hancock* for Butte County Environmental Health

Chemical Identification and Physical Properties

Chemical Name	CERS Chemical Library ID		
Common Name	CAS Number	US EPA SRS Number	
UNLEADED FUEL			
Physical State	Hazardous Material Type	Trade Secret	
Liquid	Mixture		

Chemical Hazard Classification

EHS	Fire Code Hazard Classes (by priority) Flammable Liquid, Class I-A	Federal Hazard Categories Yes Fire Reactive Pressure Release	DOT Hazard Class 3 - Flammable and Combustible Liquids State Waste Code
Radioactive			
Curies		Yes Acute Health Yes Chronic Health	
0			

Inventory Location and Quantity

Chemical Location	Average Daily Amount	Maximum Daily Amount	Units
Chemical Location Confidential EPCRA	0	9500	gallons
Map# (Optional)	Largest Container	Annual Waste Amount	
Grid# (Optional)	10000	0	
	Days on Site		
	365		

Inventory Storage Information

Yes	Aboveground Tank	Can	Box	Tank Truck, Tank Wagon
	Underground Tank	Carboy	Cylinder	Tank Car, Rail Car
	Tank Inside Building	Silo	Glass Bottle	Other
	Steel Drum	Fiber Drum	Plastic Bottle	
	Plastic/Non-Metallic Drum	Bag	Tote Bin	
Storage Pressure	Storage Temperature			
Ambient	Ambient			

Mixture Components

Hazardous Component Name	CAS Number	% by Weight	EHS	Additional Mixture Components
--------------------------	------------	-------------	-----	-------------------------------

Additional Chemical/Material Description

Additional Chemical Material Information

Facility/Site

CA HIGHWAY PATROL CHICO
 995 FIR St
 CHICO, CA 95928

CERS ID
10276366

Submittal Status

Submitted on 11/26/2013 by *Rick Miler* of Department of California Highway Patrol (Sacramento, CA)
 Submittal was **Accepted**; Processed on 12/10/2013 by *Cierra Hancock* for Butte County Environmental Health

Chemical Identification and Physical Properties

Chemical Name			CERS Chemical Library ID
Solvent-refined Heavy Paraffinic Distillate			
Common Name	CAS Number	US EPA SRS Number	
SOLVENT	64741-88-4		
Physical State	Hazardous Material Type	Trade Secret	
Liquid	Pure		

Chemical Hazard Classification

EHS	Fire Code Hazard Classes (by priority) Combustible Liquid, Class III-B	Federal Hazard Categories	DOT Hazard Class
Radioactive		Fire	3 - Flammable and Combustible Liquids
Curies		Reactive	State Waste Code
0		Pressure Release	
		Acute Health	
		Chronic Health	

Inventory Location and Quantity

Chemical Location	Average Daily Amount	Maximum Daily Amount	Units
Chemical Location Confidential EPCRA	0	55	gallons
Map# (Optional)	Largest Container	Annual Waste Amount	
Grid# (Optional)	55	0	
	Days on Site		
	365		

Inventory Storage Information

Aboveground Tank	Can	Box	Tank Truck, Tank Wagon
Underground Tank	Carboy	Cylinder	Tank Car, Rail Car
Tank Inside Building	Silo	Glass Bottle	Other
Yes Steel Drum	Fiber Drum	Plastic Bottle	
Plastic/Non-Metallic Drum	Bag	Tote Bin	
Storage Pressure	Storage Temperature		
Ambient	Ambient		

Mixture Components

Hazardous Component Name	CAS Number	% by Weight	EHS	Additional Mixture Components
--------------------------	------------	-------------	-----	-------------------------------

Additional Chemical/Material Description

Additional Chemical Material Information

Facility/Site

CA HIGHWAY PATROL CHICO
 995 FIR St
 CHICO, CA 95928

CERS ID
10276366

Submittal Status

Submitted on 11/26/2013 by *Rick Miler* of Department of California Highway Patrol (Sacramento, CA)
 Submittal was **Accepted**; Processed on 12/10/2013 by *Cierra Hancock* for Butte County Environmental Health

Chemical Identification and Physical Properties

Chemical Name			CERS Chemical Library ID
Propane			
Common Name	CAS Number	US EPA SRS Number	
PROPANE	CAS- 74-98-6		
Physical State	Hazardous Material Type	Trade Secret	
Liquid	Pure		

Chemical Hazard Classification

EHS	Fire Code Hazard Classes (by priority)	Federal Hazard Categories	DOT Hazard Class
	Flammable Gas	Yes Fire	2.1 - Flammable Gases
Radioactive		Reactive	State Waste Code
		Yes Pressure Release	
Curies		Acute Health	
0		Chronic Health	

Inventory Location and Quantity

Chemical Location	Average Daily Amount	Maximum Daily Amount	Units
	0	1000	gallons
Chemical Location Confidential EPCRA	Largest Container	Annual Waste Amount	
	500	0	
Map# (Optional)	Grid# (Optional)	Days on Site	
		365	

Inventory Storage Information

Yes Aboveground Tank	Can	Box	Tank Truck, Tank Wagon
Underground Tank	Carboy	Yes Cylinder	Tank Car, Rail Car
Tank Inside Building	Silo	Glass Bottle	Other
Steel Drum	Fiber Drum	Plastic Bottle	
Plastic/Non-Metallic Drum	Bag	Tote Bin	
Storage Pressure	Storage Temperature		
Above Ambient	Ambient		

Mixture Components

Hazardous Component Name	CAS Number	% by Weight	EHS	Additional Mixture Components
--------------------------	------------	-------------	-----	-------------------------------

Additional Chemical/Material Description

Additional Chemical Material Information

Facility/Site

CA HIGHWAY PATROL CHICO
 995 FIR St
 CHICO, CA 95928

CERS ID
10276366

Submittal Status

Submitted on 11/26/2013 by *Rick Miler* of Department of California Highway Patrol (Sacramento, CA)
 Submittal was **Accepted**; Processed on 12/10/2013 by *Cierra Hancock* for Butte County Environmental Health

Chemical Identification and Physical Properties

Chemical Name		CERS Chemical Library ID
Common Name		CAS Number
MOTOR OIL 1203		US EPA SRS Number
Physical State	Hazardous Material Type	Trade Secret
Liquid	Mixture	

Chemical Hazard Classification

EHS	Fire Code Hazard Classes (by priority) Combustible Liquid, Class II	Federal Hazard Categories Yes Fire Reactive Pressure Release	DOT Hazard Class 3 - Flammable and Combustible Liquids State Waste Code
Radioactive			
Curies		Yes Acute Health Yes Chronic Health	
0			

Inventory Location and Quantity

Chemical Location	Average Daily Amount	Maximum Daily Amount	Units
Chemical Location Confidential EPCRA	0	85	gallons
Map# (Optional)	Largest Container	Annual Waste Amount	
Grid# (Optional)	0	0	
	Days on Site		
	365		

Inventory Storage Information

Aboveground Tank	Can	Box	Tank Truck, Tank Wagon
Underground Tank	Carboy	Cylinder	Tank Car, Rail Car
Tank Inside Building	Silo	Glass Bottle	Other
Yes Steel Drum	Fiber Drum	Plastic Bottle	
Plastic/Non-Metallic Drum	Bag	Tote Bin	
Storage Pressure	Storage Temperature		
Ambient	Ambient		

Mixture Components

Hazardous Component Name	CAS Number	% by Weight	EHS	Additional Mixture Components
--------------------------	------------	-------------	-----	-------------------------------

Additional Chemical/Material Description

Additional Chemical Material Information

Facility/Site

CA HIGHWAY PATROL CHICO
 995 FIR St
 CHICO, CA 95928

CERS ID
10276366

Submittal Status

Submitted on 11/26/2013 by *Rick Miler* of Department of California Highway Patrol (Sacramento, CA)
 Submittal was **Accepted**; Processed on 12/10/2013 by *Cierra Hancock* for Butte County Environmental Health

Chemical Identification and Physical Properties

Chemical Name	CERS Chemical Library ID		
Common Name	CAS Number	US EPA SRS Number	
FLARE (FESEE)			
Physical State	Hazardous Material Type	Trade Secret	
Solid	Mixture		

Chemical Hazard Classification

EHS	Fire Code Hazard Classes (by priority)	Federal Hazard Categories	DOT Hazard Class
	Flammable Solid	Yes Fire	4.1 - Flammable Solids
Radioactive		Reactive	State Waste Code
Curies		Pressure Release	
0		Acute Health	
		Chronic Health	

Inventory Location and Quantity

Chemical Location	Average Daily Amount	Maximum Daily Amount	Units
	0	1500	pounds
Chemical Location Confidential EPCRA	Largest Container	Annual Waste Amount	
	25	0	
Map# (Optional)	Grid# (Optional)	Days on Site	
		365	

Inventory Storage Information

Aboveground Tank	Can	Yes Box	Tank Truck, Tank Wagon
Underground Tank	Carboy	Cylinder	Tank Car, Rail Car
Tank Inside Building	Silo	Glass Bottle	Other
Steel Drum	Fiber Drum	Plastic Bottle	
Plastic/Non-Metallic Drum	Bag	Tote Bin	
Storage Pressure	Storage Temperature		
Ambient	Ambient		

Mixture Components

Hazardous Component Name	CAS Number	% by Weight	EHS	Additional Mixture Components
Strontium Nitrate	10042-76-9	73.00		
Potassium Perchlorate	778-74-7	6.00		

Additional Chemical/Material Description

Additional Chemical Material Information

The URL you requested has changed. You have been redirected to the new URL. Please update your bookmarks.



Detailed Facility Report

Facility Summary

CA HIGHWAY PATROL CHICO
995 FIR ST, CHICO, CA 95928

FRS (Facility Registry Service) ID: 110057045647
 EPA Region: 09
 Latitude: 39.73555
 Longitude: -121.81639
 Locational Data Source: FRS
 Industry: Justice, Public Order, and Safety Activities
 Indian Country: N



Enforcement and Compliance Summary

Statute	Insp (5 Years)	Date of Last Inspection	Compliance Status	Qtrs in NC (Non-Compliance) (of 12)	Qtrs in Significant Violation	Informal Enforcement Actions (5 years)	Formal Enforcement Actions (5 years)	Penalties from Formal Enforcement Actions (5 years)	EPA Cases (5 years)	Penalties from EPA Cases (5 years)
CAA	--	--	--	--	--	--	--	--	--	--

Related Reports

A [Air Pollutant Report](#)

Regulatory Information

Clean Air Act (CAA): No Information
 Clean Water Act (CWA): No Information
 Resource Conservation and Recovery Act (RCRA): No Information
 Safe Drinking Water Act (SDWA): No Information

Other Regulatory Reports

Air Emissions Inventory (EIS): 15959611
 Greenhouse Gas Emissions (eGGRT): No Information
 Toxic Releases (TRI): No Information

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110057045647					N	39.73555	-121.81639
EIS	CAA	15959611		OPERATING			N		

Facility Address

System	Statute	Identifier	Facility Name	Facility Address
FRS		110057045647	CA HIGHWAY PATROL CHICO	995 FIR ST, CHICO, CA 95928

System	Statute	Identifier	Facility Name	Facility Address
EIS	CAA	15959611	CAL HIGHWAY PATROL-CHICO	995 FIR STREET, CHICO, CA 95928

Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Desc
No data records returned			

Facility NAICS (North American Industry Classification System) Codes

System	Identifier	NAICS Code	NAICS Description
EIS	15959611	922160	Fire Protection

Facility Tribe Information

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
Berry Creek Off-Reservation Trust Land	Berry Creek Rancheria of Maidu Indians of California	10000015	22.9
Mooretown Off-Reservation Trust Land	Mooretown Rancheria of Maidu Indians of California	100000166	23.87
Mooretown Rancheria	Mooretown Rancheria of Maidu Indians of California	100000166	24.12
Paskenta Rancheria	Paskenta Band of Nomlaki Indians of California	100000194	22.18

Enforcement and Compliance

Compliance Monitoring History (5 years)

Statute	Source ID	System	Inspection Type	Lead Agency	Date	Finding
No data records returned						

Entries in italics are not considered inspections in official counts.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Non-Compliance) /HPV (High Priority Violation)	Description	Current As Of	Qtrs in NC (Non-Compliance) (of 12)
No data records returned					

Three Year Compliance Status by Quarter

Informal Enforcement Actions (5 Years)

Statute	Source ID	Type of Action	Lead Agency	Date
No data records returned				

Formal Enforcement Actions (5 Years)

Statute	Source ID	Type of Action	Lead Agency	Date	Penalty	Penalty Description
No data records returned						

ICIS (Integrated Compliance Information System) Case History (5 years)

Primary Law/Section	Case No.	Case Type	Lead Agency	Case Name	Issued/Filed Date	Settlement Date	Federal Penalty	State/Local Penalty	SEP (Supplemental Environmental Project) Cost	Comp Action Cost
No data records returned										

Environmental Conditions

Water Quality

Permit ID	Combined Sewer System?	Number of CSO (Combined Sewer Overflow) Outfalls	Watershed (HUC (Hydrologic Unit Code) 8)	Watershed Name (HUC (Hydrologic Unit Code) 8)	Watershed (HUC (Hydrologic Unit Code) 12)	Watershed Name (HUC (Hydrologic Unit Code) 12)	Receiving Waters	Impaired Waters	Impaired Class	Causes of Impairment (s) by Group(s)	Watershed with ESA (Endangered Species Act-Listed Aquatic Species)
No data records returned											

Waterbody Designated Uses

Reach Code	Waterbody Name	Exceptional Use	Recreational Use	Aquatic Life Use	Shellfish Use	Beach Closure Within Last Year	Beach Closure Within Last Two Years
No data records returned							

Air Quality

Non-Attainment Area?	Pollutant(s)
Yes	Ozone
No	Lead
Yes	Particulate Matter
No	Sulfur Dioxide

Pollutants

Toxics Release Inventory History of Reported Chemicals Released in Pounds per Year at Site i

TRI Facility ID	Year	Total Air Emissions	Surface Water Discharges	Off-Site Transfers to POTWs (Publicly Owned Treatment Works)	Underground Injections	Releases to Land	Total On-site Releases	Total Off-site Releases
No data records returned								

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year i

Chemical Name
No data records returned

Demographic Profile

Demographic Profile of Surrounding Area (3 Miles)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2010 US Census and American Community Survey data, and are accurate to the extent that the facility latitude and longitude listed below are correct. The latitude and longitude are obtained from the EPA Locational Reference Table (LRT) when available.

Radius of Area:	3	Land Area:	100%	Households in Area:	31,966
Center latitude:	39.73355	Water Area:	0%	Housing Units in Area:	34,021
Center longitude:	-121.81699	Population Density:	2,819 sq. mi.	Households on Public Assistance:	1,139

Total Persons	79,117	Percent Minority:	27%	Persons Below Poverty Level:	33,982
Race Breakdown		Persons (%)		Age Breakdown	
White:	63,415 (80.15%)	Child 5 years and younger:	4,264 (5.39%)	Minors 17 years and younger:	14,843 (18.76%)
African-American:	1,676 (2.12%)	Adults 18 years and older:	64,273 (81.24%)	Seniors 65 years and older:	8,554 (10.81%)
Hispanic-Origin:	12,324 (15.58%)				
Asian/Pacific Islander:	3,750 (4.73%)				
American Indian:	1,076 (1.36%)				
Other/Multiracial:	9,194 (11.62%)				
Education Level (Persons 25 & older)		Persons (%)		Income Breakdown	
Less than 9th Grade:	1,677 (3.88%)	Less than \$15,000:	5,638 (18.08%)	\$15,000 - \$25,000:	4,260 (13.61%)
9th through 12th Grade:	2,603 (6.02%)	\$25,000 - \$50,000:	8,224 (26.27%)	\$50,000 - \$75,000:	5,432 (17.35%)
High School Diploma:	7,801 (18.03%)	Greater than \$75,000:	7,727 (24.69%)		
Some College/2-yr:	16,369 (37.84%)				
B.S./B.A. or More:	14,813 (34.24%)				



Related Topics: Envirofacts

FRS

FRS Facility Detail Report

CA HIGHWAY PATROL CHICO

EPA Registry Id: 110057045647
 995 FIR ST
 CHICO, CA 95928

Facility Registry Service Links:

- Facility Registry Service (FRS) Overview
- FRS Facility Query
- FRS Organization Query
- EZ Query
- FRS Physical Data Model
- FRS Geospatial Model



Legend

- ★ Selected Facility
- EPA Facility of Interest
- State/Tribe Facility of Interest

The facility locations displayed come from the FRS Spatial Coordinates tables. They are the best representative locations for the displayed facilities based on the accuracy of the collection method and quality assurance checks performed against each location. The North American Datum of 1983 is used to display all coordinates.

Environmental Interests

Information System	System Facility Name	Information System Id/Report Link	Environmental Interest Type	Data Source	Last Updated Date	Supplemental Environmental Interests:
EMISSION INVENTORY SYSTEM (EIS)	CAL HIGHWAY PATROL-CHICO	15959611	AIR EMISSIONS CLASSIFICATION UNKNOWN	EIS	12/27/0012	
CALIFORNIA - ENVIROVIEW	CA HIGHWAY PATROL CHICO	101047	STATE MASTER	CA-ENVIROVIEW		CERS-10276366 SPCC CERS-10276366 RMP REPORTER CERS-10276366 HAZARDOUS WASTE PROGRAM
CA-CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM	CA HIGHWAY PATROL CHICO	10276366	STATE MASTER	CA-CERS		CERS2-10276366-09 OIL CONTROL

Additional EPA Reports: MyEnvironment Site Demographics Facility Coordinates Viewer Environmental Justice Map Viewer Watershed Report

Standard Industrial Classification Codes (SIC)				National Industry Classification System Codes (NAICS)					
Data Source	SIC Code	Description	Primary	Data Source	NAICS Code	Description	Primary		
CA-ENVIROVIEW	9221	POLICE PROTECTION		EIS	922160	FIRE PROTECTION			
CA-CERS	9221	POLICE PROTECTION							
Facility Codes and Flags				Facility Mailing Addresses					
EPA Region:	09			Affiliation Type	Delivery Point	City Name	State	Postal Code	Information System
Duns Number:				FACILITY MAILING ADDRESS	995 FIR ST	CHICO	CA	95928	CA-CERS
Congressional District Number:	01			OWNER	PO BOX 942898	SACRAMENTO	CA	95818	CA-ENVIROVIEW
Legislative District Number:				FACILITY MAILING ADDRESS	995 FIR STREET	CHICO	CA	95928	CA-ENVIROVIEW
HUC Code/Watershed:	18020103 / SACRAMENTO-LOWER THOMES			OWNER	PO BOX 942898	SACRAMENTO	CA	95818	CA-CERS
US Mexico Border Indicator:	NO			ENVIRONMENTAL CONTACT	PO BOX 942898	SACRAMENTO	CA	94298-0001	CA-CERS
Federal Facility:				ENVIRONMENTAL CONTACT	PO BOX 942898	SACRAMENTO	CA	94298-0001	CA-ENVIROVIEW
Tribal Land:	NO			OPERATOR	995 FIR STREET	CHICO	CA	95928	CA-CERS
Alternative Names				SEERGEANT	PO BOX 942898	SACRAMENTO	CA	95818	CA-CERS
Alternative Name				CAPTAIN	19100 RIDGEWOOD PKWY	SAN ANTONIO	TX	78259	CA-CERS
Source of Data				Contacts					
CAL HIGHWAY PATROL-CHICO				EIS	Affiliation Type	Full Name	Office Phone	Information System	Mailing Address
Organizations				CAPTAIN	RYAN STONEBRAKER	5308791999	CA-CERS	View	
Affiliation Type	Name	DUNS Number	Information System	Mailing Address	ENVIRONMENTAL CONTACT	BETH DEPAOLA	(916) 843-3800	CA-ENVIROVIEW	View
OWNER	DEPARTMENT OF CALIFORNIA HIGHWAY PATROL		CA-ENVIROVIEW	View	OWNER	DEPARTMENT OF CALIFORNIA HIGHWAY PATROL	9168433800	CA-CERS	View
				ENVIRONMENTAL CONTACT	BETH DEPAOLA	9168433800	CA-CERS	View	
				OPERATOR	CAPTAIN RYAN STONEBRAKER AREA #241 CHICO	5308791999	CA-CERS	View	
				SERGEANT	DAN CANALIA	5308791999	CA-CERS	View	

Query executed on: SEP-05-2016

Last updated on September 24, 2015

Diana Ward

From: Parker, Thomas [TParker@buttecounty.net]
Sent: Tuesday, September 13, 2016 9:29 AM
To: 'Diana Ward'
Subject: RE: CHP-file review request

Diana-

Our land use staff completed the file review for septic and wells on the two parcels you requested and did not find any files. Haz Mat files are ready for review. Please let me know if you need further assistance.

Thanks,

Thomas Parker
Hazardous Materials Management Specialist, Senior
BUTTE COUNTY PUBLIC HEALTH
202 Mira Loma Drive | Oroville, CA 95965
T: 530.538.5323 | M: 530.693.6088 | F: 530.538.5339

[FACEBOOK](#) | [TWITTER](#)

COUNTY OF BUTTE E-MAIL DISCLAIMER: This e-mail and any attachment thereto may contain private, confidential, and privileged material for the sole use of the intended recipient. Any review, copying, or distribution of this e-mail (or any attachments thereto) by other than the County of Butte or the intended recipient is strictly prohibited. If you are NOT the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this e-mail and any attachments thereto.

From: Diana Ward [<mailto:dward@shn-engr.com>]
Sent: Monday, September 12, 2016 3:17 PM
To: Parker, Thomas <TParker@buttecounty.net>
Subject: CHP-file review request

Hi Tom,

Thank you for your assistance with this file review. Please let me know if you need more information.

Sincerely,

Diana Ward
Environmental Project Coordinator



SHN Engineers & Geologists
812 W. Wabash Ave., Eureka, CA 95501-2138
T: (707) 441-8855 | F: (707) 441-8877
dward@shn-engr.com
www.shn-engr.com

Diana Ward

From: Shannon Costa [shannon.costa@Chicoca.gov]
Sent: Tuesday, September 06, 2016 9:32 AM
To: Diana Ward
Subject: RE: Site information request-995 Fir St, Chico

Follow Up Flag: Follow up
Flag Status: Flagged

Hi Diana

The site is zoned PQ- Public Quasi.

This is a building owned by the City and has an extensive permit history in the folder. Someone will have to physically come here and take a look through the folder.

Shannon Costa
Community Development Technician
(530) 879-6506



City of Chico

From: Diana Ward [<mailto:dward@shn-engr.com>]
Sent: Monday, September 05, 2016 10:00 AM
To: Zoning
Subject: Site information request-995 Fir St, Chico

Hi,

I am conducting a site assessment on the following property. What is the zoning? Also, do you have files for this location? If so, is it possible to have them emailed or mailed?

CHP
995 Fir Street
Chico, CA 95928

Thank you,

Diana Ward
Environmental Project Coordinator



Engineers & Geologists


SHN Engineers & Geologists

812 W. Wabash Ave., Eureka, CA 95501-2138

T: (707) 441-8855 | F: (707) 441-8877

dward@shn-engr.com

www.shn-engr.com



ENVIRONMENTAL HEALTH SERVICES, INC.

Data Chart for Tank System Tightness Test

MAY 11 1993

DIALYSIS NORTH
P.O. Box 95 • Bella Vista, CA • 96008
(916) 275-6667

CHICO, CALIFORNIA

PLEASE PRINT

<p>1. OWNER <input type="checkbox"/> Property <input type="checkbox"/> Tank(s)</p>	<p>CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO, CA.</p> <p>Name Address Representative Telephone CHRIS WINTERS 916-895-4444</p>					
2. OPERATOR	OWNER					
3. REASON FOR TEST (Explain Fully)	VERIFY TANK SYSTEMS TIGHTNESS					
4. WHO REQUESTED TEST AND WHEN	OWNER					5-6-93
5. TANK INVOLVED Use additional lines for manifolded tanks	Identify by Direction	Capacity	Brand/Supplier	Grade	Approx. Age	Steel/Fiberglass
	#1 - ONE ONLY	12,000 GALS		UNLEADED	14 YRS	FIBERGLASS
6. INSTALLATION DATA	Location	Cover	Pipe	Valve	Signage	Pumps
	REAR <small>North inside driveway, Rear of station, etc.</small>	CONCRETE <small>Concrete, Black Top, Earth, etc.</small>	4" <small>Size, Thread make, Drop tubes, Remote Pits</small>	2" NO <small>Size, Manifolded</small>	NONE <small>Which tanks?</small>	TURBINE <small>Suction, Pumps, Make if known</small>
7. UNDERGROUND WATER	Depth to the Water table <u>BELOW TANKS BOTTOM</u>					Is the water over the tank? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
8. FILL-UP ARRANGEMENTS	Tanks to be filled _____ hr. _____ Date Arranged by _____ Name _____ Telephone _____					
	Extra product to "top off" and run tank tester. How and who to provide? Consider NO LEAK					
9. CONTRACTOR, MECHANICS, any other contractor involved						
10. OTHER INFORMATION OR REMARKS	<p>PETRO-TITE II - USING SELF-LEVELING STANDPIPE W/DTS 2000</p> <p>TESTING COMPLETE SYSTEM.</p> <p>PERFORMING PETRO-TIGHT LINE TEST ON PRODUCT LINE</p> <p><small>Additional information on any items above. Officials or others to be advised when testing is in progress or completed. Tankers or observers present during test, etc.</small></p>					
11. TEST RESULTS	Tests were made on the above tank systems in accordance with test procedures prescribed for as detailed on attached test charts with results as follows:					
	Tank Identification	Tight	Leakage Indicated	Date		
	#1-12 UNLEADED	YES	-.017 GPH	5		
12. SENSOR CERTIFICATION	13. This is to certify that these tank systems were tested on the date(s) shown. Those indicated as "Tight" meet the National Fire Protection Association Pamphlet 325.					
	<p>Technicians</p> <p>1. <u>RUSSELL ROGERS</u> STATE LIC # 90-1292</p> <p>Certification # <u>050592 A 0682</u></p> <p>2. <u>GREG HARTMAN</u></p> <p>Certification # <u>051592 B 0716</u></p> <p>DIALYSIS NORTH P.O. Box 95 • Bella Vista, CA • 96008</p>					

Name of Supplier, Owner or Dealer

Address No. and Street(s)

City

State

15. TANK TO TEST

#1 - ONE ONLY

Identify by position

UNLEADED

Brand and Grade

15a. BRIEF DIAGRAM OF TANK FIELD

#1

C.H.P.
STATION

FIR ST

16. CAPACITY

Nominal Capacity 12,000 Gallons

By most accurate capacity chart available 11,627 Gallons

Form

Station Chart

Tank Manufacturer's Chart

Company Engineering Data

Charts supplied with Tank Tester

Other

17. FILL-UP FOR TEST

Black Water Bottom before Fill-up

0 in.

0 Gallons

92

Tank Diameter in.

Total Gallons as Reading

Inventory in Tank 11,627

Water Bottom 0

Top off equipment 13

Total Quantity 11,640

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK

Water in tank Linets being tested with LVLLT

High water table in tank excavation

See manual sections applicable. Check below and record procedure in log (27).

Use maximum allowable test pressure for all tests. Four pound rule does not apply to doublewalled tanks.

Complete section below:

1. Is four pound rule required? Yes No

2. Height to 12" mark from bottom of tank 158 in.

3. Pressure at bottom of tank 4.108 P.S.I.


4. Pressure at top of tank 1.716 P.S.I.

Depth of burial 44 in.

Tank dia. 92 in.

Water table to tank bottom N/A in.

NOTES:



The above calculations are to be used for dry soil conditions to establish a positive pressure advantage, or when using the four pound rule to compensate for the presence of subsurface water in the tank area.

Refer to N.F.P.A. 30, Sections 2-3.2.4 and 2-7.2 and the tank manufacturer regarding allowable system test pressures.

19. TANK MEASUREMENTS FOR TSTT ASSEMBLY

Bottom of tank to grade in.

Add 30" for "T" probe assembly 30 in.

Total tubing to assemble - approximate in.

20. EXTENSION HOSE SETTING

Tank top to grade in.

Extend hose on suction tube 8" or more

below tank top in.

*If fill pipe extends above grade, use top of fill.

USE WITH THERMAL SENSOR PN5039 (Blue Box)

22. Thermal-Sensor reading after circulation 66.373 digits

66.67 Between

23. Digits per °F in range of expected change 1000 digits

(916) 275-6667

DIALYSIS NORTH
CERTIFIED PETRO-TITE TANK TESTERS

RUSSELL E. ROGERS
DENISE M. ROGERS
OWNER/OPERATOR
STATE LICENSE #90-1292
CERT. #414810824

P.O. BOX 95
BELLA VISTA, CA
95008

21. VAPOR RECOVERY SYSTEM Stage I Stage II

24b. COEFFICIENT OF EXPANSION RECIPROCAL METHOD

Type of Product GASOLINE

Hydrometer Employed 4 M

Temperature in Tank After Circulation 66 °F

Temperature of Sample 68 °F

Difference (+/-) +2 °F

Observed A.P.I. Gravity 57.7

Reciprocal 1493 Page # 61

11,640 . 1493 . 7.7963831

Total quantity in full tank (17) Reciprocal Volume change in this tank per °F Transfer to Line 28a.

24c. FOR TESTING WITH WATER see Table C & D

Water Temperature after Circulation Table C from Thermal Sensor °F

Coefficient of Water Table D

Added Surfactant? Yes No Transfer COE to Line 28b.

25. (a) Total quantity in full tank (17) x (b) Coefficient of expansion for involved product = (c) Volume change in this tank per °F gallons

26. (a) 7.7963831 + (b) 1000 = (c) .0077964 This is test factor (a)

27. Sensor Calibration		30. Standpipe Level in Inches		32. Product in Graduate		33. Product Recovered (%)		34. TEMPERATURE COMPENSATION FACTOR (C)			38. NET VOLUME CHANGING FACTOR (HEAD)		39. ACCUMULATED CHANGE
LOG OF TEST PROCEDURES		Beginning of Reading		After Reading		Product Recovered (%)		Thermal Sensor Reading	Change Higher - Lower - (C)	Computation (r) + (a) + Expansion - Contraction -	Temperature Adjustment Volume Minus Expansion (+) or Contraction (-) (33)(V) - (37)(I)		At Low Level compute Change per flow (HFA criteria)
28. DATE	Record details of setting up and running test. (Use full length of line if needed)	29. Reading No.											
5-6-93	#1-12,000 GALLON UNLEADED SYSTEM												
0810	SET UP and RUNNING TEST	---	70°	---	---	---	---						
0910	START HIGH LEVEL TEST	BASE	70°	---	.555	---	---						
0920	HIGH LEVEL TEST	1	70°	---	.445	-.110	---						
0930	HIGH LEVEL TEST	2	70°	---	.345	-.100	---						
0940	HIGH LEVEL TEST	3	70°	---	.280	-.065	---						
0950	HIGH LEVEL TEST	4	70°	---	.245	-.035	---						
1000	HIGH LEVEL TEST	5	70°	---	.230	-.015	---						
1010	HIGH LEVEL TEST	6	70°	---	.250	+0.020	---						
1015	LOWERED STANDPIPE TO 12"	---	12°	---	---	---	---						
1025	LOW LEVEL SPRING BACK	---	12°	---	---	---	---						
1040	START LOW LEVEL TEST	BASE	12°	---	.145	---	---	373					
1050	LOW LEVEL TEST	1	12°	---	.185	+0.040	---	379	+6	+0.047	-.007		
1100	LOW LEVEL TEST	2	12°	---	.225	+0.040	---	384	+5	+0.039	+0.001	-.006	
1110	LOW LEVEL TEST	3	12°	---	.270	+0.045	---	391	+7	+0.055	-.010	-.016	
1120	LOW LEVEL TEST	4	12°	---	.315	+0.045	---	397	+6	+0.047	-.002	-.018	
1130	LOW LEVEL TEST	5	12°	---	.365	+0.050	---	403	+6	+0.047	+0.003	-.015	
1140	LOW LEVEL TEST	6	12°	---	.410	+0.045	---	409	+6	+0.047	-.002	-.017	
	END OF TEST												

P-T Tank Test Data Chart
Additional Info

1. Net Volume Change at Conclusion of Precision Test _____ gph

Signature of Tester GREG HARTMAN

Date 5-6-93

CERT. #050592 A 0682

STATE LIC # 911 1797

2. Statement:

Tank and product handling system has been tested tight according to the Precision Test Criteria as established by N.F.P.A. publication 329. This is not intended to indicate permission of a leak.

OR

Tank and product handling system has failed the tank tightness test according to the Precision Test Criteria as established by N.F.P.A. publication 329.

GREG HARTMAN
CERT. #051592 B 0716

It is the responsibility of the owner and/or operator of this system to immediately advise state and local authorities of any implied hazard and the possibility of any reportable pollution to the environment as a result of the indicated failure of this system. Health Consultants Incorporated does not assume any responsibility or liability for any loss of product to the environment.

Tank Owner/Operator C.H.P.

Date 5-6-93

DATA CHART
For Use With



DIALYSIS NORTH
CERTIFIED PETRO-TITE TANK TESTERS
P.O. BOX 95 • BELLA VISTA, CA 96008
(916) 275-6667

Year: 93
Mo: 5
Day: 6
State: CA
City: CHICO

OWNER
LOCATION

1 LOCATION: 995 FIR ST. CHICO CA. Telephone No. 916-895-4444
Street No. and/or Corner City State
2 OWNER: CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO, CA. Telephone No.
Name Address Representative Position
3 OPERATOR: C.H.P. CHRIS WINTERS Telephone No. 916-895-4444
Name Dealer, Mgr. or Other Address (if different than Location)

4 REASON FOR TEST: VERIFY PRODUCT LINE TIGHTNESS
5 TEST REQUESTED BY: OWNER
Name Position Order No. Billing Address

6 SPECIAL INSTRUCTIONS:
7 CONTRACTOR OR COMPANY MAKING TEST MECHANIC(S) NAME: DIALYSIS NORTH / GREG HARTMAN # 051592 B 0716
8 IS A TANK TEST TO BE MADE WITH THIS LINE TEST? YES NO
9 MAKE AND TYPE OF PUMP OR DISPENSERS: BENNETT - TURBINE
10 WEATHER: PARTLY CLOUDY TEMPERATURE IN TANKS _____ °F _____ °C COVER OVER LINES: CONCRETE APPROXIMATE BURIAL DEPTH: 20"
Concrete, Black Top, etc.

11 IDENTIFY EACH LINE AS TESTED	12 TIME (MILITARY)	13 LOG OF TEST PROCEDURES, AMBIENT TEMPERATURE, WEATHER, ETC.	14 PRESSURE		15 VOLUME			16 TEST RESULTS
			psi OR kPa		READING		NET CHANGE	
			BEFORE	AFTER	BEFORE	AFTER		
#1-ONE ONLYEATED)	0825	BLEEDBACK CHECK	50	0	.0700	.0840	+ .0140	CONCLUSION - LINE TIGHT - .0010 G.P.H.
	0830	BEGIN LINE TEST	—	50	—	.0700		
	0845	CONT. LINE TEST	39	50	.0700	.0695	-.0005	
	0900	" " "	40	50	.0695	.0695	+ .0000	
	0915	" " "	41	50	.0695	.0690	-.0005	
	0930	" " "	43	50	.0690	.0690	+ .0000	
	0935	BLEEDBACK CHECK	60	0	.0690	.0815	+ .0125	

0004

MECHANICAL LINE LEAK DETECTOR TEST DATA CHART

STATION NUMBER C.H.P. - CHICO

DATE: 5-6-93

1. Location: 995 FIR ST. CHICO, CA. 916-895-4444
Street No. and/or Corner City State Telephone No.
2. Owner: CALIFORNIA HIGHWAY PATROL CHRIS WINTERS 916-895-4444
Name Address Representative Position Telephone No.
3. Operator: OWNER
Name Dealer, Mgr. / Other Address, if Different than Location Telephone No.
4. Contractor or Company Making Test
 Mechanic(s) NAME DIALYSIS NORTH / GREG HARTMAN # 051592 B 0714

LEAK DETECTOR

- | | |
|--------------------------------|----------------------|
| 1. MAKE: <u>RED JACKET</u> | 2. MAKE: _____ |
| TYPE or MODEL: <u>DIAPHRAM</u> | TYPE or MODEL: _____ |
| SERIAL NUMBER: <u>10292</u> | SERIAL NUMBER: _____ |
| 3. MAKE: _____ | 4. MAKE: _____ |
| TYPE or MODEL: _____ | TYPE or MODEL: _____ |
| SERIAL NUMBER: _____ | SERIAL NUMBER: _____ |

No.	Full Operating Pressure PSI	Opening Time Seconds	Functional Element Holding PSI	Bleed Back ML	Metering Pressure PSI	Test Leak Rate ML/Minute GAL/HR	PASS		REMARKS
							YES	NO	
1.	29 p.s.i.	1.71 sec	20 p.s.i.	30 ML	12 p.s.i.	4.5836 r.m. 165 ML	X		
2.									
3.									
4.									

PETRO TITE®



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

Address
Reply to:

1469 Humboldt Road
Chico, California 95928
Telephone: (916) 891-2727

7 County Center Drive
Groville, California 95965
Telephone: (916) 538-7281
Fax: (916) 538-2140

747 Elliott Road
Paradise, California 95969
Telephone: (916) 872-8308

2-24-93

MONITORING/RESPONSE PLAN - ALTERNATIVE #5

Annual Precision Testing, Leak Detectors, Inventory Control

Facility Number: #17941

Facility Name: CALIFORNIA HIGHWAY PATROL, 995 FIR ST., CHICO 95927

OSA I.D.
 Tank # 17941001 Tank # _____ Tank # _____
 Tank # 241-1 Tank # _____ Tank # _____

INSTRUCTIONS: Provide the information requested and attach a plot plan of the facility showing approximate tank and pipe locations. Use one form for up to six tanks monitored by this method. Call 891-2727 for additional forms or if you have questions.

1. All pressurized product piping must be monitored with pipeline pressure loss detectors. Indicate whether all the pressurized product lines are equipped with the same brand of pressure loss detector.

Yes, complete the following: Pressure Pipeline at this site (only one tank) will be equipped:

with Mfg. Universal Sensors and Devices Inc.
 Make/Model LR 1000 LEAK RATER

Flow Restriction: [] Turbine Shut Off [] Greater than 50% reduction in flow
 [X] Other, specify RED JACKET (1.5 Gallons/hr. reduction in flow)
 Alarm System: [X] Visual [X] Audible [] Both [] None

[] No - Attach information to this application which specifies the type of pipeline pressure loss detector used on each pressurized line. Identify the manufacturer, model, flow restriction capabilities, and alarm system associated with each leak detector.

2. Describe the proposed gauging method which will measure the total liquid volume in the tank(s).

[] Measurement Stick/Tape
 Liquid Level Detector
 Mfg. Environment and Safety Inc. (EASI)
 Make/Model Level-Tru Plus Model 10600
 [] Other, specify _____

3. Describe the proposed method of measuring the water level in the underground tank(s).

Paste Indicator

Water Level Sensor/Device EASI Level Tru Model 10600 is Capable of measuring water level in tank.
Mfg. EASI
Make/Model Level-Tru Plus Model 10600

Other, specify _____

4. State the minimum detectable liquid level change.

0.00075" Smallest gauging increment in inches
0.20 / *in* Equivalent number of gallons at the midpoint of the tank for the smallest gauging increment ± 6 gallons

Precision Testing Capability →

5. Is a calibration chart available for each tank which converts liquid level to gallons? NO

Yes - Please submit copies with this application

No, explain _____

6. Are any of the storage tanks manifolded together for product storage and delivery? NO

Yes - Indicate which tank I.D. numbers _____

No

7. Are the inputs to the underground tank(s) measured with calibrated meters?

Yes - Meter location _____

No

8. Are the withdrawals from the underground tank(s) measured with calibrated meters?

Yes - Meter location _____

No

9. Identify the method of recording inventory reconciliation data.

EHS Inventory Reconciliation Form

Other, attach a copy of the form to this report

10. Identify the person responsible for implementing monitoring requirements and submitting unauthorized release reports to the EHS.

Name/Title W. R. LOFFTUS, Lieutenant Commander
Address CHP-CHICO, 995 FLY Street, P.O. Box 1779
City, State, Zip Code CHICO, CA 95927
Phone Number (916) 895-4444

11. Include any additional information necessary to describe your monitoring system and leak response plan.

Please See Attached Tank Monitoring Plan.
State Contracting Process requires competitive bidding
We can not sole source any Model but will allow equal substitution

12. Attach initial precision test results if none have been submitted to EHS within last 18 months. Submit results of annual precision test results to EHS within 30 days of test, and at least 60 days prior to permit expiration date.

13. Whenever a leak in a tank or pipe is found, it must be reported to EHS (891-2727) within 24 hours.

14. Identify the method of recording and reporting precision tank tests.

- EHS Precision Test Reporting Form
 Other, attach a copy of the form to this report.

APPROVAL

When signed by approved E.H.S. staff this plan becomes a condition of your permit to operate underground storage facilities for hazardous materials. You must first submit an application and obtain written approval prior to any changes in your monitoring or response programs.

FACILITY NO. 17941 TANK NO. 001
Thomas Hughes 2-24-93
Approved by _____ Date _____

The above monitoring Plan Expires 12-28-1998
when the upgraded requirements for Double containment
become effective. J. Hughes

TANK MONITORING PLAN

CALIFORNIA HIGHWAY PATROL
CHICO
995 FIR STREET
CHICO, CALIFORNIA 95927

CONTACT: W. R. LOFFTUS
(916) 895-4444

REVISED TANK MONITORING PLAN

INTRODUCTION

The Office of the State Architect has developed the following Tank Monitoring Plan (TMP) as required by Title 23 Waters, Subchapter 16 Underground Tank Regulations from the California Code of Regulations. The TMP has been prepared to comply with the Local Enforcement Agency guidelines for leak detection and monitoring alternatives.

SITE DESCRIPTION

This site is operated by the California Highway Patrol for the State of California. This site is located at:

CHP - Chico
995 Fir Street
Chico, California 95927
(916) 895-4444

One tank at this facility is proposed for the installation of a tank level monitor. A brief overview of the tank information is presented below:

<u>O.S.A. ID NO.</u>	<u>CAPACITY</u>	<u>MATERIAL</u>	<u>INSTALLED</u>	<u>CONTENTS</u>
17941001	12,000 gal.	Fiberglass	1976	Unleaded

TANK MONITORING PLAN (TMP)

The TMP outlined below is based on the Local Enforcement Agency guidelines and utilizes tank level monitoring. The Tank Level Monitoring (TLM) System will be installed at this facility. The TLM is an automatic system used for inventory reconciliation within an underground storage tank. The TLM refers to probes, monitoring consoles, alarms and other appurtenant devices. A measuring probe will be located inside the underground storage tank to automatically measure the level of the liquid, and hence, the volume, stored in the tank. The probe will be connected to a monitoring console, audible and visual alarms and recorder. The TLM will also have the capabilities to perform a tank integrity test, activate a high level alarm, automatically alert a remote monitor and measure the water level in the tank. Specific details of the TMP are listed below:

1. Monitoring will be conducted at least monthly (once per calendar month after tank filling). The TLM will be capable of detecting a release of 0.2 gallon per hour defined at any operating product level in the underground storage tank with at least a 95 percent probability of detection and not more than a five percent probability of false alarm;
2. Install TLM monitoring probe as per specifications in the underground storage tank and connect it to a monitoring console with audio/visual alarms and recorder as shown in the attached plot plate. The tank operator will perform daily, weekly, and monthly inventory reconciliations and compare them to allowable variations;

3. The TLM System will be Level TRU (Model No. 10600) by Environment and Safety, Inc., Veeder-Root TLS-350 with magnetostrictive probe, or equal;
4. Install overspill protection device at the tank. The overspill protection device will be Skyway (Model No. 85000), Emco Wheaton A1003, or equal;
5. Install a pipeline leak detector and retrofit pressure piping system with a flow restriction device. The pipeline leak detector will be LR 1000 Leak Rater, Ronan X76 Line Leak Detector or equal.

GROUNDWATER

This facility is located within the Butte County Groundwater Basin. There are no groundwater wells within 0.5 miles of the facility. Estimated depth to high groundwater table is unknown.

ENVIRONMENTAL HEALTH

DEC 17 1992

CHICO, CALIFORNIA

BUTTE COUNTY DEPT. OF PUBLIC HEALTH - ENVIRONMENTAL HEALTH

1469 Humboldt Road Chico 891-2727 7 County Center Drive Oroville 538-7281 747 Elliott Road Paradise 872-6308

APPLICATION FOR PERMIT TO OPERATE UNDERGROUND HAZARDOUS MATERIALS STORAGE CONTAINER

Name of Establishment: California Dept. of Highway Patrol CDHP
Address: 995 Fir Str PO Box 1779 Chico, CA 95927 98.00

No. of UST Tanks: 1

Business or Type: LAW ENFORCEMENT AGENCY

Monitoring Option No: 5

- [] Gasoline Sta. [] Manufacturing [] Agriculture Chemicals [x] Other Fuel Island For Patrol vehicles

Monitoring Methods Proposed: INVENTORY RECONCILIATION, YEARLY TANK TESTING, PIPE LINE LEAK / FLOW RESTRICTOR

Business Owner Calif Highway Patrol Manager LT. W. LOFFTUS

Mailing Address 2555 FIRST AVE Address 995 FIR STR

City SACRAMENTO CA Zip 94298-001 Chico CA 95926

Phone (916) 445-1564 Phone (916) 894-4444

Owner of Building SAME AS BUSINESS OWNER

Address of Owner

I declare that, to the best of my knowledge and belief, the a statements are correct and true. I hereby consent to all neces inspections made pursuant to law and indidental to the issuanc this permit and operation of these underground storage facilit

PERMIT FEES - 1992

APPROVED FOR PAYMENT

Chico, 231 Signature

No. of Containers 1

Signature LT. W. L. Lofftus Date 12-1-92

ANNUAL FEE \$ 98.00

Title, ID # 12-1-92

TOTAL FEES \$ 98.00

Date (Dept. use)

Date Good Sweeps # 12345 Receipt # 138228 Check # 016-747438 Date 12/10/92

Posted 12/10/92 By Jm Permit Issued By



400 P Street, 5th Floor, Sacramento 95814

(916) 323-5816

May 7, 1992

Mr. Thomas G. Hughes, R.S.
Division of Environmental Health
Department of Public Health
1469 Humboldt Road
Chico, Ca 95928

Dear Mr. Hughes:

CHP -- CHICO INSPECTION REPORT

Pursuant to our telephone conversation, please find enclosed a completed Monitoring/Response Plan and a revised Tank Monitoring Plan (TMP). These documents are being submitted for your review and approval to correct deficiencies cited in your inspection report dated April 7, 1992.

The California Highway Patrol (CHP), Facilities Section, will be submitting you a copy of the Emergency Response Plan and will install a Red Jacket, Flow Restriction Device on the pump. The Office of the State Architect (OSA) will install a tank level monitor and an electronic pipe line leak detector on the tank and piping system.

Please be aware that the State contracting process takes six to nine months from start to finish. We will keep you informed of our progress.

Thank you for your assistance and cooperation. Please feel free to call me at (916) 323-5816 if you have any questions.

Sincerely,

A. K. Jain
Senior Hazardous Materials Specialist
Underground Storage Tank Program

AKJ:skf

Attachments

cc: Ligaya Reyes-Ibanez, CHP, Facilities Section (with copy of attachments)
Lisa Saffold, CHP, Facilities Section (with copy of attachments)
W. R. Lofftus, CHP, Site Commander (with copy of attachments)
Paul Hypnarowski, Supervising Electrical Engineer, PCB/UST Programs, OSA
Mike Golden, Program Manager, Underground Storage Tank Program, OSA
Facility File, Chron File



ENVIRONMENTAL HEALTH Data Chart for Tank System Tightness Test

APR 24 1992

DIALYSIS NORTH
P.O. Box 95 • Bella Vista, CA • 96008
(916) 275-6667

CHICO, CALIFORNIA

PLEASE PRINT

1. OWNER Property <input type="checkbox"/> Tank(s) <input type="checkbox"/>	CALIFORNIA HIGHWAY PATROL 995 FIR ST CHICO, CA 95928 <small>Name Address Representative Telephone</small>																					
2. OPERATOR	OWNER <small>Name Address Telephone</small>																					
3. REASON FOR TEST <small>(Explain Fully)</small>	VERIFY TANK SYSTEM TIGHTNESS																					
4. WHO REQUESTED TEST AND WHEN	OWNER 4-15-92 <small>Name Title Company or Affiliation Date</small>																					
5. TANK INVOLVED <small>Use additional lines for manifolded tanks</small>	<small>Identify by Direction</small>	<small>Capacity</small>	<small>Brand/Supplier</small>	<small>Grade</small>	<small>Approx. Age</small>	<small>Steel/Fiberglass</small>																
	ONE ONLY	12,000		UNLEAD	13 YRS	FIBERGLASS																
6. INSTALLATION DATA	<small>Location</small>	<small>Cover</small>	<small>Fills</small>	<small>Vents</small>	<small>Siphones</small>	<small>Pumps</small>																
	REAR <small>North inside driveway, Rear of station, etc.</small>	CONCRETE <small>Concrete, Black Top, Earth, etc.</small>	4" <small>Size, Treads, Mass, Drop tubes, Remote Fills</small>	2" NO <small>Size, Manifolded</small>	NONE <small>Which listed?</small>	TIMER <small>Suction, Remote, Make if known</small>																
7. UNDERGROUND WATER	<small>Depth to the Water table</small> BELOW TANK BOTTOM <small>Is the water over the tank?</small> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																					
8. FILL-UP ARRANGEMENTS	<small>Tanks to be filled</small> _____ <small>by</small> _____ <small>Date</small> _____ <small>Arranged by</small> _____ <small>Name</small> _____ <small>Telephone</small> _____ <small>Extra product to "top off" and run tank tester. How and who to provide? Consider NO Lead.</small> <small>Terminal or other contact for orders or inquiry</small> _____ <small>Company</small> _____ <small>Name</small> _____ <small>Telephone</small> _____																					
9. CONTRACTOR, MECHANICS, any other contractor involved																						
10. OTHER INFORMATION OR REMARKS	PETRO-TITE II - USING SELF-LEVELING STANDPIPE W/DTS 2000 TESTING PRODUCT LINE <small>Additional information on any items above. Officials or others to be advised when testing is in progress or completed. Visitors or observers present during test, etc.</small>																					
11. TEST RESULTS	<small>Tests were made on the above tank systems in accordance with test procedures prescribed for as detailed on attached test charts with results as follows:</small> <table border="1" style="width:100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width:30%;"><small>Tank Identification</small></th> <th style="width:15%;"><small>Tight</small></th> <th style="width:30%;"><small>Leakage Indicated</small></th> <th style="width:25%;"><small>Date Tested</small></th> </tr> </thead> <tbody> <tr> <td>1 - 12,000 GAL UNLEAD</td> <td>YES</td> <td>7:02R 6.P.M.</td> <td>4-15-92</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>						<small>Tank Identification</small>	<small>Tight</small>	<small>Leakage Indicated</small>	<small>Date Tested</small>	1 - 12,000 GAL UNLEAD	YES	7:02R 6.P.M.	4-15-92								
<small>Tank Identification</small>	<small>Tight</small>	<small>Leakage Indicated</small>	<small>Date Tested</small>																			
1 - 12,000 GAL UNLEAD	YES	7:02R 6.P.M.	4-15-92																			
12. SENSOR CERTIFICATION	13. This is to certify that these tank systems were tested on the date(s) shown. Those indicated as "Tight" meet the criteria established by National Fire Protection Association Pamphlet 328. <small>Technicians</small> 1. <u>RUSSELL ROGERS</u> <small>Certification #</small> <u>414E10924</u> <u>STATE LIC. # 90-1292</u> <small>Certification #</small> _____																					

DIALYSIS NORTH
P.O. Box 95 • Bella Vista, CA • 96008

15. TANK TO TEST

#1
Identify by position

UNLEADED
Brand and Grade

15a. BRIEF DIAGRAM OF TANK FIELD

16. CAPACITY

Nominal Capacity 12,000 Gallons

By most accurate capacity chart available 11,627 Gallons

From

Station Chart

Tank Manufacturer's Chart

Company Engineering Data

Charts supplied with Tank Tester

Other

17. FILL-UP FOR TEST

Stick Water Bottom before Fill-up 0 in.

Gallons 92 Tank Diameter 92 in.

	Total Gallons ea. Reading
Inventory in Tank	<u>11,627</u>
Water Bottom	<u>0</u>
Top off equipment	<u>13</u>
Total Quantity	<u>11,640</u>

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK

Water in tank Lires(s) being tested with LVLLT

High water table in tank excavation

See manual sections applicable. Check below and record procedure in log (#7).

Use maximum allowable test pressure for all tests. Four pound rule does not apply to doublewalled tanks.

Complete section below:

1. Is four pound rule required? Yes No
2. Height to 12" mark from bottom of tank 156 in.
3. Pressure at bottom of tank 4.056 P.S.I.
4. Pressure at top of tank 1.664 P.S.I.

19. TANK MEASUREMENTS FOR TSTT ASSEMBLY

Bottom of tank to grade 30 in.

Add 30" for "T" probe assembly 30 in.

Total tubing to assembly -- approximate 30 in.

20. EXTENSION HOSE SETTING

Tank top to grade 92 in.

Extend hose on suction tube 8" or more below tank top 92 in.

*If FMJ pipe extends above grade, use top of FMJ

USE WITH THERMAL SENSOR PN5039 (Blue Box)

22. Thermal Sensor reading after circulation 69276 digits

23. Digits per °F in range of expected change 1.4-65 Between 1000 digits

21. VAPOR RECOVERY SYSTEM Stage I Stage II

24b. COEFFICIENT OF EXPANSION RECIPROCAL METHOD

Type of Product GASOLINE

Hydrometer Employed 6 H

Temperature in Tank After Circulation 64 °F

Temperature of Sample 66 °F


Difference (°F) +2 °F

Observed A.P.I. Gravity 56.6

Reciprocal 1506 Page 60

Total quantity in full tank (17) 11,640 Reciprocal 1506 Volume change in this tank per °F 7.729083665

Transfer to Line 26c.



Depth of burial 44 in.

Tank dia. 92 in.

Water table to tank bottom N/A in.

NOTES:

The above calculations are to be used for dry soil conditions to establish a positive pressure advantage, or when using the four pound rule to compensate for the presence of subsurface water in the tank area.

Refer to N.F.P.A. 30, Sections 2-3.2.4 and 2-7.2 and the tank manufacturer regarding allowable system test pressures.

(916) 275-8667

DIALYSIS NORTH
CERTIFIED PETRO-TITE TANK TESTERS

RUSSELL E. ROGERS
DENISE M. ROGERS
OWNER/OPERATOR
STATE LICENSE #90-1292
CERT. #414819924

P.O. BOX 95
BELLA VISTA, CA
96008

24c. FOR TESTING WITH WATER see Table C & D

Water Temperature after Circulation _____ °F

Table C from Thermal Sensor _____ °F

Coefficient of Water Table D _____

Added Surfactant? Yes No Transfer COE to Line 25b.

25. (a) 11,640 Total quantity in full tank (17) × (b) 1000 Coefficient of expansion for involved product = (c) 11,640,000 gallons

26. (a) 7.729083665 Volume change per °F (25 or 24b) × (b) 1000 Digits per °F in test Range (23 or 24c) = (c) 7729.083665 This is test factor (a)

27. Sensor Calibration			30. HYDROSTATIC PRESSURE CONTROL		31. VOLUME MEASUREMENTS BEYOND TO OPERAL			34. TEMPERATURE CORRECTION (USE FACTOR LA)			38. NET VOLUME CHANGING EACH READING	39. ACCUMULATED CHANGE
LOG OF TEST PROCEDURES			Standpipe Level in inches		Product in Graduate		Product Replaced (-)	Thermal Sensor Reading	36. Change Higher (+) Lower (-)	37. Computation (c) = (a) + Expansion - Contraction -	Temperature Adjustment Volume Minus Expansion (+) or Contraction (-) #33(V) - #37(I)	At Low Level compute Change per Hour (NFPA criteria)
28. DATE	Record details of setting up and running test. (Use full length of line if needed)	29. Reading No.	Beginning of Reading	Level to which Restored	Before Reading	After Reading	Product Recovered (+)					
4-15-92	#1 - 12,000 GALLON UNLEAD SYSTEM											
0900	SET UP and RUNNING TEST	---	---	70 ⁰	---	---	---	---	---	---	---	---
1000	START HIGH LEVEL TEST	BASE	---	70 ⁰	---	.180	---	---	---	---	---	---
1010	HIGH LEVEL TEST	1	---	70 ⁰	---	.165	-0.015	---	---	---	---	---
1020	HIGH LEVEL TEST	2	---	70 ⁰	---	.155	-0.010	---	---	---	---	---
1030	HIGH LEVEL TEST	3	---	70 ⁰	---	.160	+0.005	---	---	---	---	---
1040	HIGH LEVEL TEST	4	---	70 ⁰	---	.180	+0.020	---	---	---	---	---
1050	HIGH LEVEL TEST	5	---	70 ⁰	---	.205	+0.025	---	---	---	---	---
1100	HIGH LEVEL TEST	6	---	70 ⁰	---	.230	+0.025	---	---	---	---	---
1105	LOWERED STANDPIPE TO 12"	---	---	12 ⁰	---	---	---	---	---	---	---	---
1110	LOW LEVEL SPRING BACK	---	---	12 ⁰	---	---	---	---	---	---	---	---
1130	START LOW LEVEL TEST	BASE	---	12 ⁰	---	.065	---	64276	---	---	---	---
1140	LOW LEVEL TEST	1	---	12 ⁰	---	.130	+0.065	284	+8	+0.062	+0.003	---
1150	LOW LEVEL TEST	2	---	12 ⁰	---	.195	+0.065	293	+9	+0.069	-0.004	-0.001
1200	LOW LEVEL TEST	3	---	12 ⁰	---	.260	+0.065	302	+9	+0.069	-0.004	-0.005
1210	LOW LEVEL TEST	4	---	12 ⁰	---	.325	+0.065	310	+8	+0.062	+0.003	-0.002
1220	LOW LEVEL TEST	5	---	12 ⁰	---	.390	+0.065	316	+6	+0.046	+0.019	+0.017
1230	LOW LEVEL TEST	6	---	12 ⁰	---	.455	+0.065	323	+7	+0.054	+0.011	+0.028
	END of TEST											

P-T Tank Test Data Chart
Additional Info

1 Net Volume Change at Conclusion of Precision Test +.028 gph

Signature of Tester Russell Rye

Date 4-15-92

CERT. # 414810924

STATE LIC. # 90-1792

2. Statement:

Tank and product handling system has been tested tight according to the Precision Test Criteria as established by N.F.P.A. publication 329. This is not intended to indicate permission of a leak.

OR

Tank and product handling system has failed the tank tightness test according to the Precision Test Criteria as established by N.F.P.A. publication 329.

It is the responsibility of the owner and/or operator of this system to immediately advise state and local authorities of any implied hazard and the possibility of any reportable pollution to the environment as a result of the indicated failure of this system. Heath Consultants Incorporated does not assume any responsibility or liability for any loss of product to the environment.

Tank Owner/Operator C. H. P.

Date 4-15-92

DIALYSIS NORTH
 CERTIFIED PETRO-TITE TANK TESTERS
 P.O. BOX 95 • BELLA VISTA, CA 96008
 (916) 275-6667

DATA CHART
 For Use With



Name: C. H. P.
 State: CA
 City: CHICO
 Year: 1992
 Mo: APRIL
 Day: 15th
 Date of Test:

1 LOCATION: 995 FIR ST. CHICO, CA. 916-895-4444
Street No. and/or Corner City State Telephone No.

2 OWNER: CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO, CA.
Name Address Representative Position Telephone No.

3 OPERATOR: C. H. P. CHRIS WINTERS 916-895-4444
Name Dealer, Mgr. or Other Address (if different than Location) Telephone No.

4 REASON FOR TEST VERIFY PRODUCT LINE TEST

5 TEST REQUESTED BY: OWNER
Name Position Order No. Billing Address

6 SPECIAL INSTRUCTIONS:

7 CONTRACTOR OR COMPANY MAKING TEST MECHANIC(S) NAME DIALYSIS NORTH / RUSSELL ROGERS STATE Lic. # 90-1292


8 IS A TANK TEST TO BE MADE WITH THIS LINE TEST? YES NO

9 MAKE AND TYPE OF PUMP OR DISPENSERS BENNETT - TURBINE

10 WEATHER CLOUDY TEMPERATURE IN TANKS _____ °F _____ °C COVER OVER LINES CONCRETE APPROXIMATE BURIAL DEPTH 20"
Concrete, Black Top, etc.

11 IDENTIFY EACH LINE AS TESTED	12 TIME (MILITARY)	13 LOG OF TEST PROCEDURES, AMBIENT TEMPERATURE, WEATHER, ETC.	14 PRESSURE		15 VOLUME		16 TEST RESULTS
			psi OR kPa		READING		
			BEFORE	AFTER	BEFORE	AFTER	
LEAD	1000	START LINE TEST	0.0	50.0	—	.0440	
	1015	LINE TEST	48.5	50.0	—	.0440	+1.000
	1030	LINE TEST	49.0	50.0	—	.0440	+1.000
	1045	LINE TEST	49.0	50.0	—	.0440	+1.000
	1100	LINE TEST	49.3	50.0	—	.0440	+1.000
	1105	BLEED BACK TEST	50.0	0.0	.0440	.0470	+1.0030
		END of TEST					

+1.0000 G.P.H. PRODUCT LINE PASSED
 BLEED BACK PASSED



Data Chart for Tank System Tightness Test

DIALYSIS NORTH
 P.O. Box 95 • Bella Vista, CA • 96008
 (916) 275-6667

PLEASE PRINT

1. OWNER Property <input type="checkbox"/> Tank(s) <input type="checkbox"/>	CALIFORNIA HIGHWAY PATROL 2072 3 RD ST OROVILLE, CA <small>Name Address Representative Telephone</small> TOM BEERS 916-533-3822 <small>Name Address Representative Telephone</small>																					
2. OPERATOR	OWNER <small>Name Address Telephone</small>																					
3. REASON FOR TEST (Explain Fully)	VERIFY TANK SYSTEM TIGHTNESS																					
4. WHO REQUESTED TEST AND WHEN	OWNER <small>Name Title Company or Affiliation</small>					4-16-92 <small>Date</small>																
5. TANK INVOLVED Use additional lines for manifolded tanks	<small>Identify by Direction</small>	<small>Capacity</small>	<small>Brand/Supplier</small>	<small>Grade</small>	<small>Age/yr.</small>	<small>Steel/Fiberglass</small>																
	#1 - ONE ONLY	12,000		UNLEADED	13 YRS	FIBERGLASS																
6. INSTALLATION DATA	<small>Location</small>	<small>Cover</small>	<small>File</small>	<small>Vents</small>	<small>Siphons</small>	<small>Pumps</small>																
	SIDE <small>North inside driveway, Rear of station, etc.</small>	CONCRETE <small>Concrete, Black Top, Earth, etc.</small>	4" <small>Size, Trifill make, Drop tubes, Parsons Fit</small>	2" NO <small>Size, Manifolded</small>	NONE <small>Which tank?</small>	TURBINE <small>Subtype, Remote, Make if known</small>																
7. UNDERGROUND WATER	<small>Depth to the Water table _____</small> <small>Is the water over the tank? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</small>																					
8. FILL-UP ARRANGEMENTS	<small>Tanks to be filled _____ nr. _____ Date _____ Arranged by _____ Name _____ Telephone _____</small> <small>Extra product to "top off" and run tank tester. How and who to provide? Consider NO Lead.</small> <small>Technical or other contact for notice or inquiry _____ Company _____ Name _____ Telephone _____</small>																					
9. CONTRACTOR, MECHANICS, <small>any other contractor involved</small>																						
10. OTHER INFORMATION OR REMARKS	PETRO-TITE II - USING SELF-LEVELING STANDPIPE W/DTS 2000 TESTING PRODUCT LINE PLUGGED REMOTE FILLPIPE <small>Additional information on any items above. Officials or others to be advised when testing is in progress or completed. Visitors or observers present during test, etc.</small>																					
11. TEST RESULTS	<small>Tests were made on the above tank systems in accordance with test procedures prescribed for as detailed on attached test charts with results as follows:</small> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:30%;"><small>Test Identification</small></th> <th style="width:15%;"><small>Tight</small></th> <th style="width:30%;"><small>Leakage Indicated</small></th> <th style="width:25%;"><small>Date Tested</small></th> </tr> </thead> <tbody> <tr> <td>#1 - 12M UNLEADED</td> <td>YES</td> <td>-.025 G.P.H.</td> <td>4-16-92</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>						<small>Test Identification</small>	<small>Tight</small>	<small>Leakage Indicated</small>	<small>Date Tested</small>	#1 - 12M UNLEADED	YES	-.025 G.P.H.	4-16-92								
<small>Test Identification</small>	<small>Tight</small>	<small>Leakage Indicated</small>	<small>Date Tested</small>																			
#1 - 12M UNLEADED	YES	-.025 G.P.H.	4-16-92																			
12. SENSOR CERTIFICATION	13. This is to certify that these tank systems were tested on the date(s) shown. Those indicated as "Tight" meet the criteria established by National Fire Protection Association Pamphlet 325. <small>Technician</small> <u>RUSSELL ROGERS</u> <small>Certification #</small> <u>414E10924</u> <small>STATE LIC. #</small> <u>90-1292</u> <small>Certificate #</small> _____ <div style="text-align: right;"> DIALYSIS NORTH P.O. Box 95 • Bella Vista, CA • 96008 </div>																					

DIALYSIS NORTH
 CERTIFIED PETRO-TITE TANK TESTERS
 P.O. BOX 95 • BELLA VISTA, CA 96008
 (916) 275-6667

DATA CHART
 For Use With



Year 92 State CA. City OROVILLE
 Name C.H.P. City OROVILLE
 No. APRIL Day 16 DATE OF TEST

1 LOCATION: 2072 3rd ST. OROVILLE, CA. 916 533-3822
Street No. and/or Corner City State Telephone No.

2 OWNER: CALIFORNIA HIGHWAY PATROL 2072 3rd ST. OROVILLE TOM BEERS 916-533-3822
Name Address Representative Position Telephone No.

3 OPERATOR: C.H.P.
Name Dealer, Mgr. or Other Address (if different than Location) Telephone No.

4 REASON FOR TEST VERIFY PRODUCT LINE TIGHTNESS

5 TEST REQUESTED BY: OWNER
Name Position Order No. Billing Address

6 SPECIAL INSTRUCTIONS:

7 CONTRACTOR OR COMPANY MAKING TEST MECHANIC(S) NAME DIALYSIS NORTH / RUSSELL ROGERS CENT. # 90-1292

8 IS A TANK TEST TO BE MADE WITH THIS LINE TEST? YES NO
 MAKE AND TYPE OF PUMP OR DISPENSERS BENNETT DISPENSOR

10 WEATHER CLOUDY TEMPERATURE IN TANKS 65 °F °C
 COVER OVER LINES CONCRETE APPROXIMATE BURIAL DEPTH 20"
Concrete, Black Top, etc.

11 IDENTIFY EACH LINE AS TESTED	12 TIME (MILITARY)	13 LOG OF TEST PROCEDURES, AMBIENT TEMPERATURE, WEATHER, ETC.	14 PRESSURE		15 VOLUME		16 TEST RESULTS	
			psi OR kPa		READING			NET CHANGE
			BEFORE	AFTER	BEFORE	AFTER		
<u>UNLEADED</u>	<u>1030</u>	<u>START LINE TEST</u>	<u>0⁰⁰</u>	<u>50⁰⁰</u>	<u>.0000</u>	<u>.0795</u>		
	<u>1045</u>	<u>LINE TEST</u>	<u>48⁵</u>	<u>50⁰⁰</u>	<u>—</u>	<u>.0795</u>	<u>+ .0000</u>	
	<u>1100</u>	<u>LINE TEST</u>	<u>48⁰⁰</u>	<u>50⁰⁰</u>	<u>—</u>	<u>.0800</u>	<u>+ .0005</u>	
	<u>1115</u>	<u>LINE TEST</u>	<u>48³</u>	<u>50⁰⁰</u>	<u>—</u>	<u>.0795</u>	<u>- .0005</u>	
	<u>1130</u>	<u>LINE TEST</u>	<u>48⁶</u>	<u>50⁰⁰</u>	<u>—</u>	<u>.0795</u>	<u>+ .0000</u>	
	<u>1135</u>	<u>BLEED BACK CHECK</u>	<u>50⁰⁰</u>	<u>0⁰⁰</u>	<u>—</u>	<u>.0835</u>	<u>+ .0040</u>	
		<u>END of TEST</u>						

+ .0000 PRODUCT LINE PASSED
BLEED BACK PASSED

Name of Supplier, Owner or Dealer

Address No. and Street(s)

City

State


Date of Test

15. TANK TO TEST

#1 - ONE ONLY
Identity by position

UNIDENTIFIED
Brand and Grade

15a. BRIEF DIAGRAM OF TANK FIELD



16. CAPACITY

Nominal Capacity 12,000
Gallons

By most accurate capacity chart available 11,627
Gallons

From

- Station Chart
- Tank Manufacturer's Chart
- Company Engineering Data
- Charts supplied with Tank Tester
- Other

17. FILL-UP FOR TEST

Stick Water Bottom before Fill-up \emptyset in. \emptyset Gallons Tank Diameter 92 in.

	Total Gallons es. Reading
Inventory in Tank	11,627
Water Bottom	\emptyset
Top off equipment	+ 13
Total Quantity	11,640

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK

- Water in tank (Liners) being tested with LVLTT
- High water table in tank excavation.

See manual sections applicable. Check below and record procedure in log (27).

Use maximum allowable test pressure for all tests. Four pound rule does not apply to doublewalled tanks.

Complete section below:

1. Is four pound rule required? Yes No
2. Height to 12" mark from bottom of tank 158 in.
3. Pressure at bottom of tank 4.108 P.S.I.
4. Pressure at top of tank 1.716 P.S.I.

19. TANK MEASUREMENTS FOR TSTT ASSEMBLY

Bottom of tank to grade* in.
Add 30" for "T" probe assy. 30 in.
Total tubing to assemble -- approximate in.

20. EXTENSION HOSE SETTING

Tank top to grade* in.
Extend hose on suction tube 6" or more below tank top in.

*If fill pipe extends above grade, use top of fill.


USE WITH THERMAL SENSOR PN5039 (Blue Box)

22. Thermal Sensor reading after circulation 64515 digits
64.65 °F
23. Digits per °F in range of expected change 1000 digits

21. VAPOR RECOVERY SYSTEM Stage 1; Stage 2

24b. COEFFICIENT OF EXPANSION RECIPROCAL METHOD

Type of Product GASOLINE
Hydrometer Employed 6
Temperature in Tank After Circulation 65 °F
Temperature of Sample 66 °F
Difference (+/-) +1 °F
Observed A.P.I. Gravity 56.5
Reciprocal 1506 Page # 60
Total quantity in full tank (17) 11,640
Reciprocal 1506
Volume change in this tank per °F 7.729083665
Transfer to Line 25a.



NOTES:

The above calculations are to be used for dry soil conditions to establish a positive pressure advantage, or when using the four pound rule to compensate for the presence of subsurface water in the tank area.

Refer to N.F.P.A. 30, Sections 2-324 and 2-7.2 and the tank manufacturer regarding allowable system test pressures.

(916) 275-6667

DIALYSIS NORTH
CERTIFIED PETRO-TITE TANK TESTERS

RUSSELL E. ROGERS
DENISE M. ROGERS
OWNER/OPERATOR
STATE LICENSE #90-1292
CERT. #414810924

P.O. BOX 95
BELLA VISTA, CA
98004

24c. FOR TESTING WITH WATER see Table C & D

Water Temperature after Circulation
Table C from Thermal Sensor °F
Coefficient of Water
Table D
Added Surfactant? Yes No Transfer COE to Line 25b.

25. (a) Total quantity in full tank (17) × (b) Coefficient of expansion for involved product = (c) Volume change in this tank per °F
26. (a) 7.729083665 × (b) 1000 = (c) 7729.083665
Volume change per °F (25 or 24b) Digits per °F in test Range (23 or 24a) This is test factor (a)

27. Sensor Calibration		30. HYDROSTATIC PRESSURE CONTROLLER		31. VOLUME MEASUREMENTS (IN RECORD TO BE USED)			34. TEMPERATURE COMPENSATION USE TABLE			38. NET VOLUME CHANGING EACH READING	39. ACCUMULATED CHANGE
LOG OF TEST PROCEDURES		Standpipe Level in Inches		32. Product In Releaser		33. Product Recovered (t)	35. Thermal Sensor Reading	36. Change Higher/Lower (t)	37. Compensation (t) = (a) + Expansion - Contraction	Temperature Adjustment Volume Minus Expansion (+) or Contraction (-) #33(t) #37(t)	At Low Level compute Change per Hour (NEPA criteria)
28. DATE 4-16-92 TIME (24 Hr)	Record details of setting up and running test. (Use full length of line if needed)	29. Reading No	Beginning of Reading	Level in which Restored	Before Reading	After Reading	Product Recovered (t)				
	#1- 12,000 GALLON UNLOADED SYSTEM										
0900	SET UP and RUNNING TEST	---	---	70 ^o	---	---	---	---	---	---	---
1000	START HIGH LEVEL TEST	BASE	---	70 ^o	---	.420	---	---	---	---	---
1010	HIGH LEVEL TEST	1	---	70 ^o	---	.460	+0.040	---	---	---	---
1020	HIGH LEVEL TEST	2	---	70 ^o	---	.510	+0.050	---	---	---	---
1030	HIGH LEVEL TEST	3	---	70 ^o	---	.570	+0.060	---	---	---	---
1040	HIGH LEVEL TEST	4	---	70 ^o	---	.625	+0.055	---	---	---	---
1050	HIGH LEVEL TEST	5	---	70 ^o	---	.680	+0.055	---	---	---	---
1100	HIGH LEVEL TEST	6	---	70 ^o	---	.740	+0.060	---	---	---	---
1105	LOWERED STANDPIPE TO 12"	---	---	12 ^o	---	---	---	---	---	---	---
1110	LOW LEVEL SPRING BACK	---	---	12 ^o	---	---	---	---	---	---	---
1130	START LOW LEVEL TEST	BASE	---	12 ^o	---	.295	---	64 515	---	---	---
1140	LOW LEVEL TEST	1	---	12 ^o	---	.370	+0.075	525 +10	+0.077	-0.002	---
1150	LOW LEVEL TEST	2	---	12 ^o	---	.440	+0.070	533 +8	+0.062	+0.008	+0.006
1200	LOW LEVEL TEST	3	---	12 ^o	---	.505	+0.065	543 +10	+0.077	-0.012	-0.006
1210	LOW LEVEL TEST	4	---	12 ^o	---	.580	+0.075	554 +10	+0.077	-0.002	-0.008
1220	LOW LEVEL TEST	5	---	12 ^o	---	.645	+0.065	565 +11	+0.085	-0.020	-0.028
1230	LOW LEVEL TEST	6	---	12 ^o	---	.710	+0.065	573 +8	+0.062	+0.003	-0.025
	END of TEST										

P-T Tank Test Data Chart
Additional Info

1 Net Volume Change at Conclusion of Precision Test -.025 gph
 Signature of Tester Russell Rogers
 Date 4-16-92
 CERT. # 414810924
 STATE LIC # 90-1292

2 Statement:

Tank and product handling system has been tested tight according to the Precision Test Criteria as established by N.F.P.A. publication 329. This is not intended to indicate permission of a leak.


OR

Tank and product handling system has failed the tank tightness test according to the Precision Test Criteria as established by N.F.P.A. publication 329.

It is the responsibility of the owner and/or operator of this system to immediately advise state and local authorities of any implied hazard and the possibility of any reportable pollution to the environment as a result of the indicated failure of this system. Health Consultants Incorporated does not assume any responsibility or liability for any loss of product to the environment.

Tank Owner/Operator C. H. P.

Date 4-16-92



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

Address
Reply to:

1469 Humboldt Road
Chico, California 95928
Telephone: (916) 891-2727

7 County Center Drive
Oroville, California 95965
Telephone: (916) 538-7281
Fax: (916) 538-2140

747 Elliott Road
Paradise, California 95969
Telephone: (916) 872-6308

UNDERGROUND TANK PROGRAM OFFICIAL INSPECTION REPORT

C	V	ADMINISTRATIVE
X		PERMIT CURRENT
X		FEES CURRENT
	X	EMERG. RESPONSE PLAN
	X	LEAK DETECTION PLAN
X		RECORDS
		OTHER

C	V	CONST/MAINT
X		TANK (S)
X		PIPES
X		PUMPS (CALIBRATION)
X		GAUGING
X		MONITORING EQUIPMENT
		OTHER

C	V	LEAK DETECTION
X		METHOD/OPTION
X		TANK TESTING/FREQ.
X		I.R./GAUGING FREQ.
X		SAMPLING FREQUENCY
		OTHER

LEAK DETECTION OPTIONS

ANNUAL SPACE LIQUID PROBE
 PIPE SUMP LIQUID PROBE
 PRECISION TANK TESTING
 INVENTORY/GAUGING
 PIPE PRESSURE LOSS DETECTOR
 SOIL VADOSE/VAPOR
 OTHER - _____

VIOLATION DISCRPTION
Provide emergency response plan
Provide leak detection plan (written)
Provide auto gauging capability plan to 1-1-93
Provide plot plan of tank & pump

CORRECTION REQUIRED	DATE
Emergency response plan	7-1-92
Leak Detection Plan	7-1-92
Provide auto gauging capability	1-1-93
Provide line leak detector between tank & pump	7-1-92

California Highway Patrol
FACILITY NAME

04-17941
FACILITY NUMBER

T. Hughes
SANITARIAN SICHITURE

Mailed
RECIEVED BY

4-7-92
INSPECTION DATE

APR 06 1992

CHICO, CALIFORNIA


INVENTORY RECONCILIATION

QUARTERLY SUMMARY REPORT FORM

4/2/92

Facility Name: CALIFORNIA Highway Patrol
Facility Address: 995 Fir Str
Chico, Ca. 95928

Tank#	Size	Product
1	12,000	UNL



I hereby certify under penalty of perjury that all inventory variations for the above mentioned facility were within allowable limits for this quarter. (No in Column 13 of the Inventory Reconciliation Sheet.)



Inventory variations exceeded the allowable limits for this quarter. I hereby certify under penalty of perjury that the source for the variation was not due to an unauthorized (leak) release. (Yes in Column 13 of the Inventory Reconciliation Sheet.)

List date, tank #, and amount for all variations that exceeded the allowable limits:

	<u>Date</u>	<u>Tank #</u>	<u>Amount</u>
1.	_____	_____	_____
2.	_____	_____	_____
3.	_____	_____	_____
4.	_____	_____	_____
5.	_____	_____	_____

Additional dates/amounts shall be continued on a separate sheet of paper and attached.

If the source of the variation which exceeded allowable limits was due to a leak, the incident shall be reported to Butte County Environmental Health Services at (916) 538-7281. An Unauthorized Release Report shall be submitted to the Butte County Environmental Health Department within 15 days.

The quarterly summary report shall be submitted within 15 days of the end of each quarter.

- Quarter 1 - January --> March
- Quarter 2 - April --> June
- Quarter 3 - July --> September
- Quarter 4 - October --> December

Send to:

BUTTE COUNTY ENVIRONMENTAL HEALTH
7 COUNTY CENTER DRIVE
OROVILLE, CA 95965

NOV 05 1991

INVENTORY RECONCILIATION
QUARTERLY SUMMARY REPORT FORM

Facility Name: Chico CHP
Facility Address: 995 Fir Str
Chico, Ca 95928

Tank#	Size	Product
1	12,000	UNLEADED



I hereby certify under penalty of perjury that all inventory variations for the above mentioned facility were within allowable limits for this quarter. (No in Column 13 of the Inventory Reconciliation Sheet.)



Inventory variations exceeded the allowable limits for this quarter. I hereby certify under penalty of perjury that the source for the variation was not due to an unauthorized (leak) release. (Yes in Column 13 of the Inventory Reconciliation Sheet.)

List date, tank #, and amount for all variations that exceed the allowable limits:

	<u>Date</u>	<u>Tank #</u>	<u>Amount</u>
1.	_____	_____	_____
2.	_____	_____	_____
3.	_____	_____	_____
4.	_____	_____	_____
5.	_____	_____	_____

Additional dates/amounts shall be continued on a separate sheet of paper and attached.

If the source of the variation which exceeded allowable limits was due to a leak, the incident shall be reported to Butte County Environmental Health Services at (916) 538-7281. An Unauthorized Release Report shall be submitted to the Butte County Environmental Health Department within 15 days.

The quarterly summary report shall be submitted within 15 days of the end of each quarter.

- Quarter 1 - January --> March
- Quarter 2 - April --> June
- * Quarter 3 - July --> September
- Quarter 4 - October --> December

Send to:

BUTTE COUNTY ENVIRONMENTAL HEALTH
7 COUNTY CENTER DRIVE
OROVILLE, CA 95965

Environmental Health

NOV 04 1991

Oroville, California

BUTTE COUNTY DEPT. OF PUBLIC HEALTH - ENVIRONMENTAL HEALTH DIV.

1469 Humboldt Road 7 County Center Drive 747 Elliott Road
Chico 891-2727 Oroville 538-7281 Paradise 872-6308

APPLICATION FOR PERMIT TO OPERATE UNDERGROUND HAZARDOUS MATERIALS STORAGE CONTAINER

Name of Establishment: _____ California Dept. of Highway Patrol
CDHP
Address: _____ PO Box 1779
Chico, CA 95927 80.00

No. of UST Tanks: _____ Business or Type: _____

Monitoring Option No: _____ Gasoline Sta. Manufacturing
 Agriculture Chemicals
 Other _____

Monitoring Methods Proposed: _____

Business Owner _____ Manager _____

Mailing Address _____ Address _____

City _____ Zip _____

Phone (____) _____ Phone (____) _____

Owner of Building _____

Address of Owner _____

I declare that, to the best of my knowledge and belief, the above statements are correct and true. I hereby consent to all necessary inspections made pursuant to law and incidental to the issuance of this permit and operation of these underground storage facilities.

Signature _____
Application not completed 11/5/91 JS

Date _____

PERMIT FEES - 1991

No. of Containers 1

ANNUAL FEE \$ _____

TOTAL FEES \$ 80.00

(Dept. use)

Sweeps# 12345 Receipt # 104941 Check # 318630 Date 11/1/91

Posted 11/5/91 By JS Permit Issued ↑ By VS


*Interim Permit
Exp. 3/17/91*

INVENTORY RECONCILIATION

QUARTERLY SUMMARY REPORT FORM

Facility Name: Chico CHP
 Facility Address: 995 FIR STREET
Chico Ca 95928

Tank#	Size	Product
1	12000	UNLEADED



I hereby certify under penalty of perjury that all inventory variations for the above mentioned facility were within allowable limits for this quarter. (No in Column 13 of the Inventory Reconciliation Sheet.)



Inventory variations exceeded the allowable limits for this quarter. I hereby certify under penalty of perjury that the source for the variation was not due to an Unauthorized (leak) release. (Yes in Column 13 of the Inventory Reconciliation Sheet.)

List date, tank #, and amount for all variations that exceed the allowable limits:

	<u>Date</u>	<u>Tank #</u>	<u>Amount</u>
1.	_____	_____	_____
2.	_____	_____	_____
3.	_____	_____	_____
4.	NA	NA	NA
5.	NA	NA	NA

Additional dates/amounts shall be continued on a separate sheet of paper and attached.

If the source of the variation which exceeded allowable limits was due to a leak, the incident shall be reported to Butte County Environmental Health Services at (916) 538-7281. An Unauthorized Release Report shall be submitted to the Butte County Environmental Health Department within 15 days.

The quarterly summary report shall be submitted within 15 days of the end of each quarter.

- Quarter 1 - January --> March
- Quarter 2 - April --> June
- Quarter 3 - July --> September
- Quarter 4 - October --> December

Send to:

BUTTE COUNTY ENVIRONMENTAL HEALTH
 7 COUNTY CENTER DRIVE
 OROVILLE, CA 95965

Environmental Health
DEC 27 1990
 Oroville, California

Inter-Departmental Memorandum

TO: Joanne Smith
FROM: Vance Sewerin
SUBJECT: UST permit, Calif. Highway Patrol, Chico
DATE: 9-17-90

NUTTE CO. HEALTH
ADMINISTRATION

SEP 24 1990

OROVILLE, CA 95965

OK to issue interim permit. Monitoring option 5 -
daily inventory reconciliation, pipeline leak detectors, annual
tank testing. Expiration date 3-17-91.

V.S.

Data Chart for Tank System Tightness Test

petro title TANK TESTER

7514

PLEASE PRINT

1. OWNER	Property <input checked="" type="checkbox"/>	C.H.P. 995 1 st street	Chris Wintees	895-4444		
	Tank(s) <input checked="" type="checkbox"/>	Name Address	Representative	Telephone		
2. OPERATOR		Employees				
3. REASON FOR TEST (Explain Fully)		State Requirement				
4. WHO REQUESTED TEST AND WHEN	Name	Chris Wintees maint. supervisor	C.H.P. Chico	8-22-90		
	Title	Company or Affiliation		Date		
5. WHO IS PAYING FOR THIS TEST?	Company, Agency or Individual	C.H.P. Chico	Chris Wintees maint. supervisor	895-4444		
	Person Authorizing	Billing Address		Telephone		
	1 st street Chico CA	City	State	Zip		
	Attention of:	Order No.	Other Instructions			
6. TANK(S) INVOLVED	Identify by Direction	Capacity	Brand/Supplier	Grade	Approx. Age	Steel/Fiberglass
	EAST TANK	12000	Champion	unlead		Fiberglass
7. INSTALLATION DATA	Location	Cover	Fills	Vents	Siphones	Pumps
	EAST	Cement	4"	2"	NO	Remote
8. UNDERGROUND WATER	North inside driveway, Rear of station, etc.	Concrete, Black Top, Earth, etc.	Size, Tefill make, Drop tubes, Remote Fills	Size, Manifolded	Which tanks?	Suction, Remote, Make if known
	Depth to the Water table	10'		Is the water over the tank? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
9. FILL-UP ARRANGEMENTS	Tanks to be filled	1600 hr.	8-21-90	Date	Arranged by	Chris Wintees
	Extra product to "top off" and run TSTT.	How and who to provide?		Consider NO Lead.		
10. CONTRACTOR, MECHANICS, any other contractor involved	Terminal or other contact for notice or inquiry	Company	Name	Telephone		
11. OTHER INFORMATION OR REMARKS	Remote pump HAS air line leak detected phase II line stubbed up under disc					
	Additional information on any items above. Officials or others to be advised when testing is in progress or completed. Visitors or observers present during test etc.					
12. TEST RESULTS	Tests were made on the above tank systems in accordance with test procedures prescribed for petro title as detailed on attached test charts with results as follows:					
	Tank Identification	Tight	Leakage Indicated	Date Tested		
EAST TANK	yes	1.013 g.p.h.	8-22-90			
13. CERTIFICATION						
This is to certify that these tank systems were tested on the date(s) shown. Those indicated as "Tight" meet the criteria established by the National Fire Protection Association Pamphlet 329.						
8-22-90	Johnnie Mims		P.O. Box 823 Tule Valley Blvd. Redding CA. 96003			
1448	Technicians		By Signature			
Serial No. of Thermal Sensor			Address			

14. C.H.P. 995 1st street Chico CA 8-22-90
 Name of Supplier, Owner or Dealer Address No. and Street(s) City State Date of Test

15. TANK TO TEST <u>EAST TANK</u> <small>Identify by position</small> <u>Chereon unlead</u> <small>Brand and Grade</small>	16. CAPACITY Nominal Capacity <u>12,000</u> <small>Gallons</small> By most accurate capacity chart available <u>11,907</u> <small>Gallons</small> Is there doubt as to True Capacity? <input type="checkbox"/> See Section "DETERMINING TANK CAPACITY"	From <input type="checkbox"/> Station Chart <input type="checkbox"/> Tank Manufacturer's Chart <input type="checkbox"/> Company Engineering Data <input checked="" type="checkbox"/> Charts supplied with Petro Tite <small>LOG TEST</small> <input type="checkbox"/> Other _____
---	---	--

17. FILL-UP FOR TEST

Stick Water Bottom before Fill-up <u>0</u> to <u>0</u> in.	Inventory <u>91</u> Gallons	Total Gallons as Reading <u>11,907</u>
	<u>Tapped off</u>	<u>10</u>
	<u>Water</u>	<u>0</u>
	<u>11,917</u>	<u>11,917</u>

Product in full tank (up to fill pipe) 11,917

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK Observed 57.8 @ 74% VAPOR RECOVERY SYSTEM
 See manual sections applicable. Check below and record procedure in log (26). Reciprical - 5 @ 1481

Water in tank NO
 High water table in tank excavation NO
 Line(s) being tested with LVLTT systems test

Stage I
 Stage II Subdued

19. TANK MEASUREMENTS FOR TSTT ASSEMBLY

Bottom of tank to Grade* 129 "
 Add 36" for 4" L 30 "
 Add 24" for 3" L or air seal _____ "
 Total tubing to assemble Approximate 168 "

20. EXTENSION HOSE SETTING

Tank top to grade* 38 "
 Extend hose on suction tube 6" or more below tank top 6/8 "

*If Fill pipe extends above grade, use top of fill.

21. TEMPERATURE/VOLUME FACTOR (a) TO TEST THIS TANK
 Is Today Warmer? Colder? () _____ °F Product in Tank 29 °F Fill-up Product on Truck _____ °F Expected Change (+ or -) _____

22. Thermal-Sensor reading after circulation 17218 digits 74/75 °F Nearest

23. Digits per °F in range of expected change 321 digits

24. $\frac{11,917}{1481} = 8.0465901$ gallons
 total quantity in full tank (16 or 17) coefficient of expansion for involved product volume change in this tank per °F

25. $8.0465901 + \frac{321}{1481} = 0.0250672$ This is test factor (a)
 volume change per °F (24) Digits per °F in test Range (23) Volume change per digit. Compute to 4 decimal places.

26. LOG OF TEST PROCEDURES		29. Reading No.	30. HYDROSTATIC PRESSURE CONTROL		31. VOLUME MEASUREMENTS (V) RECORD TO .001 GAL.			34. TEMPERATURE COMPENSATION USE FACTOR (a)			38. NET VOLUME CHANGES EACH READING	39. ACCUMULATED CHANGE
DATE	Record details of setting up and running test. (Use full length of line if needed.)	=	Standpipe Level in inches		Product in Graduate		Thermal Sensor Reading	36. Change Higher + Lower - (c)	37. Computation (c) x (a) = Expansion + Contraction -	Temperature Adjustment Volume Minus Expansion (+) or Contraction (-) #33(V) - #37(T)	At High Level record Total End Deflection	At Low Level compute Change per Hour: (RPTS - initial)
TIME (24 hr.)			Beginning of Reading	Level in which Restored	Before Reading	After Reading						
8/22/90	ARRIVED on site, Test Reciprical Readings, the test started for water, set up test equipment											
1:57	Run's Primed @ 1:57.											

415L
Petro Tite
 TANK TESTER

REDDING SERVICE
 STATION EQUIPMENT, INC.
 823 TWIN VIEW BLVD.
 REDDING, CA 96003
 (916) 241-1275

0020

UTM	LINE #12 - PROPOSED 2000000	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
0915	Coast High Level TEST	2	43.9	42	.240	.310	+0.070	222	+4	+1.100	-1.030					
0930	"	3	42.8	42	.310	.348	+0.038	225	+3	+1.075	-1.037					
0945	"	4	42.8	42	.348	.365	+0.017	228	+3	+1.075	-1.058					
1000	"	5	42.3	42	.365	.384	+0.019	231	+3	+1.075	-1.060					
1015	"	6	42.3	42	.384	.398	+0.014	234	+3	+1.075	-1.057					
1030	"	7	42.3	42	.398	.448	+0.050	237	+3	+1.075	-1.055					
1045	"	8	42.3	42	.448	.488	+0.040	240	+3	+1.075	-1.055					
1100	Dropped to low level / Stabilization	9	15.7	12	.488	.600	+0.112	243	+3	+1.075	+1.087					
1115	"	10	14.8	12	.600	.715	+0.115	247	+4	+1.100	+1.015					
20	Start Low Level TEST	1	13.8	12	.715	.785	+0.070	250	+3	+1.075	-1.025	-1.025				
25	Coast Low Level TEST	2	13.0	12	.785	.830	+0.045	252	+2	+1.050	-1.025	-1.110				
30	"	3	12.8	12	.830	.860	+0.030	253	+1	+1.025	+1.075	-1.025				
35	"	4	12.8	12	.860	.890	+0.030	254	+1	+1.025	+1.025	+1.020				
40	"	5	12.8	12	.890	.920	+0.030	255	+1	+1.025	+1.025	+1.025				
45	"	6	12.7	12	.920	.993	+0.073	256	+1	+1.025	+1.013	+1.018				
50	"	7	12.7	12	.993	.121	+0.028	257	+1	+1.025	+1.013	+1.011				
55	"	8	12.7	12	.121	.148	+0.027	258	+1	+1.025	+1.002	+1.013				
1200	"	9	12.7	12	.148	.175	+0.027	259	+1	+1.025	+1.002	+1.015				
25	"	10	12.6	12	.175	.201	+0.026	260	+1	+1.025	+1.001	+1.016				
10	"	11	12.6	12	.201	.227	+0.026	261	+1	+1.025	+1.001	+1.017				
15	"	12	12.6	12	.227	.254	+0.027	262	+1	+1.025	+1.002	+1.019				
20	+0.026 ÷ by 2 hrs gives total	13	12.6	12	.254	.280	+0.026	263	+1	+1.025	+1.111	+1.020				
25	volume change fac 1 hr	14	12.6	12	.280	.306	+0.026	264	+1	+1.025	+1.111	+1.021				
30	low level + graph	15	12.6	12	.306	.332	+0.026	265	+1	+1.025	+1.111	+1.022				
35	"	16	12.6	12	.332	.357	+0.025	266	+1	+1.025	+1.010	+1.022				
40	TEST stopped system tested	17	12.6	12	.357	.382	+0.025	267	+1	+1.025	+1.010	+1.022				
45	tight to N.E.P.A. code	18	12.6	12	.382	.407	+0.025	268	+1	+1.025	+1.000	+1.022				
50	309 P-22-91	19	12.6	12	.407	.433	+0.026	269	+1	+1.025	+1.001	+1.023				
55	"	20	12.6	12	.433	.459	+0.026	270	+1	+1.025	+1.001	+1.024				
1300	"	21	12.6	12	.459	.484	+0.025	271	+1	+1.025	+1.000	+1.024				
05	"	22	12.6	12	.484	.509	+0.025	272	+1	+1.025	+1.000	+1.024				
10	"	23	12.6	12	.509	.535	+0.026	273	+1	+1.025	+1.001	+1.025				



400 P Street, 5th Floor, Sacramento 95814

(916) 323-5816

July 26, 1990

Mr. Vance Severin, E.H.S. III
Division of Environmental Health
Butte County
Seven County Center Drive
Oroville, CA 95965

Dear Mr. Severin:


**UNDERGROUND STORAGE TANK PERMIT
CALIFORNIA HIGHWAY PATROL -- CHICO**

This is a follow-up letter to our telephone conversation of July 23, 1990. The Office of the State Architect will contract to install pipeline leak detectors at the CHP underground storage tanks with pressure piping systems within six months. In the meantime, please issue a six-month "interim permit" to allow the facility to operate without interruption.

Thank you for your assistance and cooperation in allowing us additional time to comply with your regulations.

Please feel free to call me at (916) 323-5816 if you have any questions. I will keep you informed of our progress.

Sincerely,



A. K. Jain
Project Manager
Underground Storage Tank Program

AKJ:skf

cc: Lisa Saffold, California Highway Patrol
Ligaya Reyes-Ibanez, California Highway Patrol
Ken McClellan, Office of the State Architect
Paul Hypnarowski, Office of the State Architect

Environmental Health

JUL 30 1990

Oroville, California

BUTTE COUNTY
DEPARTMENT OF PUBLIC HEALTH
Division of Environmental Health
7 County Center Drive
Oroville, CA 95965
(916) 538-7281

June 25, 1990

California Highway Patrol
ATTN: Lisa Saffold
2490 First Avenue, Room 270
Sacramento, CA 95918

RE: Underground Storage Tank Permit, California Highway Patrol,
995 Fir Street, Chico, CA

Dear Ms. Saffold:

Enclosed is a billing for the 1989-90 Underground Hazardous Material Container Annual Fee, as requested. Please submit this fee as soon as possible.

On June 8, 1990, I inspected this facility (copy of inspection report enclosed). Prior to issuance of a "regular" permit for this facility, a pipeline leak detector will be required, as per state requirements for monitoring option five. Also note that this tank is now due for its annual precision test since it was last tested on May 5, 1989.

Please advise this department when the required tank testing and pipeline leak detector installation can be performed. Upon receipt of this information, and the required fee, I will then issue a six month "interim permit", pending leak detector installation and tank testing.

Please contact me at the above listed address or telephone number if you have any questions. Thank you for your assistance in this matter.

Sincerely,



Vance Severin, E.H.S. III
Division of Environmental Health

VS/kf

Enclosures

COUNTY OF BUTTE
OFFICIAL RECEIPT

68354

Public Health
OFFICE OR DEPARTMENT ISSUING RECEIPT

5 July 19 90

Received from California Highway Patrol

The Sum of One hundred thirteen dollars - \$ 113.00

For 1 - GST 57.00 1 Surcharge 57.00

Received: CASH CHECK 06-829662

Received By: _____
Title: _____
By: [Signature]

DAVCO BUSINESS FORMS • (916) 743-8511



STATE OF CALIFORNIA

SACRAMENTO

WARRANT NUMBER

06-829662

90-1342
1211

THE TREASURER OF THE STATE WILL PAY OUT OF THE
FUND NO. FUND NAME

044 MOTOR VEHICLE ACCOUNT

TO
TREAS BUTTE COUNTY

MO. DAY YR.

2720 07 02 90

DOLLARS	CENTS
\$*****113	00

IDENTIFICATION NUMBER



Gray Davis
GRAY DAVIS
STATE CONTROLLER

⑆121113423⑆ 068296626⑈

FORM CO 88 (2-85) CONTROLLER'S WARRANT

REMITTANCE ADVICE

STD. 404C (REV. 11/89)
DEPARTMENT

CALIFORNIA HIGHWAY PATROL

P. O. BOX 942901
SACRAMENTO CA 94298-2901

VENDOR: TREAS BUTTE COUNTY
DEPT OF PUBLIC HEALTH
18-B COUNTY CENTER DR
OROVILLE CA 95965-3317

VENDOR-ID PG 1
BUTTECOUNT-06

DEPT. NO. 2720

CLAIM SCHED. NO. 1004344

STATE OF CALIFORNIA

THE ENCLOSED WARRANT IS IN PAYMENT OF INVOICES AS SHOWN BELOW.

INVOICE DATE	INVOICE NUMBER	INVOICE AMOUNT	RP	IND
05/23/90	CHICO CHP PERM	113.00		

JUL 05 1990

COUNTY OF BUTTE

OFFICIAL RECEIPT

68354

Public Health

OFFICE OR DEPARTMENT ISSUING RECEIPT

5 July 19 90

Received from *California Highway Patrol*

The Sum of *One hundred Thirteen dollars - \$ 113.00*

For *1 - UST 57.⁰⁰ 1 surcharge 56.00*

Received:

CASH

CHECK *06-82962*

Received By _____

Title _____

By *[Signature]*

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
18-B COUNTY CENTER DRIVE
OROVILLE, CA 95965

APPLICATION FOR PUBLIC HEALTH PERMIT
TO OPERATE
UNDERGROUND HAZARDOUS MATERIALS STORAGE CONTAINERS

Name of Establishment: CALIFORNIA HIGHWAY PATROL Business or Type:

Gasoline Sta. Manufacturing

No. of Containers: 1 Agriculture Chemicals

Monitoring Methods Proposed: INVENTORY RECONCILIATION,

TANK TESTING PIPELINE LEAK DETECTORS

Monitoring Option No: 5

Establishment Mailing Address: P.O. BOX 1779, CHICO, CA

95928 Phone: (916) 895-4444

Establishment Physical Address: 995 FIR ST, CHICO,

CA) 95928 Emergency phone: (916) 895-4453

Owner/Address of Business: Manager: LT. W. LOFFTUS

CALIFORNIA HIGHWAY PATROL Address: SAME AS ABOVE

2555 FIRST AVE, SACRAMENTO

CA) 94298-001 Phone: (916) 445-1564 Phone: (916) 895-4444

Owner/Address of Building: SAME AS OWNER

Phone: ()

I declare that, to the best of my knowledge and belief, the above statements are correct and true. I hereby consent to all necessary inspections made pursuant to law and incidental to the issuance of this permit and operation of these underground storage facilities.

Signature W. Lofftus LT

Date 6-4-90

PERMIT FEES - 1990

No. of Containers 1

Annual Fee: 57.00

STATE OF CALIF. SURCHARGE
\$56.00 Each Container 56.00

TOTAL FEES \$ 113.00

Stamp Receipt 68354 Posted 175.
12345 CR. # 06-829662
Posted.

UNDERGROUND TANK PROGRAM OFFICIAL INSPECTION REPORT

COUNTY NAME **Butte**

COUNTY # **04**

SITE NAME: **California Highway Patrol** INSPECTION DATE: **6-8-90**

SITE ADDRESS: **995 Fir St** CITY/STATE/ZIP: **Chico, CA. 95926**

CHANGES SITE/OWNER/PERMIT? **YES** NO **yes** TANK **unlead** TANK TANK TANK
 FORM A AND/OR B SUBMITTED? **yes** COMPUTER COMPUTER COMPUTER COMPUTER
 NUMBER NUMBER NUMBER NUMBER
 TYPE OF INSPECTION **01** SITE COMPUTER # **none** PER # EXP. DATE **N/A** PER # EXP. DATE PER # EXP. DATE PER # EXP. DATE

OPERATIONAL TANK	TANK CONTENTS		TANK COMPUTER NUMBER	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER
	MAJOR	MINOR				
PERMIT TO OPERATE	1	2	01			
CHANGE IN CONDITIONS TO OPERATE	3	4				
APPROVED CONSTRUCTION	5	6				
WRITTEN MONITORING PROCEDURES	7	8				
APPROVED MONITORING SYSTEM	9	10				
MONITORING SYSTEM	11	12	12			
APPROVED MONITOR FREQUENCY	13	14				
MONITORING RECORDS MAINTAINED	15	16				
ACCESS CASING SECURED	17	18				
PIPING	19	20				
INVENTORY RECONCILIATION	21	22	21			
TANK GAUGING	23	24				
APPROVED RESPONSE PLAN	25	26				
UNAUTHORIZED RELEASE OCCURRENCE	27	28				
SAMPLING	29	30				
APPROVED TANK REPAIRS	31	32				
UNAUTHORIZED RELEASES REPORTED	33	34				
SAFETY HAZARD	35	36				
CONDITIONS ABATED	37					

TEMPORARY TANK CLOSURE	MAJOR	MINOR	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER
REMOVAL OF RESIDUAL	38	39				
FLAMMABLE VAPORS REMOVED	40					
ACCESS LOCATIONS SEALED	41	42				
POWER DISCONNECTED		43				
OWNER/OPERATOR MONITORING	44	45				

PERMANENT TANK CLOSURE	MAJOR	MINOR	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER	TANK COMPUTER NUMBER
REMOVAL OF RESIDUAL MATERIALS	46	47				
PIPING	48	49				
FLAMMABLE VAPORS REMOVED	50					
UNAUTHORIZED RELEASE	51	52				
SAMPLING	53	54				
IMPROPER ABANDONMENT	55	56				

SYSTEM STATUS (MUST MARK ONE)
 MAJOR VIOL. 57 MINOR VIOL. 58 NO VIOL. 59
 THE MARKED ITEMS REPRESENT VIOLATIONS AND MUST BE CORRECTED AS FOLLOWS: **1) Install pipeline leak detector. 2) Implement daily inventory reconciliation as per manual provided 3) Schedule annual precision tank test**

OFFICE: **Butte County Environmental Health, 7 County Center Dr, Oroville, CA.** INSP: **Vance Severi** RECEIVED BY: **mailed**
 TITLE: **EHS III** PHONE: **(916) 538-7281** RECK:



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH

- 18-B County Center Drive - Oroville, California 95965-3317
Telephone: 916/538-7581
- 2430 Bird Street - Oroville, California 95965-4908
Telephone: 916/538-7341
- 695 Oleander Avenue - Chico, California 95926-6254
Telephone: 916/891-2731

CALIFORNIA HIGHWAY PATROL
995 FIR STREET
CHICO, CA 95926

May 23, 1990

STATEMENT


Underground Hazardous Materials Storage Container Annual Fee

One Tank	\$ 57.00
One California Surcharge	<u>56.00</u>
Total Due	\$113.00

Please remit to the following address:

Butte County Dept. of Public Health
18B County Center Dr., Oroville, CA 95965

Enclosed you will find a self addressed envelope for your convenience, and the annual permit form, to be completed and returned also. Please contact Vance at 538-7281 if you have any questions. Thank you.


Joann Smith
Sr. Account Clerk

Environmental Health

MAY 24 1990

Oroville, California

BU COUNTY DEPARTMENT OF PUBLIC HEALTH
 18-B County Center Drive
 Oroville, CA 95965

APPLICATION FOR PUBLIC HEALTH PERMIT
 TO OPERATE
 UNDERGROUND HAZARDOUS MATERIALS STORAGE CONTAINERS

Name of Establishment: State of California
 California Highway Patrol

Business or Type
 Gasoline Station
 Agricultural Chemicals
 Manufacturing
 Other Law Enforcement

Number of Containers: 1 - 12,000 Gal. Tank

Monitoring Methods Proposed: Inventory reconciliation, tank testing pipeline leak detectors.

Motor Vehicle Fuels Only: Yes
 Monitoring Option No.: 5

Establishment Mailing Address: P.O. Box 1779
 Chico, CA 95927 Telephone: (916) 895-4444

Establishment Physical Location: 995 Fir Street
 Chico, CA 95928

Emergency Telephone Number: (916) 895-4453

Owner of Business: California Highway Patrol
 Owner's Address: 2555 First Ave.
 Sacramento, CA. 94298-001 Telephone: (916) 445-1564

Manager: Lt. Lofftus
 Manager's Address: 995 Fir Street
 Chico, CA 95928 Telephone: (916) 895-4444

Owner of Building: SAME AS OWNER OF BUSINESS Telephone:
 Owner's Address:

I declare that, to the best of my knowledge and belief, the above statements are correct and true. I hereby consent to all necessary inspections made pursuant to law and incidental to the issuance of this permit and operation of these underground storage facilities.

W. Lofftus, Jr.
 Signature of Applicant

Date 4-23-90

PERMIT FEES 1989
 Number of Containers: _____
 Annual Fee: _____
 STATE OF CALIF. SURCHARGE
 Number of Containers _____
 X \$56.00 _____
 TOTAL FEES _____

Dept. Use Only: 1989 Check & Receipt #'s _____ / _____ Date _____
 Permit Issued & Receipt #'s _____ / _____ By _____
 Posted _____ By _____ E.H. copy sent _____

BUTTE COUNTY
DEPARTMENT OF PUBLIC HEALTH
Division of Environmental Health
7 County Center Drive
Oroville, CA 95965
(916) 538-7281

TO: California Highway Patrol, 995 Fir St., Chico, CA
ATTN: Lt. Loftus

FROM: Vance Severin, Underground Tank Specialist *VS*

RE: Application for Underground Storage Container Permit-
1989-90

DATE: March 13, 1990

The Butte County Board of Supervisors has adopted an Underground Storage Permit Ordinance and Fee Resolution requiring any person operating a facility within Butte County for the underground storage of any hazardous substance to have a valid, unexpired, and unrevoked Permit to Operate issued to the owner by the Butte County Department of Public Health.

The Underground Storage Permit Ordinance requires an annual fee to be paid to the County to cover the cost of the inspection program. The definitions and mandatory testing or monitoring procedures for each underground storage facility are set forth in detail in the applicable sections of the California Underground Storage Tank Regulations and related Health and Safety Code Sections.

Enclosed are:

1. A schedule of applicable fees for each type of Underground Storage Facility.
2. An application for the permit.
3. A self-addressed return envelope.
4. A memo explaining the objectives of a monitoring system and monitoring alternatives.
5. State of California site and tank application forms.

The 1989-90 annual fee for the operational permit is now due and payable. According to our records, you have not previously paid the State surcharge; it will be necessary for you to pay the State surcharge this year.

Lt. Coftas

Sent WST app to
Sacramento 3-19-90

Lisa Saffold

322-5310

2490 First Ave, RM 270
Sacram. 95818

- Chris -
Maintenance - 7:30-4:30

5-21-90

Discussed with
Lisa Saffold.
will submit packet,
wants billing.

A. K. Jain
323-5816

California Highway Patrol
March 20, 1990
Page 2

Please fill out the application as completely as possible. Use the list of applicable fees to determine your annual fee. Indicate the number of underground containers, type of containers, and monitoring proposal on the application form. Return the application form together with your check or money order for the annual fee, in the envelope provided, within 14 days.

If you have any questions, please call me at the above listed telephone number.

VS/kf

Enclosures

R.S.S.E., Inc.

GENERAL ENGINEERING AND BUILDING CONTRACTORS
823 TWIN VIEW BLVD. - REDDING, CA 96003
(916) 241-1275

SOLD TO • CHP
995 Fir St.
Chico, Ca. 95928

Attn: Randy Basner

DATE WORK PERFORMED	INVOICE DATE	CUSTOMER ORDER NO.	OUR INVOICE NO.
	5/8/89	X 2992	5229

Tank testing and related expenses

1 12000 gallon tank

225.00

**YOUR TANK TESTING REPORTS ARE ATTACHED.
DO NOT SIGN THEM. THERE WILL BE AN
ADDITIONAL CHARGE FOR REPAIRS.
IT IS THE CUSTOMER'S RESPONSIBILITY TO
FORWARD A COPY OF THIS TANK TEST TO THE
APPROPRIATE COUNTY AGENCY.**

Data Chart for Tank System Tightness Test

petro tile
TANK TESTER

5239

PLEASE PRINT

1. OWNER	Property <input checked="" type="checkbox"/> Tank(s) <input checked="" type="checkbox"/>	CA. Hwy Patrol 995 Fire Street		Randy Basner	895-4444		
		Name	Address	Representative	Telephone		
		Chico CA. 95928					
		Name	Address	Representative	Telephone		
		Employees					
		Name	Address	Telephone			
		State Requirement					
4. WHO REQUESTED TEST AND WHEN		Randy Basner	MAINT SUPERVISOR	C.H.P. Chico	5-5-89		
		Name	Title	Company or Affiliation	Date		
		Address		Telephone			
5. WHO IS PAYING FOR THIS TEST?		C.H.P. Chico	Randy Basner	MAINT SUPERVISOR	895-4444		
		Company, Agency or Individual	Person Authorizing	Title	Telephone		
		995 Fire Street Chico CA. 95928					
		Billing Address	City	State	Zip		
		Attention of:		Order No.	Other Instructions		
6. TANK(S) INVOLVED		Identify by Direction	Capacity	Brand/Supplier	Grade	Approx. Age	Steel/Fiberglass
		SOUTH TANK	18000	UNION	UNLEAD	10YRS	FIBERGLASS
7. INSTALLATION DATA		Location	Cover	Fills	Vents	Siphons	Pumps
		SOUTH	CEMENT	4"	2"	NO	Remote
		North inside driveway, Rear of station, etc.	Concrete, Black Top, Earth, etc.	Size, Tank mate, Drop tubes, Remote Filling	Spec. Mandfolded	Which tanks?	Suction, Remote, Make if known
8. UNDERGROUND WATER		Depth to the Water table _____"				Is the water over the tank? <input type="checkbox"/> Yes <input type="checkbox"/> No	
9. FILL-UP ARRANGEMENTS		Tanks to be filled 1600 to 5-4-89		Date	Arranged by Randy Basner	895-4444	
		Extra product to "top off" and run TSTT.		How and who to provide?	Consider NO Lead.		
		Terminal or other contact for notice or inquiry _____		Company	Name	Telephone	
10. CONTRACTOR, MECHANICS, any other contractor involved							
11. OTHER INFORMATION OR REMARKS		Phase II line stubbed up under disc.					
		Additional information on any items above. Officials or others to be advised when testing is in progress or completed. Visitors or observers present during test etc.					
12. TEST RESULTS		Tests were made on the above tank systems in accordance with test procedures prescribed for petro tile as detailed on attached test charts with results as follows:					
		Tank Identification	Tight	Leakage Indicated	Date Tested		
		SOUTH TANK	YES	4.001 g.p.h.	5-5-89		
13. CERTIFICATION		This is to certify that these tank systems were tested on the date(s) shown. Those indicated as "Tight" meet the criteria established by the National Fire Protection Association Pamphlet 329.					
		5-5-89		Schmitt Motors		R.S.E. 823 TWINVIEW BLVD	
		Date		Testing Contractor or Company		By Signature	

petro tite
TANK TESTER

REDDING SERVICE
STATION EQUIPMENT, INC.
823 TWIN VIEW BLVD.
BENNING, N. A. 30306

14. CA. Nymy Training 995 Fir Street Chico CA. 95922 5-5-89
Name of Supplier, Owner or Dealer Address No. and Street(s) City State Date of Test

15. TANK TO TEST
South Tank Identify by position
union welded Brand and Grade

16. CAPACITY
 Nominal Capacity 18,000 Gallons
 By most accurate capacity chart available 11,897 Gallons
 Is there doubt as to True Capacity?
 See Section "DETERMINING TANK CAPACITY"

From
 Station Chart
 Tank Manufacturer's Chart
 Company Engineering Data
 Charts supplied with **petro tite**
 Other _____

17. FILL-UP FOR TEST

Stick Water Bottom before Fill-up	to 1/2 in.	Gallons	Inventory	Stick Readings to 1/2 in.	Gallons	Total Gallons as Reading
<u>0</u>	<u>0</u>			<u>91</u>		<u>11,897</u>
Fill up. STICK BEFORE AND AFTER EACH COMPARTMENT DROP OR EACH METERED DELIVERY QUANTITY						
Tapped off <u>water</u> <u>0</u> <u>0</u>						
Tank Diameter <u>91"</u> Product in full tank (up to fill pipe) <u>11,912</u> <u>11,912</u>						

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK OBSERVED 59.0 @ 80°
 See manual sections applicable. Check below and record procedure in log (26). Reciprocate +5 @ 1482
 Water in tank High water table in tank excavation Line(s) being tested with LVLTL
No No SYSTEMS TEST ONLY Page 23
 VAPOR RECOVERY SYSTEM
 Stage I Stage II
stickered up under 4120

19. TANK MEASUREMENTS FOR TSTT ASSEMBLY

Bottom of tank to Grade * 129 "
 Add 30" for 4" L 20 "
 Add 24" for 3" L or air seal "
 Total tubing to assemble Approximate 168 "

20. EXTENSION HOSE SETTING

Tank top to grade * 38 "
 Extend hose on suction tube 6" or more below tank top 6/8 "

* If Fill pipe extends above grade, use top of fill.

21. TEMPERATURE/VOLUME FACTOR (a) TO TEST THIS TANK
 Is Today Warmer? () Colder? () _____ ° F Product in Tank 75 ° F Fill-up Product on Truck _____ ° F Expected Change (+ or -)

22. Thermal Sensor reading after circulation 14/101 65/66 ° F
Digits Nearest

23. Digits per ° F in range of expected change 326
digits

24. 11,912 ÷ 1482 = 8.0377867 gallons
total quantity in full tank (16 or 17) coefficient of expansion for involved product volume change in this tank per ° F

25. 8.0377867 × 326 = .0246557 This is test factor (a)
volume change per ° F (24) Digits per ° F in test Range (23) Volume change per digit. Compute to 4 decimal places.

26. LOG OF TEST PROCEDURES		29. Reading No.		30. HYDROSTATIC PRESSURE CONTROL		31. VOLUME MEASUREMENTS (97 RECORD TO 301 GAL.			34. TEMPERATURE COMPENSATION USE FACTOR (a)			38. NET VOLUME CHANGES EACH READING	39. ACCUMULATED CHANGE		
DATE	Record details of setting up and running test. (Use full length of line if needed.)	TIME (24 hr.)	Beginning of Reading	Level to which Restored	32. Product in Graduate		Product Replaced (-)	Product Recovered (+)	Thermal Sensor Reading	36. Change Higher + Lower - (c)	37. Computation (c) × (a) = Expansion + Contraction -	Temperature Adjustment	Volume Minus Expansion (+) or Contraction (-) #33(V) - #37(I)	At High Level record Total End Deflection	At Low Level compute Change per Hour (RPM criteria)
					Before Reading	After Reading									
<u>0852</u>	<u>Arrived on site. Unpacked Full capacity drop tube, Took Bureau Readings, Checked tank level</u>														

0044

0045

0930	WUMP PUMPED 7.400.											
1030	Took 1st Sample											
1030	Took First sensor Reading	1		42		.343		14	150			1.0216
1045	Cont. High level TEST	2	43.8	42	.343	.410	+0.070	10.5	+5	+1.023		-0.053
1100	"	3	42.5	42	.410	.435	+0.025	10.7	+2	+1.049		-0.024
1115	"	4	42.2	42	.435	.415	-0.020	10.9	+2	+1.049		-0.039
1130	"	5	42.1	42	.415	.451	+0.036	11.1	+2	+1.049		-0.043
1145	"	6	42.1	42	.451	.458	+0.007	11.3	+0	+1.049		-0.042
1200	"	7	42.1	42	.458	.454	-0.004	11.5	+2	+1.049		-0.043
1215	"	8	42.1	42	.454	.470	+0.016	11.7	+2	+1.049		-0.043
1216	Dropped to low level			12		.470			11.7			
1230	Low level stabilisation	9	13.5	12	.470	.620	+0.150	11.9	+2	+1.049		+0.101
1245	"	10	14.1	12	.620	.720	+0.100	12.1	+2	+1.049		+0.051
1255	START Low level TEST	1	13.2	12	.720	.780	+0.060	12.5	+2	+1.049	+0.011	+0.011
1300	Cont. Low level TEST	2	12.7	12	.780	.815	+0.035	12.5	+2	+1.049	-0.014	-0.003
05	"	3	12.6	12	.815	.840	+0.025	12.6	+1	+1.025	+0.000	-0.003
10	"	4	12.6	12	.840	.865	+0.025	12.7	+1	+1.025	+0.000	-0.003
15	"	5	12.6	12	.865	.890	+0.025	12.8	+1	+1.025	+0.000	-0.003
20	"	6	12.6	12	.890	.915	+0.025	12.8	+0	+1.000	+0.025	+0.023
25	"	7	12.5	12	.915	.935	+0.020	12.9	+1	+1.025	-0.005	+0.017
30	"	8	12.6	12	.940	.965	+0.025	13.0	+1	+1.025	+0.000	+0.017
35	"	9	12.6	12	.965	.990	+0.025	13.1	+1	+1.025	+0.000	+0.017
40	"	10	12.6	12	.990	.215	+0.025	13.2	+1	+1.025	+0.000	+0.017
45	"	11	12.4	12	.215	.225	+0.010	13.2	+0	+1.000	+0.010	+0.027
50	"	12	12.4	12	.225	.235	+0.010	13.3	+1	+1.025	-0.015	+0.012
55	"	13	12.4	12	.235	.245	+0.010	13.3	+0	+1.000	+0.010	+0.022
1400	"	14	12.4	12	.245	.255	+0.010	13.4	+1	+1.025	-0.015	+0.007

1410	Cont. Low Level TEST	16	12.3	12	1265	.273	+1.028	135	+1	+1.025	-.017	+1.000
15	"	17	12.3	12	1273	.281	+1.028	135	+0	+1.000	+1.008	+1.008
20	"	18	12.3	12	1281	.291	+1.010	136	+1	+1.025	-.015	-.007
25	"	19	12.3	12	1291	.299	+1.008	136	+0	+1.000	+1.008	+1.001
30	"	20	12.3	12	1299	.309	+1.010	137	+1	+1.025	-.015	-.014
35	"	21	12.3	12	1309	.319	+1.010	137	+0	+1.000	+1.010	-.004
40	"	22	12.3	12	1319	.329	+1.010	137	+0	+1.000	+1.010	+1.006
45	"	23	12.5	12	1329	.339	+1.010	138	+1	+1.025	-.015	-.009
50	"	24	12.2	12	1339	.349	+1.010	138	+0	+1.000	+1.010	+1.001
	Total & By also gives total volume change for 1k @ Low Level											+1.0005
	TEST STOPPED SYSTEM TESTED											
	TO N. S. P. A. CODE 329											5-5-89

APPLICATION FOR PERMIT TO OPERATE UNDERGROUND STORAGE TANK

01 NEW PERMIT 05 RENEWED PERMIT 07 TANK CLOSED 09 DELETE FROM
 02 CONDITIONAL PERMIT 06 AMENDED PERMIT 08 MINOR CHANGE (NO SURCHARGE)

I OWNER

NAME (CORPORATION, INDIVIDUAL OR PUBLIC AGENCY) CALIFORNIA HIGHWAY PATROL		PUBLIC AGENCY ONLY <input type="checkbox"/> 01 FED <input type="checkbox"/> 02 STATE	
STREET ADDRESS P.O. BOX 698	CITY SACRAMENTO	STATE CA	ZIP 95804

II FACILITY

FACILITY NAME CALIFORNIA HIGHWAY PATROL		DEALER, FOREMAN SUPERVISOR	
STREET ADDRESS 995 FIR ST ST.		NEAREST CROSS STREET	
CITY CHICO	COUNTY BUTTE	ZIP 95927	
MAILING ADDRESS P.O. BOX 1779	CITY CHICAGO	STATE CA	ZIP 95927
PHONE W/AREA CODE 916-895-4444	TYPE OF BUSINESS <input type="checkbox"/> 01 GASOLINE STATION <input checked="" type="checkbox"/> 02 OTHER CHP		
NUMBER OF CONTAINERS 1	RURAL AREAS ONLY :	TOWNSHIP	RANGE SECTION

III 24 HOUR EMERGENCY CONTACT PERSON

DAYS: NAME (LAST NAME FIRST) AND PHONE W/AREA CODE FACILITIES SECTION 916-322-5310	NIGHTS: NAME (LAST NAME FIRST) AND PHONE W/AREA CODE DISPATCHER 916-445-2211
--	--

COMPLETE THE FOLLOWING ON A SEPARATE FORM FOR EACH CONTAINER

IV DESCRIPTION

A. <input checked="" type="checkbox"/> 01 TANK <input type="checkbox"/> 04 OTHER:	CONTAINER NUMBER 241-1
B. MANUFACTURER (IF APPROPRIATE):	YEAR MFG: C. YEAR INSTALLED 1978 <input type="checkbox"/> UNKNOWN
D. CONTAINER CAPACITY: 12000 GALLONS <input type="checkbox"/> UNKNOWN	E. DOES THE CONTAINER STORE: <input type="checkbox"/> 01 WASTE <input checked="" type="checkbox"/> 02 PRODUCT
F. DOES THE CONTAINER STORE MOTOR VEHICLE FUEL OR WASTE OIL ? <input checked="" type="checkbox"/> 01 YES <input type="checkbox"/> 02 NO IF YES CHECK APPROPRIATE BOX(ES): <input checked="" type="checkbox"/> 01 UNLEADED, <input type="checkbox"/> 02 REGULAR <input type="checkbox"/> 03 PREMIUM <input type="checkbox"/> 04 DIESEL <input type="checkbox"/> 05 WASTE OIL <input type="checkbox"/> 06 OTHER	

V CONTAINER CONSTRUCTION

A. THICKNESS OF PRIMARY CONTAINMENT: <input type="checkbox"/> GAUGE <input type="checkbox"/> INCHES <input type="checkbox"/> CM <input checked="" type="checkbox"/> UNKNOWN
B. <input type="checkbox"/> 01 VAULTED (LOCATED IN AN UNDERGROUND VAULT) <input checked="" type="checkbox"/> 02 NON-VAULTED <input type="checkbox"/> 03 UNKNOWN
C. <input type="checkbox"/> 01 DOUBLE WALLED <input checked="" type="checkbox"/> 02 SINGLE WALLED <input type="checkbox"/> 03 LINED
D. <input type="checkbox"/> 01 CARBON STEEL <input type="checkbox"/> 02 STAINLESS STEEL <input checked="" type="checkbox"/> 03 FIBERGLASS <input type="checkbox"/> 04 POLYVINYL CHLORIDE <input type="checkbox"/> 05 CONCRETE <input type="checkbox"/> 06 ALUMINUM <input type="checkbox"/> 07 STEEL CLAD <input type="checkbox"/> 08 BRONZE <input type="checkbox"/> 09 COMPOSITE <input type="checkbox"/> 10 NON-METALLIC <input type="checkbox"/> 12 UNKNOWN <input type="checkbox"/> 13 OTHER:

CONTAINER CONSTRUCTION

E. 01 RUBBER LINED 02 ALKYD LINING 03 EPOXY LINING 04 PHENOLIC LINING 05 GLASS LINING
 07 UNLINED 08 UNKNOWN 09 OTHER:

F. 01 POLYETHYLENE WRAP 02 VINYL WRAPPING 03 CATHODIC PROTECTION 04 UNKNOWN 05 NONE
 06 TAR OR ASPHALT 09 OTHER:

VI PIPING

A. ABOVEGROUND PIPING: 01 DOUBLE-WALLED PIPE 02 CONCRETE-LINED TRENCH 03 GRAVITY
 (CHECK APPROPRIATE BOX(ES)) 04 PRESSURE 05 SUCTION 06 UNKNOWN 07 NONE

B. UNDERGROUND PIPING: 01 DOUBLE-WALLED PIPE 02 CONCRETE-LINED TRENCH 03 GRAVITY
 (CHECK APPROPRIATE BOX(ES)) 04 PRESSURE 05 SUCTION 06 UNKNOWN 07 NONE

VII LEAK DETECTION

01 VISUAL 02 STOCK INVENTORY 04 VAPOR SNIFF WELLS 05 SENSOR INSTRUMENT
 06 GROUND WATER MONITORING WELLS 07 PRESSURE TEST 09 NONE 10 OTHER:

VIII CHEMICAL COMPOSITION OF MATERIALS STORED IN UNDERGROUND CONTAINERS

IF YOU CHECKED YES TO IV-F YOU ARE NOT REQUIRED TO COMPLETE THIS SECTION.

CURRENTLY STORED	PREVIOUSLY STORED	DELETE	CASE (IF KNOWN)	CHEMICAL (DO NOT USE COMMERCIAL NAME)
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		
<input type="checkbox"/> 01	<input type="checkbox"/> 02	<input type="checkbox"/> 03		

* CHECK STATE BOARD CHEMICAL CODE LISTING FOR POSSIBLE SYNONYMS

IS CONTAINER LOCATED ON AN AGRICULTURAL FARM? 01 YES 02 NO

THIS FORM HAS BEEN COMPLETED UNDER THE PENALTY OF PERJURY AND, TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT.

PERSON FILING (SIGNATURE)

PHONE W/ AREA CODE

FOR LOCAL AGENCY USE ONLY

ADMINISTRATING AGENCY		CITY CODE	COUNTY CODE	
CONTACT PERSON		PHONE W/ AREA CODE		
DATE OF LAST INSPECTION	IN COMPLIANCE <input type="checkbox"/> 01 YES <input type="checkbox"/> 02 NO	PERMIT APPROVAL DATE	TRANSACTION DATE	LOCAL PERMIT ID #



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

202 Mira Loma Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

26 September, 2003

Homer Lin, Project Manager
Department of General Services
State Of California
The Ziggurat
707 Third Street, Fourth Floor/P.O. Box 989052
West Sacramento, Ca.-95798-9052

Re: California Highway Patrol, 995 Fir Street, Chico, Ca. W.O. #: 107279/111701

Dear Mr. Lin:

I have reviewed the Underground Storage Tank file for the California Highway Patrol at 995 Fir Street, Chico, Ca. and found that the Closure Letter for this site cannot be issued until new Unified Program Consolidated Forms are received which record the change from an underground storage tank to an aboveground storage tank. These forms may be accessed from the CalEPA website under Forms for Title 27. Please fill out the Unified Program Consolidated Forms and return them as soon as possible to enable this department to remove this site from our Underground Storage Tank Inventory and billing list.

Thank you for your attention.

Sincerely,

Leslie Roberts, Senior REHS
Division of Environmental Health

Cc: Scott Evans, California Highway Patrol, Chico
Underground Tank Program, Regional Water Quality Control Board



DEPARTMENT OF GENERAL SERVICES

Real Estate Services Division • Professional Services Branch

The Ziggurat • 707 Third Street, Fourth Floor • PO Box 989052 • West Sacramento, CA 95798-9052 • (916) 375-4300

ENVIRONMENTAL HEALTH

JUN 20 2003

CHICO, CALIFORNIA

June 19, 2003

Mr. Leslie Roberts
Butte County Environmental
Health Department
411 Main Street
Chico, California 95927

**RE: UNDERGROUND STORAGE TANK REMOVAL
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
995 FIR STREET, CHICO, CALIFORNIA
W.O. #: 107279 / 111701**

Dear Mr. Roberts:

The attached submittal is a closure report for underground storage tank removal for your review. Upon your review, please issue a closure letter for our records.

Should you have any questions regarding the information presented in this report, please contact this office at (916) 375-4259. Thank you.

Sincerely,

Homer Lin, P.E.
Project Manager
Design Services Section

Attachments

cc: Mort Myers, City of Chico Fire District
Scott Evans, California Highway Patrol, Chico
Underground Tank Program, Regional Water Quality Control Board

HL:km:\Resdsmf00f001\psb\Design-Services\Admin\KMoore\LTRS\107279-111701 HLin 6-19-03.doc

JUN 20 2003

GENERAL ENVIRONMENTAL MANAGEMENT SERVICES CHICO, CALIFORNIA

Homer Lin, Project Manager
California Department of General Services
REAL ESTATE SERVICES DIVISION (RESO)
707 3RD Street, Suite 4-430
Sacramento, CA 95605

June 12, 2003
W.O. No. 107279 / 111701
Contract No. 3051464 (1523)

Subject: Tank Removal Summary Report for the California Highway Patrol
Facility, 995 Fir Street, Chico, Butte County, California.

Dear Mr. Lin,

This Tank Removal Summary Report documents the tank excavation, removal, and disposal activities associated with the removal of one underground storage tank located at the above subject site. The tank excavation and removal activities were performed by General Environmental Management Services (GEMS). This report also describes the soil sampling activities performed by L&S Environmental at the site subsequent to removal of the tank and presents the results of the analytical testing of the soil samples.

SITE DESCRIPTION

The "Project Site" is located at 995 Fir Street as indicated on Figure 1. The property is currently an active California Highway Patrol Office and Emergency Dispatch Center. The property is fenced with two access gates that are locked at all time. One 12,000-gallon fiberglass unleaded gasoline underground storage tank existed at the project site as indicated on Figure 2, the dispenser was previously removed by others. The tank was registered with the Butte County Environmental Health Division.

TANK EXCAVATION AND REMOVAL

Tank Removal Permit application was prepared by GEMS and submitted to Butte County Environmental Health Division and the City of Chico Fire District. Notification was made to Underground Service Alert and Cal/OSHA. The permits and notifications are attached as Appendix A. The tank removal was performed by GEMS on April 28, 2003 under the direct observation of representatives from the RESD and Butte County Environmental Health Division. Concrete overburden, soil overlying and adjacent to the tank was removed by an excavator to expose the tank and to facilitate removal of the piping. The riser assemblies and product lines extending from the tank to the dispenser pump and the vent line were removed. Groundwater was encountered at approximately seven feet below ground surface. Approximately 1,100 gallons of fuel and water mix was pumped from the tank and pit excavation by Clearwater Environmental Services using a vacuum truck. The fuel and water mix was manifested and transported to Alviso Independent Oil, 5002 Archer Street, Alviso, California. The manifest and bill of lading is included in Appendix B.

TANK CONDITIONS

The riser assembly, product lines, and vent lines were observed to be unwrapped and constructed of fiberglass and galvanized steel. The lines appeared to be intact although moderate corrosion and pitting were observed at the fittings. After measuring the LEL in the tank to be less than five percent the Representative from Butte County EHD authorized removal of the tank. The tank was observed upon removal no holes or pits were observed.

TANK TRANSPORT AND DISPOSAL

The tank was removed and transported from the property under hazardous waste manifest documentation by ECI, Inc. a licensed hazardous material transporter. The tank was transported to ECI's permitted facility for destruction and disposal in Richmond, California. The certificate of destruction and manifest for the tank are included as Appendix C.

EXCAVATION OBSERVATIONS

The excavation for the tank extended to depths of 9-12 feet below the ground surface. Manual sniffing and visual observation of soil removed from the excavation above and adjacent to the storage tanks exhibited no petroleum odors, soil discoloration or staining. Groundwater was encountered in the excavation at approximately seven feet below ground surface at the time of the tank removal and during excavation.

SOIL SAMPLING

Soil sampling was provided by L&S Environmental as directed by the Butte County EHD Inspector. One water sample was taken from the middle of the excavated pit with a baler. Four soil samples were taken from each side wall of the tank excavation at the soil water interface through the use of the excavator bucket. Figure 1 illustrates the sample locations. The soil samples collected for analytical testing was obtained from the excavator bucket by advancing a pre-cleaned 2 inch I.D. brass liner into the undisturbed soil contained in the backhoe bucket. Four discreet samples of the stockpiled soil were also obtained by advancing the pre-cleaned brass liners directly into the stockpiled soil. The four stockpile samples were composited at the laboratory for analytical testing. The soil samples were immediately sealed in the liners using teflon sheets and plastic caps and properly labeled including the date, time, sample location, and project number. The soil and water samples were immediately placed on ice for transport to the laboratory under chain-of-custody documentation.

ANALYTICAL TESTING

The soil samples were submitted to and tested by California Laboratory Services, a State of California, Department of Health Services certified testing laboratory. Analytical testing was scheduled and performed in accordance with the State of California, Regional Water Quality Control Board Recommendations for Initial Evaluation and Investigation of Underground Tanks (RWQCB, 1988) and Butte County Environmental Health Division guidelines. The samples were tested for Total Petroleum Hydrocarbons as gasoline and BTEX by Method 8015, Oxygenated Volatile Organics DIPE, ETBE, MTBE, TAME, & TBA by method 8260, and LEAD as indicated on the Chain-of

Custody Form. The soil samples from the stockpiled soil were composited together by the analytical laboratory for testing. The analytical test data for the soil samples along with the Chain-of-Custody Forms are presented in Appendix D.

BACKFILL & PAVE

The excavation pit was backfilled with import drain rock and ½ inch crushed rock. The top 18-24 inches was backfilled with Class II ¾ AB and compacted to 95 percent. Asphalt finish will be placed to match existing grade.

REGULATORY NOTIFICATION

Copies of this report should be submitted to:

Butte County Environmental Health Department
411 Main Street
Chico, CA 95927
Attn.: Leslie Roberts

City of Chico Fire District
842 Salem Street
Chico, CA 95928
Attn.: Mort Myers

Regional Water Quality Control Board
415 Knollcrest Drive
Redding, CA 96002
Attn: Underground Tank Program

CLOSURE

Should you have any questions regarding information presented in this report please contact us.

Respectfully submitted,
General Environmental Management Services



Richard Camacho
General Manager

ENVIRONMENTAL HEALTH

JUN 20 2003

CHICO, CALIFORNIA

PROJECT SITE




FIGURE 1

PROJECT SITE

ENVIRONMENTAL HEALTH

JUN 20 2003

CHICO, CALIFORNIA




FIGURE 2

TANK LOCATION MAP

ENVIRONMENTAL HEALTH

JUN 20 2003

CHICO, CALIFORNIA

APPENDIX A

TANK REMOVAL PERMITS & NOTIFICATIONS

ACTIVITY NOTIFICATION FORM FOR HOLDERS OF ANNUAL PERMITS Scaffolding Falsework Trenches/Excavations

FAXED
4/23/03

CCR 341.1(f) REQUIRES HOLDERS OF ANNUAL PERMITS TO PROVIDE NOTIFICATION TO THE DOSH OFFICE NEAREST THE PROJECT PRIOR TO COMMENCEMENT OF ANY WORK. THIS FORM IS PROVIDED FOR YOUR CONVENIENCE TO USE FOR SUCH NOTIFICATION.

THIS FORM MAY BE FAXED TO THE NEAREST DOSH OFFICE TO COMPLY WITH THE ABOVE. PLEASE DO NOT MAIL DUPLICATE NOTIFICATION TO FOLLOW-UP FAX NOTIFICATION.

FAX DATA: FAXED TO CAL/OSHA READING OFFICE DOSH DISTRICT OFFICE ON 4/23/03
DOSH FAX NO. (530) 224-4743 BY RICHARD CAMACHO
Company Name: GENERAL ENVIRONMENTAL MANAGEMENT SERVICES Field Phone: 925-518-7485
Annual Permit Number: 2003-903116 Office Phone: 925-427-4616
Issuing Region: 2 Issuing District: 2
Specific Activity Location: 995 FIR STREET Number of Employees: 2
Nearest Major Cross Street: 9th STREET (HWY 72) Starting Date: 4/28/03
City: CHICO Anticipated Completion Date: 6/28/03
County: BUTTE High Voltage Lines in Proximity? No Yes

INSTRUCTIONS: The appropriate item(s) must be completed and signed by a person knowledgeable about the project for each activity covered by a permit. Please fill in or check off the blanks where appropriate.

Scaffolding: Height Metal Wood Wood over 60 Feet Metal over 125 Feet

Metal > 125 Feet or Wood > 60 Feet requires design by California Registered Civil Engineer & Plans at Site. (See 8 CCR 1644(c)(7))

Description: _____

Falsework/Vertical Shoring: Maximum Height _____ Maximum Span _____ Material _____

Description: _____

(See 8 CCR 1717)

Trenches/Excavations: Depth Range (Min/Max) 2'/13' Width Range (Min/Max) 2'/12' Total Length 35'

Ground Protection Method: Shoring Sloping Trench Shield Professional Engineer

Underground Services Alert (USA) Number 141537 (NORTH 1-800-642-2444/SOUTH 1-800-422-4133)

Soil Analysis to be done? Yes No If No, You Must Slope 1.5 to 1.

Competent Person: The holder of an Annual Permit who is notifying the District of the commencement of a Trench and/or Excavation project shall designate a competent person in accordance with the requirements of 8 CCR Section 1504, 1541, and 1541.1.

Description: UNDERGROUND TANK REMOVAL AND INSTALL

Ground protection methods for excavations deeper than 20 feet must be designed by a Registered Professional Engineer.
See 8 CCR 1541.1, Appendix F.

I hereby certify that to the best of my knowledge the above information and assertions are true and correct and that I/the applicant have knowledge of and will comply with the foregoing.

Signature: [Signature]

Title: PROJECT MANAGER Date: 4/23/03

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
Division of Environmental Health
P.O. Box 5364 (411 Main Street) Chico, CA 95927-5364
APPLICATION FOR PERMIT TO CLOSE OR REMOVE
UNDERGROUND HAZARDOUS MATERIALS STORAGE TANK(S)

Name of Establishment: California Highway Patrol Assessor Parcel Nbr

Site Address/Location: 995 Fir St Chico, CA 95927
Mailing Address:

Tank Owner: California Highway Patrol

Tank Owner's Address: 995 Fir St Chico CA 95927

Telephone: (530) 879-1900

Applicant's Name: General Environmental Management Services Telephone: 925-427-4616

Mailing Address: P.O. Box 8282 Pittsburg, CA, 94565

Closure Methods Proposed: Removal

Proposed Disposition of Tank(s): Single wall FRP - Intact (To be destroyed at ECI)

Closure Contractor: General Environmental Management Services Telephone: 925-427-4616
Lic. Nbr. 543700
Lic. Type A-1197

Mailing Address: P.O. Box 8282 Pittsburg, CA, 94565

Workers' Compensation Declaration: I hereby affirm under penalty of perjury one of the following declarations:

() I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.

(X) I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier: State Fund - Policy Number: 1685382-02
(The above sections need not be completed if the permit is for work of a valuation of one hundred dollars (\$100) or less).

() I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to workers' compensation laws of California, and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Signature of Applicant: [Signature] DATE: 12/11/02

ATTACHMENTS TO BE INCLUDED: Closure Workplan - Date Recd
Site Specific Health & Safety Plan - Date Recd

PERMIT FEES: Number of Tanks: 1 80.00
Plan Review: 180.00
Permanent Closure Fee: 260.00
TOTAL FEES: 520.00

DEPARTMENT USE ONLY: Receipt No. 368394 Date 12/11/02

Permit Issued By



Fire Prevention & Life Safety Bureau

PERMIT

FLAMMABLE, COMBUSTIBLE LIQUIDS TANK
REMOVAL/ INSTALLATION

Permit No: FCL 02-21 Facility: CALIFORNIA HIGHWAY PATROL

Applicant: GENERAL ENVIRO. MGMT SERVICES Bus Phone: (925) 427-4616

Site: 995 FIR STREET, CHICO

Description: Permit for an occasional, specific activity to REMOVE/INSTALL an underground tank for the storage of flammable/combustible liquids, as defined in the Fire Regulation Standards adopted by the Chico Municipal Code, Chapter 16.48.020, subject to all necessary inspections. Removal of underground hazardous materials storage tank, must be purged with dry ice (16 lbs per 1,000 gallon capacity). Purging/removal must be witnessed by authorized Chico Fire Department personnel. A 24 hour notice is required (530-895-4930). Soil samples to be provided, as required. Insurance and licensing of contractor to be in order. Permit must be obtained from Building Department prior to installation of new tank.

THIS PERMIT IS ISSUED AND ACCEPTED ON CONDITIONS THAT ALL REGULATIONS NOW ADOPTED, OR THAT MAY BE ADOPTED, SHALL BE COMPLIED WITH

THIS PERMIT DOES NOT TAKE THE PLACE OF ANY LICENSE REQUIRED BY LAW AND IS NOT TRANSFERABLE	Date of Issue:	Expiration Date:	Authorized Signature:
	11/19/02	04/01/03	<i>[Signature]</i> MP

THIS PERMIT MUST AT ALL TIMES BE POSTED ON THE PREMISES MENTIONED ABOVE

APPENDIX B

MANIFEST FOR LIQUID DISPOSAL



CLEARWATER
ENVIRONMENTAL MANAGEMENT, INC.

P.O. Box 2407 UNION CITY, CA 94587-2407
(800) 499-3676 FAX (510) 476-1786
CAR 000 007 013 WE ACCEPT VISA & MASTERCARD



*Proj exp.
Liquid disposal*

Bill of Lading
Invoice # 74269

Date 4/28/03

BILLING INFORMATION

JOB SITE

NAME <i>GENERAL ENV. MGMT. SVCS.</i>		NAME <i>CALIFORNIA HIGHWAY PATROL</i>		PO #	CASH	CHECK
ADDRESS <i>P.O. BOX 8282</i>		ADDRESS <i>995 FIR ST.</i>		CUSTOMER EPA ID # <i>NON-HAZ</i>		
CITY <i>PITTSBURG.</i>	STATE <i>CA.</i>	ZIP <i>94565</i>	CITY <i>CHICO</i>	STATE <i>CA.</i>	ZIP <i>95927</i>	PROFILE #
PHONE NO. <i>(925) 427 4616</i>		PHONE NO. <i>(530) 879-1980</i>		CUSTOMER ID NO.		

PRODUCT	PROPER SHIPPING DESCRIPTION	WASTE CODE	MANIFEST NUMBER	QUANTITY	UNITS	PRICE	AMOUNT
Used Oil, Non-RCRA Hazardous Waste, Liquid		221					
Used Automotive Antifreeze, Non-RCRA Hazardous Waste, Liquid		134					
Oily Water Non RCRA Hazardous Waste Liquid							
Non RCRA Hazardous Waste Solid Oil Contaminated Debris / Soil							
Waste Combustible Liquid nos 3 UN1993, PG III							
Non Hazardous Waste Liquid			<i>NH 60986</i>	<i>1100</i>	<i>GA.</i>	<i>1.65</i>	<i>1815.00</i>
Non Hazardous Waste Solid			<i>"</i>	<i>11</i>	<i>HR.</i>	<i>78.50</i>	<i>863.50</i>
Transportation Charges							
Washout Charges							
Drained Used Oil Filters							
Empty Drums							
Additional Labor							
Pressure Washer							
Other:							

DISPOSAL/RECYCLING FACILITY: Collection Station Industrial Agriculture Government Marine **TOTAL** *\$2678.50*

- | | | |
|---|--|--|
| <input checked="" type="checkbox"/> Alviso Independent Oil
5002 Archer Street, Alviso, CA
CAL 000 101 743; 95002
(510) 478-1740 | <input type="checkbox"/> McKittrick Waste Treatment Site
58533 Hwy 58 West, McKittrick, CA
CAD 980 836 831; 93251
(661) 762-7366 | <input type="checkbox"/> D/K Environmental
3850 E. 26th Street, Vernon, CA
CAT 080 033 681; 90023
(323) 268-5056 |
| <input type="checkbox"/> Onyx Environmental Services
1125 Henley Street, Richmond, CA
CAT 080 022 148; 94801
(510) 233-8001 | <input type="checkbox"/> Seaport Environmental
675 Seaport Blvd, Redwood City, CA
CAD 000 32 058; 94063
(650) 364-8154 | <input type="checkbox"/> Commercial Filter Recycling
33210 Western Ave., Union City, CA
(510) 487-9277; 94587 |
| <input type="checkbox"/> DeMenno Kerdoon
2000 N. Alameda Blvd, Compton, CA
CAT 060 013 352; 90222
(310) 537-7100 | <input type="checkbox"/> Evergreen Oil
6880 Smith Ave, Newark, CA
CAD 980 887 418; 94560
(510) 795-4400 | |

NET 10 DAYS

I hereby certify that all information submitted in this and all attached documents contain true and accurate descriptions of the waste. All relevant information regarding known or suspected hazards associated with the wastes has been disclosed. Clearwater transports all wastes to facilities which are properly permitted and licensed to accept these wastes.

DRIVER SIGNATURE *Julio Alton* GENERATOR SIGNATURE *R. J. [Signature]*

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	2. Page 1 of 1	3. Document Number NH- No 60986
4. Generator's Name and Mailing Address CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO, CA. 95927				
Generator's Phone (530) 879-1900				
5. Transporter Company Name CLEARWATER ENVIRONMENTAL	6. US EPA ID Number CAR000007013	7. Transporter Phone (510) 476-1740		
8. Designated Facility Name and Site Address ALVISO INDEPENDENT OIL 5002 ARCHER STREET ALVISO, CA 95002	9. US EPA ID Number CAL000161743	10. Facility's Phone (510) 476-1740		
11. Waste Shipping Name and Description	12. Containers	13. Total Quantity	14. Unit Wt/Vol	
	No. Type			
a. Non-Hazardous waste, liquid	001 TT	1100	G	
b.				
15. Special Handling Instructions and Additional Information Wear PPE Emergency Contact (510) 476-1740 Attn: Kirk Hayward		Handling Codes for Wastes Listed Above		
		1a. 14 1b.		
		Profile # _____ Customer: Clearwater Environmental		
		74209		
16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to state or federal regulations for reporting proper disposal of Hazardous Waste.				
Printed/Typed Name LINDA LIMBAUGH FOR SGT. SCOTT EVANS		Signature <i>Linda Limbaugh</i>		Month Day Year 04 28 03
17. Transporter Acknowledgement of Receipt of Materials				
Printed/Typed Name MIKE STONE		Signature <i>Mike Stone</i>		Month Day Year 4 28 03
18. Discrepancy Indication Space				
19. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted on item 18.				
Printed/Typed Name R COSTO		Signature <i>R Costo</i>		Month Day Year 14 28 03

WHITE—ORIGINAL (Return to Generator) YELLOW—TSDf (Retain Copy) PINK—TRANSPORTER COPY GOLDENROD—GENERATOR'S COPY

APPENDIX C

**MANIFEST FOR TANK DISPOSAL
& CERTIFICATE OF DESTRUCTION**

In case of EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CAL4000046131691659	Manifest Document No. 1 of 1	2. Page 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address CALIFORNIA HIGHWAY PATROL 995 FIR ST, CHICO, CA 95928			A. State Manifest Document Number 99169659		
4. Generator's Phone 530-879-1999 ATTY SCOTT EVANS			B. State Generator's ID		
5. Transporter 1 Company Name ECOLOGY CONTROL INDUSTRIES		6. US EPA ID Number CAD982030173	C. State Transporter's ID (Required)		
7. Transporter 2 Company Name		8. US EPA ID Number	D. Transporter's Phone 510-235-1393		
9. Designated Facility Name and Site Address ECOLOGY CONTROL INDUSTRIES 255 PARR BLVD RICHMOND, CA 94801		10. US EPA ID Number CAD009466392	E. State Facility's ID (Required)		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number) WASTE EMPTY STORAGE TANK Non-RCRA hazardous waste solid		12. Containers No. Type 001 TP	13. Total Quantity 06000	14. Unit Wt/Vol P	F. Waste Manifest State EPA/Other
15. Special Handling Instructions and Additional Information Wear appropriate protective clothing when handling. 24 Hour Emergency Telephone Number: 530-879-1900 24 Hour Emergency Contact: SCOTT EVANS		K. Handling Codes for Wastes Listed Above 99			
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		SITE LOCATION ERG# 171			
Printed/Typed Name SCOTT EVANS		Signature <i>SR</i>		Month Day Year 04 28 03	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Dean Obeng		Signature <i>Dean Obeng</i>		Month Day Year 04 28 03	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19. Printed/Typed Name James Wilcox		Signature <i>James Wilcox</i>		Month Day Year 04 29 03	

DO NOT WRITE BELOW THIS LINE.

DAY OR NIGHT
TELEPHONE
(510) 235-1393

CERTIFICATE CERTIFIED SERVICES COMPANY

255 Parr Boulevard • Richmond, California 94801

NO. 39678

RT 1486

CUSTOMER
JOB NO. 52T0478

G.E.M.S.
Site: 995 First St
CHICO, CA

FOR: ECOLOGY CONTROL IND. TANK NO. 38627

LOCATION: RICHMOND, CA DATE: 4/30/2003 TIME: 8:41:17

EST METHOD VISUAL GASTECH/1314 SMPN LAST PRODUCT UNLEADED GAS

This is to certify that I have personally determined that this tank is in accordance with the American Petroleum Institute and have found the condition to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

TANK SIZE 12,000 GAL CONDITION SAFE FOR FIRE

REMARKS: OXYGEN 20.9% LOWER EXPLOSIVE LIMIT LESS THAN 0.1% ECOLOGY CONTROL INDUSTRIES
HERBY CERTIFIES THAT THE ABOVE NUMBERED TANK HAS BEEN CUT OPEN, PROCESSED,
AND THEREFORE DESTROYED AT OUR PERMITTED HAZARDOUS WASTE FACILITY.
ECOLOGY CONTROL INDUSTRIES HAS THE APPROPRIATE PERMITS FOR, AND HAS ACCEPTED
THE TANK SHIPPED TO US FOR PROCESSING.

In the event of any physical or atmospheric changes affecting the gas-free conditions of the above tanks, or if in any doubt, immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

STANDARD SAFETY DESIGNATION

SAFE FOR MEN: Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) In the judgment of the Inspector, the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

SAFE FOR FIRE: Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 percent of the lower explosive limit; and that (b) In the judgment of the Inspector, the residues are not capable of producing a higher concentration that permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

James Wilcox
REPRESENTATIVE

TITLE

[Signature]
INSPECTOR

CPI

APPENDIX D

**ANALYTICAL DATA
& CHAIN OF CUSTODY FORM**

Report To: Rich Camacho

Client Job Number:

Destination Laboratory:
 CLS (916) 638-7301
 3249 Fitzgerald Road
 Rancho Cordova, CA 95742
 www.californialab.com
 OTHER

ANALYSIS REQUESTED:
 TPH6/BTEX 8015/8020
 MTBE + Fuel oxygenates 9260B
 Lead

GEOTRACKER:
 EDF REPORT YES NO
 GLOBAL ID.

FIELD CONDITIONS:

COMPOSITE:

TURNAROUND TIME IN DAYS: 24 hr Turn Around.
SPECIAL INSTRUCTIONS:

1 2 5 10
 Fax Results to GEMS @ 925

Composite in lab prior to analysis

SUSPECTED CONSTITUENTS: TPH-Gas, BTEX, MTBE

RECEIVED AT LAB BY: Scott Parker
DATE/TIME: 04/28/03 1815

CONDITIONS/COMMENTS: Good

PRESERVATIVES

Name and Address: General Environmental Management SVCS
 P.O. Box 8282 / 4307 Football
 Pittsburg, CA 94565

Project Manager: Rich Camacho

Project Name: Chilo CHP

Sampled By: Scott Parker

Job Description: Sample Tank excavation
 925 427 4616 925 439 5854

Site Location: CHP
 995 Fir Street
 Chilo, CA

DATE	TIME	SAMPLE IDENTIFICATION	FIELD ID.	CONTAINER			ANALYSIS	PRESERVATIVE	COMPOSITE	TURNAROUND	SPECIAL INSTRUCTIONS
				MATRIX	NO.	TYPE					
4/24/03	230	T1 East		Soil	1	Bress	X	X			
	235	T1 West			1		X	X			
	240	T1 North			1		X	X			
	245	T1 South			1		X	X			
	300	Stockpile			4		X	X			
4/28/03	215	Pit water		water	4	ADP 3-40/11 -11	X	X			

1900

CALIFORNIA LABORATORY SERVICES

04/30/03 12:19

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Chico CHP Project Number: [none] Project Manager: Rich Carnacho	CLS Work Order #: CMD0764 COC #: none
---	--	--

Gas/BTEX by GC PID/FID

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
T1 East (CMD0764-01) Soil Sampled: 04/28/03 14:30 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	
Xylenes (total)	ND	10	"	"	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (BTEX)		108 %		70-130	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (Gas)		97.2 %		70-130	"	"	"	"	
T1 West (CMD0764-02) Soil Sampled: 04/28/03 14:35 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	
Xylenes (total)	ND	10	"	"	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (BTEX)		108 %		70-130	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (Gas)		99.6 %		70-130	"	"	"	"	
T1 North (CMD0764-03) Soil Sampled: 04/28/03 14:40 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	
Xylenes (total)	ND	10	"	"	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (BTEX)		110 %		70-130	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (Gas)		96.3 %		70-130	"	"	"	"	
T1 South (CMD0764-04) Soil Sampled: 04/28/03 14:45 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	
Xylenes (total)	ND	10	"	"	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (BTEX)		108 %		70-130	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (Gas)		99.6 %		70-130	"	"	"	"	
Stockpile (Composite 4:1) (CMD0764-05) Soil Sampled: 04/28/03 15:00 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	
Benzene	ND	5.0	"	"	"	"	"	"	
Toluene	ND	5.0	"	"	"	"	"	"	
Ethylbenzene	ND	5.0	"	"	"	"	"	"	

CA DOHS ELAP Accreditation/Registration Number 1233

3249 Fitzgerald Road Rancho Cordova, CA 95742 www.californialab.com 916-638-7301 Fax: 916-638-4510

CALIFORNIA LABORATORY SERVICES

04/30/03 12:19

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Chico CHP Project Number: [none] Project Manager: Rich Camacho	CLS Work Order #: CMD0764 COC #: none
---	---	--

Gas/BTEX by GC PID/FID

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Stockpile (Composite 4:1) (CMD0764-05) Soil Sampled: 04/28/03 15:00 Received: 04/28/03 18:15									
Xylenes (total)	ND	10	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	
Surrogate: <i>o</i> -Chlorotoluene (BTEX)		107 %	70-130		"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (Gas)		93.4 %	70-130		"	"	"	"	
Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									
Gasoline	ND	50	µg/L	1	CD32921	04/29/03	04/29/03	8015GRO/8021	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (BTEX)		102 %	65-135		"	"	"	"	
Surrogate: <i>o</i> -Chlorotoluene (Gas)		95.0 %	65-135		"	"	"	"	

CA DOHS ELAP Accreditation/Registration Number 1233

3249 Fitzgerald Road Rancho Cordova, CA 95742 www.californialab.com 916-638-7301 Fax: 916-638-4510

CALIFORNIA LABORATORY SERVICES

04/30/03 12:19

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Chico CHP Project Number: [none] Project Manager: Rich Camacho	CLS Work Order #: CMD0764 COC #: none
---	---	--

Metals by EPA 6000/7000 Series Methods

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
T1 East (CMD0764-01) Soil Sampled: 04/28/03 14:30 Received: 04/28/03 18:15									
Lead	ND	2.5	mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
T1 West (CMD0764-02) Soil Sampled: 04/28/03 14:35 Received: 04/28/03 18:15									
Lead	3.4	2.5	mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
T1 North (CMD0764-03) Soil Sampled: 04/28/03 14:40 Received: 04/28/03 18:15									
Lead	4.4	2.5	mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
T1 South (CMD0764-04) Soil Sampled: 04/28/03 14:45 Received: 04/28/03 18:15									
Lead	3.2	2.5	mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
Stockpile (Composite 4:1) (CMD0764-05) Soil Sampled: 04/28/03 15:00 Received: 04/28/03 18:15									
Lead	4.0	2.5	mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									
Lead	ND	5.0	µg/L	1	CD32916	04/29/03	04/29/03	EPA 6020	

CA DOHS ELAP Accreditation/Registration Number 1233

3249 Fitzgerald Road Rancho Cordova, CA 95742 www.californialab.com 916-638-7301 Fax: 916-638-4510

CALIFORNIA LABORATORY SERVICES

04/30/03 12:19

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Chico CHP Project Number: [none] Project Manager: Rich Camacho	CLS Work Order #: CMD0764 COC #: none
---	---	--

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
T1 East (CMD0764-01) Soil Sampled: 04/28/03 14:30 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		80.6 %	60-140	"	"	"	"	"	
T1 West (CMD0764-02) Soil Sampled: 04/28/03 14:35 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		85.0 %	60-140	"	"	"	"	"	
T1 North (CMD0764-03) Soil Sampled: 04/28/03 14:40 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		86.4 %	60-140	"	"	"	"	"	
T1 South (CMD0764-04) Soil Sampled: 04/28/03 14:45 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		94.2 %	60-140	"	"	"	"	"	
Stockpile (Composite 4:1) (CMD0764-05) Soil Sampled: 04/28/03 15:00 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		95.8 %	60-140	"	"	"	"	"	
Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									

CA DOHS ELAP Accreditation/Registration Number 1233

3249 Fitzgerald Road Rancho Cordova, CA 95742 www.californialab.com 916-638-7301 Fax: 916-638-4510

CALIFORNIA LABORATORY SERVICES

04/30/03 12:19

General Environmental Management Services
P.O. Box 8282 4307 Foothill
Pittsburg CA, 94565

Project: Chico CHP
Project Number: [none]
Project Manager: Rich Camacho

CLS Work Order #: CMD0764

COC #: none

Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/L	1	CD32924	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8		94.9 %	72-125		"	"	"	"	

CA DOHS ELAP Accreditation/Registration Number 1233

3249 Fitzgerald Road Rancho Cordova, CA 95742 www.californialab.com 916-638-7301 Fax: 916-638-4510

CALIFORNIA LABORATORY SERVICES

04/30/03 12:19

General Environmental Management Services
P.O. Box 8282 4307 Foothill
Pittsburg CA, 94565

Project: Chico CHP
Project Number: [none]
Project Manager: Rich Camacho

CLS Work Order #: CMD0764
COC #: none

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS/LCSD recovery.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

CALIFORNIA LABORATORY SERVICES

Environmental
Chemistry 
www.californialab.com

FAX TRANSMITTAL

Total pages 2 including this cover sheet.

Date: 4/30/03

To: RICH CAMACHO

Company: _____

Fax: (530) 879-1998

Phone: _____

From: MARK SMITH

Company: CLS Labs

Phone: 916-638-7301

Fax: 916-638-4510

ENVIRONMENTAL HEALTH

APR 30 2003

CHICO, CALIFORNIA

SUBJECT: COC

COMMENT:

Post-it Fax Note	7671	Date	<u>4/30/03</u>	# of pages	<u>8</u>
To	<u>LESLIE ROBERTS</u>	From	<u>RICH CAMACHO</u>		
Co./Dept.	<u>Butte Co CHD</u>	Co.	<u>GENS</u>		
Phone #	<u>530.891.2727</u>	Phone #	<u>925.513.7435</u>		
Fax #	<u>530.895.6512</u>	Fax #	<u>925.439.5854</u>		

CLS Labs
3249 Fitzgerald Road Rancho Cordova, CA 95742 Phone: 916.638.7301 Fax: 916.638.4510

The information in this facsimile transmission is of a confidential nature and intended for the addressee and his/her company only. Should you receive this transmission in error please contact the sender. Thank you.

From: FAXSV 916-638-4510 To: Rich Camacho

'ACSIMILE COVER PAGE

o: Rich Camacho
ent: 4/29/03 at 4:46:28 PM
subject: CMD0764 All by JL

From: JAMESL
Pages: 6 (including Cover)

CHP FAX # 530.879.1998

4/30/03

530.891.2727
530.895.6512 FAX } LESLIE ROBERTS

ENVIRONMENTAL HEALTH

APR 30 2003

CHICO, CALIFORNIA

From: FAXSRV-916-638-4510 To: Rich Camacho

ENVIRONMENTAL HEALTH

APR 30 2003

04/29/03 16:44

CHICO, CALIFORNIA

General Environmental Management Services
P.O. Box 8282 4307 Foothill
Pittsburg CA, 94565

Project: Chico CHP
Project Number: [none]
Project Manager: Rich Camacho

CLS Work Order#: CMD0764
COC #: none

DRAFT: Gas/BTEX by GC PID/FID

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DRAFT: T1 East (CMD0764-01) Soil Sampled: 04/28/03 14:30 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	PRELIM
Benzene	ND	5.0	"	"	"	"	"	"	"
Toluene	ND	5.0	"	"	"	"	"	"	"
Ethylbenzene	ND	5.0	"	"	"	"	"	"	"
Xylenes (total)	ND	10	"	"	"	"	"	"	"
Surrogate: o-Chlorotoluene (BTEX)		102%		70-130	"	"	"	"	"
Surrogate: o-Chlorotoluene (Gas)		95.1%		70-130	"	"	"	"	"
DRAFT: T1 West (CMD0764-02) Soil Sampled: 04/28/03 14:35 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	PRELIM
Benzene	ND	5.0	"	"	"	"	"	"	"
Toluene	ND	5.0	"	"	"	"	"	"	"
Ethylbenzene	ND	5.0	"	"	"	"	"	"	"
Xylenes (total)	ND	10	"	"	"	"	"	"	"
Surrogate: o-Chlorotoluene (BTEX)		106%		70-130	"	"	"	"	"
Surrogate: o-Chlorotoluene (Gas)		114%		70-130	"	"	"	"	"
DRAFT: T1 North (CMD0764-03) Soil Sampled: 04/28/03 14:40 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	PRELIM
Benzene	ND	5.0	"	"	"	"	"	"	"
Toluene	ND	5.0	"	"	"	"	"	"	"
Ethylbenzene	ND	5.0	"	"	"	"	"	"	"
Xylenes (total)	ND	10	"	"	"	"	"	"	"
Surrogate: o-Chlorotoluene (BTEX)		110%		70-130	"	"	"	"	"
Surrogate: o-Chlorotoluene (Gas)		185%		70-130	"	"	"	"	"
DRAFT: T1 South (CMD0764-04) Soil Sampled: 04/28/03 14:45 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	PRELIM
Benzene	ND	5.0	"	"	"	"	"	"	"
Toluene	ND	5.0	"	"	"	"	"	"	"
Ethylbenzene	ND	5.0	"	"	"	"	"	"	"
Xylenes (total)	ND	10	"	"	"	"	"	"	"
Surrogate: o-Chlorotoluene (BTEX)		108%		70-130	"	"	"	"	"
Surrogate: o-Chlorotoluene (Gas)		99.6%		70-130	"	"	"	"	"
DRAFT: Stockpile (Composite 4:1) (CMD0764-05) Soil Sampled: 04/28/03 15:00 Received: 04/28/03 18:15									
Gasoline	ND	1000	µg/kg	1	CD32910	04/29/03	04/29/03	8015GRO/8021	PRELIM
Benzene	ND	5.0	"	"	"	"	"	"	"
Toluene	ND	5.0	"	"	"	"	"	"	"
Ethylbenzene	ND	5.0	"	"	"	"	"	"	"
Xylenes (total)	ND	10	"	"	"	"	"	"	"
Surrogate: o-Chlorotoluene (BTEX)		107%		70-130	"	"	"	"	"
Surrogate: o-Chlorotoluene (Gas)		151%		70-130	"	"	"	"	"
DRAFT: Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									
Gasoline	ND	50	µg/L	1	CD32921	04/29/03	04/29/03	8015GRO/8021	
Benzene	ND	0.50	"	"	"	"	"	"	"
Toluene	ND	0.50	"	"	"	"	"	"	"

V:\4671\03 10.44

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Chico CHP Project Number: [none] Project Manager: Rich Carnacho	CL3 Work Order#: CMD0764 COC #: none
---	--	---

DRAFT: Gas/BTEX by GC PID/FID

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DRAFT: Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									
Ethylbenzene	ND	0.50	µg/L	1	CD31921	04/29/03	04/29/03	8015GRO/S021	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	
Surrogate: o-Chlorotoluene (BTEX)		100%		65-135	"	"	"	"	
Surrogate: o-Chlorotoluene (Gas)		97.0%		65-135	"	"	"	"	

From: FAXSRV 916-638-4510 To: Rich Camacho

04/29/03 10:44

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Cluco CHP Project Number: (none) Project Manager: Rich Camacho	CLS Work Order#: CMD0764 COC #: none
---	---	---

DRAFT: Metals by EPA 6000/7000 Series Methods

Analyte	Result	Reporting Link	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DRAFT: T1 East (CMD0764-01) Soil Sampled: 04/28/03 14:30 Received: 04/28/03 18:15									
Lead	ND		2.5 mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
DRAFT: T1 West (CMD0764-02) Soil Sampled: 04/28/03 14:35 Received: 04/28/03 18:15									
Lead	3.4		2.5 mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
DRAFT: T1 North (CMD0764-03) Soil Sampled: 04/28/03 14:40 Received: 04/28/03 18:15									
Lead	4.4		2.5 mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
DRAFT: T1 South (CMD0764-04) Soil Sampled: 04/28/03 14:45 Received: 04/28/03 18:15									
Lead	3.2		2.5 mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
DRAFT: Stockpile (Composite 4:1) (CMD0764-05) Soil Sampled: 04/28/03 15:00 Received: 04/28/03 18:15									
Lead	4.0		2.5 mg/kg	1	CD32908	04/29/03	04/29/03	EPA 6010B	
DRAFT: Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									
Lead	ND		5.0 µg/L	1	CD32916	04/29/03	04/29/03	EPA 6020	

From: FAXSRV 916-638-4510 To: Rich Camacho

04/29/03 10:44

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Chico CHP Project Number: [none] Project Manager: Rich Camacho	CLS Work Order#: CMD0764 COC #: none
---	---	---

DRAFT: Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
DRAFT: T1 East (CMD0764-01) Soil Sampled: 04/28/03 14:30 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8 80.6% 60-140									
DRAFT: T1 West (CMD0764-02) Soil Sampled: 04/28/03 14:35 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8 85.0% 60-140									
DRAFT: T1 North (CMD0764-03) Soil Sampled: 04/28/03 14:40 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8 86.4% 60-140									
DRAFT: T1 South (CMD0764-04) Soil Sampled: 04/28/03 14:45 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8 94.2% 60-140									
DRAFT: Stockpile (Composite 4:1) (CMD0764-05) Soil Sampled: 04/28/03 15:00 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/kg	1	CD32923	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8 95.8% 60-140									
DRAFT: Pit Water (CMD0764-06) Water Sampled: 04/28/03 14:15 Received: 04/28/03 18:15									
Di-isopropyl ether	ND	5.0	µg/L	1	CD32924	04/29/03	04/29/03	EPA 8260B	
Ethyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	5.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	50	"	"	"	"	"	"	
Surrogate: Toluene-d8 94.9% 72-125									

04/29/03 16:44

General Environmental Management Services P.O. Box 8282 4307 Foothill Pittsburg CA, 94565	Project: Chico CHP Project Number: [none] Project Manager: Rich Camacho	CLS Work Order#: CMD0764 COC #: none
---	---	---

Notes and Definitions

- PRELM Preliminary result. Revised report to follow.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS/LCSD recovery.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

BUTTE COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH TANK CLOSURE WORKSHEET

Tank Owner California Highway Patrol Phone _____

Address 995 Fir Street
Chico, Ca

Regulating Agency(ies)

Butte Co Environmental Health Notified

Permit Issued

City of Chico Fire Dept

Contractor name(s)

General Environmental Management
Services - GEMS

Job

excavation, etc

(excavation, de-gassing, sludge disposal, tank disposal, cleanup, transport, other - describe)

Insurance Carrier _____

Hazardous Substance Removal Cert # _____

Tank Closure Start Date 04-28-03

Tank Closure Completion Date _____

TANK CLOSURE INITIAL PROCEDURES:

- Follow safety measures
- Obtain recommended safety equipment
 - Avoid contact with produce
 - Bond or ground equipment
 - Drain produce from piping
 - Disconnect, then cap or remove piping
 - Remove product and residuals from tank
 - Excavate to tank top
 - Remove drop tube, fill pipe, gauge pipe, vapor recovery tank connections, submersible pumps and other fixtures
 - Temporarily plug all other tank openings except the vent line

ABANDONMENT IN-PLACE

- (see below if tank is removed)
- Document site is clean
 - Sample results received
 - Samples acceptable
 - Samples not acceptable
 - Clean and inspect tank interior
 - Inert tank with 15 lbs dry ice/1,000 gallon cap min
 - Fill tank as full as possible with inert mixture until filling overflows tank
 - Plug or cap all openings
 - Disconnect and cap or remove vent line


Site Specific Requirements:

- _____
- _____
- _____

bottom top

LEL Readings 0.0 2
~~time time time time~~

^{O₂} ~~LEL~~ Readings 3.3 7
~~time time time time~~



Site Specific Requirements:

- _____
- _____
- _____

REMOVAL

- Create vent hole
- Inert tank with 15 lb dry ice/
1,000 gallon capacity min 300 lbs/1000 gal
- Excavate tank and remove
- Clean and inspect tank (may be done following excavation)
- Clean tank exterior and inspect for perforations
- Label tank
- Transport tank for disposal
hauler: ECT
- Inspect excavation sampling
 - Soil Groundwater
-
- Dispose of tank in approved manner Richmond
- Dispose location _____
- Manifest # 99169659

Site Specific Requirements:

- Samples 24 hr turnaround
- Tank # 30627
- _____

**BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH**

P.O. BOX 5364 (411 MAIN STREET), CHICO, CA 95927
(530) 891-2727, FAX (530) 895-6512

Sent 10-23-02
E 1140A

FAX COVER SHEET

DATE: 10-23-02 NUMBER OF PAGES 16 (including this one)

TO: John Ellis FROM: Leslie Roberts

CO/DEPT: BEMS CO/DEPT: _____

PHONE: () 925-209-9214 PHONE: () 530-891-2727

FAX #: () 925-439-5854 FAX #: () 530-895-6512

COMMENTS: 1) Removal Inspection & Sampling/Reporting & Removal Permits
2) Permit to Install [\$469.00] Construction Plan Requirement
GL/memos/faxcover
Operational Permits/Forms A & B from CMP to our office. Myra Loma

**BUTTE COUNTY
DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH**

411 Main Street
P.O. Box 5364
Chico, CA 95927
891-2727

**ANNUAL UNDERGROUND HAZARDOUS MATERIALS
STORAGE TANK PERMIT FEE
REMITTANCE/FACILITY INFORMATION UPDATE**

Name of Establishment _____ Board of Equalization # _____

Location Address _____ Assessor's Parcel # _____

Business or Type Retail Fuel Sales Farm Residential
 Other _____

Monitoring Methods Proposed _____ Number of Tanks _____

Business Owner _____

Mailing Address _____ City, State, Zip _____ Telephone _____

Manager _____

Address _____ City, State, Zip _____ Telephone _____

Owner of Tank _____

Address of Owner _____ City, State, Zip _____

I declare that, to the best of my knowledge and belief, the above statements are correct and true. I hereby consent to all necessary inspections made pursuant to law and incidental to the issuance of this permit and operation of these underground storage facilities.

PERMIT FEES - 199 _____

Signature _____ Number of Containers _____

ANNUAL FEE \$ _____

Date _____ STATE SURCHARGE \$ _____

TOTAL FEES \$ _____

Departmental Use

Receipt # _____ Check # _____ Date _____ Computer # _____

Posted _____ By _____ Permit Issued _____ By _____

2525 Dominic Drive, Suite J
Chico, CA 95928

(530) 891-2882
(530) 891-2878 Fax



W. James Wagoner
Air Pollution Control Officer

Robert McLaughlin
Asst. Air Pollution Control Officer

January 6, 2003

Richard Camacho
General Environmental Management Services
P.O. Box 8282
Pittsburg, CA 94565

Environmental Health

JAN 07 2003

Chico, California

Dear Mr. Camacho:

The Butte County Air Quality Management District (District) is contacting General Environmental Management Services regarding the application for an Authority to Construct permit filed with this office. The application concerns the installation of a new gasoline storage tank and a new dispenser at the existing California Highway Patrol Office, 995 Fir Street in Chico, CA.

Based upon the data and plans submitted with the application, an A/C has been approved and is enclosed with this letter. Please carefully review the equipment list and verify the equipment covered by the permit is accurate and complete.

Please be advised that condition #32 of the permit requires the District be notified before any backfilling of vapor recovery piping. The source tests required in condition #36 must be successfully completed prior to facility operation. Condition #37 requires a five (5) day advance notification before the source tests so District personnel can witness the tests.

The District is required to assess fees for processing permit applications. The fees incurred for the AC total \$149.00. Pursuant to condition #11 of the A/C, the permit is not valid until the fees have been paid. Please remit the \$149.00 fee to the District office to activate the A/C

If you have any questions regarding this matter, please contact me at (530) 891-2882.

Sincerely,

A handwritten signature in black ink that reads "Richard Perrelli".

Richard Perrelli
Air Pollution Inspector/Engineer

enclosure: A/C Permit #CHP-78-01-2-AC

cc: Ligaya Reyes Ibanez, California Highway Patrol
Leslie Roberts, Butte County Environmental Health,
Guy Chetelat, RWQCB, Redding, CA

Butte County
AIR QUALITY MANAGEMENT DISTRICT

2525 DOMINIC DR., SUITE J CHICO, CALIFORNIA 95928
TELEPHONE: (530) 891-2882 FAX: (530) 891-2878

AUTHORITY TO CONSTRUCT

NO. CHP-78-01-2-AC

Environmental Health

IS HEREBY GRANTED TO

JAN 07 2003

California Highway Patrol
995 Fir Street
Chico, CA 95926

Chico, California

FOR THE EQUIPMENT LISTED BELOW

One (1) 12,000 Gallon Underground Gasoline Storage Tank with OPW Phase I 2-Point Vapor Recovery and
One (1) Gasboy Dispenser with Phase II Balance Vapor Recovery and Two (2) Hold-Open Latch Nozzles

SUBJECT TO THE FOLLOWING CONDITIONS

GENERAL CONDITIONS

1. An Authority to Construct Permit and/or Permit to Operate is required before any person, including any contractor or subcontractor, builds, erects, alters or replaces any article, machine, equipment or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate or reduce or control the issuance of air contaminants, including any soil or water contamination or remediation activity that has the potential to emit any air contaminant.
2. Operation of this equipment listed on this permit must be conducted in compliance with all data and specifications submitted with the application under which this permit is issued unless otherwise noted below.
3. This Authority to Construct shall be posted in a conspicuous location at the site and shall be presented to the Air Pollution Control Officer (APCO), or his appointed representative, upon request.
4. This Authority to Construct permit shall be valid from the effective date pursuant to condition #11, until a permit to operate for the equipment for which the application was filed is granted or denied or the application is canceled. In the event a permit to operate is not issued within twelve (12) months from the effective date of this permit, the permit to operate shall be deemed denied. Notwithstanding, upon written request to the APCO, this Authority to Construct permit may be extended by written authorization of the APCO.
5. The APCO shall be notified at least twenty-four (24) hours prior to the commencement of the permitted activity, to allow for an inspection to determine if the equipment has been constructed according to the design specifications submitted and approved by the APCO. Permission to operate will be granted upon demonstration that the system is in operation and in compliance with the Butte County Air Quality Management District (District) Rules and Regulations, and has been constructed in full compliance with all conditions specified herein and all other applicable requirements.
6. Acceptance of this permit is deemed acceptance of all conditions as set forth herein. Failure to comply with any condition of this permit or the Rules and Regulations of the District or State law is grounds for revocation of this permit.
7. This permit may be amended in writing at any time by the APCO, with or without cause, to insure compliance of this facility, or to mitigate or abate any public nuisance; such amendments may include, but are not limited to, requirements for additional operating conditions, testing, data collection, reporting or other conditions deemed necessary by the APCO to ensure compliance with District Rules and Regulations or State law.
8. Any violation of any condition of this permit is a violation of District Rules and Regulations and State law.
9. This permit is not transferable from one location to another, from one piece of equipment to another, or from one person to another without prior written consent from the APCO. A transfer of ownership shall be granted as authorized pursuant to Condition #12 of this permit.

REVOCABLE AND NON-TRANSFERABLE

10. If any provision or condition of this permit is found invalid, such finding shall not affect the validity or enforcement of the remaining provisions.
11. This permit is only effective upon payment of the Authority to Construct assessed in accordance with District Rule 500. Upon issuance of a permit to operate, the person to whom this permit is issued shall be responsible for payment of the annual permit renewal fees.
12. In the event the control of the subject facility is assumed by a new owner or operator, the APCO shall be notified of such transfer by the submittal of a written request for transfer of this permit by the new owner or operator within thirty (30) days of the transfer.
13. The permit holder shall comply with all applicable requirements of the Air Toxics "Hot Spots" Information and Assessment Act of 1987 (AB2588), pursuant to California Health and Safety Code Section 44300 et seq.
14. The "Right of Entry", as delineated by the California Health & Safety Code Section 41510 of Division 26, shall apply at all times, and during any time when the equipment is in operation, and during reasonable daylight hours when the equipment is not in operation.

OPERATIONAL CONDITIONS

15. The facility to which this permit is issued is *strictly liable* for assuring that the operating staff are advised and familiar with all conditions contained in the permit.
16. Permit requirements apply to the facility owner and/or operator(s) and any contractor or subcontractor performing any activity authorized under this permit. Any person(s), including contractor(s) and/or subcontractor(s), not in compliance with the applicable permit requirements are in violation of State and local laws and subject to appropriate civil and criminal penalties. The facility owner and/or operator, and all contractor(s) or subcontractor(s) are *strictly liable* for the actions and violations of their employee(s). Any violation committed by a contractor or subcontractor shall be considered a violation by the facility owner and/or operator, and the contractor and/or any subcontractor(s).
17. The physical integrity of all process and air pollution control equipment shall be maintained as necessary to insure compliance with District Regulations and emission limitations set forth in the permit.
18. Modification or alteration of the equipment or operations described in this permit, including a change in the method of operation or a change in location, may occur only when approved in writing by the APCO prior to the implementation of such modification or change. For the purposes of this condition, the term "modification" shall be defined as set forth in District Rule 430. Unless otherwise specified by the APCO in writing, any and all alterations shall require submittal and approval of an Authority to Construct permit application.
19. The APCO shall be notified immediately, and in no event later than two (2) hours from the time of discovery, of any upset or breakdown or malfunction which occurs with the equipment under permit, or emissions exceeding any of the limits established in District Rules and Regulations or the level of emissions for which a permit or variance was granted. Excess emissions shall be reported in accordance with the requirements of District Rule 266 and failure to do so constitutes a willful violation of District Rules.
20. Upon detection, an upset or breakdown condition which causes or may cause a violation of the emissions limitations as set forth in District Rules, or as a condition of this permit, shall be corrected immediately. In the event that corrective action can not remedy the emissions violation, the operation of the subject equipment shall be terminated.
21. The APCO shall be provided, upon request, with any and all emissions related data collected as a result of the permitted activity, including data collected or obtained as required by other regulatory agencies.
22. The facility shall maintain the permitted equipment in compliance with federal and State Occupational Safety and Health Administration requirements so as to insure the health and safety of District representatives performing a site inspection.
23. The APCO shall be notified within 24 hours of detection of any soil contamination due to a product spill or equipment leak. Soil remediation measures may require an Authority to Construct Permit and a Permit to Operate, as determined by the APCO.

REVOCABLE AND NON-TRANSFERABLE

24. The permit holder shall monitor the excavation process to identify any soils that are potentially contaminated with petroleum products. If contamination is found, the permit holder shall take representative composite soil samples and shall have such samples analyzed by a State-certified laboratory. The laboratory analysis shall be performed for benzene, toluene, ethyl-benzene, xylene and total petroleum hydrocarbons as gasoline and diesel. The APCO shall be provided with laboratory results of composite soil samples representing the level of contamination of the excavated soils within seven (7) days of the commencement of the soil excavation project.
25. This permit authorizes the excavation and on-site storage of not more than 200 cubic yards of petroleum affected soil as needed to replace the existing tank, dispenser and underground piping. All contaminated soils excavated must be fully covered with plastic or other suitable materials to minimize off-gassing of hydrocarbons.
26. Measures shall be utilized to minimize fugitive dust and hydrocarbon emissions, as applicable. Such measures shall include, but not be limited to, the use of dust surfactants for the control of fugitive dust.
27. Fugitive emissions shall be controlled at all times such that a public nuisance is not created.
28. The Phase II Vapor Recovery System, including all associated underground plumbing, shall be installed, operated, and maintained in accordance with the California Air Resources Board (CARB) Executive Order G-70-52-AM. Section 41954(f) of the California Health and Safety Code prohibits the sale, offering of sale, or installation of any vapor control system unless the system has been certified by the state board.
29. The Phase I Vapor Recovery system shall be installed, operated, and maintained in accordance with the California Air Resources Board (CARB) Executive Order VR-102-A. Section 41954(f) of the California Health and Safety Code prohibits the sale, offering of sale, or installation of any vapor control system unless the system has been certified by the state board.
30. The vapor recovery system shall operate in accordance with the manufacturer's specifications and maintained to be leak-free, vapor tight, and in good working order.
31. Hold-open latches on all gasoline dispensing nozzles shall be maintained in good working order.
32. The District shall be notified prior to backfilling any underground vapor recovery piping so that an inspection can be conducted to ensure proper configuration pursuant to CARB Executive Orders G-70-52-AM.
33. The maximum allowable length of the hose which may be in contact with the top of the island block, or ground, shall be six (6) inches.
34. The dispensing rate shall not exceed ten (10.0) gallons per minute (gpm). Compliance with this condition shall be verified with only one nozzle in operation per product supply pump.
35. Each vent pipe shall be equipped with a CARB certified pressure/vacuum relief valve. Plumbing may be manifolded to reduce the number of relief valves needed. The settings of the pressure/vacuum relief valve(s) shall be as follows:

- | | | |
|----|-----------|---|
| a) | Pressure: | Three (3.0) \pm one-half (0.5) inches of water column |
| b) | Vacuum: | Eight (8.0) \pm two (2.0) inches of water column |

SOURCE TEST CONDITIONS

36. The following five (5) performance tests shall be conducted, and compliance with the applicable procedures demonstrated, prior to facility operation. Thereafter the tests shall be performed every three (3) years. For the purpose of compliance with this Condition, all tests shall be conducted after back-filling, paving, and installation of all required Phase I and Phase II components.
 - a) A static pressure decay test shall be conducted prior to facility operation. The static pressure decay test shall be conducted pursuant to CARB procedure TP-201.3 or source test methods approved by the Air Pollution Control Officer.
 - b) Dynamic Pressure Performance Test, in accordance with CARB procedure TP-201.4 or source test methods approved by the Air Pollution Control Officer.
 - c) Static Torque of Rotatable Phase I Adaptors (Exhibit #4 of Executive Order VR-102-A).
 - d) Leak Rate of Drop tube Overflow/prevention Device (Exhibit #5 of Executive Order VR-102-A).
 - e) Leak Rate and Cracking Pressure of Pressure/Vacuum Vent Valves (Exhibit #6 of Executive Order VR-102-A)

REVOCABLE AND NON-TRANSFERABLE

LK

2525 Dominic Drive, Suite J
Chico, CA 95928
(530) 891-2882
(530) 891-2878 Fax



W. James Wagoner
Air Pollution Control Officer
Robert McLaughlin
Asst. Air Pollution Control Officer

June 12, 2003

Environmental Health

Richard Camacho
General Environmental Management Services
P.O. Box 8282
Pittsburg, CA 94565

JUN 16 2003
Chico, CA

Dear Mr. Camacho:

The Butte County Air Quality Management District (District) is contacting General Environmental Management Services (GEMS) regarding a letter sent by GEMS and received by the District on June 12, 2003. The letter states the underground fuel tank installation at the Chico California Highway Patrol Office has been redirected towards installing an aboveground tank with Phase I and Phase II vapor recovery.

The Authority to Construct permit, #CHP-78-01-2-AC, issued by the District on December 19, 2002, specifies the type of underground system to be installed and references the state Executive Order for the phase I and the phase II vapor recovery systems. The switch to an aboveground system requires the submittal of a revised A/C application detailing the type of vapor recovery that will be installed on the aboveground tanks. In addition, the revised A/C application requires a reference to the state Executive Order, certifying the efficiency of the vapor recovery system. Enclosed for you reference is an A/C application and a supplemental specific to the phase I and phase II vapor recovery type that will be installed on the aboveground system.

Please submit the revised A/C application and the GDF supplemental to the District at your earliest convenience. The District will take no further action on this matter until additional correspondence is received regarding the fuel dispensing system at the CHP office in Chico.

If you have any questions regarding this matter, please contact me at (530) 891-2882.

Sincerely,

Richard Perrelli
Air Pollution Inspector/Engineer

enclosure: A/C application
GDF Supplemental

cc: Ligaya Reyes Ibanez, California Highway Patrol
Leslie Roberts, Butte County Environmental Health,
Randy Judge, RWQCB, Redding, CA

GEMS

GENERAL ENVIRONMENTAL MANAGEMENT SERVICES

April 14, 2003

Leslie Roberts, R.E.H.S.
Butte County
Division of Environmental Health
411 Main Street
Chico, CA 95927

Environmental Health

APR 16 2003
Chico, California

Subject: Underground Storage Tank Installation Plan Check, California Highway
Patrol, 995 Fir Street, Chico, CA 95927.

Dear Ms. Roberts:


As requested in your letter dated April 1, 2003 enclosed are the following:

- WorkPlan Section 3.0 Tank Installation amended
- Workmans Compensation Insurance Certificate
- General Liability Insurance Certificate
- HazWoper Training Certificates

We will request a 24 hour turnaround for soil and or groundwater samples taken during the tank removal for analysis from the testing laboratory. The results will be reported immediately to Butte County Environmental Health Department to your attention.

Should you have any questions or need any additional information please call me.

Respectfully,
General Environmental Management Services



Richard Camacho
General Manager

RC/ls

Amended Section 3.0 Tank Installation

3.0 Tank Installation

- Shore, brace, or slope excavation as necessary.
- Form & pour concrete hold down pad.
- Dig trenches for utilities and product lines.
- Backfill bottom of excavation with pea gravel 12 inches above top of pad.
- Tank will be delivered to site from manufacturer with 20 inches of vacuum within the interstitial space and visually confirmed on vacuum gauge.
- Perform a Holiday test on the fiberglass jacket to insure complete corrosion protection
- Install new double wall underground storage tank.
- Strap tank to hold down pad.
- Backfill excavation with pea gravel in maximum 12 inch lifts.
- Install utilities and piping
- Perform testing with LIA to insure quality of workmanship
 1. Perform a tank tightness test with 5psig of air pressure on the primary tank.
 2. Perform a product line tightness test with a minimum of 50 psig of air pressure for 1 hour.
 3. Perform a vent and vapor return line tightness test with a minimum of 5 psig of air pressure for 1 hour.
 4. Perform a secondary line tightness test with a minimum of 5 psig for 30 minutes. (Air pressure to remain during the backfilling process)
 5. Perform a lake test on the fill containment sump, turbine containment sump, dispenser containment sump, and the over spill boxes which the container will be fill above the highest penetration and no leakage will occur in a span of 24 hours.
- Backfill to sub grade per the manufactures recommendations.
- Form, place & pour concrete island, tank top, and drive pad.
- Install dispenser
- Performance test on the monitoring and leak detection system in the presence of the LIA.
- Third party testing on the calibration of the dispenser, precession tightness of the tank, precession tightness of the product line, vapor recovery back-flow resistance test, and fuel storage tank fugitive emission test.
- Train site personnel on the operations and maintenance of the fuel storage tank system.



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

202 Mira Loma Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

1 April 2003

Rich Camacho
General Environmental Management Services
P.O. Box 8282
Pittsburg, Ca.-94565

RE: Underground Storage Tank Installation Plan Check: California Highway Patrol, 995 Fir Street, Chico, Ca. 95927

Dear Mr. Camacho,

This Department has reviewed the plans for the underground storage tank installation noted above. Per our telephone discussion provide the HazWoper Training Certificates of your employees before removal of the underground storage tank (ust) begins, provide a corrected work plan page for the ust installation discussing the tank being under vacuum Section 3.0, provide proof of Worker's Compensation Insurance, and confirm in writing the 24 hour turnaround on the soil/water sampling. With receipt of this notice, the plans for this facility are considered approved by this Department with the following additions, corrections and understandings:

1. The presence of contaminated soil or water will be reported immediately to Butte County Environmental Health.
2. All electrical boxes in sumps(turbine and dispenser) shall be reinstalled at least 2 inches above the highest penetration.
3. All sumps(turbine and dispenser) shall have non-discriminating sensors with positive shutoff and failsafe.

The number of field inspections may vary with the nature and complexity of installation. Call this office for inspections at least 48 hours before scheduled time. At a minimum, inspection will be required of:

1. Inspection and pressure test of primary piping after installation.
2. Inspection and testing of secondary containment and piping after installation.
3. Inspection and testing of leak detection/monitoring system.

Page 2.

4. The SB989 Test by a certified third party tester will be completed after the excavations are backfilled, compacted and concrete restored. The secondary containment system shall pass before opening the fueling facility.
5. Precision tank test (submit results upon completion).
6. Provide updated Unified Program Consolidated Forms previously known as Forms A and B so that an Updated Underground Storage Tank Operating Permit may be issued.

If you have any questions regarding the permits and clearances for this project, please contact me at the Chico office between 8:00am and 9:00am, weekdays.

Sincerely,

A handwritten signature in cursive script, appearing to read "Leslie Roberts".

Leslie Roberts, R.E.H.S.
Division of Environmental Health

LR/UST/03CHPC

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
Division of Environmental Health
P.O. Box 5364 (411 Main Street) Chico, CA 95927-5364
**APPLICATION FOR PERMIT TO INSTALL
UNDERGROUND HAZARDOUS MATERIALS STORAGE TANK(S)**

Name of Establishment: California High Way Patrol Assessor Parcel Nbr. _____

Site Address/Location: 995 Fir St.

Mailing Address: same Chico CA 95927

Tank Owner/Representative of Business: Steve Evans

Tank Owner/Representative's Address: 995 Fir St. Chico CA 95927

Telephone: 530-879-1900

Applicant's Name: General Environmental Management Services Telephone: 925-421-4616

Mailing Address: P.O. Box 8282 Pittsburg CA 94565

Installation Contractor: General Environmental Management Services Telephone: _____

Mailing Address: P.O. Box 8282 Pittsburg CA 94565 Lic. Nbr. 543700
Lic. Type A-Haz

Workers' Compensation Declaration: I hereby affirm under penalty of perjury one of the following declarations:

() I have and will maintain a certificate of consent to self-insure for workers' compensation as provided by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.

(x) I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of work for which this permit is issued. My workers' compensation insurance carrier and policy number are:
Carrier: State Fund Policy Number: 1685382-02
(The above sections need not be completed if the permit is for work of a valuation of one hundred dollars (\$100) or less).

() I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to workers' compensation laws of California, and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

[Signature] DATE 12/11/02
Signature of Applicant

ATTACHMENTS TO BE INCLUDED:
Construction Plans (Stamped by registered engineer/architect) - Date Recd _____
Equipment Specifications - Date Recd _____
Site Specific Health & Safety Plan - Date Recd _____
Buoyancy Calculations & Anchoring Plans (As Required) - Date Recd _____

PERMIT FEES: Number of Tanks: 1
Plan Review & Inspection Fee (1 Tank): 541.00
Plan Review & Inspection Fee (Addl. Tank) _____
TOTAL FEES: 541.00

DEPARTMENT USE ONLY: Receipt No. 368394 Date 12/11/02
Permit Issued 04-01-03 By Leslie Roberts

UST/gl/install.apl

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
Division of Environmental Health
P.O. Box 5364 (411 Main Street) Chico, CA 95927-5364
**APPLICATION FOR PERMIT TO CLOSE OR REMOVE
UNDERGROUND HAZARDOUS MATERIALS STORAGE TANK(S)**

Name of Establishment: California Highway Patrol Assessor Parcel Nbr _____

Site Address/Location: 995 Fir St Chico, CA 95927
Mailing Address: _____

Tank Owner: California Highway Patrol

Tank Owner's Address: 995 Fir St Chico CA 95927

Telephone: (530) 879-1900

Applicant's Name: General Environmental Management Services Telephone: 925-427-4616

Mailing Address: P.O. Box 8282 Pittsburg, CA, 94565

Closure Methods Proposed: Removal

Proposed Disposition of Tank(s): single wall FRP - Intact (To be destroyed at ECI)

Closure Contractor: General Environmental Management Services Telephone: 925-427-4616
Lic. Nbr. 543700

Mailing Address: P.O. Box 8282 Pittsburg, CA, 94565 Lic. Type A-1197

Workers' Compensation Declaration: I hereby affirm under penalty of perjury one of the following declarations:

() I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.

(X) I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of work for which this permit is issued. My workers' compensation insurance carrier and policy number are:

Carrier: State Fund Policy Number: 1685382-02
(The above sections need not be completed if the permit is for work of a valuation of one hundred dollars (\$100) or less).

() I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to workers' compensation laws of California, and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

[Signature] DATE 12/11/02
Signature of Applicant

ATTACHMENTS TO BE INCLUDED: Closure Workplan - Date Recd _____
Site Specific Health & Safety Plan - Date Recd _____

PERMIT FEES: Number of Tanks: 1
Plan Review: 80 00
Permanent Closure Fee: 180 00
TOTAL FEES: 260 00

DEPARTMENT USE ONLY: Receipt No. 368394 Date 12/11/02
Permit Issued Leslie Roberts By 04-01-03

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
Division of Environmental Health
P.O. Box 5364 (411 Main Street) Chico, CA 95927-5364
APPLICATION FOR PERMIT TO INSTALL
UNDERGROUND HAZARDOUS MATERIALS STORAGE TANK(S)

Name of Establishment: California High Way Patrol Assessor Parcel Nbr.

Site Address/Location: 995 Fir St
Mailing Address: same Chico CA 95927

Tank Owner/Representative of Business: Steve Evans

Tank Owner/Representative's Address: 995 Fir St. Chico CA 95927

Telephone: 530-879-1900

Applicant's Name: General Environmental Management Telephone: 925-427-4616
Service

Mailing Address: P.O. Box 8282 Pittsburg CA 94565

Installation Contractor: General Environmental Management Services Telephones
Lic. Nbr. 543700

Mailing Address: P.O. Box 8282 Pittsburg CA 94565 Lic. Type 4-Haz

Workers' Compensation Declaration: I hereby affirm under penalty of perjury one of the following declarations:

() I have and will maintain a certificate of consent to self-insure for workers' compensation as provided by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.

(X) I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of work for which this permit is issued. My workers' compensation insurance carrier and policy number are:
Carrier: State Fund Policy Number: 1685382-02
(The above sections need not be completed if the permit is for work of a valuation of one hundred dollars (\$100) or less).

() I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to workers' compensation laws of California, and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

Signature of Applicant [Signature] DATE 12/11/02

ATTACHMENTS TO BE INCLUDED:
Construction Plans (Stamped by registered engineer/architect) - Date Recd
Equipment Specifications - Date Recd
Site Specific Health & Safety Plan - Date Recd
Buoyancy Calculations & Anchoring Plans (As Required) - Date Recd

PERMIT FEES: Number of Tanks: 1
Plan Review & Inspection Fee (1 Tank): 541.00
Plan Review & Inspection Fee (Addl. Tank)
TOTAL FEES: 541.00

DEPARTMENT USE ONLY: Receipt No. 368394 Date 12/11/02
Permit Issued 04-01-03 By Leslie Roberts

UST/gl/install.apl

DEC 11 2002

UNIFIED PROGRAM CONSOLIDATED FORM

Chico, CA TANKS

UNDERGROUND STORAGE TANKS - FACILITY

(one page per site) Page ___ of ___

TYPE OF ACTION 1. NEW SITE PERMIT 3. RENEWAL PERMIT 5. CHANGE OF INFORMATION 7. PERMANENTLY CLOSED SITE
 (Check one item only) 4. AMENDED PERMIT specify change local use only _____ 8. TANK REMOVED
 6. TEMPORARY SITE CLOSURE 400

I. FACILITY / SITE INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) 3 FACILITY ID# _____ 1
 California Highway Patrol
 NEAREST CROSS STREET 401 Humboldt
 FACILITY OWNER TYPE 4. LOCAL AGENCY/DISTRICT*
 1. CORPORATION 5. COUNTY AGENCY*
 BUSINESS TYPE 1. GAS STATION 3. FARM 5. COMMERCIAL 2. INDIVIDUAL 6. STATE AGENCY*
 2. DISTRIBUTOR 4. PROCESSOR 6. OTHER 403 3. PARTNERSHIP 7. FEDERAL AGENCY* 402
 TOTAL NUMBER OF TANKS REMAINING AT SITE 404 1
 Is facility on Indian Reservation or trustlands? Yes No 405
 *If owner of UST is a public agency: name of supervisor of division, section or office which operates the UST. (This is the contact person for the tank records.) 406
 Steve Evans

II. PROPERTY OWNER INFORMATION

PROPERTY OWNER NAME 407 California Highway Patrol PHONE 408 (916) 375-2957
 MAILING OR STREET ADDRESS 409 2555 First St.
 CITY 410 Sacramento STATE 411 CA ZIP CODE 412 95818
 PROPERTY OWNER TYPE 1. CORPORATION 2. INDIVIDUAL 4. LOCAL AGENCY / DISTRICT 6. STATE AGENCY
 3. PARTNERSHIP 5. COUNTY AGENCY 7. FEDERAL AGENCY 413

III. TANK OWNER INFORMATION

TANK OWNER NAME 414 California Highway Patrol PHONE 415 (916) 375-2957
 MAILING OR STREET ADDRESS 416 2555 First St.
 CITY 417 Sacramento STATE 418 CA ZIP CODE 419 95818
 TANK OWNER TYPE 1. CORPORATION 2. INDIVIDUAL 4. LOCAL AGENCY / DISTRICT 6. STATE AGENCY
 3. PARTNERSHIP 5. COUNTY AGENCY 7. FEDERAL AGENCY 420

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER

TY (TK) HQ 44- _____ Call (916) 322-9669 if questions arise 421

V. PETROLEUM UST FINANCIAL RESPONSIBILITY

INDICATE METHOD(S) 1. SELF-INSURED 4. SURETY BOND 7. STATE FUND 10. LOCAL GOVT MECHANISM
 2. GUARANTEE 5. LETTER OF CREDIT 8. STATE FUND & CFO LETTER 99. OTHER: state Agency 422
 3. INSURANCE 6. EXEMPTION 9. STATE FUND & CD

VI. LEGAL NOTIFICATION AND MAILING ADDRESS

Check one box to indicate which address should be used for legal notifications and mailing. Legal notifications and mailings will be sent to the tank owner unless box 1 or 2 is checked. 1. FACILITY 2. PROPERTY OWNER 3. TANK OWNER 423

VII. APPLICANT SIGNATURE

Certification - I certify that the information provided herein is true and accurate to the best of my knowledge.
 SIGNATURE OF APPLICANT _____ DATE 424 12-11-02 PHONE 425 530-879-1999
 NAME OF APPLICANT (print) 426 Scott Evans TITLE OF APPLICANT 427 SGT
 STATE UST FACILITY NUMBER (For local use only) 428 _____ 1998 UPGRADE CERTIFICATE NUMBER (For local use only) 429 _____

UNIFIED PROGRAM CONSOLIDATED FORM

DEC 11 2002 TANKS

UNDERGROUND STORAGE TANKS - FACILITY Chico, CA

(one page per site) Page ___ of ___

TYPE OF ACTION (Check one item only) 1. NEW SITE PERMIT 3. RENEWAL PERMIT 5. CHANGE OF INFORMATION 7. PERMANENTLY CLOSED SITE 4. AMENDED PERMIT 6. TEMPORARY SITE CLOSURE 8. TANK REMOVED specify change local use only _____

I. FACILITY / SITE INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) 3 FACILITY ID# _____
 California Highway Patrol
 NEAREST CROSS STREET 401 Humboldt
 FACILITY OWNER TYPE 4. LOCAL AGENCY/DISTRICT* 1. CORPORATION 5. COUNTY AGENCY* 2. INDIVIDUAL 6. STATE AGENCY* 3. PARTNERSHIP 7. FEDERAL AGENCY* 402
 BUSINESS TYPE 1. GAS STATION 3. FARM 5. COMMERCIAL 2. DISTRIBUTOR 4. PROCESSOR 6. OTHER 403
 TOTAL NUMBER OF TANKS REMAINING AT SITE 404 1
 Is facility on Indian Reservation or trustlands? Yes No 405
 If owner of UST is a public agency, name of supervisor of division, section or office which operates the UST (This is the contact person for the tank records.) Sgt. Steve Evans 530 (879-1900)

II. PROPERTY OWNER INFORMATION

PROPERTY OWNER NAME 407 California Highway Patrol PHONE 408 (530) 879-1900
 MAILING OR STREET ADDRESS 409 995 Fir St.
 CITY 410 Chico STATE 411 CA ZIP CODE 412 95927
 PROPERTY OWNER TYPE 1. CORPORATION 2. INDIVIDUAL 4. LOCAL AGENCY / DISTRICT 6. STATE AGENCY 3. PARTNERSHIP 5. COUNTY AGENCY 7. FEDERAL AGENCY 413

III. TANK OWNER INFORMATION

TANK OWNER NAME 414 California Highway Patrol PHONE 415 (530) 879-1900
 MAILING OR STREET ADDRESS 416 2555 First St. (916) 375-2957
 CITY 417 Sacramento STATE 418 CA ZIP CODE 419 95818
 TANK OWNER TYPE 1. CORPORATION 2. INDIVIDUAL 4. LOCAL AGENCY / DISTRICT 6. STATE AGENCY 3. PARTNERSHIP 5. COUNTY AGENCY 7. FEDERAL AGENCY 420

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER

TY (TK) HQ 44- _____ Call (916) 322-9669 if questions arise 421

V. PETROLEUM UST FINANCIAL RESPONSIBILITY

INDICATE METHOD(S) 1. SELF-INSURED 4. SURETY BOND 7. STATE FUND 10. LOCAL GOVT MECHANISM 2. GUARANTEE 5. LETTER OF CREDIT 8. STATE FUND & CFO LETTER 99. OTHER: State Agency 3. INSURANCE 6. EXEMPTION 9. STATE FUND & CD 422

VI. LEGAL NOTIFICATION AND MAILING ADDRESS

Check one box to indicate which address should be used for legal notifications and mailing. Legal notifications and mailings will be sent to the tank owner unless box 1 or 2 is checked. 1. FACILITY 2. PROPERTY OWNER 3. TANK OWNER 423

VII. APPLICANT SIGNATURE

Certification - I certify that the information provided herein is true and accurate to the best of my knowledge.
 SIGNATURE OF APPLICANT 424 [Signature] DATE 12-11-02 PHONE 425 530-879-1999
 NAME OF APPLICANT (print) 426 SCOTT EVANS TITLE OF APPLICANT 427 SGT
 STATE UST FACILITY NUMBER (For local use only) 428 1998 UPGRADE CERTIFICATE NUMBER (For local use only) 429

DEC 11 2002

UNIFIED PROGRAM CONSOLIDATED FORM

Chico, CA TANKS

UNDERGROUND STORAGE TANKS - TANK PAGE 1

(two pages per tank)

Page ___ of ___

TYPE OF ACTION 1 NEW SITE PERMIT 4 AMENDED PERMIT 5 CHANGE OF INFORMATION 6 TEMPORARY SITE CLOSURE
 (Check one item only) 7 PERMANENTLY CLOSED ON SITE 8 TANK REMOVED 430

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) California Highway Patrol FACILITY ID: _____ 431

LOCATION WITHIN SITE (Optional) North East Corner 431

I. TANK DESCRIPTION (A scaled plot plan with the location of the UST system including buildings and landmarks shall be submitted to the local agency.)

TANK ID # <u>N/A</u> 432	TANK MANUFACTURER <u>NA</u> 433	COMPARTMENTALIZED TANK <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 434 <small>If "Yes", complete one page for each compartment.</small>
DATE INSTALLED (YEAR/MO) <u>N/A</u> 435	TANK CAPACITY IN GALLONS <u>12,000</u> 436	NUMBER OF COMPARTMENTS <u>NA</u> 437
ADDITIONAL DESCRIPTION (For local use only) 438		

II. TANK CONTENTS 440

TANK USE 439	PETROLEUM TYPE 440	CAS# (from Hazardous Materials Inventory page) 442
<input checked="" type="checkbox"/> 1. MOTOR VEHICLE FUEL <small>(If marked complete Petroleum Type)</small>	<input type="checkbox"/> 1a. REGULAR UNLEADED <input type="checkbox"/> 2. LEADED	<input type="checkbox"/> 5. JET FUEL
<input type="checkbox"/> 2. NON-FUEL PETROLEUM	<input checked="" type="checkbox"/> 1b. PREMIUM UNLEADED <input type="checkbox"/> 3. DIESEL	<input type="checkbox"/> 6. AVIATION FUEL
<input type="checkbox"/> 3. CHEMICAL PRODUCT	<input type="checkbox"/> 1c. MIDGRADE UNLEADED <input type="checkbox"/> 4. GASOHOL	<input type="checkbox"/> 99. OTHER
<input type="checkbox"/> 4. HAZARDOUS WASTE <small>(Includes Used Oil)</small>	COMMON NAME (from Hazardous Materials Inventory page) 441	
<input type="checkbox"/> 95. UNKNOWN		

III. TANK CONSTRUCTION

TYPE OF TANK (Check one item only)	<input checked="" type="checkbox"/> 1. SINGLE WALL <input type="checkbox"/> 3. SINGLE WALL WITH EXTERIOR MEMBRANE LINER	<input type="checkbox"/> 5. SINGLE WALL WITH INTERNAL BLADDER SYSTEM <input type="checkbox"/> 95. UNKNOWN 443
TANK MATERIAL - primary tank (Check one item only)	<input type="checkbox"/> 2. DOUBLE WALL <input type="checkbox"/> 4. SINGLE WALL IN VAULT	<input type="checkbox"/> 99. OTHER 444
TANK MATERIAL - secondary tank (Check one item only)	<input type="checkbox"/> 1. BARE STEEL <input checked="" type="checkbox"/> 3. FIBERGLASS / PLASTIC	<input type="checkbox"/> 5. CONCRETE <input type="checkbox"/> 95. UNKNOWN 445
TANK INTERIOR LINING (Check one item only)	<input type="checkbox"/> 2. STAINLESS STEEL <input type="checkbox"/> 4. STEEL CLAD W/FIBERGLASS REINFORCED PLASTIC (FRP)	<input type="checkbox"/> 8. FRP COMPATIBLE W/100% METHANOL <input type="checkbox"/> 99. OTHER 446
OR COATING (Check one item only)	<input type="checkbox"/> 5. CONCRETE	<input type="checkbox"/> 10. COATED STEEL 447
OTHER CORROSION PROTECTION IF APPLICABLE (Check one item only)	<input type="checkbox"/> 1. RUBBER LINED <input type="checkbox"/> 3. EPOXY LINING <input type="checkbox"/> 5. GLASS LINING <input type="checkbox"/> 95. UNKNOWN 448	DATE INSTALLED 449
PROTECTION IF APPLICABLE (Check one item only)	<input type="checkbox"/> 2. ALKYD LINING <input type="checkbox"/> 4. PHENOLIC LINING <input type="checkbox"/> 6. UNLINED <input type="checkbox"/> 99. OTHER 449	

SPILL AND OVERFILL (Check all that apply)	YEAR INSTALLED <u>NA</u> 450	TYPE (local use only) 451	OVERFILL PROTECTION EQUIPMENT: YEAR INSTALLED <u>NA</u> 452
<input type="checkbox"/> 1 SPILL CONTAINMENT			<input type="checkbox"/> 1 ALARM <input type="checkbox"/> 3 FILL TUBE SHUT OFF VALVE
<input type="checkbox"/> 2 DROP TUBE			<input type="checkbox"/> 2 BALL FLOAT <input type="checkbox"/> 4 EXEMPT
<input type="checkbox"/> 3 STRIKER PLATE			

IV. TANK LEAK DETECTION (A description of the monitoring program shall be submitted to the local agency.)

IF SINGLE WALL TANK (Check all that apply) 453	IF DOUBLE WALL TANK OR TANK WITH BLADDER (Check one item only) 454
<input type="checkbox"/> 1 VISUAL (EXPOSED PORTION ONLY)	<input type="checkbox"/> 1 VISUAL (SINGLE WALL IN VAULT ONLY)
<input checked="" type="checkbox"/> 2 AUTOMATIC TANK GAUGING (ATG)	<input type="checkbox"/> 2 CONTINUOUS INTERSTITIAL MONITORING
<input checked="" type="checkbox"/> 3 CONTINUOUS ATG	<input type="checkbox"/> 3 MANUAL MONITORING
<input type="checkbox"/> 4 STATISTICAL INVENTORY RECONCILIATION (SIR) BIENNIAL TANK TESTING	
<input type="checkbox"/> 5 MANUAL TANK GAUGING (MTG)	
<input type="checkbox"/> 6 VADOSE ZONE	
<input type="checkbox"/> 7 GROUNDWATER	
<input type="checkbox"/> 8 TANK TESTING	
<input type="checkbox"/> 99 OTHER	

IV. TANK CLOSURE INFORMATION / PERMANENT CLOSURE IN PLACE

ESTIMATED DATE LAST USED (YR/MO/DAY) 455 <u>Unknown</u>	ESTIMATED QUANTITY OF SUBSTANCE REMAINING 456 <u>600</u> gallons	TANK FILLED WITH INERT MATERIAL? 457 <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
---	--	--

DEC 11 2002

UNIFIED PROGRAM CONSOLIDATED FORM
UNDERGROUND STORAGE TANKS - TANK PAGE 2

Chico, **CA**NKS

Page ___ of ___

VI. PIPING CONSTRUCTION (Check all that apply)

UNDERGROUND PIPING	ABOVEGROUND PIPING
SYSTEM TYPE <input checked="" type="checkbox"/> 1. PRESSURE <input type="checkbox"/> 2. SUCTION <input type="checkbox"/> 3. GRAVITY 458	<input type="checkbox"/> 1. PRESSURE <input type="checkbox"/> 2. SUCTION <input type="checkbox"/> 3. GRAVITY 459
CONSTRUCTION <input checked="" type="checkbox"/> 1. SINGLE WALL <input type="checkbox"/> 3. LINED TRENCH <input type="checkbox"/> 99. OTHER 460	<input type="checkbox"/> 1. SINGLE WALL <input type="checkbox"/> 95. UNKNOWN 462
MANUFACTURER <input type="checkbox"/> 2. DOUBLE WALL <input type="checkbox"/> 95. UNKNOWN 461	<input type="checkbox"/> 2. DOUBLE WALL <input type="checkbox"/> 99. OTHER 463
MANUFACTURER <u>Unknown</u>	MANUFACTURER
<input type="checkbox"/> 1. BARE STEEL <input type="checkbox"/> 6. FRP COMPATIBLE w/100% METHANOL <input type="checkbox"/> 7. GALVANIZED STEEL <input type="checkbox"/> 99. Other	<input type="checkbox"/> 1. BARE STEEL <input type="checkbox"/> 6. FRP COMPATIBLE w/100% METHANOL <input type="checkbox"/> 7. GALVANIZED STEEL <input type="checkbox"/> 8. FLEXIBLE (HDPE) <input type="checkbox"/> 99. OTHER
<input type="checkbox"/> 2. STAINLESS STEEL <input type="checkbox"/> 7. GALVANIZED STEEL <input type="checkbox"/> Unknown	<input type="checkbox"/> 2. STAINLESS STEEL <input type="checkbox"/> 3. PLASTIC COMPATIBLE W/ CONTENTS <input type="checkbox"/> 4. FIBERGLASS <input type="checkbox"/> 5. STEEL W/COATING
<input type="checkbox"/> 3. PLASTIC COMPATIBLE W/ CONTENTS <input type="checkbox"/> 99. Other	<input type="checkbox"/> 4. FIBERGLASS <input type="checkbox"/> 5. STEEL W/COATING
<input checked="" type="checkbox"/> 4. FIBERGLASS <input type="checkbox"/> 8. FLEXIBLE (HDPE) 464	<input type="checkbox"/> 6. FRP COMPATIBLE W/100% METHANOL <input type="checkbox"/> 7. GALVANIZED STEEL <input type="checkbox"/> 8. FLEXIBLE (HDPE) <input type="checkbox"/> 99. OTHER
<input type="checkbox"/> 5. STEEL W/COATING <input type="checkbox"/> 9. CATHODIC PROTECTION 464	<input type="checkbox"/> 9. CATHODIC PROTECTION <input type="checkbox"/> 95. UNKNOWN 465

VII. PIPING LEAK DETECTION (Check all that apply) (A description of the monitoring program shall be submitted to the local agency.)

UNDERGROUND PIPING	ABOVEGROUND PIPING
SINGLE WALL PIPING 466	SINGLE WALL PIPING 467
<p>PRESSURIZED PIPING (Check all that apply):</p> <input type="checkbox"/> 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST WITH AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION + AUDIBLE AND VISUAL ALARMS.	<p>PRESSURIZED PIPING (Check all that apply):</p> <input type="checkbox"/> 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST WITH AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION + AUDIBLE AND VISUAL ALARMS.
<input type="checkbox"/> 2. MONTHLY 0.2 GPH TEST	<input type="checkbox"/> 2. MONTHLY 0.2 GPH TEST
<input type="checkbox"/> 3. ANNUAL INTEGRITY TEST (0.1GPH)	<input type="checkbox"/> 3. ANNUAL INTEGRITY TEST (0.1GPH)
<p>CONVENTIONAL SUCTION SYSTEMS</p> <input type="checkbox"/> 5. DAILY VISUAL MONITORING OF PUMPING SYSTEM + TRIENNIAL PIPING INTEGRITY TEST (0.1 GPH)	<p>CONVENTIONAL SUCTION SYSTEMS (Check all that apply)</p> <input type="checkbox"/> 5. DAILY VISUAL MONITORING OF PIPING AND PUMPING SYSTEM
<p>SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING):</p> <input type="checkbox"/> 7. SELF MONITORING	<p>SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING):</p> <input type="checkbox"/> 6. TRIENNIAL INTEGRITY TEST (0.1 GPH)
<p>GRAVITY FLOW</p> <input type="checkbox"/> 9. BIENNIAL INTEGRITY TEST (0.1 GPH)	<p>SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING):</p> <input type="checkbox"/> 7. SELF MONITORING
<p align="center">SECONDARILY CONTAINED PIPING</p> <p>PRESSURIZED PIPING (Check all that apply):</p> <input type="checkbox"/> 10. CONTINUOUS TURBINE SUMP SENSOR WITH AUDIBLE AND VISUAL ALARMS AND (Check one)	<p align="center">SECONDARILY CONTAINED PIPING</p> <p>PRESSURIZED PIPING (Check all that apply):</p> <input type="checkbox"/> 10. CONTINUOUS TURBINE SUMP SENSOR WITH AUDIBLE AND VISUAL ALARMS AND (Check one)
<input type="checkbox"/> a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS	<input type="checkbox"/> a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS
<input type="checkbox"/> b. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION	<input type="checkbox"/> b. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION
<input type="checkbox"/> c. NO AUTO PUMP SHUT OFF	<input type="checkbox"/> c. NO AUTO PUMP SHUT OFF
<input type="checkbox"/> 11. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) WITH FLOW SHUT OFF OR RESTRICTION	<input type="checkbox"/> 11. AUTOMATIC LEAK DETECTOR
<input type="checkbox"/> 12. ANNUAL INTEGRITY TEST (0.1 GPH)	<input type="checkbox"/> 12. ANNUAL INTEGRITY TEST (0.1 GPH)
<p>SUCTION/GRAVITY SYSTEM</p> <input type="checkbox"/> 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS	<p>SUCTION/GRAVITY SYSTEM</p> <input type="checkbox"/> 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS
<p align="center">EMERGENCY GENERATORS ONLY (Check all that apply)</p> <input type="checkbox"/> 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND VISUAL ALARMS	<p align="center">EMERGENCY GENERATORS ONLY (Check all that apply)</p> <input type="checkbox"/> 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND VISUAL ALARMS
<input type="checkbox"/> 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) WITHOUT FLOW SHUT OFF OR RESTRICTION	<input type="checkbox"/> 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST)
<input type="checkbox"/> 16. ANNUAL INTEGRITY TEST (0.1 GPH)	<input type="checkbox"/> 16. ANNUAL INTEGRITY TEST (0.1 GPH)
<input type="checkbox"/> 17. DAILY VISUAL CHECK	<input type="checkbox"/> 17. DAILY VISUAL CHECK

VIII. DISPENSER CONTAINMENT

DISPENSER CONTAINMENT	<input type="checkbox"/> 1. FLOAT MECHANISM THAT SHUTS OFF SHEAR VALVE	<input type="checkbox"/> 4. DAILY VISUAL CHECK
DATE INSTALLED 468	<input type="checkbox"/> 2. CONTINUOUS DISPENSER PAN SENSOR + AUDIBLE AND VISUAL ALARMS	<input type="checkbox"/> 5. TRENCH LINER / MONITORING
	<input type="checkbox"/> 3. CONTINUOUS DISPENSER PAN SENSOR WITH AUTO SHUT OFF FOR DISPENSER + AUDIBLE AND VISUAL ALARMS	<input type="checkbox"/> 6. NONE 469

IX. OWNER/OPERATOR SIGNATURE

I certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF OWNER/OPERATOR <u>[Signature]</u>	DATE 12-11-02
NAME OF OWNER/OPERATOR (print) SCOTT EVANS	TITLE OF OWNER/OPERATOR SGT

Permit Number (For local use only) 473 Permit Approved (For local use only) 474 Permit Expiration Date (For local use only) 475

UNIFIED PROGRAM CONSOLIDATED FORM

TANKS

UNDERGROUND STORAGE TANKS - TANK PAGE 1

(two pages per tank)

Page ___ of ___

TYPE OF ACTION 1 NEW SITE PERMIT 4 AMENDED PERMIT 5 CHANGE OF INFORMATION 6 TEMPORARY SITE CLOSURE
 (Check one item only) 3 RENEWAL PERMIT (Specify reason - for local use only) 7 PERMANENTLY CLOSED ON SITE 8 TANK REMOVED 430

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) California Highway Patrol 3 FACILITY ID: _____ 1

LOCATION WITHIN SITE (Optional) North East Corner 431

I. TANK DESCRIPTION (A scaled plot plan with the location of the UST system including buildings and landmarks shall be submitted to the local agency.)

TANK ID # 1 432 TANK MANUFACTURER Modern Welding 433 COMPARTMENTALIZED TANK Yes No 434
 DATE INSTALLED (YEAR/MO) 2003 435 TANK CAPACITY IN GALLONS 12,000 gallons 436 NUMBER OF COMPARTMENTS 1 437
 ADDITIONAL DESCRIPTION (For local use only) 438

II. TANK CONTENTS

TANK USE 439 PETROLEUM TYPE 440
 1. MOTOR VEHICLE FUEL (If marked complete Petroleum Type) 1a. REGULAR UNLEADED 2. LEADED 5. JET FUEL
 2. NON-FUEL PETROLEUM 1b. PREMIUM UNLEADED 3. DIESEL 6. AVIATION FUEL
 3. CHEMICAL PRODUCT 1c. MIDGRADE UNLEADED 4. GASOLINE 99. OTHER
 4. HAZARDOUS WASTE (Includes Used Oil) COMMON NAME (from Hazardous Materials Inventory page) 441 CAS# (from Hazardous Materials Inventory page) 442
 95. UNKNOWN

III. TANK CONSTRUCTION

TYPE OF TANK (Check one item only) 1. SINGLE WALL 3. SINGLE WALL WITH EXTERIOR MEMBRANE LINER 5. SINGLE WALL WITH INTERNAL BLADDER SYSTEM 443
 2. DOUBLE WALL 4. SINGLE WALL IN VAULT 95. UNKNOWN 99. OTHER
 TANK MATERIAL - primary tank (Check one item only) 1. BARE STEEL 3. FIBERGLASS / PLASTIC 5. CONCRETE 444
 2. STAINLESS STEEL 4. STEEL CLAD W/FIBERGLASS REINFORCED PLASTIC (FRP) 8. FRP COMPATIBLE W/100% METHANOL 99. OTHER
 TANK MATERIAL - secondary tank (Check one item only) 1. BARE STEEL 3. FIBERGLASS / PLASTIC 5. CONCRETE 445
 2. STAINLESS STEEL 4. STEEL CLAD W/FIBERGLASS REINFORCED PLASTIC (FRP) 8. FRP COMPATIBLE W/100% METHANOL 99. OTHER
 10. COATED STEEL 5. CONCRETE
 TANK INTERIOR LINING (Check one item only) 1. RUBBER LINED 3. EPOXY LINING 5. GLASS LINING 95. UNKNOWN 446 DATE INSTALLED 447
 2. ALKYL LINED 4. PHENOLIC LINING 6. UNLINED 99 OTHER (For local use only)
 OTHER CORROSION PROTECTION IF APPLICABLE (Check one item only) 1. MANUFACTURED CATHODIC PROTECTION 3. FIBERGLASS REINFORCED PLASTIC 448 DATE INSTALLED 449
 2. SACRIFICIAL ANODE 4. IMPRESSED CURRENT 99 OTHER (For local use only)

SPILL AND OVERFILL (Check all that apply) YEAR INSTALLED 450 TYPE (local use only) 451 OVERFILL PROTECTION EQUIPMENT: YEAR INSTALLED 452
 1. SPILL CONTAINMENT 1. ALARM 3. FILL TUBE SHUT OFF VALVE
 2. DROP TUBE 2. BALL FLOAT 4. EXEMPT
 3. STRIKER PLATE

IV. TANK LEAK DETECTION (A description of the monitoring program shall be submitted to the local agency.)

IF SINGLE WALL TANK (Check all that apply) 453 IF DOUBLE WALL TANK OR TANK WITH BLADDER (Check one item only) 454
 1. VISUAL (EXPOSED PORTION ONLY) 5. MANUAL TANK GAUGING (MTG) 1. VISUAL (SINGLE WALL IN VAULT ONLY)
 2. AUTOMATIC TANK GAUGING (ATG) 6. VADOSE ZONE 2. CONTINUOUS INTERSTITIAL MONITORING
 3. CONTINUOUS ATG 7. GROUNDWATER 3. MANUAL MONITORING
 4. STATISTICAL INVENTORY RECONCILIATION (SIR) BIENNIAL TANK TESTING 8. TANK TESTING 99 OTHER

IV. TANK CLOSURE INFORMATION / PERMANENT CLOSURE IN PLACE

ESTIMATED DATE LAST USED (YR/MO/DAY) 455 ESTIMATED QUANTITY OF SUBSTANCE REMAINING 456 TANK FILLED WITH INERT MATERIAL? 457
 _____ gallons Yes No

Environmental Health

DEC 11 2002

Chino CA

DEC 11 2002

UNIFIED PROGRAM CONSOLIDATED FORM

Chico, CA 95926

UNDERGROUND STORAGE TANKS - TANK PAGE 2

Page ___ of ___

VI. PIPING CONSTRUCTION (Check all that apply)

UNDERGROUND PIPING				ABOVEGROUND PIPING				
SYSTEM TYPE	<input checked="" type="checkbox"/> 1. PRESSURE	<input type="checkbox"/> 2. SUCTION	<input type="checkbox"/> 3. GRAVITY	458	<input type="checkbox"/> 1. PRESSURE	<input type="checkbox"/> 2. SUCTION	<input type="checkbox"/> 3. GRAVITY	459
CONSTRUCTION	<input type="checkbox"/> 1. SINGLE WALL	<input type="checkbox"/> 3. LINED TRENCH	<input type="checkbox"/> 99. OTHER	460	<input type="checkbox"/> 1. SINGLE WALL	<input type="checkbox"/> 95. UNKNOWN		462
MANUFACTURER	<input checked="" type="checkbox"/> 2. DOUBLE WALL	<input type="checkbox"/> 95. UNKNOWN		461	<input type="checkbox"/> 2. DOUBLE WALL	<input type="checkbox"/> 99. OTHER		463
MANUFACTURER	Total Containment (A.O. Smith)			461	MANUFACTURER:			463
<input type="checkbox"/> 1. BARE STEEL	<input type="checkbox"/> 6. FRP COMPATIBLE w/100% METHANOL	<input type="checkbox"/> 7. GALVANIZED STEEL	<input type="checkbox"/> Unknown		<input type="checkbox"/> 1. BARE STEEL	<input type="checkbox"/> 6. FRP COMPATIBLE w/100% METHANOL		
<input type="checkbox"/> 2. STAINLESS STEEL	<input type="checkbox"/> 7. GALVANIZED STEEL	<input type="checkbox"/> Unknown			<input type="checkbox"/> 2. STAINLESS STEEL	<input type="checkbox"/> 7. GALVANIZED STEEL		
<input type="checkbox"/> 3. PLASTIC COMPATIBLE W/ CONTENTS	<input type="checkbox"/> 99. Other				<input type="checkbox"/> 3. PLASTIC COMPATIBLE W/ CONTENTS	<input type="checkbox"/> 8. FLEXIBLE (HDPE)	<input type="checkbox"/> 99. OTHER	
<input checked="" type="checkbox"/> 4. FIBERGLASS	<input checked="" type="checkbox"/> 8. FLEXIBLE (HDPE)				<input type="checkbox"/> 4. FIBERGLASS	<input type="checkbox"/> 9. CATHODIC PROTECTION		
<input type="checkbox"/> 5. STEEL W/COATING	<input type="checkbox"/> 9. CATHODIC PROTECTION		464		<input type="checkbox"/> 5. STEEL W/COATING	<input type="checkbox"/> 95. UNKNOWN		465

VII. PIPING LEAK DETECTION (Check all that apply) (A description of the monitoring program shall be submitted to the local agency.)

UNDERGROUND PIPING		ABOVEGROUND PIPING	
SINGLE WALL PIPING 466		SINGLE WALL PIPING 467	
PRESSURIZED PIPING (Check all that apply):		PRESSURIZED PIPING (Check all that apply):	
<input type="checkbox"/> 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST WITH AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION + AUDIBLE AND VISUAL ALARMS.		<input type="checkbox"/> 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST WITH AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION + AUDIBLE AND VISUAL ALARMS.	
<input type="checkbox"/> 2. MONTHLY 0.2 GPH TEST		<input type="checkbox"/> 2. MONTHLY 0.2 GPH TEST	
<input type="checkbox"/> 3. ANNUAL INTEGRITY TEST (0.1 GPH)		<input type="checkbox"/> 3. ANNUAL INTEGRITY TEST (0.1 GPH)	
CONVENTIONAL SUCTION SYSTEMS		CONVENTIONAL SUCTION SYSTEMS (Check all that apply):	
<input type="checkbox"/> 5. DAILY VISUAL MONITORING OF PUMPING SYSTEM + TRIENNIAL PIPING INTEGRITY TEST (0.1 GPH)		<input type="checkbox"/> 5. DAILY VISUAL MONITORING OF PIPING AND PUMPING SYSTEM	
SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING):		SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING):	
<input type="checkbox"/> 7. SELF MONITORING		<input type="checkbox"/> 7. SELF MONITORING	
GRAVITY FLOW		GRAVITY FLOW (Check all that apply):	
<input type="checkbox"/> 9. BIENNIAL INTEGRITY TEST (0.1 GPH)		<input type="checkbox"/> 8. DAILY VISUAL MONITORING	
		<input type="checkbox"/> 9. BIENNIAL INTEGRITY TEST (0.1 GPH)	
SECONDARILY CONTAINED PIPING		SECONDARILY CONTAINED PIPING	
PRESSURIZED PIPING (Check all that apply):		PRESSURIZED PIPING (Check all that apply):	
10. CONTINUOUS TURBINE SUMP SENSOR WITH AUDIBLE AND VISUAL ALARMS AND (Check one)		10. CONTINUOUS TURBINE SUMP SENSOR WITH AUDIBLE AND VISUAL ALARMS AND (Check one)	
<input type="checkbox"/> a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS		<input type="checkbox"/> a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS	
<input type="checkbox"/> b. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION		<input type="checkbox"/> b. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION	
<input checked="" type="checkbox"/> c. NO AUTO PUMP SHUT OFF		<input type="checkbox"/> c. NO AUTO PUMP SHUT OFF	
<input type="checkbox"/> 11. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) WITH FLOW SHUT OFF OR RESTRICTION		<input type="checkbox"/> 11. AUTOMATIC LEAK DETECTOR	
<input type="checkbox"/> 12. ANNUAL INTEGRITY TEST (0.1 GPH)		<input type="checkbox"/> 12. ANNUAL INTEGRITY TEST (0.1 GPH)	
SUCTION/GRAVITY SYSTEM		SUCTION/GRAVITY SYSTEM	
<input type="checkbox"/> 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS		<input type="checkbox"/> 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS	
EMERGENCY GENERATORS ONLY (Check all that apply)		EMERGENCY GENERATORS ONLY (Check all that apply)	
<input type="checkbox"/> 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND VISUAL ALARMS		<input type="checkbox"/> 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND VISUAL ALARMS	
<input type="checkbox"/> 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) WITHOUT FLOW SHUT OFF OR RESTRICTION		<input type="checkbox"/> 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST)	
<input type="checkbox"/> 16. ANNUAL INTEGRITY TEST (0.1 GPH)		<input type="checkbox"/> 16. ANNUAL INTEGRITY TEST (0.1 GPH)	
<input type="checkbox"/> 17. DAILY VISUAL CHECK		<input type="checkbox"/> 17. DAILY VISUAL CHECK	

VIII. DISPENSER CONTAINMENT

DISPENSER CONTAINMENT	<input type="checkbox"/> 1. FLOAT MECHANISM THAT SHUTS OFF SHEAR VALVE	<input type="checkbox"/> 4. DAILY VISUAL CHECK
DATE INSTALLED 468	<input checked="" type="checkbox"/> 2. CONTINUOUS DISPENSER PAN SENSOR + AUDIBLE AND VISUAL ALARMS	<input type="checkbox"/> 5. TRENCH LINER / MONITORING
	<input type="checkbox"/> 3. CONTINUOUS DISPENSER PAN SENSOR WITH AUTO SHUT OFF FOR DISPENSER + AUDIBLE AND VISUAL ALARMS	<input type="checkbox"/> 6. NONE 469

IX. OWNER/OPERATOR SIGNATURE

I certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF OWNER/OPERATOR <i>SR</i>	DATE 12-11-02	470
NAME OF OWNER/OPERATOR (print) SCOTT EWANS	TITLE OF OWNER/OPERATOR SOI	472

Permit Number (For local use only) 473	Permit Approved (For local use only) 474	Permit Expiration Date (For local use only) 475
--	--	---

**Butte County Division of Environmental Health
Hazardous Materials Facility Status Tracking Report**

STATUS REQUEST			
Facility Status		Purpose of Request	
New []	Existing <input checked="" type="checkbox"/> Non-regulated Facility [] FA: <u>0655</u>	Facility Inspection <input checked="" type="checkbox"/>	Change of Facility/Billing Information []
FACILITY INFORMATION			
Inspector: <u>C. Hancock</u>			
Inspection Date: <u>10/17/13</u>			
Facility Name: <u>CHP - Chico</u>			
Facility Address: <u>995 Fir St</u>			
Mailing Address: <u>Same</u>			
Facility Contact: <u>Dan Canata</u>			
Phone Number: <u>979-1999</u>			
FACILITY STATUS		REVISED STATUS	
CERS ID #			
Haz Waste	Code: <u>221</u>	Code: <u>221</u>	
HMRRP	BASE: <u>1-5</u> Range: <u>5500-55000g</u>	BASE: <u>OK</u> Range: <u>OK</u>	
UST	Number of Tanks:	Number of Tanks:	
APSA	Code: <u>102</u>	Code: <u>OK</u>	
Tier Permit	PBR CEL CESW	CA CESQT	
Haz Waste Generator Codes		APSA Billing Codes	
CESQG	<u>221</u>	1,320 -9,999	101
SQG	<u>222</u>	10,000 - 99,999	102
LQG (CAL)	223	100,000 - 1,000,000	103
LQG (RCRA)	223	>1,000,001	104
		SPCC Exempt (Farm)	180
		Log Date: <u>10/31/13</u>	
		Logged By: <u>[Signature]</u>	
HMRRP Billing Codes			
Base	Range		
1-5	55-550 g; 200-2,000 ft ³ ; 500-5,000 lbs		
6-10	550-5,500 g; 2,000-20,000 ft ³ ; 5,000-50,000 lbs		
11-20	5,500-55,000 g; 20,000-200,000 ft ³ ; 50,000-500,000 lbs		
21-40	55,000-550,000 g; 200,000-2,000,000 ft ³ ; 500,000-5,000,000 lbs		
41-60	550,000-5,500,000 g; 2,000,000-20,000,000 ft ³ ; 5,000,000-50,000,000 lbs		
61-80			
81-100			
Notes:			

**Butte County Division of Environmental Health
Hazardous Materials Facility Status Tracking Report**


STATUS REQUEST			
Facility Status		Purpose of Request	
New <input type="checkbox"/>	Existing <input checked="" type="checkbox"/> Non-regulated Facility <input type="checkbox"/> Sweeps #: 17941	Facility Inspection <input checked="" type="checkbox"/>	Change of Facility/Billing Information <input type="checkbox"/>
FACILITY INFORMATION			
Inspector:	<u>Darren Jones</u>		
Inspection Date:	<u>9/1/2010</u>		
Facility Name:	<u>California Highway Patrol</u>		
Facility Address:	<u>995 Fir St., Chico, Ca. 95928</u>		
Mailing Address:	_____		
Facility Contact:	<u>Scott Evans/Dave Vickers</u>		
Phone Number:	<u>879-1999</u>		
FACILITY STATUS		REVISED STATUS	
Haz Waste	Code: 222	Code: <i>OK</i>	
HMRRP	BASE: 1-5 Range: 5500-55000 gallons	BASE: <i>1-5</i> Range: <i>5500-55000</i>	
UST	Number of Tanks:	Number of Tanks:	
APSA	Code: 102	Code: <i>OK</i>	
SWEEPS # REQUESTED: Yes <input type="checkbox"/> No <input type="checkbox"/>		SWEEPS #	
Haz Waste Generator Codes		APSA Billing Codes	
CESQG	221	1,320 - 9,999	101
SQG	222	10,000 - 99,999	102
LQG	223	100,000 - 1,000,000	103
		>1,000,001	104
		SPCC Exempt (Farm)	180
Log Date: <i>9/1/10</i>			
Logged By: <i>RA</i>			
HMRRP Billing Codes			
Base	Range		
1-5	55-550 g; 200-2,000 ft ³ ; 500-5,000 lbs		
6-10	550-5,500 g; 2,000-20,000 ft ³ ; 5,000-50,000 lbs		
11-20	5,500-55,000 g; 20,000-200,000 ft ³ ; 50,000-500,000 lbs		
21-40	55,000-550,000 g; 200,000-2,000,000 ft ³ ; 500,000-5,000,000 lbs		
41-60	550,000-5,500,000 g; 2,000,000-20,000,000 ft ³ ; 5,000,000-50,000,000 lbs		
61-80			
81-100			
Notes:			
<i>FA 655</i>			

Business ID: 17941	Business Name: CALIFORNIA HIGHWAY PATROL - CHICO	Primary Contact: SCOTT EVANS
Last Re-Certification Date: 6/2/2006	995 FIR STREET CHICO CA 95928	(530) 879-1999 x 24-Hr Emer → (530) 879-1955 x

CHEMICAL NAME	COMMON NAME	LOCATION	FIRE CODE HAZARD CLASSES	UNIT STAT TYPE	MAX DAILY AMOUNT	LARGEST CONTAINR	MAP/GRID
SMALL ARMS AMMUNITION	AMMUNITION SMOKELESS POWDER	995 FIR STREET	Explosives	A L	500	2	1 / E6, I6
PETROLEUM HYDROCARBON MIXTURE	AUTOMATIC TRANSMISSION FLUID	995 FIR STREET	Flammable Liquid	A G	60	0.25	1 / I-7
PYROTECHNIC COMPOSITION	FLARE (FESEE)	995 FIR STREET	Flammable Solid	A L	1,500	25	1 / F-6
CALCIUM PHENATE	MOTOR OIL 1203	995 FIR STREET	Flammable Liquid	A G	85	0.25	1 / I-7
LIQUID PETROLEUM GAS 1978	PROPANE	995 FIR STREET	Flammable Liquid	A G	1000	500	1 / I-1, J-1
HYDROCARBON SOLVENT 1985	SOLVENT	995 FIR STREET	Flammable Liquid	A G	55	55	1 / F-6
UNLEADED GAS 1203	UNLEADED FUEL	995 FIR STREET, CHICO	Flammable Liquid	A G	0	10,000	1 / I-2

7-3-07 data Chk. of
Map not scanned
11-15-07 scanned 2005 map

Butte County Division of Environmental Health Hazardous Materials Facility Status Tracking Report

STATUS REQUEST			
Facility Status		Purpose of Request	
New <input type="checkbox"/>	Existing <input checked="" type="checkbox"/> Non-regulated Facility <input type="checkbox"/> Sweeps #: 17941	Facility Inspection <input checked="" type="checkbox"/>	Change of Facility/Billing Information <input type="checkbox"/>
FACILITY INFORMATION			
Inspector: <u>Darren Jones</u>			
Inspection Date: <u>9/1/2010</u>			
Facility Name: <u>California Highway Patrol</u>			
Facility Address: <u>995 Fir St., Chico, Ca. 95928</u>			
Mailing Address: _____			
Facility Contact: <u>Scott Evans/Dave Vickers</u>			
Phone Number: <u>879-1999</u>			
FACILITY STATUS		REVISED STATUS	
Haz Waste	Code: 222	Code: <i>OK</i>	
HMRRP	BASE: 1-5 Range: 5500-55000 gallons	BASE: <i>1-5</i> Range: <i>5500-55000</i>	
UST	Number of Tanks:	Number of Tanks:	
APSA	Code: 102	Code: <i>OK</i>	
SWEEPS # REQUESTED: Yes <input type="checkbox"/> No <input type="checkbox"/>		SWEEPS #	
Haz Waste Generator Codes		APSA Billing Codes	
CESQG	221	1,320 - 9,999	101
SQG	222	10,000 - 99,999	102
LQG	223	100,000 - 1,000,000	103
		>1,000,001	104
		SPCC Exempt (Farm)	180
Log Date: <i>9/1/10</i>			
Logged By: <i>MA</i>			
HMRRP Billing Codes			
Base	Range		
1-5	55-550 g; 200-2,000 ft ³ ; 500-5,000 lbs		
6-10	550-5,500 g; 2,000-20,000 ft ³ ; 5,000-50,000 lbs		
11-20	5,500-55,000 g; 20,000-200,000 ft ³ ; 50,000-500,000 lbs		
21-40	55,000-550,000 g; 200,000-2,000,000 ft ³ ; 500,000-5,000,000 lbs		
41-60	550,000-5,500,000 g; 2,000,000-20,000,000 ft ³ ; 5,000,000-50,000,000 lbs		
61-80			
81-100			
Notes: <i>FA 655</i>			



PHYLLIS L. MURDOCK, DIRECTOR
MARK A. LUNDBERG, M.D., M.P.H., HEALTH OFFICER
WWW.BUTTECOUNTY.NET/PUBLICHEALTH
ENVIRONMENTAL HEALTH DIVISION

HAZARDOUS MATERIAL RELEASE RESPONSE PLAN (HMRRP) AND INVENTORY CERTIFICATION STATEMENT

Pursuant to California Health and Safety Code Section 25505 (c) and (d), this Hazardous Materials Inventory annual and/or HMRRP triennial renewal certification statement is being submitted for:

Facility Name: CALIFORNIA HIGHWAY PATROL Facility ID Number: 42698
Facility Address: 995 FIR STREET City: CHICO State: CA Zip Code: 95928

Annual HMRRP Inventory Review, Certification, and Update Check the appropriate box:

- I have personally reviewed the HMRRP inventory documents currently on file with Butte County Environmental Health Division, dated 9/9/09, and hereby certify that:
- The information contained in the hazardous materials inventory documents most recently submitted to with Butte County Environmental Health Division is complete, accurate, and up to date.
- There has been no change in the quantity of hazardous materials reported in the most recently submitted inventory documents.
- No hazardous materials subject to inventory requirement are being handled that are not listed on the most recently submitted inventory documents.
- The inventory as previously reported has changed. Attached are new inventory reporting documents for all changes.

Triennial (3 year) HMRRP Review, Certification, and Update Check the appropriate box:

- I have personally reviewed the entire HMRRP currently on file with Butte County Environmental Health Division, dated [blank], and hereby certify that the information contained in it is accurate and complete as of this date [blank].
I have personally reviewed the entire HMRRP currently on file with Butte County Environmental Health Division, dated [blank], and have updated the following items:
- Business Owner/Operator Identification Document
- Business Activities Document
- Emergency Response/Consolidated Contingency Plan
- Site and/or facility map(s)

Notification should be made to this Department within 30 days if any of the following changes occur: ownership; business name; mailing address; phone number; emergency contact person; 100% or more increase in previously disclosed material; or handling of a previously undisclosed material above reporting limits. This form can only be used if you have already submitted the most current version of the Chemical Inventory document (OES Form 2731). If your business falls under EPCRA/SARA Title III, this form does not meet the annual inventory reporting requirements.

I certify under penalty of law that I have examined and am familiar with the information submitted in this and all attached documents, that the information provided herein is true, accurate, and complete to the best of my knowledge.

Print Name of Owner/Operator: S.R. Evans
Signature of Owner/Operator: [Signature]
Date: 9/9/09
Title: [blank]

BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH
HAZARDOUS MATERIALS RELEASE RESPONSE PLAN
CERTIFICATION FORM

JUN 28 2006

ADMINISTRATION

Pursuant to Section 25503.3(c) of California Health and Safety Code (H&SC), the Hazardous Materials Release Response Plan (HMRRP) certification described below is hereby submitted for the following facility:

Facility Name CALIFORNIA HIGHWAY PATROL - CHICO AREA

Facility Street Address 995 FIVE ST City CHICO

Date of Current HMRRP 6-26-02

I certify that: (Check the appropriate box):

I have personally reviewed the Hazardous Materials Release Response Plan currently on file with your agency and certify that the HMRRP is complete and accurate. (See below).

or

Revisions to the Hazardous Materials Release Response Plan are necessary. The HMRRP as revised is being implemented. A copy of the revisions is enclosed with this Certification.

By checking the upper box on this form, you are certifying that:

- The information contained in the HMRRP most recently submitted is complete, accurate, and up-to-date; and
- There has been no change in the quantity of any hazardous material as reported in the most recently submitted Hazardous Materials Inventory forms; and
- The facility has not begun handling any hazardous material in a HMRRP reportable quantity which is not currently listed in the Hazardous Materials Inventory; and
- The HMRRP most recently submitted contains the information required by Section 11022 of Title 42 of the United States Code; and
- There have been no substantial changes in the facility's hazardous materials operations which would require revision of the current HMRRP.

OWNER/OPERATOR CERTIFICATION: I hereby certify under penalty of law that, based upon my inquiry of those individuals responsible for obtaining the information reported above, I believe that the submitted information is true, accurate, and complete. I understand that a revised HMRRP must be submitted within thirty (30) days of any change in this facility's storage or handling of hazardous materials which would require updating of the HMRRP.

Owner/Operator/Authorized Representative (Print) K. P. KING Title CAPTAIN

Owner/Operator/Authorized Representative (Signature) [Signature] Date 6-206

HMRRP Certification Form 4/8/00

ENVIRONMENTAL HEALTH

JUN 30 2006

CHICO, CALIF

MAY 06 2005

BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH
HAZARDOUS MATERIALS RELEASE RESPONSE PLAN
CERTIFICATION FORM

ADMINISTRATION

Pursuant to Section 25503.3(c) of California Health and Safety Code (H&SC), the Hazardous Materials Release Response Plan (HMRRP) certification described below is hereby submitted for the following facility:

Facility Name CALIFORNIA HIGHWAY PATROL - CHICO AREA

Facility Street Address 995 FIR ST City CHICO

Date of Current HMRRP 6-26-02

I certify that: (Check the appropriate box)

I have personally reviewed the Hazardous Materials Release Response Plan currently on file with your agency and certify that the HMRRP is complete and accurate. (See below).

or

Revisions to the Hazardous Materials Release Response Plan are necessary. The HMRRP as revised is being implemented. A copy of the revisions is enclosed with this Certification.

By checking the upper box on this form, you are certifying that:

- The information contained in the HMRRP most recently submitted is complete, accurate, and up-to-date; and
- There has been no change in the quantity of any hazardous material as reported in the most recently submitted Hazardous Materials Inventory forms; and
- The facility has not begun handling any hazardous material in a HMRRP reportable quantity which is not currently listed in the Hazardous Materials Inventory; and
- The HMRRP most recently submitted contains the information required by Section 11022 of Title 42 of the United States Code; and
- There have been no substantial changes in the facility's hazardous materials operations which would require revision of the current HMRRP.

OWNER/OPERATOR CERTIFICATION: I hereby certify under penalty of law that, based upon my inquiry of those individuals responsible for obtaining the information reported above, I believe that the submitted information is true, accurate, and complete. I understand that a revised HMRRP must be submitted within thirty (30) days of any change in this facility's storage or handling of hazardous materials which would require updating of the HMRRP.

Owner/Operator/Authorized Representative (Print) A. T. SMITH Title CAPTAIN

Owner/Operator/Authorized Representative (Signature) [Signature] Date 04/28/05

Environmental Health

MAY 25 2005

Chico, CA



17441

BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH
HAZARDOUS MATERIALS RELEASE RESPONSE PLAN
CERTIFICATION FORM

Pursuant to Section 25503.3(c) of California Health and Safety Code (H&SC), the Hazardous Materials Release Response Plan (HMRRP) certification described below is hereby submitted for the following facility:

Facility Name Calaveras Highway Patrol - Chico Area

Facility Street Address 995 Fir St City Chico

Date of Current HMRRP 5/15/00

I certify that: (Check the appropriate box)

I have personally reviewed the Hazardous Materials Release Response Plan currently on file with your agency and certify that the HMRRP is complete and accurate. (See below).
or

Revisions to the Hazardous Materials Release Response Plan are necessary. The HMRRP as revised is being implemented. A copy of the revisions is enclosed with this Certification.

By checking the upper box on this form, you are certifying that:

- The information contained in the HMRRP most recently submitted is complete, accurate, and up-to-date; and
- There has been no change in the quantity of any hazardous material as reported in the most recently submitted Hazardous Materials Inventory forms; and
- The facility has not begun handling any hazardous material in a HMRRP reportable quantity which is not currently listed in the Hazardous Materials Inventory; and
- The HMRRP most recently submitted contains the information required by Section 11022 of Title 42 of the United States Code; and
- There have been no substantial changes in the facility's hazardous materials operations which would require revision of the current HMRRP.

OWNER/OPERATOR CERTIFICATION: I hereby certify under penalty of law that, based upon my inquiry of those individuals responsible for obtaining the information reported above, I believe that the submitted information is true, accurate, and complete. I understand that a revised HMRRP must be submitted within thirty (30) days of any change in this facility's storage or handling of hazardous materials which would require updating of the HMRRP.

Owner/Operator/Authorized Representative (Print) A. T. Smith Title Captain

Owner/Operator/Authorized Representative (Signature) [Signature] Date 06/26/02

HMRRP Certification Form 4/8/00

Environmental Health
JUN 27 2002
Chico, California

**UNIFIED PROGRAM CONSOLIDATED FORM
FACILITY INFORMATION
BUSINESS OWNER/OPERATOR IDENTIFICATION**

Page 4 of 19

I. IDENTIFICATION

FACILITY ID #										1. BEGINNING DATE 100. 09/01/2009					ENDING DATE 101. 08/31/2010				
BUSINESS NAME (Same as FACILITY NAME or DBA Doing Business As) 2.															BUSINESS PHONE 102. (530) 879-1999				
BUSINESS SITE ADDRESS 103. 995 Fir Street																			
CITY 104. Chico										CA		ZIP CODE 105. 95928							
DUN & BRADSTREET 106.										SIC CODE (4 digit #) 107. DUN & BRADSTREET									
COUNTY 108. Butte																			
BUSINESS OPERATOR NAME 109. California Highway Patrol										BUSINESS OPERATOR PHONE 110. (530) 879-1999									

II. BUSINESS OWNER

OWNER NAME 111. California Highway Patrol										OWNER PHONE 112. (916) 657-7261						
OWNER MAILING ADDRESS 113. 2555 First Street																
CITY 114. Sacramento										STATE 115. CA		ZIP CODE 116. 95818-2696				

III. ENVIRONMENTAL CONTACT

CONTACT NAME 117.										CONTACT PHONE 118.						
CONTACT MAILING ADDRESS 119.																
CITY 120.										STATE 121.		ZIP CODE 122.				

-PRIMARY-

IV. EMERGENCY CONTACTS

-SECONDARY-

NAME 123. Scott Gillingwater										NAME 124. Scott Evans				
TITLE 124. Captain										TITLE 125. Sergeant				
BUSINESS PHONE 125. (530) 879-1999										BUSINESS PHONE 126. (530) 879-1999				
24-HOUR PHONE* 126. (530) 879-1955										24-HOUR PHONE* 127. (530) 879-1955				
PAGER # 127.										PAGER #				

ADDITIONAL LOCALLY COLLECTED INFORMATION:

PROPERTY OWNER: _____ PHONE NO: _____

MAIL INVOICES/PERMIT TO (Check one): Owner Mailing Address Business Site Address Environmental Contact Mailing Address

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 202 MIRA LOMA ERVINE
 ORVILLE, CA

Certification: Based on my inquiry of those individuals responsible for obtaining the information, I certify under penalty of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete.

SIGNATURE OF OWNER/OPERATOR OR DESIGNATED REPRESENTATIVE										DATE 124.		NAME OF DOCUMENT PREPARER 135. Scott Evans				
NAME OF SIGNER (Print) 126. D.S. Gillingwater										TITLE OF SIGNER 137. Captain						

* See Instructions on next page.

UNIFIED PROGRAM CONSOLIDATED FORM

FACILITY INFORMATION

BUSINESS OWNER/OPERATOR IDENTIFICATION

17941

Page ___ of ___

I. IDENTIFICATION

FACILITY ID#	BEGINNING DATE 100	ENDING DATE 101
	2006 01 01	2006 12 31
BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)	BUSINESS PHONE 102	
CALIFORNIA HIGHWAY PATROL	530-879-1999	
BUSINESS SITE ADDRESS		
995 FIR ST		
CITY 104	CA	ZIP CODE 105
CHICO		95928
DUN & BRADSTREET 106		SIC CODE (4 digit #) 107
COUNTY 108	BUSINESS OPERATOR PHONE 110	
Butte	530-879-1999	

II. BUSINESS OWNER

OWNER NAME 111	OWNER PHONE 112
CALIFORNIA HIGHWAY PATROL	916-657-7261
OWNER MAILING ADDRESS	
2555 FIRST ST	
CITY 114	STATE 115
SACRAMENTO	CA
	ZIP CODE 116
	95818-2696

III. ENVIRONMENTAL CONTACT

CONTACT NAME 117	CONTACT PHONE 118
CONTACT MAILING ADDRESS	
CITY 120	STATE 121
	ZIP CODE 122

-PRIMARY-

IV. EMERGENCY CONTACTS

-SECONDARY-

NAME 123	NAME 128
Kim R. King	SCOTT EVANS
TITLE 124	TITLE 129
CAPTAIN	SERGEANT
BUSINESS PHONE 125	BUSINESS PHONE 130
530-879-1999	530-879-1999
24-HOUR PHONE 126	24-HOUR PHONE 131
530-879-1955	530-879-1955
PAGER # 127	PAGER # 132

ADDITIONAL LOCALLY COLLECTED INFORMATION:

JUN 30 2006

CHICO CALIF

Certification: Based on my inquiry of those individuals responsible for obtaining the information, I certify under penalty of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete.

SIGNATURE OF OWNER/OPERATOR OR DESIGNATED REPRESENTATIVE	DATE 134	NAME OF DOCUMENT PREPARER 135
<i>MR King</i>		SCOTT EVANS
NAME OF SIGNER (print) 136	TITLE OF SIGNER 137	
K.R. King	CAPTAIN	

ENVIRONMENTAL HEALTH

JUN 28 2005

UNIFIED PROGRAM CONSOLIDATED FORM

FACILITY INFORMATION

BUSINESS OWNER/OPERATOR IDENTIFICATION

Page 2 of 19

I. IDENTIFICATION

FACILITY ID#		BEGINNING DATE	100	ENDING DATE	101
		2005 10 1		2005 12 31	
BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)	3	BUSINESS PHONE			102
CALIFORNIA HIGHWAY PATROL		(530) 879-1999			
BUSINESS SITE ADDRESS					103
995 FIR STREET					
CITY	104	STATE	105	ZIP CODE	105
CHICO		CA		95928	
DUN & BRADSTREET	106	SIC CODE (4 digit #)			107
COUNTY					108
BUTTE					
BUSINESS OPERATOR NAME	109	BUSINESS OPERATOR PHONE			110
CALIFORNIA HIGHWAY PATROL		(530) 879-1999			

II. BUSINESS OWNER

OWNER NAME	111	OWNER PHONE			112
CALIFORNIA HIGHWAY PATROL		(916) 657-7261			
OWNER MAILING ADDRESS					113
2555 FIRST STREET					
CITY	114	STATE	115	ZIP CODE	116
SACRAMENTO		CA		95818-2696	

III. ENVIRONMENTAL CONTACT

CONTACT NAME	117	CONTACT PHONE			118
CONTACT MAILING ADDRESS					119
CITY	120	STATE	121	ZIP CODE	122

-PRIMARY-

IV. EMERGENCY CONTACTS

-SECONDARY-

NAME	123	NAME	128
ALLEN T. SMITH		SCOTT EVANS	
TITLE	124	TITLE	129
CAPTAIN		SERGEANT	
BUSINESS PHONE	125	BUSINESS PHONE	130
(530) 879-1999		(530) 879-1999	
24-HOUR PHONE	126	24-HOUR PHONE	131
(530) 879-1955		(530) 879-1955	
PAGER #	127	PAGER #	132

ADDITIONAL LOCALLY COLLECTED INFORMATION:	133

Certification: Based on my inquiry of those individuals responsible for obtaining the information, I certify under penalty of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete.

SIGNATURE OF OWNER/OPERATOR OR DESIGNATED REPRESENTATIVE	DATE	134	NAME OF DOCUMENT PREPARER	135
			SCOTT EVANS	
NAME OF SIGNER (print)	136	TITLE OF SIGNER	137	
A. T. SMITH		CAPTAIN		

Environmental Health

1794

UNIFIED PROGRAM CONSOLIDATED FORM

FACILITY INFORMATION

BUSINESS OWNER/OPERATOR IDENTIFICATION

Page ___ of ___

I. IDENTIFICATION

FACILITY ID#	BEGINNING DATE 20020101	ENDING DATE 20021231
BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) CALIFORNIA HIGHWAY PATROL	BUSINESS PHONE (530) 879-1999	
BUSINESS SITE ADDRESS 995 FIR STREET		
CITY CHICO	STATE CA	ZIP CODE 95928
DUN & BRADSTREET	SIC CODE (4 digit #)	
COUNTY BUTTE		
BUSINESS OPERATOR NAME CALIFORNIA HIGHWAY PATROL	BUSINESS OPERATOR PHONE (530) 879-1999	

II. BUSINESS OWNER

OWNER NAME CALIFORNIA HIGHWAY PATROL	OWNER PHONE (916) 657-7261
OWNER MAILING ADDRESS 2555 FIRST STREET	
CITY SACRAMENTO	STATE CA
	ZIP CODE 95818-2696

III. ENVIRONMENTAL CONTACT

CONTACT NAME	CONTACT PHONE
CONTACT MAILING ADDRESS	
CITY	STATE
	ZIP CODE

-PRIMARY-

IV. EMERGENCY CONTACTS

-SECONDARY-

NAME ALLEN T. SMITH	NAME DAVID VICKERS
TITLE CAPTAIN	TITLE SERGEANT
BUSINESS PHONE (530) 879-1999	BUSINESS PHONE (530) 879-1999
24-HOUR PHONE (530) 879-1955	24-HOUR PHONE (530) 879-1955
PAGER #	PAGER #

ADDITIONAL LOCALLY COLLECTED INFORMATION:

Certification: Based on my inquiry of those individuals responsible for obtaining the information, I certify under penalty of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete.

SIGNATURE OF OWNER/OPERATOR OR DESIGNATED REPRESENTATIVE <i>A. T. Smith</i>	DATE 6/26/02	NAME OF DOCUMENT PREPARER DAVID VICKERS
NAME OF SIGNER (print) A. T. SMITH	TITLE OF SIGNER CAPTAIN	

70506 17941

California Hazardous Materials Inventory Reporting Form - Business Owner/Operator Identification Page

CALENDAR YEAR BEGINNING (1) 01/01/99 ENDING (2) 12/31/99 (3) PAGE 1 OF 10

BUSINESS NAME (4) California Highway Patrol BUSINESS PHONE (5) (530) 895-4444
SITE ADDRESS (6) 995 Fir Street
CITY (7) Chico STATE (8) CA ZIP (9) 95928
DUN & BRADSTREET (10) SIC CODE (4 DIGIT#) (11)
OPERATOR NAME (12) Lieutenant Al Smith OPERATOR PHONE (13) (530) 895-4444

OWNER INFORMATION

OWNER NAME (14) California Highway Patrol OWNER PHONE (15) (916) 657-7261
OWNER MAILING ADDRESS (16) P.O. Box 942898
CITY (17) Sacramento STATE (18) CA ZIP (19) 95818-2696

ENVIRONMENTAL CONTACT

CONTACT NAME (20) CONTACT PHONE (21)
MAILING ADDRESS (22)
CITY (23) STATE (24) ZIP (25)

Primary EMERGENCY CONTACTS Secondary

NAME: (26) CHP Chico Dispatch Center NAME: (31)
TITLE: (27) TITLE: (32)
BUSINESS PHONE: (28) (530) 895-4453 BUSINESS PHONE: (33)
24-HOUR PHONE: (29) (530) 895-4453 24-HOUR PHONE: (34)
PAGER #: (30) PAGER #: (35)

ACUTELY HAZARDOUS MATERIALS (AHM)

ON SITE AHM (36) Yes No If yes, and above Threshold Planning Quantities, attach a sheet of paper with a general description of the process and principal equipment.

ADDITIONAL LOCALLY COLLECTED INFORMATION

(37) Environmental Health
JAN 09 1999
Chico, CA

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this inventory and believe the information is true, accurate, and complete.

Print Name of Document Preparer (38) Sergeant David S. Gillingwater
Signature of Owner/Operator (39) Date (40) 12-31-98

(F's Form 2730(04/96)

**APPENDIX A
California Business & Owner/Operator Identification Page**

CALENDAR YEAR BEGINNING (1) 7-1-95 ENDING (2) 6-30-96 (3) PAGE 1 OF

BUSINESS NAME (4) CALIFORNIA Highway Patrol BUSINESS PHONE:(5) (916) 895-4444

SITE ADDRESS (6) 995 FIR STREET

CITY (7) Chico STATE (8) CA ZIP (9) 95928

DUN & BRADSTREET (10) SIC CODE (4 DIGIT#) (11)

OPERATOR NAME (12) CALIFORNIA Highway Patrol OPERATOR PHONE (13) (916) 895-4444

OWNER INFORMATION

OWNER NAME (14) CALIFORNIA Highway Patrol OWNER PHONE(15) (916) 657-7439

OWNER MAILING ADDRESS (16) 2490 FIRST AVE

CITY (17) SACRAMENTO STATE (18) CA ZIP (19) 95818

ENVIRONMENTAL CONTACT

CONTACT NAME (20) DAN Schieber CONTACT PHONE (21) (916) 895-4453

MAILING ADDRESS (22) 995 FIR STREET

CITY (23) Chico STATE (24) CA ZIP (25) 95928

EMERGENCY CONTACTS

Primary	Secondary
NAME: (26) <u>DAN Schieber</u>	NAME: (31) <u>DAVE VICKERS</u>
TITLE: (27) <u>SGT</u>	TITLE: (32) <u>SGT</u>
BUSINESS PHONE: (28) <u>(916) 895-4444</u>	BUSINESS PHONE: (33) <u>(916) 895-4444</u>
24-HOUR PHONE: (29) <u>(916) 895-4453</u>	24-HOUR PHONE: (34) <u>(916) 895-4453</u>
PAGER #: (30) <u> </u>	PAGER #: (35) <u> </u>

ACUTELY HAZARDOUS MATERIALS (AHM)

ON SITE AHM (36) Yes No If yes, and above Threshold Planning Quantities, attach a sheet of paper with a general description of the process and principle equipment.

ADDITIONAL LOCALLY COLLECTED INFORMATION

(37)

Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this inventory and believe the information is true, accurate, and complete.

Print Name of Document Preparer (38) Chris Winters

Signature of Owner/Operator (39) [Signature] Date (40) 11/14/95

OES Form 2730(11/94)

**UNIDOC'S
FACILITY INFORMATION
BUSINESS ACTIVITIES PAGE**

Page 7 of 18

I. FACILITY IDENTIFICATION

FACILITY ID # <i>(Agency Use Only)</i>										1. EPA ID # (Hazardous Waste Only) CAL00004631		2.	
BUSINESS NAME <i>(Same as Facility Name or DBA - Doing Business As)</i> California Highway Patrol												3.	
BUSINESS SITE ADDRESS 995 Fir Street												103.	
BUSINESS SITE CITY Chico										104.	CA	105.	ZIP CODE 95928

II. ACTIVITIES DECLARATION

**NOTE: If you check YES to any part of this list,
please submit the Business Owner/Operator Identification page.**

Does your facility...	If Yes, please complete these pages of the UPCF...
A. HAZARDOUS MATERIALS Have on site (for any purpose) at any one time, hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 4. HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION
B. REGULATED SUBSTANCES Have Regulated Substances stored onsite in quantities greater than the threshold quantities established by the California Accidental Release Prevention Program (CalARP)?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 4a. Coordinate with your local agency responsible for CalARP.
C. UNDERGROUND STORAGE TANKS (USTs) Own or operate underground storage tanks?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 5. UST OPERATING PERMIT APPLICATION - FACILITY INFORMATION UST OPERATING PERMIT APPLICATION - TANK INFORMATION
D. ABOVE GROUND PETROLEUM STORAGE Own or operate ASTs above these thresholds: Store greater than 1,320 gallons of petroleum products (new or used) in aboveground tanks or containers?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 6. No form required to CUPAs
E. HAZARDOUS WASTE Generate hazardous waste? Recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC §25143.2)? Treat hazardous waste onsite? Perform treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? Consolidate hazardous waste generated at a remote site? Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite? Generate in any single calendar month 1,000 kilograms (kg) (2,200 pounds) or more of federal RCRA hazardous waste, or generate in any single calendar month, or accumulate at any time, 1 kg (2.2 pounds) of RCRA acute hazardous waste; or generate or accumulate at any time more than 100 kg (220 pounds) of spill cleanup materials contaminated with RCRA acute hazardous waste? Serve as a Household Hazardous Waste (HHW) Collection site?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 9. EPA ID NUMBER - provide at top of this page <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 10. RECYCLABLE MATERIALS REPORT (one per recycler) <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 11. ONSITE HAZARDOUS WASTE TREATMENT NOTIFICATION - FACILITY PAGE ONSITE HAZARDOUS WASTE TREATMENT NOTIFICATION - UNIT PAGE (one page per unit) <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 12. CERTIFICATION OF FINANCIAL ASSURANCE <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 13. REMOTE WASTE CONSOLIDATION SITE ANNUAL NOTIFICATION <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 14. HAZARDOUS WASTE TANK CLOSURE CERTIFICATION <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 14a. Obtain federal EPA ID Number, file Biennial Report (EPA Form 8700-13A/B), and satisfy requirements for RCRA Large Quantity Generator. <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 14b. See CUPA for required forms
F. LOCAL REQUIREMENTS <small>(You may also be required to provide additional information by your CUPA or local agency.)</small>	

ENVIRONMENTAL HEALTH
SEP - 9 2009
209 MIRA LOMA DRIVE
OROVILLE CA

UNIFIED PROGRAM CONSOLIDATED FORM

FACILITY INFORMATION

BUSINESS ACTIVITIES

Page 1 of 11

I. FACILITY IDENTIFICATION

FACILITY ID #		EPA ID # (Hazardous Waste Only)
		CAL00004631
BUSINESS NAME (Same as Facility Name of DBA-Doing Business As)		
CALIFORNIA HIGHWAY PATROL		

II. ACTIVITIES DECLARATION

**NOTE: If you check YES to any part of this list,
please submit the Business Owner/Operator Identification page (OES Form 2730).**

Does your facility...		If Yes, please complete these pages of the UPCF....
A. HAZARDOUS MATERIALS Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 4	HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION (OES 2731)
B. UNDERGROUND STORAGE TANKS (USTs) 1. Own or operate underground storage tanks? 2. Intend to upgrade existing or install new USTs? 3. Need to report closing a UST?	YES <input checked="" type="checkbox"/> NO 5 YES <input checked="" type="checkbox"/> NO 6 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 7	UST FACILITY (Formerly SWRCB Form A) UST TANK (one page per tank) (Formerly Form B) UST FACILITY UST TANK (one per tank) UST INSTALLATION - CERTIFICATE OF COMPLIANCE (one page per tank) (Formerly Form C) UST TANK (closure portion - one page per tank)
C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs) Own or operate ASTs above these thresholds: ---any tank capacity is greater than 660 gallons, or ---the total capacity for the facility is greater than 1,320 gallons?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 8	NO FORM REQUIRED TO CUPAs
D. HAZARDOUS WASTE 1. Generate hazardous waste? 2. Recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC 25143.2)? 3. Treat hazardous waste on site? 4. Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste generated at a remote site? 6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 9 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 10 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 11 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 12 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 13 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 14	EPA ID NUMBER - provide at the top of this page RECYCLABLE MATERIALS REPORT (one per recycler) ONSITE HAZARDOUS WASTE TREATMENT - FACILITY (Formerly DTSC Forms 1772) ONSITE HAZARDOUS WASTE TREATMENT - UNIT (one page per unit) (Formerly DTSC Forms 1772 A,B,C,D and L) CERTIFICATION OF FINANCIAL ASSURANCE (Formerly DTSC Form 1232) REMOTE WASTE / CONSOLIDATION SITE ANNUAL NOTIFICATION (Formerly DTSC Form 1196) HAZARDOUS WASTE TANK CLOSURE CERTIFICATION (Formerly DTSC Form 1249)

E. LOCAL REQUIREMENTS 15

(You may also be required to provide additional information by your CUPA or local agency.)

Environmental Health

MAY 25 2005

Chico, CA

UPCF (1/99)

UNIFIED PROGRAM CONSOLIDATED FORM

FACILITY INFORMATION

BUSINESS ACTIVITIES

Page 1 of 1

I. FACILITY IDENTIFICATION

FACILITY ID #	17791	EPA ID # (Hazardous Waste Only)	CAL00004631
BUSINESS NAME (Same as Facility Name of DBA-Doing Business As) CALIFORNIA HIGHWAY PATROL			

II. ACTIVITIES DECLARATION

NOTE: If you check YES to any part of this list, please submit the Business Owner/Operator Identification page (OES Form 2730).

Does your facility...	If Yes, please complete these pages of the UPCF...	
A. HAZARDOUS MATERIALS Have on site (for any purpose) hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 4	HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION (OES 2731)
B. UNDERGROUND STORAGE TANKS (USTs) 1. Own or operate underground storage tanks? 2. Intend to upgrade existing or install new USTs? 3. Need to report closing a UST?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 5 <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 6 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 7	UST FACILITY (Formerly SWRCB Form A) UST TANK (one page per tank) (Formerly Form B) UST FACILITY UST TANK (one per tank) UST INSTALLATION - CERTIFICATE OF COMPLIANCE (one page per tank) (Formerly Form C) UST TANK (closure portion - one page per tank)
C. ABOVE GROUND PETROLEUM STORAGE TANKS (ASTs) Own or operate ASTs above these thresholds: —any tank capacity is greater than 660 gallons, or —the total capacity for the facility is greater than 1,320 gallons?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 8	NO FORM REQUIRED TO CUPAs
D. HAZARDOUS WASTE 1. Generate hazardous waste? 2. Recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC 25143.2)? 3. Treat hazardous waste on site? 4. Treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)? 5. Consolidate hazardous waste generated at a remote site? 6. Need to report the closure/removal of a tank that was classified as hazardous waste and cleaned onsite?	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO 9 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 10 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 11 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 12 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 13 <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO 14	EPA ID NUMBER - provide at the top of this page RECYCLABLE MATERIALS REPORT (one per recycler) ONSITE HAZARDOUS WASTE TREATMENT - FACILITY (Formerly DTSC Form 1172) ONSITE HAZARDOUS WASTE TREATMENT - UNIT (one page per unit) (Formerly DTSC Forms 1772 A,B,C,D and L) CERTIFICATION OF FINANCIAL ASSURANCE (Formerly DTSC Form 1232) REMOTE WASTE / CONSOLIDATION SITE ANNUAL NOTIFICATION (Formerly DTSC Form 1196) HAZARDOUS WASTE TANK CLOSURE CERTIFICATION (Formerly DTSC Form 1249)

E. LOCAL REQUIREMENTS

(You may also be required to provide additional information by your CUPA or local agency.)

Environmental Health

JUN 27 2002

Chico, California



CATHY A. RAEVSKY, DIRECTOR
MARK A. LUNDE, M.D., M.P.H., HEALTH OFFICER

WWW.BUTTECOUNTY.NET/PUBLICHEALTH

ENVIRONMENTAL HEALTH DIVISION

October 21, 2013

California Highway Patrol
Dan Canalia
995 Fir Street
Chico, CA 95928

MAILED
10/26/13

RE: Summary of Violations and Notice to Comply: Hazardous Material Inspection Report; Hazardous Waste Generator Inspection Report; and Aboveground Petroleum Storage Act Inspection Report

FACILITY: California Highway Patrol-Chico

ADDRESS: 995 Fir Street

FACILITY CONTACT: Dan Canalia/ Jim McCurry

INSPECTION DATE: October 17, 2013

INSPECTOR: C. Hancock

FACILITY ID: FA0000655

Dear Mr. Canalia:

This report was generated from an inspection made at the facility listed above to address compliance with the Hazardous Materials Release Response Plan (HMRRP) requirements, Hazardous Waste Generator requirements, and Aboveground Petroleum Storage Act requirements as specified in Title 40 of the Code of Federal Regulations (CFR), Chapters 6.5, 6.67, and 6.95 of the California Health and Safety Code (HSC) and, Titles 19 and 22 of the California Code of Regulations (CCR).

The following item(s) are "Minor" Violations unless specified as a "Class II" or "Class I" Violations. Items labeled "Note" are not violations and are included for educational/reference information.

There were no violations observed during this inspection. Thank you for your time and cooperation.

California Hazardous Materials Release Response Plan Requirements, Health & Safety Code Chapter 6.95 and Title 19 of the California Code of Regulations

California Hazardous Waste Generator Requirements - Health and Safety Code Chapter 6.5 and Title 22 California Code of Regulations

Generator Status:

Conditionally Exempt Small Quantity Generator (CESQG)

Definition:

A generator is a CESQG if no more than 100 kilograms (220 pounds or 27 gallons) of hazardous waste is generated in a single calendar month.

TEL- 530.538.7281 | 202 MIRA LOMA DRIVE
FAX- 530.538.5339 | OROVILLE, CA 95965

OUR MISSION IS TO PROTECT THE PUBLIC THROUGH PROMOTING INDIVIDUAL, COMMUNITY AND ENVIRONMENTAL HEALTH



**Above Ground Petroleum Storage Act Requirements – Health and Safety Code
Chapter 6.67 and Title 40 Code of Federal Regulations, Part 112.**

Facility Program Status:

**Full SPCC Plan Facility
Definition:**

Total facility storage capacity of petroleum in above ground tanks/containers (all containers/tanks greater than or equal to 55-gallons included) is greater than or equal to 1,320 gallons and the facility does not qualify for Qualified Tier I or Tier II facility status.

Note:

14. Consider containment/diversionary structures or equipment provided to prevent a discharge before cleanup occurs (the entire containment system, including walls and floors, are capable of containing oil and are constructed to prevent escape of discharge including: dikes; berms or retaining walls sufficiently impervious; curbing; culverting, gutters or other drainage systems; weirs, booms, or other barriers; spill diversion ponds; retention ponds; or sorbent materials). (HSC §25270.4.5(a), ref. CFR §112.7(c))

- The current SPCC plan mentions the possibility of purchasing drain covers for the two drain inlets located in the motor pool. I recommend pursuing the acquisition of these diversionary structures as there is currently no means of keeping a fuel leak from flowing into the storm drains.

Note:

25. Address over-fill prevention by using one of the following methods: alarms and/or devices which are regularly tested and maintained; high liquid level pump cutoff devices set to stop flow at a predetermined container content level; direct audible or code signal communication between the container gauger and the pumping station; or a fast response system for determining the liquid level of each bulk storage container such as digital computers, telepulse, or direct vision gauges. (HSC §25270.4.5(a), ref. CFR §112.8(c)(8)(i-iv))

- There is a VeederRoot electronic monitor hooked up to the fuel tank, but no mention of it is made in the SPCC plan.

If you have any questions, please contact me at (530) 538-5326 between 8 and 5, Monday through Friday, or you may e-mail me at chancock@buttecounty.net.

Cierra Hancock
Hazardous Materials Management Specialist
Division of Environmental Health

Enclosures:
Hazardous Material Inspection Report



PHYLLIS L. MURD, DIRECTOR
MARK A. LUNDBERG, M.D., M.P.H., HEALTH OFFICER

WWW.BUTTECOUNTY.NET/PUBLICHEALTH

ENVIRONMENTAL HEALTH DIVISION

September 2, 2010

Dave Vickers
California Highway Patrol
995 Fir St.
Chico, Ca. 95928

RE: Summary of Violations and Notice to Comply: Hazardous Material Inspection Report and Hazardous Waste Generator Inspection Report

FACILITY: California Highway Patrol

ADDRESS: 995 Fir St., Chico

FACILITY CONTACT: Dave Vickers

INSPECTION DATE: 9/1/2010

INSPECTOR: D. Jones

FACILITY ID: 17941

Dear Mr. Vickers:

This report was generated from an inspection made at the facility listed above to address compliance with the Hazardous Materials Release Response Plan (HMRRP) and Hazardous Waste Generator requirements as specified in Chapters 6.5 and 6.95 of the California Health and Safety Code (HSC) and Titles 19 and 22 of the California Code of Regulations (CCR).

There were no violations observed at the time of my inspection. Be advised an SPGC plan will be required for your 10,000 gallon fuel tank by November 10, 2011. A brochure explaining the APSA (Above-ground Petroleum Storage Act) program is enclosed explaining the plan and the requirements. If you have any questions regarding the APSA program or this letter feel free to contact me at 538-7145.

California Hazardous Materials Release Response Plan Requirements, Health & Safety Code Chapter 6.95 and Title 19 of the California Code of Regulations

California Hazardous Waste Generator Requirements - Health and Safety Code Chapter 6.5 and Title 22 California Code of Regulations

Generator Status:

Small Quantity Generator (SQG)

Definition:

A generator of hazardous wastes who, in any calendar month, generates between 100 kilograms (22 pounds or 27 gallons) and 1,000 kilograms (220 pounds or 270 gallons) of hazardous waste in that month.

P:\Forms\Word Doc Letterhead-EH.do

TEL- 530.538.7281 | 202 MIRA LOMA DRIVE
FAX- 530.538.5339 | OROVILLE, CA 95965

OUR MISSION IS TO PROTECT THE PUBLIC THROUGH PROMOTING INDIVIDUAL, COMMUNITY AND ENVIRONMENTAL HEALTH




Letter to....
September 2, 2010
Page 2 of 2

If you have any questions, please contact me at (530) 538-7145 between 8 and 9am, Monday through Friday, or you may e-mail me at dwjones@buttecounty.net.

A handwritten signature in cursive script that reads "Darren W Jones".

Darren W Jones,
Hazardous Materials Management Specialist
Division of Environmental Health



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

January 5, 2007

202 Mira Loma Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

Sgt. Scott Evans
California Highway Patrol
995 Fir St.
Chico, CA 95928-6301

RE: Hazardous Material Inspection Report

FACILITY: California Highway Patrol
FACILITY CONTACT: Sgt. Scott Evans
INSPECTOR: T. Parker

ADDRESS: 995 Fir St., Chico, CA
INSPECTION DATE: December 29, 2006
SWEEPS #:

Dear Sgt. Evans:

This report was generated from an inspection made at the facility listed above to address compliance with the Hazardous Waste Generator requirements as specified in Chapters 6.5 and 6.67 of the California Health and Safety Code (HSC) and Title 22 of the California Code of Regulations (CCR).

The following item(s) were noted which need to be brought into compliance:

California Hazardous Waste Generator Requirements - Health and Safety Code Chapters 6.5, 6.67 and 6.95 and Titles 19 and 22 California Code of Regulations.

Generator Status:

Small Quantity Generator (SQG) definition:

A generator of hazardous wastes who, in any calendar month, generates between 100 kilograms (27 gallons) and 1,000 kilograms (270 gallons) of hazardous waste in that month.

5. Hazardous waste labeling (CCR §66262.34(f) as referenced by §66262.34(a)(3))

Hazardous waste label on used anti-freeze drum not filled out. No hazardous waste label on mobile oil cart.

The following information must be clearly marked on each container holding a hazardous waste:

- The words "HAZARDOUS WASTE".
- The starting accumulation date for the waste (i.e. the date waste was first placed in the container). This date must be visible for inspection.

Each container and portable tank must additionally be marked with the following:

- The composition of the waste;
- The physical state of the waste (i.e. solid or liquid);
- The hazardous properties of the waste (i.e. flammable, corrosive, reactive, toxic);
- The name of the waste generator;
- The address of the waste generator.

On waste transfer containers that are emptied daily, the words "EMPTIED DAILY" may be marked in place of the actual date.

Note: Additional DOT marking requirements must be met prior to off-site transportation.

6. SQG accumulation time (CCR §66262.34(d))

Used oil on site for greater than 180 days.

Except for satellite accumulation wastes (see Item 7, below), maximum accumulation time may not exceed 180 days (270 days if the Treatment Storage Disposal Facility (TSDF) is 200 or more miles from generator's facility or the generator is also the transporter of the waste) unless the generator has a hazardous waste storage permit or has received an extension from DTSC.

NOTE:

8. Satellite accumulation (CCR §66262.34(e))

This may be used for small quantity waste streams (used anti-freeze & used brake fluid) to extend you accumulation time.

A generator may accumulate hazardous waste for up to one year if all of the following requirements are met:

- The waste must be accumulated in a container (not a tank) that is located at or near the point of waste generation;
- The container must be under the control of the operator of the process generating the waste;
- The initial date of accumulation (i.e. the date waste was first placed in the container) must be clearly marked on the container and visible for inspection;
- The total amount of each waste stream present at each satellite accumulation point must not exceed 55 gallons of hazardous waste or 1 quart of acutely or extremely hazardous waste;
- Within three days of reaching the 55 gallon or one quart limit, the container must be marked with the date the quantity limit was reached;
- The generator must not hold the waste on-site for more than one year from the initial date of accumulation, or for longer than 90 days after reaching the 55 gallon or one quart satellite accumulation limit whichever occurs first. The container must also meet labeling, closed containers, and compatible containers requirements.

15. Used oil and fuel filter Management (CCR §66266.130)

No starting accumulation date on used oil and fuel filter containers.

Used oil filters and used fuel filters must be managed like other hazardous wastes unless all of the following requirements are met:

- The filters must be drained of free-flowing used oil or fuel. If the filter is equipped with a device (such as a rubber flap located just inside the filter opening) that impedes the drainage of oil from the filter,

that device must be manipulated to allow the oil to exit the filter freely, or the filter punctured, crushed, opened, drained, or otherwise handled in a manner that will allow the oil to exit the filter;

- The drained filters must be accumulated, stored, and transferred in a rainproof container that is capable of containing any oil that may separate from the filters. During transfer, containers must be sealed so that when they are laid on their sides, no oil will leak out;
- Containers must be labeled as "DRAINED USED OIL FILTERS" (not as hazardous waste) and marked with the initial date of filter accumulation or receipt;
- If containers also contain drained fuel filters, the container must be labeled as "DRAINED USED OIL AND FUEL FILTERS";
- Filters in amounts less than one ton must not be accumulated/stored on site longer than one year (180 days for amounts equal to or greater than one ton);
- Filters must be transported to a smelter or other scrap metal processor for recycling, or to a storage or consolidation facility that later transfers them to such a recycler.

Recordkeeping - Persons generating, transporting, or receiving used oil filters must use a bill of lading to record the transfer of filters. The bills of lading must be kept on the premises of the generator, transporter, and receiving facilities for at least 3 years from the date of shipment. Bills of lading must include:

- The generator's company name, address, and telephone number;
- The transporter's company name, address, and telephone number;
- The receiving facility's company name, address, and telephone number;
- The quantity and size of each used oil container shipped;
- The date of transfer.

19. Tank inspections - daily (CCR §66265.195 as referenced by §66262.34(a)(1))

No documentation of daily tank inspections. A form that you may use is enclosed.

Generators must perform and document inspections of the following items at least once each operating day:

- Overfill/spill control equipment to ensure good working order;
- Aboveground portions of the tank system, if any, to detect corrosion or leaks;
- Data gathered from monitoring equipment and leak detection equipment (e.g. pressure and temperature gauges, monitoring wells, etc.) to ensure that the tank system is being operated according to its design;
- Construction materials and the area immediately surrounding the externally accessible portions of the tank system including secondary containment structures to detect erosion or signs of leaks;
- For uncovered tanks, the level of waste in the tank to ensure compliance with freeboard requirements;
- Keep log of daily inspections and retain for 3 years.

23. Manifest copies to DTSC (CCR §66262.23(a)(4))

Several "Blue" manifest copies have not been submitted to DTSC.

Within 30 days of the waste shipment, the generator must mail the blue copy of the manifest to DTSC. As of September 5, 2006, new Federal manifests shall be used instead of the California manifests. Since the new manifests do not contain a copy to send to DTSC, hazardous waste generators shall send a legible photocopy of the manifest to DTSC within 30 days. We recommend photocopying the first page of the manifest so that it is a legible copy.

28. Personnel training requirements

No personnel training program.

SQG personnel training (CFR §262.34(d)(5)(iii) as referenced by CCR §66262.34(d))

All employees must be thoroughly familiar with proper waste handling and emergency procedures relevant to their responsibilities during normal facility operations and emergencies.

Retention of training records (CCR §66265.16(e) as referenced by §66262.34(a)(4))

Hazardous waste management training records on current personnel must be kept until closure of the facility. Records on former employees must be kept for at least three years from the date the employee last worked at the facility.

The above corrections must be completed **WITHIN THIRTY (30) DAYS** from the date of this letter, unless otherwise noted, to bring this facility into compliance. Return "Certificate of Compliance" **WITHIN THIRTY-FIVE (35) DAYS** from the date of this letter, unless otherwise noted.

Sincerely,



Thomas Y. Parker
Hazardous Materials Management Specialist
Division of Environmental Health

Enclosures

**BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH**

**P. O. BOX 5364 (411 Main Street),
Chico, CA 95927
(530) 891-2727, FAX (530) 895-6512**

Fax

To: Jim McCury From: Thomas Parker
Fax: (530) 879-1998 Pages: 3 including cover
Phone: _____ Date: June 14, 2007
Re: Manifest Copy Mailing Address CC: _____

Urgent For Review Please Comment Please Reply Please Recycle

Jim-

Attached is the Supplemental California Manifest Instructions which has the DTSC mailing address for copies of Hazardous Waste Manifests. The address is located in the box in the lower left hand corner of page 1 and is labeled "DTSC Generator Manifests".

Please let me know if you have any questions.

Thanks,

Thomas Parker

Hazardous Materials Management Specialist

Effective:
09/05/2006**Supplemental California Manifest Instructions****Federal and State hazardous waste manifest regulations change on September 5, 2006.**

Detailed manifest instructions are printed on the back of the new federal manifest. These Supplemental California Instructions cover additional California requirements. Please use the instructions printed on the new manifest for item by item directions. Materials are available at www.dtsc.ca.gov (under Managing Hazardous Waste, Manifests), including fact sheets and California's manifest regulations, sample manifests, and federal instructions. For load rejections and consolidated manifesting, refer to the regulations and fact sheets.

IMPORTANT MANIFEST CHANGES - PLEASE READ AND SAVE AS A REFERENCE

The U.S. Environmental Protection Agency (EPA) revised the Uniform Hazardous Waste Manifest and requires the use of only the new version nationally after September 4, 2006. **States will no longer be allowed to modify the form or the instructions.** Old versions of the California manifest, or manifests from other states, may not be used after September 4, 2006. The new manifest form is no longer color coded, and the new six-part form does not include a copy for generators to submit to their state, although California requires generator to submit a copy.

Additional Information and Instruction Changes:

- Adds space for emergency response number;
- Adds Generator's site address;
- Allows up to six waste codes for each waste stream;
- Adds a check box to indicate if waste stream is U.S. DOT regulated;
- Adds space for import/export information;
- Adds room for destination facilities to note discrepancies or if container residues exceed empty levels;
- Adds a new field for a manifest reference number when waste is rejected or if container residues are shipped on a new manifest;
- Adds a separate field for alternative facility information and signatures;
- Uses HW Report Management Codes to replace handling codes;
- Prohibits the use of fractions or decimal points in waste quantities in Item 10; and
- Discourages use of large quantity units in Item 11 (e.g. tons or cubic yards) when other units, i.e. pounds, are more accurate.

Where Do I Mail Manifests?
Same P.O. Boxes - No Change

GENERATORS SEND TO:

DTSC Generator Manifests
P.O. Box 400
Sacramento, CA 95812-0400

TSDFs/DESTINATION FACILITIES SEND TO:

DTSC Facility Manifests
P.O. Box 3000
Sacramento, CA 95812-3000

Where Do I Get Manifests?

California will not sell the new manifest forms. Forms are available only from private printers approved by EPA. EPA posts approved printers at www.epa.gov/epaoswer/hazwaste/gener/manifest/registry/index.htm.

Generators Must Submit Manifest Copies!

California requires generators and permitted transfer, treatment, storage, and disposal Facilities (Facilities) to submit manifests. The federal manifest form does not include a Generator-to-State submittal page, like the old manifest does (the blue page). Within 30 days of shipping the waste, generators must submit a copy of each manifest to DTSC. This copy could either be a legible photocopy or the "Generator Retains" copy, if generators receive a signed facility copy back within 30 days. Generators may submit a copy of the "Generator Retains" copy (page 8), the top page (the most legible one - page 1), or any other page, as long as it is readable and legible.

What About Submitting Manifests for Rejected Loads?

Generators should send copies of manifests they sign when **receiving** rejected waste or container residues to the Department of Toxic Substances Control's (DTSC) Facility Manifests at P.O. Box 3000. Facilities signing new manifests for rejected loads should submit the generator copy to DTSC Generator Manifests at P.O. Box 400. See the rejected load fact sheet on DTSC's web site.

How Are California Manifest Requirements Different from Federal?

- California requires conditionally exempt small quantity generators to use manifests and regulates more waste as hazardous.
- DTSC uses the submitted generator and facility manifest copies for cradle-to-grave tracking of waste.
- California's definition of an "empty" container is more stringent. Non-empty containers must be manifested, including bulk containers, whether the waste is federal RCRA or non-RCRA.
- Facilities in other states are required to submit copies to DTSC when waste generated in California is received out of state. Out of State generators sending waste to California facilities, or that will be exported through California, are encouraged to submit manifest copies.

Where Do I Find California Waste Codes?

The new manifest has six blank boxes for waste codes for each waste stream.

If the waste is RCRA regulated, at least one box must include a RCRA waste code. For waste generated in or shipped to California, a CA state waste code is also required. The additional boxes are for other states' codes when the waste is sent out of state to a state with codes, or for extra RCRA codes. California Waste Codes are printed on the reverse side of these instructions only, not on the instructions printed on the manifest. They are also found in Title 22, California Code of Regulations, Appendix XII to Chapter 12 of Division 4.5.

What are Hazardous Waste Report Management Method Codes (HWRMM Codes)?

Previously, California's manifest instructions required Destination Facilities to use one of 10 handling codes to report how the waste was handled at that facility. The new manifest uses 28 Management Method Codes. These are the same codes used in Biennial Reports. One of the HWRMM codes shown on the other side must be added on the manifest by the Destination Facilities only. Generators and transporters do not add these codes.

Contact Information:

First, visit the DTSC web page at www.dtsc.ca.gov/IDManifest for training information and review the basic instructions printed on the manifest. This document includes Supplemental Instructions only for use in California. For more information, contact your transporter or facility, or call DTSC's Public and Business Liaisons at 800-72-TOXIC.

CALIFORNIA WASTE CODES

California Restricted Wastes - Use First, if applicable	
711	Liquids with cyanides > 1000 mg/l
721	Liquids with arsenic > 500 mg/l
722	Liquids with cadmium > 100 mg/l
723	Liquids with chromium (VI) > 500 mg/l
724	Liquids with lead > 500 mg/l
725	Liquids with mercury > 20 mg/l
726	Liquids with nickel > 134 mg/l
727	Liquids with selenium > 100 mg/l
728	Liquids with thallium > 130 mg/l
731	Liquids with polychlorinated biphenyls > 50 mg/l
741	Liquids with halogenated organic compounds > 1000 mg/l
751	Solids or sludges with halogenated organic comp. 1000 mg/kg
791	Liquids with pH < 2
792	Liquids with pH < 2 with metals
801	Waste potentially containing dioxins
CALIFORNIA NONRESTRICTED WASTES	
Inorganics	
121	Alkaline solution (pH ≥ 12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc)
122	Alkaline solution without metals (pH ≥ 12.5)
123	Unspecified alkaline solution
131	Aqueous solution (2 < pH < 12.5) containing reactive anions (azide, bromate, chlorate, cyanide, fluoride, hypochlorite, nitrite, perchlorate, and sulfide anions)
132	Aqueous solution w/metals (< restricted levels and see waste code 121 for a list of metals)
133	Aqueous solution with 10% or more total organic residues
134	Aqueous solution with <10% total organic residues
135	Unspecified aqueous solution
141	Off-specification, aged, or surplus inorganics
151	Asbestos-containing waste
161	Fluid-cracking catalyst (FCC) waste
162	Other spent catalyst
171	Metal sludge (see 121)
172	Metal dust (see 121) and machining waste
181	Other inorganic solid waste
Organics	
211	Halogenated solvents (chloroform, methyl chloride, perchloroethylene, etc.)
212	Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)
213	Hydrocarbon solvents (benzene, hexane, Stoddard, etc.)
214	Unspecified solvent mixture
221	Waste oil and mixed oil
222	Oil/water separation sludge
223	Unspecified oil-containing waste
231	Pesticide rinse water
232	Pesticides and other waste associated with pesticide production
241	Tank bottom waste
251	Still bottoms with halogenated organics
252	Other still bottom waste
261	Polychlorinated biphenyls and material containing PCB's
271	Organic monomer waste (includes unreacted resins)
272	Polymeric resin waste
281	Adhesives
291	Latex waste
311	Pharmaceutical waste
321	Sewage sludge
322	Biological waste other than sewage sludge
331	Off-specification, aged, or surplus organics
341	Organic liquids (nonsolvents) with halogens
342	Organic liquids with metals (see 121)
343	Unspecified organic liquid mixture
351	Organic solids with halogens
352	Other organic solids

Sludges	
411	Alum and gypsum sludge
421	Lime sludge
431	Phosphate sludge
441	Sulfur sludge
461	Degreasing sludge
461	Paint sludge
471	Paper sludge/pulp
481	Tetraethyl lead sludge
491	Unspecified sludge waste
Miscellaneous	
511	Empty pesticide containers 30 gallons or more
512	Other empty containers 30 gallons or more
513	Empty containers less than 30 gallons
521	Drilling mud
531	Chemical toilet waste
541	Photochemicals / photoprocessing waste
551	Laboratory waste chemicals
561	Detergent and soap
571	Fly ash, bottom ash, and retort ash
581	Gas scrubber waste
591	Baghouse waste
611	Contaminated soil from site clean-ups
612	Household waste
613	Auto shredder waste

HW REPORT MANAGEMENT METHOD CODES	
New Codes	Descriptions
H010	Metals recovery including retorting, smelting, chemicals, etc.
H020	Solvents recovery
H039	Other recovery of reclamation for reuse including acid regeneration, organics recovery, etc.
H050	Energy recovery at this site -- use as fuel (includes on-site fuel blending)
H061	Fuel blending prior to energy recovery at another site
H040	Incineration--thermal destruction other than use as a fuel
H071	Chemical reduction with or without precipitation
H073	Cyanide destruction with or without precipitation
H075	Chemical oxidation
H076	Wet air oxidation
H077	Other chemical precipitation with or without pre-treatment
H081	Biological treatment with or without precipitation
H082	Adsorption
H083	Air or steam stripping
H101	Sludge treatment and/or dewatering
H103	Absorption
H111	Stabilization or chemical fixation prior to disposal at another site
H112	Macro-encapsulation prior to disposal at another site
H121	Neutralization only
H122	Evaporation
H123	Settling or clarification
H124	Phase separation
H129	Other treatment
H131	Land treatment or application (to include on-site treatment and/or stabilization)
H132	Landfill or surface impoundment that will be closed as landfill (to include on-site treatment and/or stabilization)
H134	Deepwell or underground injection (with or without treatment)
H135	Discharge to sewer/POTW or NPDES (with prior storage--with or without treatment)
H141	Storage, bulking, and/or transfer off site--no treatment/recovery (H010-H129), fuel blending (H061), or disposal (H131-H135) at this site



Certificate of Compliance

Butte County
Department Of Public Health
Hazardous Materials Division

Business Name: CHP- CHICO AREA Date: JAN. 23, 2007
Business Address: 995 FIRST ST. CHICO, CA Phone Number: 530-879-1999
Contact Person: SGT. S. EVANS

This certification must be returned to the issuing inspector within 30 days of your facility's inspection. Send this form and any supporting documentation to the address listed below. Failure to return this certificate may result in re-inspection fees.

The following items have been identified as needing correction by Mr. Thomas Parker of the Butte County Public Health Department:

- Item 5 - Corrected
- Item 6 - Corrected
- Item 15 - Corrected
- Item 19 - Corrected
- Item 28 - The requirement to provide personnel training has been forwarded to the attention of Mr. Ralph Martinez, Senior Inspector of Automotive Equipment. Mr. Martinez oversees the training requirements of Valley Division Automotive Technicians. The Chico Area will have Automotive Technician II, Jim McCurry, review the contents of the report prepared by Mr. Parker.

Environmental Health
JAN 24 2007
Chico, CA

- 1 I certify that the violations cited have been corrected as indicated.
- 2 I have personally examined any attached documentation submitted as proof of compliance and I believe the information to be true, accurate and complete.
- 3 I am aware that there are significant penalties for submitting false information and/or for non-compliance and declare that the foregoing certification is true and correct.

Signature: [Signature] Printed Name: S.R. EVANS
Position/Title: SGT



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

January 5, 2007

202 Mira Loma Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

Sgt. Scott Evans
California Highway Patrol
995 Fir St.
Chico, CA 95928-6301

RE: Hazardous Material Inspection Report

FACILITY: California Highway Patrol
FACILITY CONTACT: Sgt. Scott Evans
INSPECTOR: T. Parker

ADDRESS: 995 Fir St., Chico, CA
INSPECTION DATE: December 29, 2006
SWEEPS #:

Dear Sgt. Evans:

This report was generated from an inspection made at the facility listed above to address compliance with the Hazardous Waste Generator requirements as specified in Chapters 6.5 and 6.67 of the California Health and Safety Code (HSC) and Title 22 of the California Code of Regulations (CCR).

The following item(s) were noted which need to be brought into compliance:

California Hazardous Waste Generator Requirements - Health and Safety Code Chapters 6.5, 6.67 and 6.95 and Titles 19 and 22 California Code of Regulations.

Generator Status:

Small Quantity Generator (SQG) definition:

A generator of hazardous wastes who, in any calendar month, generates between 100 kilograms (27 gallons) and 1,000 kilograms (270 gallons) of hazardous waste in that month.

45. **Hazardous waste labeling (CCR §66262.34(f) as referenced by §66262.34(a)(3))**

Hazardous waste label on used anti-freeze drum not filled out. No hazardous waste label on mobile oil cart.

The following information must be clearly marked on each container holding a hazardous waste:

Environmental Health

**JAN 24 2007
Chico, CA**

- The words "HAZARDOUS WASTE".
- The starting accumulation date for the waste (i.e. the date waste was first placed in the container). This date must be visible for inspection.

Each container and portable tank must additionally be marked with the following:

- The composition of the waste;
- The physical state of the waste (i.e. solid or liquid);
- The hazardous properties of the waste (i.e. flammable, corrosive, reactive, toxic);
- The name of the waste generator;
- The address of the waste generator.

On waste transfer containers that are emptied daily, the words "EMPTIED DAILY" may be marked in place of the actual date.

Note: Additional DOT marking requirements must be met prior to off-site transportation.

876. **SQG accumulation time (CCR §66262.34(d))**

Used oil on site for greater than 180 days.

Except for satellite accumulation wastes (see Item 7, below), maximum accumulation time may not exceed 180 days (270 days if the Treatment Storage Disposal Facility (TSDF) is 200 or more miles from generator's facility or the generator is also the transporter of the waste) unless the generator has a hazardous waste storage permit or has received an extension from DTSC.

NOTE:

82 8. **Satellite accumulation (CCR §66262.34(e))**

This may be used for small quantity waste streams (used anti-freeze & used brake fluid) to extend you accumulation time.

A generator may accumulate hazardous waste for up to one year if all of the following requirements are met:

- The waste must be accumulated in a container (not a tank) that is located at or near the point of waste generation;
- The container must be under the control of the operator of the process generating the waste;
- The initial date of accumulation (i.e. the date waste was first placed in the container) must be clearly marked on the container and visible for inspection;
- The total amount of each waste stream present at each satellite accumulation point must not exceed 55 gallons of hazardous waste or 1 quart of acutely or extremely hazardous waste;
- Within three days of reaching the 55 gallon or one quart limit, the container must be marked with the date the quantity limit was reached;
- The generator must not hold the waste on-site for more than one year from the initial date of accumulation, or for longer than 90 days after reaching the 55 gallon or one quart satellite accumulation limit whichever occurs first. The container must also meet labeling, closed containers, and compatible containers requirements.

845. **Used oil and fuel filter Management (CCR §66266.130)**

No starting accumulation date on used oil and fuel filter containers.

Used oil filters and used fuel filters must be managed like other hazardous wastes unless all of the following requirements are met:

- The filters must be drained of free-flowing used oil or fuel. If the filter is equipped with a device (such as a rubber flap located just inside the filter opening) that impedes the drainage of oil from the filter,

Environmental Health

- that device must be manipulated to allow the oil to exit the filter freely, or the filter punctured, crushed, opened, drained, or otherwise handled in a manner that will allow the oil to exit the filter;
- The drained filters must be accumulated, stored, and transferred in a rainproof container that is capable of containing any oil that may separate from the filters. During transfer, containers must be sealed so that when they are laid on their sides, no oil will leak out;
- Containers must be labeled as "DRAINED USED OIL FILTERS" (not as hazardous waste) and marked with the initial date of filter accumulation or receipt;
- If containers also contain drained fuel filters, the container must be labeled as "DRAINED USED OIL AND FUEL FILTERS";
- Filters in amounts less than one ton must not be accumulated/stored on site longer than one year (180 days for amounts equal to or greater than one ton);
- Filters must be transported to a smelter or other scrap metal processor for recycling, or to a storage or consolidation facility that later transfers them to such a recycler.

Recordkeeping - Persons generating, transporting, or receiving used oil filters must use a bill of lading to record the transfer of filters. The bills of lading must be kept on the premises of the generator, transporter, and receiving facilities for at least 3 years from the date of shipment. Bills of lading must include:

- The generator's company name, address, and telephone number;
- The transporter's company name, address, and telephone number;
- The receiving facility's company name, address, and telephone number;
- The quantity and size of each used oil container shipped;
- The date of transfer.

19. Tank inspections - daily (CCR §66265.195 as referenced by §66262.34(a)(1))

No documentation of daily tank inspections. A form that you may use is enclosed.

Generators must perform and document inspections of the following items at least once each operating day:

- Overfill/spill control equipment to ensure good working order;
- Aboveground portions of the tank system, if any, to detect corrosion or leaks;
- Data gathered from monitoring equipment and leak detection equipment (e.g. pressure and temperature gauges, monitoring wells, etc.) to ensure that the tank system is being operated according to its design;
- Construction materials and the area immediately surrounding the externally accessible portions of the tank system including secondary containment structures to detect erosion or signs of leaks;
- For uncovered tanks, the level of waste in the tank to ensure compliance with freeboard requirements;
- Keep log of daily inspections and retain for 3 years.

23. Manifest copies to DTSC (CCR §66262.23(a)(4))

Several "Blue" manifest copies have not been submitted to DTSC.

Within 30 days of the waste shipment, the generator must mail the blue copy of the manifest to DTSC. As of September 5, 2006, new Federal manifests shall be used instead of the California manifests. Since the new manifests do not contain a copy to send to DTSC, hazardous waste generators shall send a legible photocopy of the manifest to DTSC within 30 days. We recommend photocopying the first page of the manifest so that it is a legible copy.

28. Personnel training requirements

No personnel training program.

SQG personnel training (CFR §262.34(d)(5)(iii) as referenced by CCR §66262.34(d))

All employees must be thoroughly familiar with proper waste handling and emergency procedures relevant to their responsibilities during normal facility operations and emergencies.

Environmental Health

IAN 2 4 2007
3
Chico, CA

Retention of training records (CCR §66265.16(e) as referenced by §66262.34(a)(4))
Hazardous waste management training records on current personnel must be kept until closure of the facility.
Records on former employees must be kept for at least three years from the date the employee last worked at the facility.

The above corrections must be completed **WITHIN THIRTY (30) DAYS** from the date of this letter, unless otherwise noted, to bring this facility into compliance. Return "Certificate of Compliance" **WITHIN THIRTY-FIVE (35) DAYS** from the date of this letter, unless otherwise noted.

Sincerely,




Thomas Y. Parker
Hazardous Materials Management Specialist
Division of Environmental Health

Enclosures

Environmental Health

JAN 24 2007

Chico, GA



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

May 15, 2006

202 Mira Loma Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA. 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

Captain Kim King
Commander
California Highway Patrol
995 Fir Street
Chico, CA 95928

RE: HAZARDOUS MATERIALS FACILITY INSPECTION REPORT FOLLOW-UP
California Highway Patrol Facility, 995 Fir Street, Chico

Dear Captain King:

This report was generated from an inspection made on May 12, 2006, at the facility site listed above to address compliance with the requirements of the California Hazardous Materials Release Response Plan requirements, Health & Safety Code Chapter 6.95.

The facility was in compliance and no violations were observed during this inspection.

Please contact me at the Chico office listed above with any questions. I am available between 8:00 a.m. and 9:00 a.m., Monday through Friday.

Sincerely,

John O'Neil
Hazardous Materials Management Specialist
Division of Environmental Health

JO/gl/hazmatcomply/995fir

Enclosures

BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH

411 MAIN STREET, P.O. BOX 5364, CHICO CA 95

HAZARDOUS MATERIALS FACILITY INSPECTION REPORT

Business Name: CHP - Highway Petrol Facility ID.: 1794

Facility Address: 925 FIRE ST

Mailing Address: _____

Contact Person: Jim McCarty Phone #: _____ Program Element: _____

{ } Initial { } Routine { } Reinspection { } Complaint { } Agency Assist { } Refer to Other Agency

Violation N/A

NO VIOLATION

A. Inventory: HSC 25509

- 1. _____ Hazardous materials inventory filed matches stored amounts.
- 2. _____ Hazardous materials inventory filed matches types of storage containers.
- 3. _____ Hazardous materials storage temperatures and pressures file match site.

KIM KING CAPT. COMMAND

B. Site Plan: CCR Title 19 S. 2729

- 4. _____ Hazardous materials handling locations match.
- 5. _____ Streets, internal roads, adjacent property use, parking lots match.
- 6. _____ Emergency exits match.
- 7. _____ Emergency Response Equipment as identified matches.
- 8. _____ Utility shut off switches match.
- 9. _____ Sewer and storm drain locations match.

C. Emergency Response Plan Components: HSC 25504

- 10. _____ Hazardous Materials Release Response Plan (HMRRP) is available on site. HSC 25505
- 11. _____ Material Safety Data Sheets are in a posted and accessible location.
- 12. _____ Safety equipment is available (eye wash, safety showers, clothing, etc.)
- 13. _____ Materials for spill clean-up are available (absorbents, pads, shovel, etc.)
- 14. _____ Emergency phone numbers are posted and accurate.
- 15. _____ First Aid Kit and Fire Extinguishers marked. First Aid Kit full.
- 16. _____ Evacuation procedures and/or maps are posted and match.

D. Training: HSC 25504

- 17. _____ Employee training records (hazard materials, spill prevention, clean-up).
- 18. _____ Familiar with the Emergency Response Plan and Evacuation Plan.

Other: HSC 25504


- 19. _____ Federal and/or State Registered Substances above threshold amounts present and unreported.
- 20. _____ Hazardous Materials containers labeled, with tight-fitting lids/bungs.
- 21. _____ Hazardous Waste labels complete and visible. Accumulation dates shown.
- 22. _____ Hazardous Waste(s) not stored over allowable time. Usually 90 days.
- 23. _____ Hazardous Materials storage by compatible characteristics.
- 24. _____ Containers within secondary containment.
- 25. _____ Secondary containment can be inspected before draining/emptying.
- 26. _____ Storage area free of spills and leaks. Containers, piping, tanks, etc.
- 27. _____ Compressed gas cylinders chained, capped. Flammable gases stored the minimum distance from oxygen and sources of ignition or with a fire wall.
- 28. _____ General Housekeeping neat, organized.
- 29. _____ Spill Prevention Control and Countermeasures Plan available on site.

to: 5/12/2006
Jim King

Date: 5-12-06

Received by: Jim McCarty

hazmat/facilityinspcrpt



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

202 Mira Loma Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

March 9, 2004

Allen T. Smith
California Highway Patrol
995 Fir Street
Chico, CA 95928

RE: Hazardous Materials Business Activities, Business Owner/Operator Identification, Chemical Description pages, Site Plan

Dear Mr. Smith:

This letter is to acknowledge receipt and review by this Department of the above items for California Highway Patrol at 995 Fir Street, Chico, CA.

The following is necessary for these forms to be complete. The numbers in parentheses after each correction are the numbers corresponding to the appropriate instruction in Part I, II, III, and IV. Please contact me at the above office or telephone number as soon as possible so that the item(s) below may be resolved.

Part II: Owner/Operator Identification Page

- (x) Show your Dun & Bradstreet Number if the business has one (106); *Contact Dun & Bradstreet to determine if you have a number or write N/A.*
- (x) Show the Standard Industrial Classification (SIC) code number (107); *Contact this office for help, I have a list, call me.*
- (x) Environmental Contact if you have one, telephone number, complete address (117-122); *This is someone with your business to be contacted in case of questions or emergencies.*

Appendix III: Chemical Description Page

SUBMIT ONE INVENTORY FORM FOR EACH HAZARDOUS WASTE AND ONE FORM FOR EACH HAZARDOUS MATERIAL.

Submit new Inventory Form for Unleaded Gasoline.

- (x) Chemical Location (201); all pages *Chemical location refers to physical location-example (north wall inside building 1, south of building 2, etc.)*
- (x) Chemical Location Confidential -EPCRA (202); all pages.
- (x) The type of hazardous material (211); all pages except propane and ammunition powder *Refer to Material Safety Data Sheet (MSDS) provided by supplier for this information.*

Allen T. Smith
Page 2
March 9, 2004

Appendix IV: Site Plan; Include the following:

- (x) Scale of map (1);
- (x) Site orientation (1);
- (x) Adjacent property use (1);
- (x) Storm and sewer drains (1); parking lot wash rack
- (x) Access/egress points (1); parking lot wash rack
- (x) Floor drains in buildings (1);
- (x) Locations/names of adjacent streets and alleys (1);
- (x) Show the location of each hazardous materials handling area in the facility. Specify whether underground or aboveground tank storage (2);
- (x) Show the location/type of emergency response equipment. For example, equipment for fire suppression, approach and mitigation, protective clothing, medical response (2);
- (x) Parking lots (1);
- (x) Internal roads (1);
- (x) Loading areas (1);
- (x) Building floor plan (1);

Emergency Response Plans; Include the following:

- (x) Discuss procedures for mitigating, preventing, or abating actual or threatened releases;
- (x) For all employees, discuss training, and annual refresher courses in the safety procedures to follow in response to an actual or threatened release;
- (x) State or show evacuation plans and procedures;
- (x) Discuss hazardous waste storage, shipping, and emergency clean-up and disposal;
- (x) Identification of "local emergency medical assistance appropriate for potential accident scenarios";

Emergency Notification; Include the following:

- (x) Administering Agency telephone number; 530-891-2727
- (x) Appropriate local and state emergency response agencies' telephone numbers; also notification of personnel trained in incident response.

Please provide the requested information by April 9, 2004.

Other: Provide a 2004-2005 Hazardous Material Emergency Response Plan including the fuel changes.


Did you keep a copy of these forms at your facility for use by your employees and as a reference for future filings?

Sincerely,



Leslie Roberts, R.E.H.S. III
Division of Environmental Health

LR/dd/crrtirt/995 fir



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA. 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-2140

January 11, 1999

California Highway Patrol
Attn: Sergeant David Gillingwater
995 Fir Street
Chico, CA 95928

Dear Sergeant Gillingwater:

This letter is to acknowledge receipt of your Hazardous Materials Release Response Plan and Inventory Forms for California Highway Patrol at 995 Fir Street, Chico, CA. This Plan will be reviewed and any gaps in information content will be communicated to you.

Thank you for your attention to this matter.

Sincerely,

Leslie Roberts, R.E.H.S.
Division of Environmental Health

LR/gl/lhmrrp/chicochp.rct



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5384
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-2140

9 November 1998

California Highway Patrol
Attn: Lt. Al Smith
995 Fir Street
Chico, Ca.-95928

RE: Need to File the Hazardous Materials Release Response Plan &
Inventory Forms(HMRRP) Annually

Dear Lt. Smith:

I have reviewed the Hazardous Materials Release Response Plan and Inventory Forms for the facility at 995 Fir Street, Chico, Ca. The last HMRRP filed for this address was for fiscal year 1995-1996. Although your facility does not change often, the Hazardous Materials Release Response Plan and Inventory Forms need to updated every year.

Also, the HMRRP for 1995-1996 lists propane as the only hazardous material in amounts equal to or greater than 55 gallons of liquid, 500 pounds of solid, or 200 cubic feet of compressed gas. The contents of the underground storage tank are greater than 55 gallons of gasoline. The filing from the California Highway Patrol, Oroville office lists other hazardous materials which may also be present in Chico, such as flares, ammunition, crankcase oils, etc. I also wonder if waste oil or antifreeze are present from maintenance of the CHP vehicles.

Please arrange for a Hazardous Materials Release Response Plan and Inventory Form to be prepared and forwarded to this office for 1999.


Page 2.

I have also read letters from the Underground Storage Tank Program inspector Greg Lyons about the status of the Chico CHP office gasoline tank. I am enclosing copies of the last two letters which our office has mailed to your office about the fuel delivery prohibition on facilities without current Underground Storage Tank Permits from our department.

If you have any questions about what is needed to comply please contact Greg Lyon, at this office.

Thank you for your attention.

Sincerely,

A handwritten signature in cursive script that reads "Leslie Roberts".

Leslie Roberts, R.E.H.S.
Division of Environmental Health

LR/HMRRP/CHPChc98

enclosures

CA HIGHWAY PATROL CHICO (CERSID: 10276366)**Facility Information Accepted Nov 26, 2013**

Submitted on 11/26/2013 7:56:15 AM by *Rick Miller* of Department of California Highway Patrol (Sacramento, CA)
Submittal was **Accepted** on 11/26/2013 11:37:35 AM by Cierra Hancock

- Business Activities
- Business Owner/Operator Identification

Hazardous Materials Inventory Accepted Dec 10, 2013

Submitted on 11/26/2013 7:56:15 AM by *Rick Miller* of Department of California Highway Patrol (Sacramento, CA)
Submittal was **Accepted** on 12/10/2013 10:58:42 AM by Cierra Hancock

- Hazardous Material Inventory (7)
- Site Map (Official Use Only)
 - *Annotated Site Map (Official Use Only) (Adobe PDF, 56KB)*
 - *Annotated Site Map (Official Use Only) (MS Excel, 50KB)*

Emergency Response and Training Plans Accepted Dec 10, 2013

Submitted on 11/26/2013 7:56:15 AM by *Rick Miller* of Department of California Highway Patrol (Sacramento, CA)
Submittal was **Accepted** on 12/10/2013 10:59:08 AM by Cierra Hancock

- Emergency Response/Contingency Plan
 - Stored At Facility *CA HIGHWAY PATROL Morongo Basin CERSID (10045138)*
- Employee Training Plan
 - Stored At Facility *CA HIGHWAY PATROL Morongo Basin CERSID (10045138)*

Site Identification	
CA HIGHWAY PATROL CHICO 995 FIR St CHICO, CA 95928 County Butte	CERS ID 10276366 EPA ID Number CAL000046131
Submittal Status	
Submitted on 11/26/2013 by Rick Miller of Department of California Highway Patrol (Sacramento, CA) Submittal was <i>Accepted</i> ; Processed on 11/26/2013 by Cierra Hancock for Butte County Environmental Health	
Hazardous Materials	
Does your facility have on site (for any purpose) at any one time, hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or is regulated under more restrictive inventory local reporting requirements (shown below if present); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?	Yes
Underground Storage Tank(s) (UST)	
Does your facility own or operate underground storage tanks?	No
Hazardous Waste	
Is your facility a Hazardous Waste Generator?	Yes
Does your facility treat hazardous waste on-site?	No
Is your facility's treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)?	No
Does your facility consolidate hazardous waste generated at a remote site?	No
Does your facility need to report the closure/removal of a tank that was classified as hazardous waste and cleaned on-site?	No
Does your facility generate in any single calendar month 1,000 kilograms (kg) (2,200 pounds) or more of federal RCRA hazardous waste, or generate in any single calendar month, or accumulate at any time, 1 kg (2.2 pounds) of RCRA acute hazardous waste; or generate or accumulate at any time more than 100 kg (220 pounds) of spill cleanup materials contaminated with RCRA acute hazardous waste.	No
Is your facility a Household Hazardous Waste (HHW) Collection site?	No
Excluded and/or Exempted Materials	
Does your facility recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC 25143.2)?	No
Does your facility own or operate ASTs above these thresholds? Store greater than 1,320 gallons of petroleum products (new or used) in aboveground tanks or containers.	Yes
Does your facility have Regulated Substances stored onsite in quantities greater than the threshold quantities established by the California Accidental Release prevention Program (CalARP)?	No
Additional Information	
No additional comments provided.	

Facility/Site		CERS ID
CA HIGHWAY PATROL CHICO		10276366
995 FIR St CHICO, CA 95928		

Submittal Status
Submitted on 11/26/2013 by Rick Miller of Department of California Highway Patrol (Sacramento, CA) Submittal was Accepted; Processed on 11/26/2013 by Cierra Hancock for Butte County Environmental Health

Identification					
Captain Ryan Stonebraker Area #241 Chico			Beginning Date	Ending Date	
Operator Phone	Business Phone	Business Fax	Dun & Bradstreet	SIC Code	Primary NAICS
(530) 879-1999	(530) 879-1999	(530) 879-1998		9221	

Facility/Site Mailing Address
995 Fir Street Chico, CA 95928

Primary Emergency Contact		
Ryan Stonebraker		
Title Captain		
Business Phone	24-Hour Phone	Pager Number
(530) 879-1999	(530) 879-1999	

Owner
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL (916) 843-3800 PO BOX 942898 SACRAMENTO, CA 95818

Secondary Emergency Contact		
Dan Canalla		
Title Sergeant		
Business Phone	24-Hour Phone	Pager Number
(530) 879-1999	(530) 879-1999	

Billing Contact
Department of California Highway Patrol (916) 843-3540 PO BOX 942898 SACRAMENTO, CA 94298-0001

Environmental Contact	
Beth DePaola	
(916) 843-3800	edepaola@chp.ca.gov
PO BOX 942898 Sacramento, CA 94298-0001	

Name of Signer	Signer Title	Document Preparer
Vicki Patterson	Office Technician, Facilities Section	Vick Patterson
Additional Information		
Auto Tech: James McCurry		

Locally-collected Fields									
Some or all of the following fields may be required by your local regulator(s).									
<table border="1"> <tr> <td>Property Owner</td> </tr> <tr> <td>Phone</td> </tr> <tr> <td>Mailing Address</td> </tr> </table>	Property Owner	Phone	Mailing Address	<table border="1"> <tr> <td>Assessor Parcel Number (APN)</td> </tr> <tr> <td>Number of Employees</td> </tr> <tr> <td>55</td> </tr> <tr> <td>Facility ID</td> </tr> <tr> <td>FA000655</td> </tr> </table>	Assessor Parcel Number (APN)	Number of Employees	55	Facility ID	FA000655
Property Owner									
Phone									
Mailing Address									
Assessor Parcel Number (APN)									
Number of Employees									
55									
Facility ID									
FA000655									

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. **Department of California Highway Patrol** Chemical Location
 Facility Name **CA HIGHWAY PATROL CHICO** CERS ID **10276366**
 995 FIR St, CHICO 95928 Facility ID **FA0000655**
 Status **Submitted on 11/26/2013 7:56 AM**

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
	AUTOMATIC TRANSMISSION FLUID	Gallons	60	0						
	<u>CAS No</u>	<u>State</u> <u>Liquid</u> <u>Type</u> <u>Mixture</u>	<u>Storage Container</u> Steel Drum			<u>Pressure</u> Ambient <u>Temperature</u> Ambient	<u>Waste Code</u>			
DOT: 3 - Flammable and Combustible Liquids Flammable Liquid, Class I-A	UNLEADED FUEL	Gallons	9500	10000						
	<u>CAS No</u>	<u>State</u> <u>Liquid</u> <u>Type</u> <u>Mixture</u>	<u>Storage Container</u> Aboveground Tank			<u>Pressure</u> Ambient <u>Temperature</u> Ambient	<u>Waste Code</u>	- Fire - Acute Health - Chronic health		
DOT: 3 - Flammable and Combustible Liquids Combustible Liquid, Class III-B	SOLVENT	Gallons	55	55						
	<u>CAS No</u> 64741-88-4	<u>State</u> <u>Liquid</u> <u>Type</u> <u>Pure</u>	<u>Storage Container</u> Steel Drum			<u>Pressure</u> Ambient <u>Temperature</u> Ambient	<u>Waste Code</u>			
DOT: 2.1 - Flammable Gases Flammable Gas	PROPANE	Gallons	1000	500						
	<u>CAS No</u> CAS- 74-98-6	<u>State</u> <u>Liquid</u> <u>Type</u> <u>Pure</u>	<u>Storage Container</u> Aboveground Tank, Cylinder			<u>Pressure</u> > Ambient <u>Temperature</u> Ambient	<u>Waste Code</u>	- Fire - Pressure Release		
DOT: 3 - Flammable and Combustible Liquids Combustible Liquid, Class II	MOTOR OIL 1203	Gallons	85	0						
	<u>CAS No</u>	<u>State</u> <u>Liquid</u> <u>Type</u> <u>Mixture</u>	<u>Storage Container</u> Steel Drum			<u>Pressure</u> Ambient <u>Temperature</u> Ambient	<u>Waste Code</u>	- Fire - Acute Health - Chronic health		
DOT: 4.1 - Flammable Solids Flammable Solid	FLARE (FESEE)	Pounds	1500	25						
	<u>CAS No</u>	<u>State</u> <u>Solid</u> <u>Type</u> <u>Mixture</u>	<u>Storage Container</u> Box			<u>Pressure</u> Ambient <u>Temperature</u> Ambient	<u>Waste Code</u>	- Fire	Strontium Nitrate Potassium Perchlorate	73 % 6 % 10042-76-9 778-74-7
DOT: 4.1 - Flammable Solids Flammable Solid	AMMUNITION SMOKELESS POWDER	Pounds	500	2						
	<u>CAS No</u>	<u>State</u> <u>Solid</u> <u>Type</u> <u>Mixture</u>	<u>Storage Container</u> Other			<u>Pressure</u> Ambient <u>Temperature</u> Ambient	<u>Waste Code</u>	- Fire - Reactive - Acute Health		

0250

135339

UNIDOCs HAZARDOUS MATERIALS HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

(One page per material per building or area)

ADD

DELETE

REVISE

200.

Page 13 of 18

I. FACILITY INFORMATION

BUSINESS NAME (Same as Facility Name or DBA - Doing Business As)

California Highway Patrol

CHEMICAL LOCATION

995 Fir Street, Chico, CA 95928

201.

CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

202.

FACILITY ID #
(Agency Use Only)

MAP # (Optional)

1

GRID # (Optional)

E-6 / I-6

1.

203.

204.

II. CHEMICAL INFORMATION

CHEMICAL NAME

Small Arms Ammunition

205.

TRADE SECRET

Yes No

If subject to EPCRA, refer to instructions

206.

COMMON NAME

Ammunition Smokeless Powder

207.

EHS*

Yes No

208.

CAS#

Class 1, Explosives, Division 1.2

209.

*if EHS is "Yes," all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)

210.

HAZARDOUS MATERIAL
TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211.

RADIOACTIVE

Yes No

CURIES

213.

PHYSICAL STATE
(Check one item only)

a. SOLID b. LIQUID c. GAS

214.

LARGEST CONTAINER

2

215.

FED HAZARD CATEGORIES
(Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216.

AVERAGE DAILY AMOUNT

250

MAXIMUM DAILY AMOUNT

500

ANNUAL WASTE AMOUNT

0

STATE WASTE CODE

220.

UNITS*

(Check one item only)

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

* If EHS, amount must be in pounds.

221.

DAYS ON SITE

365

222.

STORAGE
CONTAINER

a. ABOVEGROUND TANK
 b. UNDERGROUND TANK
 c. TANK INSIDE BUILDING
 d. STEEL DRUM
 e. PLASTIC/NONMETALLIC DRUM

f. CAN
 g. CARBOY
 h. SILO
 i. FIBER DRUM
 j. BAG

k. BOX
 l. CYLINDER
 m. GLASS BOTTLE
 n. PLASTIC BOTTLE
 o. TOTE BIN

p. TANK WAGON

q. RAIL CAR

r. OTHER

223.

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224.

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225.

% WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
2.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
3.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
4.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
5.		<input type="checkbox"/> Yes <input type="checkbox"/> No	

If more hazardous components are present at greater than 1% by weight if non-carcinogens, or 0.1% by weight if carcinogens, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

DOT Hazard Class:

If EPCRA, Please Sign Here.

If this facility is subject to Federal Emergency Planning and Community Right to Know Act (EPCRA) reporting requirements, a signature is required at the bottom of the form if the page lists an Extremely Hazardous Substance (EHS) handled at or above its Federal Threshold Planning Quantity (TPQ) or 500 pounds, whichever is less.

ENVIRONMENTAL HEALTH
SEP - 9 2009
202 MIRALOMA DRIVE
OROVILLE CA

UNDOCS
HAZARDOUS MATERIALS
HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION
 (One page per material per building or area)

ADD DELETE REVISE 200. Page 12 of 18

I. FACILITY INFORMATION

BUSINESS NAME (Same as Facility Name or DBA - Doing Business As) 3.
California Highway Patrol

CHEMICAL LOCATION 201. CHEMICAL LOCATION CONFIDENTIAL EPCRA 202.
995 Fir Street, Chico, CA 95928 YES NO

FACILITY ID # (Agency Use Only) MAP # (Optional) 203. GRID # (Optional) 204.
 - - - - - **1** **F-6**

II. CHEMICAL INFORMATION

CHEMICAL NAME 205. TRADE SECRET 206. Yes No
Pyrotechnic Composition If subject to EPCRA, refer to instructions

COMMON NAME 207. EHS* 208. Yes No
Flare (Fusee)

CAS# 209. *If EHS is "Yes," all amounts below must be in lbs.
See below

FIRE CODE HAZARD CLASSES (Complete if required by CUPA) 210.
Class 4, Division 4.1, Flammable Solid

HAZARDOUS MATERIAL TYPE (Check one item only) 211. RADIOACTIVE 212. Yes No CURIES 213.
 a. PURE b. MIXTURE c. WASTE

PHYSICAL STATE (Check one item only) 214. LARGEST CONTAINER 215.
 a. SOLID b. LIQUID c. GAS **25**

FED HAZARD CATEGORIES (Check all that apply) 216.
 a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT 217. MAXIMUM DAILY AMOUNT 218. ANNUAL WASTE AMOUNT 219. STATE WASTE CODE 220.
800 **1,500** **0**

UNITS* (Check one item only) 221. DAYS ON SITE 222.
 a. GALLONS b. CUBIC FEET. c. POUNDS d. TONS **365**
 * If EHS, amount must be in pounds.

STORAGE CONTAINER 223.
 a. ABOVEGROUND TANK f. CAN k. BOX p. TANK WAGON
 b. UNDERGROUND TANK g. CARBOY l. CYLINDER q. RAIL CAR
 c. TANK INSIDE BUILDING h. SILO m. GLASS BOTTLE r. OTHER
 d. STEEL DRUM i. FIBER DRUM n. PLASTIC BOTTLE
 e. PLASTIC/NONMETALLIC DRUM j. BAG o. TOTE BIN

STORAGE PRESSURE 224. a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

STORAGE TEMPERATURE 225. a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

% WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1. 73 226.	Strontium Nitrate 227.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 228.	10042-76-9 229.
2. 6 230.	Potassium Perchlorate 231.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 232.	7778-74-7 233.
3. 234.		<input type="checkbox"/> Yes <input type="checkbox"/> No 236.	
4. 235.		<input type="checkbox"/> Yes <input type="checkbox"/> No 240.	
5. 242.		<input type="checkbox"/> Yes <input type="checkbox"/> No 244.	

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION
 DOT Hazard Class:

If EPCRA, Please Sign Here.

If this facility is subject to Federal Emergency Planning and Community Right to Know Act (EPCRA) reporting requirements, a signature is required at the bottom of the form if the page lists an Extremely Hazardous Substance (EHS) handled at or above its Federal Threshold Planning Quantity (TPQ) or 500 pounds, whichever is less.

ENVIRONMENTAL HEALTH
 SEP 19 2009
 02 MIRA LOMA DRIVE
 ORVILLE, CA

UNIDOC'S
HAZARDOUS MATERIALS
HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION
 (One page per material per building or area)

ADD

DELETE

REVISE

200.

Page 14 of 18

I. FACILITY INFORMATION

BUSINESS NAME (Same as Facility Name or DBA - Doing Business As)

California Highway Patrol

CHEMICAL LOCATION

995 Fir Street, Chico, CA 95928

201.

CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

FACILITY ID # (Agency Use Only)

MAP # (Optional)

203.

GRID # (Optional)

204.

1

1-7

II. CHEMICAL INFORMATION

CHEMICAL NAME

Petroleum Hydrocarbon Mixture

205.

TRADE SECRET

Yes No

206.

If subject to EPCRA, refer to inspections

COMMON NAME

Automatic Transmission Fluid

207.

EHS*

Yes No

208.

CAS#

See below

209.

*If EHS is "Yes," all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)

Class 1-C, Flammable (3)

210.

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211.

RADIOACTIVE

Yes No

212.

CURIES

213.

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214.

LARGEST CONTAINER

Quart

215.

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216.

AVERAGE DAILY AMOUNT

25

MAXIMUM DAILY AMOUNT

60

ANNUAL WASTE AMOUNT

0

STATE WASTE CODE

UNITS*

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

217.

218.

219.

221.

DAYS ON SITE

222.

STORAGE CONTAINER

- a. ABOVEGROUND TANK
- b. UNDERGROUND TANK
- c. TANK INSIDE BUILDING
- d. STEEL DRUM
- e. PLASTIC/NONMETALLIC DRUM
- f. CAN
- g. CARBOY
- h. SILO
- i. FIBER DRUM
- j. BAG
- k. BOX
- l. CYLINDER
- m. GLASS BOTTLE
- n. PLASTIC BOTTLE
- o. TOTE BIN
- p. TANK WAGON
- q. RAIL CAR
- r. OTHER

223.

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224.

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225.

% WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1. 89	Hydrotreated Distillate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	64742-55-8
2. 15	Light Pariffin	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
3.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
4.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
5.		<input type="checkbox"/> Yes <input type="checkbox"/> No	

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

DOT Hazard Class:

If EPCRA. Please Sign Here.

If this facility is subject to Federal Emergency Planning and Community Right to Know Act (EPCRA) reporting requirements, a signature is required at the bottom of the form if the page lists an Extremely Hazardous Substance (EHS) handled at or above its Federal Threshold Planning Quantity (TPQ) or 500 pounds, whichever is less.

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 202 MISSA LOMA DRIVE
 ORVILLE, CA

135337

**UNIDOC'S
HAZARDOUS MATERIALS
HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION**
(One page per material per building or area)

ADD DELETE REVISE 300. Page 16 of 18

I. FACILITY INFORMATION

BUSINESS NAME (Same as Facility Name or DBA - Doing Business As) 301.
California Highway Patrol

CHEMICAL LOCATION 301. CHEMICAL LOCATION CONFIDENTIAL EPCRA 302.
995 Fir Street, Chico, CA 95928 YES NO

FACILITY ID # (Agency Use Only) 303. MAP # (Optional) 303. GRID # (Optional) 304.
- - - - - **1** **1-7**

II. CHEMICAL INFORMATION

CHEMICAL NAME 205. TRADE SECRET 206. Yes No
Calcium Phenate If subject to EPCRA, refer to instructions

COMMON NAME 207. EHS* 208. Yes No
Motor Oil, 1203

CAS# 209. *If EHS is "Yes," all amounts below must be in lbs.
See below

FIRE CODE HAZARD CLASSES (Complete if required by CII/PA) 210.
Class 1-C, Flammable (3)

HAZARDOUS MATERIAL TYPE (Check one item only) 211. RADIOACTIVE 212. CURIES 213.
 a. PURE b. MIXTURE c. WASTE Yes No

PHYSICAL STATE (Check one item only) 214. LARGEST CONTAINER 215.
 a. SOLID b. LIQUID c. GAS **Quart**

FED HAZARD CATEGORIES (Check all that apply) 216.
 a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT 217. MAXIMUM DAILY AMOUNT 218. ANNUAL WASTE AMOUNT 219. STATE WASTE CODE 220.
25 Gal. **85 Gal.** **0**

UNITS* (Check one item only) 221. DAYS ON SITE 222.
 a. GALLONS b. CUBIC FEET c. POUNDS d. TONS **365**
* If EHS, amount must be in pounds.

STORAGE CONTAINER 223.
 a. ABOVEGROUND TANK f. CAN k. BOX p. TANK WAGON
 b. UNDERGROUND TANK g. CARBOY l. CYLINDER q. RAIL CAR
 c. TANK INSIDE BUILDING h. SILO m. GLASS BOTTLE r. OTHER
 d. STEEL DRUM i. FIBER DRUM n. PLASTIC BOTTLE
 e. PLASTIC/NONMETALLIC DRUM j. BAG o. TOTE BIN

STORAGE PRESSURE 224.
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

STORAGE TEMPERATURE 225.
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

#	% WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1.	4.0	Calcium Phenate	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	64742547
2.	85	Paraffinic Petro Distillates	<input type="checkbox"/> Yes <input type="checkbox"/> No	64742650
3.			<input type="checkbox"/> Yes <input type="checkbox"/> No	
4.			<input type="checkbox"/> Yes <input type="checkbox"/> No	
5.			<input type="checkbox"/> Yes <input type="checkbox"/> No	

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper carrying the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION
DOT Hazard Class: _____
If EPCRA, Please Sign Here: _____

If this facility is subject to Federal Emergency Planning and Community Right to Know Act (EPCRA) reporting requirements, a signature is required at the bottom of the form if the page lists an Extremely Hazardous Substance (EHS) handled at or above its Federal Threshold Planning Quantity (TPQ) or 500 pounds, whichever is less.

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 MIRABELLO DRIVE
 ORVILLE, CA

UNIDOCs
HAZARDOUS MATERIALS
HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION
 (One page per material per building or area)

ADD

DELETE

REVISE

200.

Page 10 of 18.

I. FACILITY INFORMATION

BUSINESS NAME (Same as Facility Name or DBA - Doing Business As)

California Highway Patrol

CHEMICAL LOCATION

995 Fir Street, Chico, CA 95928

201.

CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

FACILITY ID #
(Agency Use Only)

1.

MAP # (Optional)

203.

GRID # (Optional)

204.

I-1/J-1

II. CHEMICAL INFORMATION

CHEMICAL NAME

Liquid Petroleum

205.

TRADE SECRET

Yes No

If subject to EPCRA, refer to instructions

206.

COMMON NAME

Propane, 1978

207.

EHS*

Yes No

208.

CAS#

74-98-6

209.

*If EHS is "Yes," all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CTPA)

Class 1-C, Flammable (3)

210.

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211.

RADIOACTIVE

Yes No

CURIES

213.

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214.

LARGEST CONTAINER

500

215.

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216.

AVERAGE DAILY AMOUNT

750

217.

MAXIMUM DAILY AMOUNT

1,000

218.

ANNUAL WASTE AMOUNT

0

219.

STATE WASTE CODE

220.

UNITS*

(Check one item only)

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

* If EHS, amount must be in pounds.

221.

DAYS ON SITE

222.

365

STORAGE CONTAINER

a. ABOVEGROUND TANK f. CAN k. BOX p. TANK WAGON

b. UNDERGROUND TANK g. CARBOY l. CYLINDER q. RAIL CAR

c. TANK INSIDE BUILDING h. DRUM m. GLASS BOTTLE r. OTHER

d. STEEL DRUM i. FIBER DRUM n. PLASTIC BOTTLE

e. PLASTIC/NONMETALLIC DRUM j. BAG o. TOTE BIN

223.

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224.

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225.

% WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1. 100	Propane	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	74-98-6
2.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
3.		<input type="checkbox"/> Yes <input type="checkbox"/> No	
4.		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
5.		<input type="checkbox"/> Yes <input type="checkbox"/> No	

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

DOT Hazard Class:

If EPCRA, Please Sign Here.

If this facility is subject to Federal Emergency Planning and Community Right to Know Act (EPCRA) reporting requirements, a signature is required at the bottom of the form if the page lists an Extremely Hazardous Substance (EHS) handled at or above its Federal Threshold Planning Quantity (TPQ) or 500 pounds, whichever is less.

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 202 MIRA LOMA DRIVE
 OROVILLE, CA

UNIDOCs
HAZARDOUS MATERIALS
HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION
 (One page per material per building or area)

ADD DELETE REVISE 200. Page 15 of 18

I. FACILITY INFORMATION

BUSINESS NAME (Same as Facility Name or DBA - Doing Business As) 3
California Highway Patrol

CHEMICAL LOCATION 201. CHEMICAL LOCATION CONFIDENTIAL EPCRA 202.
995 Fir Street, Chico, CA 95928 YES NO

FACILITY ID # (Agency Use Only) MAP # (Optional) 203. GRID # (Optional) 204.

II. CHEMICAL INFORMATION

CHEMICAL NAME 205. TRADE SECRET 206.
Hydrocarbon Solvent, 1965 Yes No
If subject to EPCRA, refer to instructions

COMMON NAME 207. EHS* 208.
Solvent Yes No

CAS# 209. *If EHS is "Yes," all amounts below must be in lbs.
See below

FIRE CODE HAZARD CLASSES (Complete if required by CUPA) 210.
Class 1-C, Flammable (3)

HAZARDOUS MATERIAL TYPE (Check one item only) 211. RADIOACTIVE 212. CURIES 213.
 a. PURE b. MIXTURE c. WASTE Yes No

PHYSICAL STATE (Check one item only) 214. LARGEST CONTAINER 215.
 a. SOLID b. LIQUID c. GAS **55**

FED HAZARD CATEGORIES (Check all that apply) 216.
 a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT 217. MAXIMUM DAILY AMOUNT 218. ANNUAL WASTE AMOUNT 219. STATE WASTE CODE 220.
35 **55** **0**

UNITS* (Check one item only) 221. DAYS ON SITE 222.
 a. GALLONS b. CUBIC FEET c. POUNDS d. TONS **365**
* If EHS, amount must be in pounds.

STORAGE CONTAINER 223.
 a. ABOVEGROUND TANK f. CAN k. BOX p. TANK WAGON
 b. UNDERGROUND TANK g. CARBOY l. CYLINDER q. RAIL CAR
 c. TANK INSIDE BUILDING h. DRUM m. GLASS BOTTLE r. OTHER
 d. STEEL DRUM i. FIBER DRUM n. PLASTIC BOTTLE
 e. PLASTIC/NONMETALLIC DRUM j. BAG o. TOTE BIN

STORAGE PRESSURE 224.
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

STORAGE TEMPERATURE 225.
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

#	% WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1.	85	C9-C13 Saturated Hydrocarbon	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	64741-41-9
2.	0.5	Toluene	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	108-88-3
3.	1.0	Xylene	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	1330-20-7
4.			<input type="checkbox"/> Yes <input type="checkbox"/> No	
5.			<input type="checkbox"/> Yes <input type="checkbox"/> No	

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

DOT Hazard Class:

If EPCRA, Please Sign Here.

If this facility is subject to Federal Emergency Planning and Community Right to Know Act (EPCRA) reporting requirements, a signature is required at the bottom of the form if the page lists an Extremely Hazardous Substance (EHS) handled at or above its Federal Threshold Planning Quantity (TPQ) or 500 pounds, whichever is less.

0256

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 202 MIRA LOMA DRIVE
 OROVILLE, CA

135334

UNIDOC'S HAZARDOUS MATERIALS HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION (One page per material per building or area)

ADD DELETE REVISE Page 9 of 18

I. FACILITY INFORMATION

BUSINESS NAME (Same as Facility Name or DBA - Doing Business As) California Highway Patrol
CHEMICAL LOCATION 995 Fir Street, Chico, CA 95928
FACILITY ID # (Agency Use Only)
MAP # (Optional) 1
GRID # (Optional) 1-2

II. CHEMICAL INFORMATION

CHEMICAL NAME 205. Unleaded gasoline, 1203
COMMON NAME 207. Unleaded fuel
CAS# 209. See below
TRADE SECRET 206. If subject to EPCRA, refer to instructions
EHS* 208. *If EHS is "Yes," all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA) 210. Class 1-C, Flammable (3)

HAZARDOUS MATERIAL TYPE (Check one item only) 211. a. PURE b. MIXTURE c. WASTE
RADIOACTIVE 212. Yes No
CURIES 213.

PHYSICAL STATE (Check one item only) 214. a. SOLID b. LIQUID c. GAS
LARGEST CONTAINER 215. 10,000

FED HAZARD CATEGORIES (Check all that apply) 216. a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT 217. 5,000
MAXIMUM DAILY AMOUNT 218. 9,500
ANNUAL WASTE AMOUNT 219. 0
STATE WASTE CODE 220.

UNITS* (Check one item only) 221. a. GALLONS b. CUBIC FEET c. POUNDS d. TONS
DAYS ON SITE 222. 365

STORAGE CONTAINER 223. a. ABOVEGROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM
f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG
k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN
p. TANK WAGON q. RAIL CAR r. OTHER

STORAGE PRESSURE 224. a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

STORAGE TEMPERATURE 225. a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

Table with 4 columns: % WT, HAZARDOUS COMPONENT (For mixture or waste only), EHS, CAS #. Rows include Toluene, Xylenes, Methyl Tert Butyl Ether.

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION
DOT Hazard Class:
If EPCRA, Please Sign Here.

If this facility is subject to Federal Emergency Planning and Community Right to Know Act (EPCRA) reporting requirements, a signature is required at the bottom of the form if the page lists an Extremely Hazardous Substance (EHS) handled at or above its Federal Threshold Planning Quantity (TPQ) or 500 pounds, whichever is less.

ENVIRONMENTAL HEALTH
SEP - 9 2009
202 MIRALOMA DRIVE
OROVILLE, CA

135339

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

(one page per material per building or area)

ADD

DELETE

REVISE

200

Page 1 of 1

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)

CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION

995 FIR STREET, CHICO, CA 95928

201

CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

202

FACILITY ID #

MAP# (optional)

GRID# (optional)

E-6 / I-6

II. CHEMICAL INFORMATION

CHEMICAL NAME

SMALL ARMS AMMUNITION

205

TRADE SECRET

Yes No

If Subject to EPCRA, refer to instructions

206

COMMON NAME

AMMUNITION SMOKELESS POWDER

207

EHS*

Yes No

208

CAS#

CLASS 1 - EXPLOSIVES DIVISION 1.2

209

*If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)

210

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211

RADIOACTIVE Yes No

CURIES

213

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214

LARGEST CONTAINER

2

215

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216

AVERAGE DAILY AMOUNT

250

MAXIMUM DAILY AMOUNT

500

ANNUAL WASTE AMOUNT

0

STATE WASTE CODE

N/A

220

UNITS*

(Check one item only)

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

221

DAYS ON SITE:

365

222

STORAGE CONTAINER

a. ABOVE GROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN p. TANK WAGON q. RAIL CAR r. OTHER

223

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225

%WT

HAZARDOUS COMPONENT (For mixture or waste only)

EHS

CAS #

1

226

227

Yes No

228

229

2

230

231

Yes No

232

233

3

234

235

Yes No

236

237

4

238

239

Yes No

240

241

5

242

243

Yes No

244

245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

246

Environmental Health

If EPCRA, Please Sign Here

135333

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

ADD DELETE REVISE 200 Page 4 of 19

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) CALIFORNIA HIGHWAY PATROL 3

CHEMICAL LOCATION 995 FIR STREET, CHICO, CA 95928 201 CHEMICAL LOCATION CONFIDENTIAL EPCRA 202 YES NO

FACILITY ID # MAP# (optional) 203 GRID# (optional) 204 1 I-7

II. CHEMICAL INFORMATION

CHEMICAL NAME PETROLEUM HYDROCARBON MIXTURE 205 TRADE SECRET 206 Yes No

COMMON NAME AUTOMATIC TRANSMISSION FLUID 207 EHS* 208 Yes No

CAS# SEE BELOW 209 *If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA) CLASS 1-C FLAMMABLE (3) 210

HAZARDOUS MATERIAL TYPE (Check one item only) a. PURE b. MIXTURE c. WASTE 211 RADIOACTIVE 212 Yes No CURIES 213

PHYSICAL STATE (Check one item only) a. SOLID b. LIQUID c. GAS 214 LARGEST CONTAINER QUART 215

FED HAZARD CATEGORIES (Check all that apply) a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH 216

AVERAGE DAILY AMOUNT 25 217 MAXIMUM DAILY AMOUNT 60 218 ANNUAL WASTE AMOUNT 0 219 STATE WASTE CODE N/A 220

UNITS* (Check one item only) a. GALLONS b. CUBIC FEET c. POUNDS d. TONS 221 DAYS ON SITE: 365 222

STORAGE CONTAINER a. ABOVE GROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN p. TANK WAGON q. RAIL CAR r. OTHER 223

STORAGE PRESSURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT 224

STORAGE TEMPERATURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC 225

Table with 4 columns: %WT, HAZARDOUS COMPONENT (For mixture or waste only), EHS, CAS #. Rows include HYDROTREATED DISTILLATE and LIGHT PARAFFIN.

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION 246

Environmental Health

If EPCRA, Please Sign Here

135 338

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

(four pages per material per building or area)

ADD

DELETE

REVISE

200

Page 4 of 11

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)

CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION

995 FIR STREET, CHICO, CA 95928

201

CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

202

FACILITY ID #

MAP# (optional)

GRID# (optional)

203

204

II. CHEMICAL INFORMATION

CHEMICAL NAME

PYROTECHNIC COMPOSITION

205

TRADE SECRET

Yes No

206

If Subject to EPCRA, refer to instructions

COMMON NAME

FLARE (FESEE)

207

EHS*

Yes No

208

CAS#

SEE BELOW

209

*If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)

CLASS 4 DIVISION 4.1 FLAMMABLE SOLID

210

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211

RADIOACTIVE Yes No

212

CURIES

213

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214

LARGEST CONTAINER

25

215

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216

AVERAGE DAILY AMOUNT

800

MAXIMUM DAILY AMOUNT

1500

ANNUAL WASTE AMOUNT

0

STATE WASTE CODE

N/A

217

218

219

220

UNITS*

(Check one item only)

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

*If EHS, amount must be in pounds.

221

DAYS ON SITE:

365

222

STORAGE CONTAINER

a. ABOVE GROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN p. TANK WAGON q. RAIL CAR r. OTHER

223

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225

%WT

HAZARDOUS COMPONENT (For mixture or waste only)

EHS

CAS #

1

73

226

STRONTIUM NITRATE

227

Yes No

228

10042-76-9

229

2

6

230

POTASSIUM PERCHLORATE

231

Yes No

232

7778-74-7

233

3

234

235

Yes No

236

237

4

238

239

Yes No

240

241

5

242

243

Yes No

244

245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

246

Environmental Health

If EPCRA, Please Sign Here

135337

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

(one page per material per building or area)

ADD

DELETE

REVISE

200

Page 5 of 19

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)

CALIFORNIA HIGHWAY PATROL

3

CHEMICAL LOCATION

995 FIR STREET, CHICO, CA 95928

201

CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

202

FACILITY ID #

MAP# (optional)

203

GRID# (optional)

204

1

I-7

II. CHEMICAL INFORMATION

CHEMICAL NAME

CALCIUM PHENATE

205

TRADE SECRET

Yes No

206

If Subject to EPCRA, refer to instructions

COMMON NAME

MOTOR OIL 1203

207

EHS*

Yes No

208

CAS#

SEE BELOW

209

*If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)

CLASS 1-C FLAMMABLE (3)

210

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211

RADIOACTIVE Yes No

212

CURIES

213

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214

LARGEST CONTAINER

QUART

215

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216

AVERAGE DAILY AMOUNT

25 GAL

MAXIMUM DAILY AMOUNT

85 GAL

ANNUAL WASTE AMOUNT

0

STATE WASTE CODE

N/A

217

218

219

220

UNITS*

(Check one item only)

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

221

DAYS ON SITE:

365

222

* If EHS amount must be in pounds.

STORAGE CONTAINER

a. ABOVE GROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN p. TANK WAGON q. RAIL CAR r. OTHER

223

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225

%WT

HAZARDOUS COMPONENT (For mixture or waste only)

EHS

CAS #

1

4.0

226

CALCIUM PHENATE

227

Yes No

228

64742547

229

2

85

230

PARAFFINIC PETRO DISTILLATES

231

Yes No

232

64742650

233

3

234

234

235

Yes No

236

237

4

238

238

239

Yes No

240

241

5

242

242

243

Yes No

244

245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

246

Environmental Health

If EPCRA, Please Sign Here

135336

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

(one page per material per building or area)

ADD

DELETE

REVISE

200

Page 14 of 16

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)

CALIFORNIA HIGHWAY PATROL

3

CHEMICAL LOCATION

995 FIR STREET, CHICO, CA 95928

201

CHEMICAL LOCATION CONFIDENTIAL EPCRA

202

YES NO

FACILITY ID #

MAP# (optional)

GRID# (optional)

I-1/J-1

II. CHEMICAL INFORMATION

CHEMICAL NAME

LIQUID PETROLEUM GAS 1978

203

TRADE SECRET

Yes No

206

If Subject to EPCRA, refer to instructions

COMMON NAME

PROPANE

207

EHS*

Yes No

208

CAS#

74-98-6

209

*If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)

CLASS 1-C FLAMMABLE (3)

210

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211

RADIOACTIVE Yes No

CURIES

213

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214

LARGEST CONTAINER

500

215

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216

AVERAGE DAILY AMOUNT

750

MAXIMUM DAILY AMOUNT

1,000

ANNUAL WASTE AMOUNT

0

STATE WASTE CODE

N/A

217

218

219

220

UNITS*

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

221

DAYS ON SITE:

365

222

STORAGE CONTAINER

a. ABOVE GROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN p. TANK WAGON q. RAIL CAR r. OTHER

223

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225

%WT

HAZARDOUS COMPONENT (For mixture or waste only)

EHS

CAS #

1

100

226

PROPANE

227

Yes No

228

74-98-6

229

2

230

231

Yes No

232

233

3

234

235

Yes No

236

237

4

238

239

Yes No

240

241

5

242

243

Yes No

244

245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

246

Environmental Health

If EPCRA, Please Sign Here

135335

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

(one page per material per building or area)

ADD

DELETE

USE

200

Page 2 of 10

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)

CALIFORNIA HIGHWAY PATROL

3

CHEMICAL LOCATION

995 FIR STREET, CHICO, CA 95928

201

CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

202

FACILITY ID #

MAP# (optional)

GRID# (optional)

204

II. CHEMICAL INFORMATION

CHEMICAL NAME

HYDROCARBON SOLVENT 1965

205

TRADE SECRET

Yes No

206

If Subject to EPCRA, refer to instructions

COMMON NAME

SOLVENT

207

EHS*

Yes No

208

CAS#

SEE BELOW

209

*If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUFA)

CLASS 1-C FLAMMABLE (3)

210

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211

RADIOACTIVE Yes No

212

CURIES

213

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214

LARGEST CONTAINER 55

215

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

216

AVERAGE DAILY AMOUNT

35

217

MAXIMUM DAILY AMOUNT

55

218

ANNUAL WASTE AMOUNT

0

219

STATE WASTE CODE

N/A

220

UNITS* (Check one item only)

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

221

DAYS ON SITE:

365

222

STORAGE CONTAINER

a. ABOVE GROUND TANK c. PLASTIC/NONMETALLIC DRUM i. FIBER DRUM m. GLASS BOTTLE q. RAIL CAR
 b. UNDERGROUND TANK f. CAN j. BAG n. PLASTIC BOTTLE r. OTHER
 e. TANK INSIDE BUILDING g. CARBOY k. BOX o. TOTE BIN
 d. STEEL DRUM h. SILO l. CYLINDER p. TANK WAGON

223

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225

%WT

HAZARDOUS COMPONENT (For mixture or waste only)

EHS

CAS #

1

85

226

C9-C13 SATURATED HYDROCARBON

227

Yes No

228

64741-41-9

229

2

0.5

230

TOLUENE

231

Yes No

232

108-88-3

233

3

1.0

234

XYLENE

235

Yes No

236

1330-20-7

237

4

238

239

Yes No

240

241

5

242

243

Yes No

244

245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

246

Environmental Health

(If EPCRA, Please Sign Here)

135334

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

HAZARDOUS MATERIALS

ADD

DELETE

REVISE

200

(one page per material per building or area)

Page 2 of 10

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)
CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION
995 FIR STREET, CHICO, CA 95928

CHEMICAL LOCATION CONFIDENTIAL EPCRA
 YES NO

FACILITY ID #

MAP# (optional)

GRID# (optional)

I-2

II. CHEMICAL INFORMATION

CHEMICAL NAME
UNLEADED GASOLINE 1203

TRADE SECRET Yes No

If Subject to EPCRA, refer to instructions

COMMON NAME
UNLEADED FUEL

EHS* Yes No

CAS#
SEE BELOW

*If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)
CLASS 1-C FLAMMABLE (3)

HAZARDOUS MATERIAL TYPE (Check one item only)
 a. PURE b. MIXTURE c. WASTE

RADIOACTIVE Yes No

CURJES

PHYSICAL STATE (Check one item only)
 a. SOLID b. LIQUID c. GAS

LARGEST CONTAINER
10,000

FED HAZARD CATEGORIES (Check all that apply)
 a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT
0

MAXIMUM DAILY AMOUNT
0

ANNUAL WASTE AMOUNT
0

STATE WASTE CODE
N/A

UNITS* (Check one item only)
 a. GALLONS b. CUBIC FEET c. POUNDS d. TONS
* If EHS, amount must be in pounds.

DAYS ON SITE:
365

STORAGE CONTAINER
 a. ABOVE GROUND TANK e. PLASTIC/NONMETALLIC DRUM l. FIBER DRUM m. GLASS BOTTLE q. RAIL CAR
 b. UNDERGROUND TANK f. CAN j. BAG n. PLASTIC BOTTLE r. OTHER
 c. TANK INSIDE BUILDING g. CARBOY k. BOX o. TOTE BIN
 d. STEEL DRUM h. SILO i. CYLINDER p. TANK WAGON

STORAGE PRESSURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

STORAGE TEMPERATURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS#
1 15	TOLUENE	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	108-88-3
2 20	XYLENES	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	1330-20-7
3 10	METHYL TERT BUTYL ETHER	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	1634-04-4
4		<input type="checkbox"/> Yes <input type="checkbox"/> No	
5		<input type="checkbox"/> Yes <input type="checkbox"/> No	

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

Environmental Health

If EPCRA, Please Sign Here

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY – CHEMICAL DESCRIPTION

(one page per material per building or area)

ADD DELETE REVISE 200 Page of

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA – Doing Business As) 3
 CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION 201 CHEMICAL LOCATION CONFIDENTIAL EPCRA 202
 995 FIR STREET, CHICO, CA 95928 YES NO

FACILITY ID # 203 MAP# (optional) 203 GRID# (optional) 204
 1 F-3

II. CHEMICAL INFORMATION

CHEMICAL NAME 205 TRADE SECRET Yes No 206
 UNLEADED GASOLINE 1203
If Subject to EPCRA, refer to instructions

COMMON NAME 207 EHS* Yes No 208
 UNLEADED FUEL

CAS# 209 *If EHS is "Yes", all amounts below must be in lbs.
 SEE BELOW

FIRE CODE HAZARD CLASSES (Complete if required by CUPA) 210
 CLASS 1-C FLAMMABLE (3)

HAZARDOUS MATERIAL TYPE (Check one item only) a. PURE b. MIXTURE c. WASTE 211 RADIOACTIVE Yes No 212 CURIES 213

PHYSICAL STATE (Check one item only) a. SOLID b. LIQUID c. GAS 214 LARGEST CONTAINER 12,000 215

FED HAZARD CATEGORIES (Check all that apply) a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH 216

AVERAGE DAILY AMOUNT 217 MAXIMUM DAILY AMOUNT 218 ANNUAL WASTE AMOUNT 219 STATE WASTE CODE 220
 0 0 0 N/A

UNITS* a. GALLONS b. CUBIC FEET c. POUNDS d. TONS 221 DAYS ON SITE: 222
(Check one item only) * If EHS, amount must be in pounds. 365

STORAGE CONTAINER a. ABOVE GROUND TANK c. PLASTIC/NONMETALLIC DRUM i. FIBER DRUM m. GLASS BOTTLE q. RAIL CAR 223
 b. UNDERGROUND TANK f. CAN j. BAG n. PLASTIC BOTTLE r. OTHER
 c. TANK INSIDE BUILDING g. CARBOY l. BOX o. TOTE BIN
 d. STEEL DRUM h. SILO l. CYLINDER p. TANK WAGON

STORAGE PRESSURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT 224

STORAGE TEMPERATURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC 225

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1 15 226	TOLUENE 227	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 228	108-88-3 229
2 20 230	XYLENES 231	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 232	1330-20-7 233
3 10 234	METHYL TERT BUTYL ETHER 235	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 236	1634-04-4 237
4 238	239	<input type="checkbox"/> Yes <input type="checkbox"/> No 240	241
5 242	243	<input type="checkbox"/> Yes <input type="checkbox"/> No 244	245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information. 246

ADDITIONAL LOCALLY COLLECTED INFORMATION

TANK IS CURRENTLY CLOSED. VST REPLACEMENT SCHEDULED FOR FALL OF 2002.

If EPCRA, Please Sign Here

Environmental Health

JUN 27 2002

Chico, California

UNIFIED PROGRAM CONSOLIDATED FORM
HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION
(one page per material per building or area)

ADD DELETE REVISE 200 Page of

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As) 3
 CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION 201
 995 FIR STREET, CHICO, CA 95928 YES NO 202

FACILITY ID # 203 MAP# (optional) 204 GRID# (optional) 204
 1 F-6

II. CHEMICAL INFORMATION

CHEMICAL NAME 205
 HYDROCARBON SOLVENT 1965 TRADE SECRET Yes No 206
If Subject to EPCRA, refer to instructions

COMMON NAME 207
 SOLVENT EHS* Yes No 208

CAS# 209
 SEE BELOW *If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA) 210
 CLASS 1-C FLAMMABLE (3)

HAZARDOUS MATERIAL TYPE (Check one item only) 211 RADIOACTIVE Yes No 212 CURIES 213
 a. PURE b. MIXTURE c. WASTE

PHYSICAL STATE (Check one item only) 214 LARGEST CONTAINER 55 215
 a. SOLID b. LIQUID c. GAS

FED HAZARD CATEGORIES (Check all that apply) 216
 a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT 217 MAXIMUM DAILY AMOUNT 218 ANNUAL WASTE AMOUNT 219 STATE WASTE CODE 220
 35 55 0 N/A

UNITS* (Check one item only) 221 DAYS ON SITE: 222
 a. GALLONS b. CUBIC FEET c. POUNDS d. TONS * If EHS, amount must be in pounds. 365

STORAGE CONTAINER 223
 a. ABOVE GROUND TANK c. PLASTIC/NONMETALLIC DRUM i. FIBER DRUM m. GLASS BOTTLE q. RAIL CAR
 b. UNDERGROUND TANK f. CAN j. BAG n. PLASTIC BOTTLE r. OTHER
 c. TANK INSIDE BUILDING g. CARBOY k. BOX o. TOTE BIN
 d. STEEL DRUM h. SILO l. CYLINDER p. TANK WAGON

STORAGE PRESSURE 224
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

STORAGE TEMPERATURE 225
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

#	%WT	226	HAZARDOUS COMPONENT (For mixture or waste only)	227	EHS	228	CAS #	229
1	85	226	C9-C13 SATURATED HYDROCARBON	227	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	228	64741-41-9	229
2	0.5	230	TOLUENE	231	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	232	108-88-3	233
3	1.0	234	XYLENE	235	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	236	1330-20-7	237
4		238		239	<input type="checkbox"/> Yes <input type="checkbox"/> No	240		241
5		242		243	<input type="checkbox"/> Yes <input type="checkbox"/> No	244		245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION 246

Environmental Health

If EPCRA, Please Sign Here

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION

(one page per material per building or area)

ADD

DELETE

REVISE

200

Page ___ of ___

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)

CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION

995 FIR STREET, CHICO, CA 95928

201 CHEMICAL LOCATION CONFIDENTIAL EPCRA

YES NO

FACILITY ID #

203 MAP# (optional)

1

204 GRID# (optional)

I-3

II. CHEMICAL INFORMATION

CHEMICAL NAME

LIQUID PETROLEUM GAS 1978

205 TRADE SECRET

Yes No

If Subject to EPCRA, refer to instructions

COMMON NAME

PROPANE

207 EHS*

Yes No

CAS#

74-98-6

*If EHS is "Yes", all amounts below must be in lbs.

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)

CLASS 1-C FLAMMABLE (3)

HAZARDOUS MATERIAL TYPE (Check one item only)

a. PURE b. MIXTURE c. WASTE

211 RADIOACTIVE

Yes No

212 CURIES

PHYSICAL STATE (Check one item only)

a. SOLID b. LIQUID c. GAS

214 LARGEST CONTAINER

500

FED HAZARD CATEGORIES (Check all that apply)

a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT

750

217 MAXIMUM DAILY AMOUNT

1,000

218 ANNUAL WASTE AMOUNT

0

219 STATE WASTE CODE

N/A

UNITS*

(Check one item only)

a. GALLONS b. CUBIC FEET c. POUNDS d. TONS

221

DAYS ON SITE:

365

STORAGE CONTAINER

a. ABOVE GROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN p. TANK WAGON q. RAIL CAR r. OTHER

223

STORAGE PRESSURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

224

STORAGE TEMPERATURE

a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

225

%WT

HAZARDOUS COMPONENT (For mixture or waste only)

EHS

CAS #

1

100

226

PROPANE

227

Yes No

228

74-98-6

229

2

230

231

Yes No

232

233

3

234

235

Yes No

236

237

4

238

239

Yes No

240

241

5

242

243

Yes No

244

245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION

246

Environmental Health

If EPCRA, Please Sign Here

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

HAZARDOUS MATERIALS INVENTORY – CHEMICAL DESCRIPTION

1 one page per material per building or area

ADD DELETE REVISE 200 Page of

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA – Doing Business As) 3
CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION 201 CHEMICAL LOCATION CONFIDENTIAL EPCRA 202
 995 FIR STREET, CHICO, CA 95928 YES NO

FACILITY ID # 203 MAP# (optional) 204 GRID# (optional)
 [Barcode] 1 F-7

II. CHEMICAL INFORMATION

CHEMICAL NAME 205 TRADE SECRET Yes No 206
CALCIUM PHENATE If Subject to EPCRA, refer to instructions

COMMON NAME 207 EHS* Yes No 208
MOTOR OIL 1203

CAS# 209 *If EHS is "Yes", all amounts below must be in lbs.
SEE BELOW

FIRE CODE HAZARD CLASSES (Complete if required by CUPA) 210
CLASS 1-C FLAMMABLE (3)

HAZARDOUS MATERIAL TYPE (Check one item only) 211 RADIOACTIVE Yes No 212 CURIES 213
 a. PURE b. MIXTURE c. WASTE

PHYSICAL STATE (Check one item only) 214 LARGEST CONTAINER **QUART** 215
 a. SOLID b. LIQUID c. GAS

FED HAZARD CATEGORIES (Check all that apply) 216
 a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH

AVERAGE DAILY AMOUNT 217 MAXIMUM DAILY AMOUNT 218 ANNUAL WASTE AMOUNT 219 STATE WASTE CODE 220
25 GAL **85 GAL** **0** **N/A**

UNITS* (Check one item only) 221 DAYS ON SITE: 222
 a. GALLONS b. CUBIC FEET c. POUNDS d. TONS **365**
* If EHS, amount must be in pounds.

STORAGE CONTAINER 223
 a. ABOVE GROUND TANK c. PLASTIC/NONMETALLIC DRUM i. FIBER DRUM m. GLASS BOTTLE q. RAIL CAR
 b. UNDERGROUND TANK f. CAN j. BAG n. PLASTIC BOTTLE r. OTHER
 e. TANK INSIDE BUILDING g. CARBOY k. BOX o. TOTE BIN
 d. STEEL DRUM h. SILO l. CYLINDER p. TANK WAGON

STORAGE PRESSURE 224
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT

STORAGE TEMPERATURE 225
 a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC

#	%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1	4.0 226	CALCIUM PHENATE 227	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 228	64742547 229
2	85 230	PARAFFINIC PETRO DISTILLATES 231	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 232	64742650 233
3	234	235	<input type="checkbox"/> Yes <input type="checkbox"/> No 236	237
4	238	239	<input type="checkbox"/> Yes <input type="checkbox"/> No 240	241
5	242	243	<input type="checkbox"/> Yes <input type="checkbox"/> No 244	245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information.

ADDITIONAL LOCALLY COLLECTED INFORMATION 246

Environmental Health

If EPCRA, Please Sign Here

JUN 27 2002

Chico, California

OES Form 2731

UNIFIED PROGRAM CONSOLIDATED FORM **HAZARDOUS MATERIALS**
HAZARDOUS MATERIALS INVENTORY - CHEMICAL DESCRIPTION (one page per material per building or area)

ADD DELETE REVISE 200 Page ___ of ___

I. FACILITY INFORMATION

BUSINESS NAME (Same as FACILITY NAME or DBA - Doing Business As)

CALIFORNIA HIGHWAY PATROL

CHEMICAL LOCATION
995 FIR STREET, CHICO, CA 95928

CHEMICAL LOCATION CONFIDENTIAL EPCRA 202
 YES NO

FACILITY ID # MAP# (optional) 203 GRID# (optional) 204
1 F-6

II. CHEMICAL INFORMATION

CHEMICAL NAME 205 TRADE SECRET Yes No 206
PYROTECHNIC COMPOSITION If Subject to EPCRA, refer to instructions

COMMON NAME 207 EHS* Yes No 208

CAS# 209 *If EHS is "Yes", all amounts below must be in lbs.
SEE BELOW 210

FIRE CODE HAZARD CLASSES (Complete if required by CUPA)
CLASS 4 DIVISION 4.1 FLAMMABLE SOLID 211

HAZARDOUS MATERIAL TYPE (Check one item only) a. PURE b. MIXTURE c. WASTE 212 RADIOACTIVE Yes No 213 CURIES 214

PHYSICAL STATE (Check one item only) a. SOLID b. LIQUID c. GAS 215 LARGEST CONTAINER 25 216

FED HAZARD CATEGORIES (Check all that apply) a. FIRE b. REACTIVE c. PRESSURE RELEASE d. ACUTE HEALTH e. CHRONIC HEALTH 217

AVERAGE DAILY AMOUNT 218 MAXIMUM DAILY AMOUNT 219 ANNUAL WASTE AMOUNT 220 STATE WASTE CODE 221
800 1500 0 N/A

UNITS* (Check one item only) a. GALLONS b. CUBIC FEET c. POUNDS d. TONS 222 DAYS ON SITE: 365 223
* If EHS, amount must be in pounds.

STORAGE CONTAINER a. ABOVE GROUND TANK b. UNDERGROUND TANK c. TANK INSIDE BUILDING d. STEEL DRUM e. PLASTIC/NONMETALLIC DRUM f. CAN g. CARBOY h. SILO i. FIBER DRUM j. BAG k. BOX l. CYLINDER m. GLASS BOTTLE n. PLASTIC BOTTLE o. TOTE BIN p. TANK WAGON q. RAIL CAR r. OTHER 224

STORAGE PRESSURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT 225

STORAGE TEMPERATURE a. AMBIENT b. ABOVE AMBIENT c. BELOW AMBIENT d. CRYOGENIC 226

%WT	HAZARDOUS COMPONENT (For mixture or waste only)	EHS	CAS #
1 73 226	STRONTIUM NITRATE 227	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 228	10042-76-9 229
2 6 230	POTASSIUM PERCHLORATE 231	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 232	7778-74-7 233
3 234	235	<input type="checkbox"/> Yes <input type="checkbox"/> No 236	237
4 238	239	<input type="checkbox"/> Yes <input type="checkbox"/> No 240	241
5 242	243	<input type="checkbox"/> Yes <input type="checkbox"/> No 244	245

If more hazardous components are present at greater than 1% by weight if non-carcinogenic, or 0.1% by weight if carcinogenic, attach additional sheets of paper capturing the required information. 246

ADDITIONAL LOCALLY COLLECTED INFORMATION

Environmental Health If EPCRA, Please Sign Here

JUN 27 2002
Chico, California OES Form 2731

(1) ADD DELETE REVISE

PAGE (2)

71

OF (3)

107

BUSINESS NAME (4) California Highway Patrol Chico Area

CHEMICAL LOCATION (5) 995 Fir Street Chico, CA 95928

MAP# (6) 1 GRID# (7) F-3

CHEMICAL NAME (8) Unleaded Gasoline 1203 TRADE SECRET (11) Y N

COMMON NAME (9) Unleaded Fuel *EHS (12) Y N

CAS# (10) See below *IF EHS BOX IS "Y" ALL AMOUNTS MUST BE IN LBS

FIRE CODE HAZARD CLASSES* (13) Class 1-C Flammable (3)

*COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE (14) PURE MIXTURE WASTE RADIOACTIVE (15) Y N (16) _____

PHYSICAL STATE (17) SOLID LIQUID GAS CURIES _____

FED HAZARD CATEGORIES (18) FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE (19) N/A UNITS* (22) GAL CU FT MAX DAILY AMT (23) 9,000

DAYS ON SITE (20) 365 *If EHS, amounts must be in lbs. AVG DAILY AMT (24) 7,000

LARGEST CONTAINER (21) 12,000 ANNUAL WASTE AMT (25) 0

STORAGE CONTAINER (26) ABOVE GROUND TANK CAN BOX TANK WAGON

UNDER GROUND TANK CARBOY CYLINDER RAIL CAR

TANK INSIDE BUILDING SILO GLASS BOTTLE _____

STEEL DRUM FIBER DRUM PLASTIC BOTTLE

PLASTIC/NONMETALLIC DRUM BAG TOTE BIN

STORAGE PRESSURE (27) AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE (28) AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

(29) %WT	(30) HAZARDOUS COMPONENT	(31) EHS	(32) CAS#
1 15	Toluene	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	108-88-3
2 20	Xylenes	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	1330-20-7
3 10	Methyl Tert Butyl Ether	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	1634-04-4
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

(33) ADDITIONAL LOCALLY COLLECTED INFORMATION

Storage tank is currently permitted for temporary closure, but is expected to be operational in a few months.

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

(1) ADD DELETE REVISE

PAGE (2) 43

OF (3) 10

BUSINESS NAME (4) California Highway Patrol - Chico Area

CHEMICAL LOCATION (5) 995 Fir St. Chico, CA 95928

MAP# (6) 1

GRID# (7) I-3

CHEMICAL NAME (8) Liquid Petroleum Gas 1978

TRADE SECRET (11) Y N

COMMON NAME (9) Propane

*EHS (12) Y N

CAS# (10) 74-98-6

*IF EHS BOX IS "Y"
ALL AMOUNTS MUST BE IN LBS

FIRE CODE HAZARD CLASSES* (13) Class 1-C Flammable (3)

*COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE (14) PURE MIXTURE WASTE

RADIOACTIVE (15) Y N (16)

PHYSICAL STATE (17) SOLID LIQUID GAS

FED HAZARD CATEGORIES (18) FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE (19) N/A

UNITS* (22) GAL CU FT LBS TONS

MAX DAILY AMT (23) n 1050

DAYS ON SITE (20) 365

*If EHS, amounts must be in lbs. AVG DAILY AMT (24) 750

LARGEST CONTAINER (21) 575

ANNUAL WASTE AMT (25) 0

STORAGE CONTAINER (36) ABOVE GROUND TANK UNDER GROUND TANK TANK INSIDE BUILDING STEEL DRUM PLASTIC/NONMETALLIC DRUM CAN CARBOY SILO FIBER DRUM BAG BOX CYLINDER GLASS BOTTLE PLASTIC BOTTLE TOTE BIN TANK WAGON RAIL CAR

STORAGE PRESSURE (27) AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE (28) AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

(29) %WT	(30) HAZARDOUS COMPONENT	(31) EHS	(32) CAS#
100	Propane	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	74-98-6
		<input type="checkbox"/> Y <input type="checkbox"/> N	
		<input type="checkbox"/> Y <input type="checkbox"/> N	
		<input type="checkbox"/> Y <input type="checkbox"/> N	
		<input type="checkbox"/> Y <input type="checkbox"/> N	

(33) ADDITIONAL LOCALLY COLLECTED INFORMATION

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

(1) ADD DELETE REVISE

PAGE (2) 84 OF (3) 10

BUSINESS NAME (4) California Highway Patrol - Chico Area

CHEMICAL LOCATION (5) 995 Fir St. Chico, CA 95928

MAP# (6) 1

GRID# (7) F-7

CHEMICAL NAME (8) Calcium Phenate

TRADE SECRET (11) Y N

COMMON NAME (9) Motor Oil 1203

*EHS (12) Y N

CAS# (10) See Below

*IF EHS BOX IS "Y"
ALL AMOUNTS MUST BE IN LBS

FIRE CODE HAZARD CLASSES* (13) Class 1-C Flammable (3)

*COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE (14) PURE MIXTURE WASTE

RADIOACTIVE (15) Y N (16)

PHYSICAL STATE (17) SOLID LIQUID GAS

CURIES

FED HAZARD CATEGORIES (18) FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE (19) N/A

UNITS* (22) GAL CU FT LBS TONS

MAX DAILY AMT (23) 85 Gal

DAYS ON SITE (20) 365

*If EHS, amounts must be in lbs. AVG DAILY AMT (24) 25 Gal

LARGEST CONTAINER (21) Quart

ANNUAL WASTE AMT (25) 0

STORAGE CONTAINER (26) ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE _____
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALLIC DRUM BAG TOTE BIN

STORAGE PRESSURE (27) AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE (28) AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

(29) %WT	(30) HAZARDOUS COMPONENT	(31) EHS	(32) CAS#
1 4.0	Calcium Phenate	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	64742547
2 85	Paraffinic Petro Distillates	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	64742650
3		<input type="checkbox"/> Y <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

(33) ADDITIONAL LOCALLY COLLECTED INFORMATION

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

(1) ADD DELETE REVISE

PAGE (2) 85 OF (3) 10

BUSINESS NAME (4) California Highway Patrol - Chico Area

CHEMICAL LOCATION (5) 995 Fir St. Chico, CA 95928

MAP# (6) 1 GRID# (7) F-6

CHEMICAL NAME (8) Pyrotechnic Composition TRADE SECRET (11) Y N

COMMON NAME (9) Flare (Fusee) *EHS (12) Y N

CAS# (10) See Below *IF EHS BOX IS "Y" ALL AMOUNTS MUST BE IN LBS

FIRE CODE HAZARD CLASSES* (13) Class 4 Division 4.1 : Flammable Solid

*COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE (14) PURE MIXTURE WASTE RADIOACTIVE (15) Y N (16)

PHYSICAL STATE (17) SOLID LIQUID GAS CURIES

FED HAZARD CATEGORIES (18) FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE (19) N/A UNITS* (22) GAL CU FT LBS TONS MAX DAILY AMT (23) 1500

DAYS ON SITE (20) 365 *If EHS, amounts must be in lbs. AVG DAILY AMT (24) 800

LARGEST CONTAINER (21) 25 ANNUAL WASTE AMT (25) 0

STORAGE CONTAINER (26) ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALLIC DRUM BAG TOTE BIN

STORAGE PRESSURE (27) AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE (28) AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

(29) %WT	(30) HAZARDOUS COMPONENT	(31) EHS	(32) CAS#
1 73	Strontium Nitrate	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	10042-76-9
2 6	Potassium Perchlorate	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	7778-74-7
3		<input type="checkbox"/> Y <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

(33) ADDITIONAL LOCALLY COLLECTED INFORMATION

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

(1) ADD DELETE REVISE

PAGE (2) 76 OF (3) 10

BUSINESS NAME (4) California Highway Patrol - Chico Area

CHEMICAL LOCATION (5) 995 Fir St. Chico, CA 95928

MAP# (6) 1

GRID# (7) F-6

CHEMICAL NAME (8) Small Arms Ammunition

TRADE SECRET (11) Y N

COMMON NAME (9) Ammunition Smokeless Powder

*EHS (12) Y N

CAS# (10) N/A

*IF EHS BOX IS "Y"
ALL AMOUNTS MUST BE IN LBS

FIRE CODE HAZARD CLASSES* (13) Class 1- Explosives Division 1.2

*COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE (14) PURE MIXTURE WASTE

RADIOACTIVE (15) Y N (16)

PHYSICAL STATE (17) SOLID LIQUID GAS

CURIES

FED HAZARD CATEGORIES (18) FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE (19) N/A

UNITS* (22) GAL CU FT LBS TONS

MAX DAILY AMT (23) 500

DAYS ON SITE (20) 365

*If EHS, amounts must be in lbs. AVG DAILY AMT (24) 250

LARGEST CONTAINER (21) 2

ANNUAL WASTE AMT (25) 0

STORAGE CONTAINER (26) ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE _____
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALLIC DRUM BAG TOTE BIN

STORAGE PRESSURE (27) AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE (28) AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

(29) %WT	(30) HAZARDOUS COMPONENT	(31) EHS	(32) CAS#
1		<input type="checkbox"/> Y <input type="checkbox"/> N	
2		<input type="checkbox"/> Y <input type="checkbox"/> N	
3		<input type="checkbox"/> Y <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

(33) ADDITIONAL LOCALLY COLLECTED INFORMATION

California Hazardous Materials Inventory Reporting Form - Chemical Description Page

(1) ADD DELETE REVISE

PAGE (2) 87 OF (3) 107

BUSINESS NAME (4) California Highway Patrol Chico Area

CHEMICAL LOCATION (5) 995 Fir Street Chico, CA 95928

MAP# (6) 1 **GRID#** (7) F-7

CHEMICAL NAME (8) Petroleum Hydrocarbon Mixture **TRADE SECRET** (11) Y N

COMMON NAME (9) Automatic Transmission Fluid ***EHS** (12) Y N

CAS# (10) See Below

FIRE CODE HAZARD CLASSES* (13) Class 1-C Flammable (3)

*COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE (14) PURE MIXTURE WASTE **RADIOACTIVE** (19) Y N (16) **CURIES**

PHYSICAL STATE (17) SOLID LIQUID GAS

FED HAZARD CATEGORIES (18) FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH

STATE WASTE CODE (19) N/A **UNITS*** (22) GAL CU FT LBS TONS **MAX DAILY AMT** (23) 60

DAYS ON SITE (20) 365 ***If EHS, amounts must be in lbs.** **AVG DAILY AMT** (24) 25

LARGEST CONTAINER (21) Quart **ANNUAL WASTE AMT** (25) 0

STORAGE CONTAINER (26) ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE _____
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE
 PLASTIC/NONMETALLIC DRUM BAG TOTE BIN

STORAGE PRESSURE (27) AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE (28) AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

(29) %WT	(30) HAZARDOUS COMPONENT	(31) EHS	(32) CAS#
1	Hydrotreated Distillate	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	64742-55-8
2	Light Paraffin	<input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
3		<input type="checkbox"/> Y <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

(33) ADDITIONAL LOCALLY COLLECTED INFORMATION

APPENDIX C

California Hazardous Material Inventory Form/Addendum- Chemical Description Page

(1) ADD DELETE REVISE

PAGE (2) OF (3)

BUSINESS NAME (4) CALIFORNIA Highway Patrol
 CHEMICAL LOCATION (5) 995 Fir Street Chico Ca 95928
 MAP# (6) GRID# (7)

CHEMICAL NAME (8) PROPANE TRADE SECRET (11) Y N
 COMMON NAME (9) *EHS (12) Y N
 CAS # (10) *IF EHS BOX IS "Y"
 FIRE CODE (13) ALL AMOUNTS MUST BE IN LBS
 HAZARD CLASSES* (13)

*COMPLETE BLOCK (13) IF REQUESTED BY THE LOCAL FIRE CHIEF - REFER TO INSTRUCTIONS.

TYPE (14) PURE MIXTURE WASTE RADIOACTIVE (15) Y N (16) CURIES
 PHYSICAL STATE (17) SOLID LIQUID GAS
 FED HAZARD CATEGORIES (18) FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH
 STATE WASTE CODE (19) UNITS (22) GAL CU FT MAX DAILY AMT (23)
 DAYS ON SITE (20) 365 *IF EHS, amounts must be in lb. AVG DAILY AMT (24) 700 GAL
 LARGEST CONTAINER (21) ANNUAL WASTE AMT (25)

STORAGE CONTAINER (26) ABOVE GROUND TANK CAN BOX TANK WAGON
 UNDER GROUND TANK CARBOY CYLINDER RAIL CAR
 TANK INSIDE BUILDING SILO GLASS BOTTLE
 STEEL DRUM FIBER DRUM PLASTIC BOTTLE Other...
 PLASTIC/NONMETALLIC DRUM BAG TOTE BIN

PRESSURE STORAGE (27) AMBIENT ABOVE AMBIENT BELOW AMBIENT

STORAGE TEMPERATURE (28) AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC

(29) %WT	(30) HAZARDOUS COMPONENT	(31) EHS	(32) CAS#
1 <u>unk</u>	<u>unk</u>	<input type="checkbox"/> Y <input type="checkbox"/> N	<u>unk</u>
2		<input type="checkbox"/> Y <input type="checkbox"/> N	
3		<input type="checkbox"/> Y <input type="checkbox"/> N	
4		<input type="checkbox"/> Y <input type="checkbox"/> N	
5		<input type="checkbox"/> Y <input type="checkbox"/> N	

(33) ADDITIONAL LOCALLY COLLECTED INFORMATION



CATHY A. RAEVSKY, DIRECTOR
 MARK A. LUNDE, M.D., M.P.H., HEALTH OFFICER
 WWW.BUTTECOUNTY.NET/PUBLICHEALTH

ENVIRONMENTAL HEALTH DIVISION

Hazardous Material Inspection Report

Facility Name: CHP Facility I.D.: FA
 Facility Address: 995 Fir St Phone Number: _____
 Mailing Address: _____
 Facility Contact: Jim McCurry Program Element: _____ Date: 10/17/2013

The following items, if applicable have been inspected. This document constitutes a Summary of Violations and Notice to Comply.

M = Minor Violation; II = Class II Violation; I = Class I Violation; TBD = Violation Class To Be Determined

Reference: Titles 19 and 22 of the California Code of Regulations (CCR), Chapters 6.5, 6.67, and 6.95 of the Health and Safety Code (HSC).

[] Initial [] Routine [] Reinspection [] Complaint [] Emergency Response [] Agency Assist [] Refer to Other Agency

#	M	II	I	TBD	Subject	#	M	II	I	TBD	Subject
HAZARDOUS MATERIAL RELEASE RESPONSE PLAN						HAZARDOUS WASTE GENERATOR					
					13						Empty containers (CCR 66261.7)
A					14						Used oil management (HSC 25250.4)
B					15						Used oil and fuel filter management (CCR 66260.130)
C					16						Used battery management (CCR 66260.81)
D					17						Contaminated textile management (HSC 25164.6)
E					18						Container inspection - weekly (CCR 66265.174)
F					19						Tank inspection - daily (CCR 66265.195)
G					20						Tank operating requirements (CCR 66265.194)
H					21						Hazwaste transported with manifest (CCR 66262.20)
I					22						Hazardous waste manifest complete (CCR 66262.23(a))
J					23						Manifest copies to DTSC (CCR 66262.23(a)(4))
K					24						Manifest copies retained for 3 years (CCR 66262.40(a))
L					25						Consolidated manifest requirements (HSC 25190.2)
HAZARDOUS WASTE GENERATOR						HAZARDOUS WASTE GENERATOR					
					26						Hazardous waste transporter registered (HSC 25193(a))
1					27						Haz waste analysis retained for 3 years (CCR 66262.40(c))
2					28						Personnel training (CCR 66267.7(a)(6))
3					29						Contingency plan (CCR 66265.51)
4					30						Emergency preparedness/prevention (CCR 66265.30-37)
5					31						Reckless mgt. of hazardous waste (HSC 25143.10)
6					32						False or erroneous information (HSC 25189.5(a))
7					33						Transfer/Treatment/Storage/Disposal Permit (CCR 66270.1)
8					34						Aisle space (CCR 66265.25)
9					35						Universal Waste Management (CCR 66273.10-21)
10					36						Other violation(s)/ Note(s)
11											
12											
HAZARDOUS WASTE GENERATOR						HAZARDOUS WASTE GENERATOR					
					37						SPCC Plan Completion/Update (HSC 25270.3)

Program(s) Inspected: [] HMRRP [] Haz Waste [] Universal Waste [] Silver Only Waste [] Tiered Permit [] AST
 HW Generator Status: [] LQG [] SQG 4 CESQG EPA ID # 00004613 Tiered Permit Type _____

NO VIOLATIONS OBSERVED ON DATE OF INSPECTION.
 NOTICE TO COMPLY: THE VIOLATION(S) CITED MUST BE CORRECTED BY: _____
 RETURN CERTIFICATE OF COMPLIANCE ATTACHED WITH THIS REPORT BY: _____

Attention: Item(s) checked are in violation. A reinspection may occur at any time to verify compliance. Non-compliance could result in reinspection fees, permit revocation, and/or administrative/criminal penalties. Any time granted for correction of the violation(s) does not preclude any enforcement action by this Department or other agencies.
 Consent to inspect, take photos, and collect samples granted by: _____ at _____ am/pm on Date _____

Inspected By: [Signature] Received By: [Signature]

TEL: 530.538.7281 202 MIRA LOMA DRIVE
 FAX: 530.538.5339 OROVILLE, CA 95965

OUR MISSION IS TO PROTECT THE PUBLIC THROUGH PROMOTING INDIVIDUAL, COMMUNITY AND ENVIRONMENTAL HEALTH

Hazardous Material Inspection Report

Facility Name:

Date:

55 gal oil filters accum start date 9/1/13
 5 gal bucket brake fluid
 20 gal 20 contained used oil tank - Asbury Plv
 Waste pick ups
 9/20/11 > 7ms
 4/16/12 > 6ms 65
 10/5/12 > 6ms 60
 4/16/13
 2x 500 gal propane tanks → runs generator
 10,000 gal gasoline AST
 hooked up to a weeder root
 no longer doing transmission fluid changes

Training
 annual training - tank operation
 maintenance
 spill prevention

Inventory
 remove solvent
 remove ATF

- APSA visual quarterly inspection
- containment & diversionary structures in case of spill
- 20 gal spill bucket
- See training
- no drain covers on 2 AT's in parking lot
- no mention of weeder root monitoring

Check CERS - call to set up account or help w/ submittal

Inspected By:	Received By:
----------------------	---------------------

TEL 530.538.7281 | 202 MIRA LOMA DRIVE
 FAX 530.538.5339 | OROVILLE, CA 95965

OUR MISSION IS TO PROTECT THE PUBLIC THROUGH PROMOTING INDIVIDUAL, COMMUNITY AND ENVIRONMENTAL HEALTH

Hazardous Material Inspection Report

Facility Name: CA. HIGHWAY PATROL Facility I.D.:
 Facility Address: 995 FIR ST. Phone Number: 879-1999
 Mailing Address:
 Facility Contact: SCOTT EVANS / DAVE VICKERS Program Element: 214/224 Date: 9/1/2010
#1494

The following items, if applicable have been inspected. This document constitutes a Summary of Violations and Notice to Comply.
 M = Minor Violation; II = Class II Violation; I = Class I Violation; TBD = Violation Class To Be Determined

Reference: Titles 19 and 22 of the California Code of Regulations (CCR), Chapters 6.5, 6.67, and 6.95 of the Health and Safety Code (HSC).

Intial Routine Reinspection Complaint Emergency Response Agency Assist Refer to Other Agency

#	M	II	I	TBD	Subject	#	M	II	I	TBD	Subject
HAZARDOUS MATERIAL RELEASE RESPONSIBILITY											
A					HMRRP complete, current, and on-site (HSC 25503.5)	13					Empty containers (CCR 66261.7)
B					HMRRP reviewed and certified every 3 years (HSC 25503)	14					Used oil management (HSC 25250.9)
C					Inventory forms complete and current (HSC 25509)	15					Used oil and fuel filter management (CCR 66266.130)
D					Inventory reviewed and certified annually (HSC 25505)	16					Used battery management (CCR 66266.81)
E					HMRRP amended w/in 30 days of changes (HSC 25510)	17					Contaminated textile management (HSC 25144.6)
F					ER/CCP complete, current, and on-site (HSC 25504)	18					Container inspection - weekly (CCR 66265.174)
G					ER/CCP implemented at site (CCR 2731)	19					Tank inspection - daily (CCR 66265.195)
H					Site plan(s) complete, current, and on-site (CCR 2729.2)	20					Tank operating requirements (CCR 66265.194)
I					Regulated substance registration (HSC 25533(a))	21					Hazwaste transported with manifest (CCR 66262.23)
J					Training program and documentation (CCR 2732)	22					Hazardous waste manifest complete (CCR 66262.23(a))
K					Property owner notification (HSC 25503.6)	23					Manifest copies to DTSC (CCR 66262.23(a)(6))
L					Other violation(s)/ Note(s)	24					Manifest copies retained for 3 years (CCR 66262.40(a))
HAZARDOUS WASTE GENERATOR											
1					EPA ID number [call 800-618-6942] (CCR 66262.12.52)	25					Consolidated manifest requirements (HSC 25160.2)
2					Hazardous waste determination (CCR 66262.11)	26					Hazardous waste transporter registered (HSC 25169(a))
3					Proper disposal of hazardous waste (HSC 25189.5 (a))	27					Haz waste analysis retained for 3 years (CCR 66262.40(a))
4					Maintain/operate to prevent release/fire (CCR 66265.31)	28					Personnel training (CCR 66267.7(a)(6))
5					Hazardous waste labeling (CCR 66262.34(a))	29					Contingency plan (CCR 66265.51)
6					Hazardous waste accumulation time (CCR 66262.34(a)-(2))	30					Emergency preparedness/prevention (CCR 66265.38-37)
7					Hazardous materials storage and labeling (CCR 66261.20(a))	31					Reckless mgt. of hazardous waste (HSC 25143.10)
8					Satellite accumulation (CCR 66262.34(a))	32					False or erroneous information (HSC 25189.5(a))
9					Containers leaking/not in good condition (CCR 66265.171)	33					Transfer/Treatment/Storage/Disposal Permit (CCR 66270.1)
10					Hazardous waste containers closed (CCR 66265.173(a))	34					Aisle space (CCR 66265.35)
11					Separation of incompatibles (CCR 66265.177)	35					Universal Waste Management (CCR 66273.10 - 21)
12					Retrograde/accumulated speculatively (CCR 66262.10)	36					Other violation(s)/ Note(s)
ABOVEGROUND PETROLEUM STORAGE TANKS											
						37					SPCC Plan Completion/Update (HSC 25270.3)

Program(s) Inspected: HMRRP Haz Waste Universal Waste Silver Only Waste Tiered Permit AST
 HW Generator Status: LQG SQG CESQG EPA ID # CAL00046131 Tiered Permit Type _____

NO VIOLATIONS OBSERVED ON DATE OF INSPECTION.

NOTICE TO COMPLY: THE VIOLATION(S) CITED MUST BE CORRECTED BY: _____

RETURN CERTIFICATE OF COMPLIANCE ATTACHED WITH THIS REPORT BY: _____

Attention: Item(s) checked are in violation. A reinspection may occur at anytime to verify compliance. Non-compliance could result in reinspection fees, permit revocation, and/or administrative/civil/criminal penalties. Any time granted for correction of the violation(s) does not preclude any enforcement action by this Department or other agencies.

FUEL IN O2 (2) 500 GAL. PROPANE EACH.
- 10,000 FUEL (SUPERVAULT) Aug. 03.
- WASTE OIL TANK 200 GAL. 5-6 MONTHS.

Inspected By: [Signature]

Received By: [Signature]

TEL: 530.538.7281 202 MIRA LOMA DRIVE
 FAX: 530.538.5339 OROVILLE, CA 95965
 OUR MISSION IS TO PROTECT THE PUBLIC THROUGH PROMOTING INDIVIDUAL, COMMUNITY AND ENVIRONMENTAL HEALTH



PHYLLIS L. MURDOCK, DIRECTOR
 MARK A. LUNDBERG, M.P.H., HEALTH OFFICER
 WWW.BUTTECOUNTY.NET/PUBLICHEALTH
 ENVIRONMENTAL HEALTH DIVISION

Certificate of Compliance

Business Name: _____ **Date:** _____
Business Address: _____ **Phone Number:** _____
Contact Person: _____

This certification must be returned to the issuing inspector within 30 days of your facility's inspection. Send this form and any supporting documentation to the address listed below. Failure to return this certificate may result in re-inspection fees.

FLARES. MULT. BOX.
 NO ANTIFREEZE WASTE / PRODUCT.
 LOCKED AMMUNITION.

- 1 I certify that the violations cited have been corrected as indicated.
- 2 I have personally examined any attached documentation submitted as proof of compliance and I believe the information to be true, accurate and complete.
- 3 I am aware that there are significant penalties for submitting false information and/or for non-compliance and declare that the foregoing certification is true and correct.

Signature: _____ **Printed Name:** _____
Position/Title: _____

TEL: 530.538.7281 | 202 MIRA LOMA DRIVE
 FAX: 530.538.5339 | OROVILLE, CA 95965
 OUR MISSION IS TO PROTECT THE PUBLIC THROUGH PROMOTING INDIVIDUAL, COMMUNITY AND ENVIRONMENTAL HEALTH



Hazardous Material Inspection Report

Butte County
Public Health Department
Environmental Health Division

Business Name: OMP Facility I.D.: _____
 Business Address: 995 FIRST Phone Number: 879-1799
 Contact Person: SGT. SCOTT WATKINS EVANS Program Element: 22W Date: 12/29/06

The following items, if applicable have been inspected. This document constitutes a Summary of Violations and Notice to Comply if the violation (V) Column is checked.
 Reference: Titles 19 and 22 of the California Code of Regulations (CCR), Chapters 6.5, 6.67, and 6.95 of the Health and Safety Code (HSC):

Initial Routine Reinspection Complaint Agency Assist Refer to Other Agency

#	V	Subject	Section	#	V	Subject	Section
HAZARDOUS MATERIAL RELEASE RESPONSE PLAN							
A		HMRRP complete, current, and on-site	HSC 25503.5	11		Separation of incompatibles	CCR 66265.177
B		HMRRP reviewed and certified every 3 years	HSC 25505	12		Retrograde/accumulated speculatively	CCR 66262.10
C		Inventory forms complete and current	HSC 25509	13		Empty containers	CCR 66261.7
D		Inventory reviewed and certified annually	HSC 25503	14		Used oil management	CHSC 25250.4
E		HMRRP amended w/in 30 days of changes	HSC 25510	15	X	Used oil and fuel filter management - Acc 1 Date	CCR 66266.139
F		ER/CCP complete, current, and on-site	HSC 25504	16		Used battery management	CCR 66266.81
G		ER/CCP implemented at site	CCR 2731	17		Contaminated textile management	HSC 25144.6
H		Site plan(s) complete, current, and on-site	CCR 2729.2	18		Container inspection - weekly	CCR 66265.174
I		Regulated substance registration	HSC 25533(a)	19	X	Tank inspection - daily	CCR 66265.195
J		Training program and documentation	CCR 2702	20		Tank operating requirements	CCR 66265.194
K		Property owner notification	HSC 25505.6	21		Hazwaste transported with manifest	CCR 66262.20
L		Other violation(s)/ Note(s)		22		Hazardous waste manifest complete	CCR 66262.22(a)
				23	X	Manifest copies to DTSC - <u>for copy 8/14/04</u>	CCR 66262.23(a)(4)
HAZARDOUS WASTE GENERATOR							
1		EPA ID number (call 800-618-6942)	CCR 66262.12.52	24		Manifest copies retained for 3 years	CCR 66262.40(a)
2		Hazardous waste determination	CCR 66262.11	25		Consolidated manifest requirements	HSC 25160.2
3		Proper disposal of hazardous waste	HSC 25189.5 (a)	26		Hazardous waste transported by registered hauler	HSC 25163(a)
4		Maintain/operate to prevent release/fire	CCR 66265.31	27		Hazardous waste analysis retained for 3 years	CCR 66262.40(a)
5	X	Hazardous waste labeling - <u>Anti-freeze - mobile oil cart</u>	CCR 66262.34(a)	28	X	Personnel training - <u>need</u>	CCR 66267.7(a)(4)
6	X	Hazardous waste accumulation time > 180 days	CCR 66262.34(a)	29		Contingency plan	CCR 66265.31
7		Hazardous materials storage and labeling	CCR 66261.200	30		Emergency preparedness/prevention	CCR 66265.30-37
8		Satellite accumulation - <u>NOTE</u>	CCR 66262.34(a)	31		Reckless management of hazardous waste	HSC 25189.6
9		Containers leaking/not in good condition	CCR 66265.171	ABOVEGROUND PETROLEUM STORAGE TANK			
10		Hazardous waste containers closed	CCR 66265.173(a)	32		Other violation(s)/ Note(s)	
				33		SPCC Plan Referral to RWQCB (530) 224-4852	HSC 25270.3

Program Inspected: HMRRP HW Generator Status: LQG SQG CESQG AST EPA ID # CA000046131

- NO SIGNIFICANT VIOLATIONS OBSERVED ON DATE OF INSPECTION.
 NOTICE TO COMPLY: THE VIOLATION(S) CITED MUST BE CORRECTED BY: 1/27/06
 RETURN CERTIFICATE OF COMPLIANCE ATTACHED WITH THIS REPORT BY: 2/4/06

Attention: Item(s) checked are in violation. A reinspection may occur at anytime to verify compliance. Non-compliance could result in reinspection fees, permit revocation, and/or administrative/civil/criminal penalties. Any time granted for correction of the violation(s) does not preclude any enforcement action by this Department or other agencies.

- 5) HAZ WASTE label on USED ANTI-FREEZE NOT FLOWING. NO HAZ WASTE label on mobile oil cart.
 6) HAZ WASTE on site for greater than 180 days (USED OIL)
 15) no Acc 1 Spill Date and USRA OIL OR FUEL FILTERS
 19) NO DOCUMENTATION OF DAILY TANK INSPECTION - SEND FORM
 23) BLUE COPIES OF HAZ WASTE MANIFESTS NOT SENT TO DTSC
 28) NO portion of Personnel Training.

Inspected By: [Signature] Received By: [Signature]

411 Main St. P.O. Box 5364, Chico, CA 95927. Phone: (530)-891-2727 Fax: (530) 895-6512.

Butte County
 Certified Unified Program Agency

EMERGENCY RESPONSE AND CONTINGENCY PLAN
 Hazardous Materials Programs

FACILITY IDENTIFICATION: CALIFORNIA HIGHWAY PATROL		HM#
III. EMERGENCY COMMUNICATIONS AND NOTIFICATIONS		
Emergency Notifications		
Emergency Phone Numbers To be contacted for any hazardous Materials release	Ambulance, Fire, Sheriff	911.
	Butte County CUPA	(530) 538-7281 8-5 p.m.
	Butte County Sheriff	(530) 538-7324
	CA Office of Emergency Services Warning Center	1-800-852-7550
Nearest medical facility:	Name/Address: <i>ENLWE HOSPITAL</i> 1531 ESPLANADE CHICO 95926	Phone: (530) 332-7330
Designated medical facility, urgent care facility, or occupational health care provider:	Name/Address: <i>ENLWE HOSPITAL</i> 1531 ESPLANADE CHICO 95926	Phone: (530) 332-7330
Agency Notification List The following agencies will be contacted as needed.	National Response Center	1-800-424-8802
	CA Central Valley RWQCB	(530) 224-4845
	US EPA	(415) 744-1500
	CA Dept. of Toxics Substances Control	(916) 324-1824
	CA Dept. of Fish and Game	(916) 445-0045
	US Coast Guard (Spill Response)	(510) 437-3073
	Cal OSHA	(916) 263-2800
	State Fire Marshal	(916) 445-8200
	Butte County Air Quality Mgmt. District	(530) 891-2882
	Butte County Ag Commissioners Office	(530) 538-7381
Other Important Numbers	Poison Control Center	1-800-342-9293
Notification of Adjacent Properties/Businesses (adjacent to facility)		
Orientation: North of Facility. Business Name: <i>CITY OF CHICO - GENERAL SERVICES</i> Address: <i>901 First ST CHICO 95928</i> Phone # <i>(530) 894-4200</i> Contact Name: <i>OFFICE MANAGER</i>	Orientation: South of Facility. Business Name: <i>DEER CANYON BROADCASTING</i> Address: <i>1459 HUMBOLDT RD CHICO 95928</i> Phone # <i>(530) 342-1536</i> Contact Name: <i>DINO CORBIN</i>	
Orientation: East of Facility. Business Name: <i>CHICO POLICE DEPT.</i> Address: <i>1460 HUMBOLDT RD, CHICO 95928</i> Phone # <i>(530) 897-4911</i> Contact Name: <i>CHIEF MIKE MANNING</i>	Orientation: West of Facility Business Name: <i>N/A</i> Address: Phone # Contact Name:	

ENVIRONMENTAL HEALTH

SEP - 9 2009

202 MIRA LOMA DRIVE
OROVILLE, CA

9

Butte County
Certified Unified Program Agency

EMERGENCY RESPONSE AND CONTINGENCY PLAN
Hazardous Materials Programs

I. FACILITY IDENTIFICATION		
FACILITY NAME: <i>CALIFORNIA HIGHWAY PATROL</i>	FACILITY ID#: HM	DATE: <i>9/9/09</i>
FACILITY SITE ADDRESS: <i>995 FIR ST</i>	CITY/ZIP: <i>CHICO 95928</i>	WORK PHONE: <i>530-879-1999</i>
FACILITY/PROPERTY OWNER NAME:		HOME PHONE:
ELEMENTS COVERED BY THIS PLAN <input type="checkbox"/> Underground Storage Tanks (HSC 6.7) <input checked="" type="checkbox"/> Hazardous Materials (HSC 6.95/CCR Title 19) <input checked="" type="checkbox"/> Hazardous Waste (CCR Title 22) <input type="checkbox"/> Aboveground Storage Tank <input type="checkbox"/> Other:		
PRINCIPAL BUSINESS ACTIVITY: OPERATIONS: <i>LAW ENFORCEMENT</i>	DESCRIPTION OF	DAYS/HOURS OF OPERATION: <i>24/7</i> NUMBER OF SHIFTS: NUMBER OF EMPLOYEES:
HAZARDS/EVENTS COVERED BY PLAN (i.e., chemical spills, fire, earthquake, etc.) <i>CHEMICAL SPILLS, FIRE, EARTHQUAKE</i>		

II. EMERGENCY COORDINATOR, EMERGENCY RESPONDERS, and TECHNICAL ADVISORS

Primary Emergency Coordinator (EC) EC has the expertise to classify the release determine appropriate response and the authority to make management decisions &	Name/Position:	<i>SCOTT GILLINGWATER - CAPTAIN</i>	
	Address:	<i>995 FIR ST. CHICO, CA 95928</i>	
	Phone #'s	Business: <i>(530) 879-1999</i>	24-Hour: <i>(530) 879-1955</i>
	Responsible for:	<input checked="" type="checkbox"/> spill prevention <input checked="" type="checkbox"/> emergency assessment/management <input checked="" type="checkbox"/> initiating alarms <input checked="" type="checkbox"/> agency notification <input type="checkbox"/> other.(Specify)	<input checked="" type="checkbox"/> contacting facility responders <input checked="" type="checkbox"/> authorizing spill response work <input checked="" type="checkbox"/> interfacing with emergency responders <input type="checkbox"/> proper disposal of hazardous waste

Alternate EC	Name/Position	<i>SCOTT EVANS - SERGEANT</i>	<i>DAVE VICKERS - SERGEANT</i>
	Address	<i>995 FIR ST</i>	<i>995 FIR ST</i>
	City/Zip	<i>CHICO 95928</i>	<i>CHICO 95928</i>
	Day/Eve Phone	<i>(530) 879-1999</i>	<i>(530) 879-1999</i>

Technical Advisors Available to provide site-specific technical advice to local emergency responders.	Name:	<i>SEE ABOVE</i>	
	Expertise:		

Emergency Response Team (ERT) Personnel	Team Members (name/position)	Level of Training	Role/Responsibilities
<input type="checkbox"/> ERT available on-site Team Members, level of training, and roles and responsibilities are listed.	1.		
	2.		
	3.		
	4.		

<input checked="" type="checkbox"/> Outside Contractor(s) Will be contacted for spill clean-up.	Company Name:	<i>NRC ENVIRONMENTAL SERVICES</i>	Role/Responsibilities: <i>CALL OUT CLEANUP</i>
	Address:	<i>1111 MARAUDER CHICO, CA 95973</i>	
	24-hr. Phone#(s):	<i>(530) 343-5488</i>	

Call Local Emergency Responders-911

Emergency Communications Individual(s) named is responsible to notify	Name:	<i>SCOTT GILLINGWATER</i>	Name:	<i>SCOTT EVANS</i>
	Position:	<i>CAPTAIN</i>	Position:	<i>SERGEANT</i>
INTERNAL: Verbal communications or evacuation notifications will occur via:	<input checked="" type="checkbox"/> personal contact <input checked="" type="checkbox"/> telephone <input type="checkbox"/> alarm system: <input type="checkbox"/> Automatic <input type="checkbox"/> Manual	<input checked="" type="checkbox"/> public address/intercom system <input type="checkbox"/> pagers <input checked="" type="checkbox"/> portable radio	ENVIRONMENTAL HEALTH SEP 9 2009 202 MIRALOMA DRIVE OROVILLE, CA	
EXTERNAL: Notification of neighbors who may be affected by a spill/release will occur via:	<input checked="" type="checkbox"/> personal contact <input checked="" type="checkbox"/> telephone <input type="checkbox"/> alarm system: <input type="checkbox"/> Automatic <input type="checkbox"/> Manual	<input type="checkbox"/> public address/intercom system <input type="checkbox"/> pagers <input type="checkbox"/> portable radio		

3

**Butte County
Certified Unified Program Agency**

**EMERGENCY RESPONSE AND CONTINGENCY PLAN
Hazardous Materials Programs**

FACILITY IDENTIFICATION: <i>California Highway Patrol</i> HM#	
IV. HAZARDOUS MATERIALS EMERGENCY PLANNING AND RESPONSE	
Methods for Prevention, Containment, and Clean-Up of a Release	
Preventing spill and release <input checked="" type="checkbox"/> Daily visual inspection <input checked="" type="checkbox"/> Weekly visual inspection <input checked="" type="checkbox"/> Monthly visual inspection. <input type="checkbox"/> Containers/raw materials inspected prior to acceptance <input checked="" type="checkbox"/> Monitor for leaks, ruptures, pressure build-up, etc. <input checked="" type="checkbox"/> Waste discharge points monitored <input checked="" type="checkbox"/> Automatic shutoffs <input checked="" type="checkbox"/> Tank monitoring/testing <input type="checkbox"/> Storm water sampling <input type="checkbox"/> Air monitoring device <input type="checkbox"/> Liquid monitoring device <input checked="" type="checkbox"/> Routine preventative maintenance <input type="checkbox"/> Other (Specify)	Containing spills, releases, fires or explosions <input type="checkbox"/> Provide structural, physical barrier and secondary containment. <input type="checkbox"/> Cover or block floor /storm drains <input type="checkbox"/> Built-in berms in storage area(s) <input type="checkbox"/> Provide absorbent physical barrier <input checked="" type="checkbox"/> Shut-off water, gas, and electrical utilities as appropriate. <input type="checkbox"/> Automatic/electronic equipment shut-down system <input type="checkbox"/> Automatic fire suppression system <input checked="" type="checkbox"/> Secondary containment of tanks/drums <input type="checkbox"/> Other (Specify)
Mitigating associated harm to persons, property and the environment. <input checked="" type="checkbox"/> Stop processes/operations <input checked="" type="checkbox"/> Eliminate ignition sources <input checked="" type="checkbox"/> Remove/isolate containers/area as needed. <input checked="" type="checkbox"/> Call 911 for emergency assistance and medical aid <input checked="" type="checkbox"/> Notify and evacuate persons in all threatened areas <input checked="" type="checkbox"/> Provide protective equipment for on-site response team <input checked="" type="checkbox"/> Account for evacuated persons immediately after evacuation call. <input type="checkbox"/> Other (Specify)	
Clean-up Procedures	
HAZWOPER Trained Personnel: Number of Personnel Trained to HAZWOPER – Awareness Level: Operations Level: Technician Level: Incident Commander:	<input checked="" type="checkbox"/> Use absorbent materials for spills and properly label, store and dispose of hazardous waste. <input type="checkbox"/> Suction using shop vacuum with subsequent proper storage, labeling, and hazardous waste disposal as appropriate <input type="checkbox"/> Wash/decontaminate equipment and dispose of effluent/rinsate as hazardous waste <input type="checkbox"/> Provide safe temporary storage of emergency-generated wastes. <input checked="" type="checkbox"/> Hire licensed hazardous waste contractor <input type="checkbox"/> Other (Specify)
Emergency Evacuations	
Evacuation Coordinator will initiate evacuations and account for all employees and site visitors after an evacuation	Name/Position: <i>SCOTT GILLINGWATER - CAPTAIN</i>
Emergency Assembly Area	Location: <i>FRONT OR REAR PARKING LOT</i>
Location where Evacuation Procedures/Routes posted	Posting:
Evacuation Procedures	Procedures:
Arrangements with local emergency service providers	
<input type="checkbox"/> Advance arrangements have been made with local fire and police departments, hospitals and/or contractors for emergency services to familiarize them with this facility. Special arrangements:	

ENVIRONMENTAL HEALTH
 SEP 9 2009
 2022 MIRA LOMA DRIVE
 OROVILLE CA

Butte County
 Certified Unified Program Agency

EMERGENCY RESPONSE AND CONTINGENCY PLAN
 Hazardous Materials Programs

FACILITY IDENTIFICATION: <i>CALIFORNIA HIGHWAY PATROL</i>		HM #
Emergency Equipment		
√ Indicates equipment available on site for response to chemical leaks, spills, or fires.		
Use Category	Equipment Available	Location
<i>Examples:</i>	<i>Portable fire extinguisher</i>	<i>center of N wall/shop</i>
	<i>Chemical protective gloves</i>	<i>spill response kit</i>
Safety and First Aid Equipment	<input checked="" type="checkbox"/> chemical protective suits, aprons or vests	<i>officer's possession</i>
	<input type="checkbox"/> chemical protective gloves <input type="checkbox"/> boots	
	<input checked="" type="checkbox"/> safety glasses <input type="checkbox"/> goggles <input type="checkbox"/> shields	<i>officer's possession</i>
	<input type="checkbox"/> hard hats <input type="checkbox"/> shields	
	<input checked="" type="checkbox"/> cartridge respirator <input type="checkbox"/> SCBA	<i>officer's possession</i>
	<input checked="" type="checkbox"/> first aid kits/ stations	<i>MEDICAL OFFICE / AUTO BAY</i>
	<input type="checkbox"/> emergency eye-wash <input type="checkbox"/> plumbed: <input type="checkbox"/> portable	
	<input type="checkbox"/> emergency shower	
Fire Extinguishing Equipment	<input checked="" type="checkbox"/> portable fire extinguishers	<i>Electric Building</i>
	<input type="checkbox"/> fixed fire prot. systems <input type="checkbox"/> sprinklers <input type="checkbox"/> CO2	
	<input type="checkbox"/> fire hoses <input type="checkbox"/> fire hydrant	
	<input type="checkbox"/> fire alarm boxes or stations	
	<input type="checkbox"/> other	
Spill Control and Clean-up Equipment	<input type="checkbox"/> absorbent material	
	<input type="checkbox"/> container for used absorbent	
	<input type="checkbox"/> berming/diking equipment	
	<input checked="" type="checkbox"/> broom <input checked="" type="checkbox"/> shovel	<i>Janitor Room</i>
	<input type="checkbox"/> shop vacuum	
	<input type="checkbox"/> exhaust hood	
	<input type="checkbox"/> emergency sump/holding tank	
	<input type="checkbox"/> chemical neutralizers	
	<input type="checkbox"/> gas cylinder leak repair kits	
	<input type="checkbox"/> spill overpack drums	
Communication & Alarm System Equipment	<input checked="" type="checkbox"/> telephones, including cellular	
	<input checked="" type="checkbox"/> intercom/PA System	
	<input checked="" type="checkbox"/> portable radios	
	<input type="checkbox"/> automatic alarm w/monitoring equipment	
	<input type="checkbox"/> UST monitoring system operations manual	
	<input checked="" type="checkbox"/> list of notification phone numbers	<i>Emergency Action Plan Manual</i>
	<input type="checkbox"/> other	
Areas of Earthquake Vulnerability		
Areas /systems vulnerable to releases / spills due to earthquake related motion The areas identified may require immediate isolation and inspection.	<input checked="" type="checkbox"/> hazardous materials/waste storage area	<input checked="" type="checkbox"/> tanks (emergency shutoff)
	<input type="checkbox"/> process lines/ piping	<input type="checkbox"/> portable gas cylinders
	<input type="checkbox"/> laboratory	<input checked="" type="checkbox"/> emergency shutoff/utility valves
	<input type="checkbox"/> waste treatment area	<input type="checkbox"/> sprinkler systems
	<input checked="" type="checkbox"/> shelves, cabinets, & racks	<input checked="" type="checkbox"/> stationary pressurized containers
	<input type="checkbox"/> other.	<input type="checkbox"/> other.

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 202 MIRALOMA DRIVE
 OROVILLE CA

Butte County
 Certified Unified Program Agency

EMERGENCY RESPONSE AND CONTINGENCY PLAN
 Hazardous Materials Programs

5

FACILITY IDENTIFICATION: CALIFORNIA HIGHWAY PATROL HME#

V. EMPLOYEE TRAINING PROGRAM

Training Plan

Training Requirements: Training is required for all employees handling hazardous materials or hazardous wastes as part of routine job duties and day-to-day operations or who may be exposed in the event of a spill or emergency release.

Training Subject Areas: Training subject areas vary according to the assigned duties of the employees. Topics includes the following::

<p>All Personnel:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Hazard Communication/MSDSs <input checked="" type="checkbox"/> safety policies and procedures <input checked="" type="checkbox"/> notification procedures <input checked="" type="checkbox"/> evacuation /re-entry procedures <input checked="" type="checkbox"/> location/contents of emergency response plans <input checked="" type="checkbox"/> spill reporting requirements <input checked="" type="checkbox"/> Injury and Illness Prevention Program <input checked="" type="checkbox"/> personal protective clothing/equipment issued <input type="checkbox"/> Other 	<p>Chemical Handlers:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> safe handling of hazardous substances <input checked="" type="checkbox"/> fire hazards associated with materials and processes <input checked="" type="checkbox"/> conditions likely to worsen in an emergency <input checked="" type="checkbox"/> coordination of emergency response <input checked="" type="checkbox"/> proper use of chemical protective clothing and equipment <input checked="" type="checkbox"/> use of emergency response equipment <input checked="" type="checkbox"/> communications and alarm systems <input checked="" type="checkbox"/> decontamination procedures <input checked="" type="checkbox"/> control and containment procedures <input type="checkbox"/> Other 	<p>Special Assignments:</p> <ul style="list-style-type: none"> <input type="checkbox"/> UST monitoring equipment and procedures (if applicable) <input checked="" type="checkbox"/> hazardous waste management procedures (if applicable) <input checked="" type="checkbox"/> fire brigade/fire suppression <input checked="" type="checkbox"/> hazardous chemical spill clean-up and large spill clean-up <input checked="" type="checkbox"/> CPR/First Aid <input checked="" type="checkbox"/> Hearing Conservation <input checked="" type="checkbox"/> Respiratory Protection <input type="checkbox"/> Welding and Cutting <input type="checkbox"/> Forklift Safety <input type="checkbox"/> Ladder Safety <input type="checkbox"/> Spill Prevention, Control and Countermeasures (SPCC) Plan requirements <input type="checkbox"/> Other
--	--	---

<p>Formats</p> <p>TRAINING TOPICS are listed under each format or as follows:</p>	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> Classroom <input type="checkbox"/> Study guides <input type="checkbox"/> Safety/tail-gate meetings <input type="checkbox"/> Videos <input checked="" type="checkbox"/> Manuals <input type="checkbox"/> OTHER:
--	---

<p>Frequency</p> <p>Employee training is provided as indicated by <input type="checkbox"/>.</p>	<ul style="list-style-type: none"> <input type="checkbox"/> prior to any work with or around hazardous materials or hazardous wastes <input type="checkbox"/> as necessary prior to change in process or work assignment <input type="checkbox"/> upon modification to emergency response/ contingency plan <input checked="" type="checkbox"/> periodically to maintain awareness, competency and performance standard (i.e. Do employees know the hazards of the materials they work with and how to work safely? What PPE to use and when?) <input checked="" type="checkbox"/> annually as required by HAZWOPER, HazWaste, and <p><input type="checkbox"/> Training frequency is, at a minimum, as described above.</p> <p><input checked="" type="checkbox"/> Training frequency is, at a minimum, as follows: <i>ANNUAL TRAINING IS PROVIDED OFFICERS ARE GIVEN FIRST RESPONDER LEVEL TRAINING. SPECIALISTS ABOVE GIVEN HAZ MAT RESPONDER TRAINING.</i></p>
--	--

<p>Documentation</p> <p>Training records are kept for a minimum of 3 years.</p>	<p>Written records of employee training include:</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Date and hours of training <input type="checkbox"/> Brief job description (for hazardous waste workers) <input type="checkbox"/> Training outline, agenda, or list of topics covered <input type="checkbox"/> OTHER: <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Employee name <input checked="" type="checkbox"/> Job Title <input checked="" type="checkbox"/> Trainers name and qualifications <p><input type="checkbox"/> Employee training is provided, at a minimum, as described above.</p> <p><input type="checkbox"/> A separate written Employee Training Plan is attached.</p> <p><input checked="" type="checkbox"/> Employee training records are maintained in the following location <i>CHICO CHP - ETRs</i></p> <p><input checked="" type="checkbox"/> Employee training records are maintained in the following manner: <i>ELECTRONICALLY</i></p>
--	--

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 202 MIRALOMA DRIVE
 OROVILLE, CA

VI. RECORDKEEPING REQUIREMENTS

The following records are maintained at this facility: (* Required, if applicable)

- Current employees training records to be retained until closure of this facility.*
- Former employees training records to be retained at least 3 years after termination of employment.*
- Training program (written description of initial and continuing training).*
- Current copy of the Hazardous Materials Emergency Response and Contingency Plan.*
- Record of hazardous materials/waste releases in Facility Log.*
- Monitoring and daily/weekly/monthly visual inspection records.*
- Documentation and description of facility emergency response drills.
- Uniform Hazardous Waste (HW) Manifests are kept for minimum of 3 years after shipment.*
- Record of all HW disposals, including manifests, recycling receipts, bills of lading are kept a minimum of 3 years.*
- Record of all UST alarm logs and responses are kept for 3 years.*
- Record of all AGT inspections and removals from secondary containment are kept for 3 years.*
- Other: *specify*

VII. SIGNATURE AND CERTIFICATION

I certify under penalty of perjury of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete to the best of my knowledge, and that a copy of this plan is available on-site.

Signature 	Date of completion 9/9/09
Print Name S. D. EVANS	Title/Position SRT

VIII. LIST OF ATTACHMENTS:

The following documents are attached to this plan.

- Site/facility map
- Training plan
- Inspection forms
- Aboveground Tank Storage Statement
- SPCC
- Evacuation Plan
- UST Monitoring Plan
- Other:

ENVIRONMENTAL HEALTH
 SEP - 9 2009
 202 MIRA LOMA DRIVE
 OROVILLE, CA

CALIFORNIA ACCIDENTAL RELEASE PREVENTION PROGRAM REGISTRATION

OES 2735.6 (NEW 6/97)

Read instructions on reverse before completing.

REGISTRATION TYPE <input type="checkbox"/> NEW	<input checked="" type="checkbox"/> UPDATE	UPDATE TYPE <input type="checkbox"/> ADD	<input type="checkbox"/> DELETE	<input checked="" type="checkbox"/> REVISE
---	--	---	---------------------------------	--

I. Business Owner/Operator Information

BUSINESS NAME
California Highway Patrol - Chico Area

ADDRESS (Number and Street)
995 Fir Street

CITY
Chico

COUNTY
Butte

STATE
CA

ZIP CODE
95928

OWNER/OPERATOR NAME
CAPTAIN A. T. Smith

PHONE NUMBER
(530) 879-1999

II. Regulated Substance List

A. Name of Each Regulated Substance	Process Max. Quantity (lbs)	CAS#	
1. Toluene		108-88-3	
2. Xylenes		1330-20-7	
3. Methyl Tert Butyl Ether		1634-04-4	
4. C9-C13 Saturated Hydrocarbon DELETE		64741-41-9	
5. Calcium Phenate		64742547	
6. Raffinic Petro Distillates		64742650	
7. Strontium Nitrate		10042-76-9	
8. Potassium Perchlorate		7778-74-7	
B. Name of Each Regulated Substance in a Mixture	Percent Weight	Process Max. Quantity (lbs)	CAS#
1.			
2.			

III. Certification

I, the owner or operator of the aforementioned business, hereby certify that the registration information provided above is true, accurate, and complete to the best of my knowledge, based upon reasonable inquiry. I am fully aware that this certification, executed on the date indicated below, is made under penalty of perjury under the laws of the State of California.

Environmental Health

OWNER/OPERATOR NAME (PRINT)
Allen T. Smith

OWNER/OPERATOR SIGNATURE
Allen T. Smith

DATE EXECUTED
MAY 25 2005

Chico, CA

04/28/05

STATE OF CALIFORNIA
**CALIFORNIA ACCIDENTAL RELEASE PREVENTION
 PROGRAM REGISTRATION**
 OES 2735.6 (NEW 6/97)

DEPARTMENT OF EMERGENCY SERVICES

Read instructions on reverse before completing.

REGISTRATION TYPE	UPDATE TYPE
<input type="checkbox"/> NEW	<input checked="" type="checkbox"/> ADD <input type="checkbox"/> DELETE <input checked="" type="checkbox"/> REVISE
<input checked="" type="checkbox"/> UPDATE	

I. Business Owner/Operator Information

BUSINESS NAME California Highway Patrol - Chico Area			
ADDRESS (Number and Street) 995 Fir Street			
CITY Chico	COUNTY Butte	STATE CA	ZIP CODE 95928
OWNER/OPERATOR NAME Lieutenant A. T. Smith		PHONE NUMBER (530) 895-4444	

II. Regulated Substance List

A. Name of Each Regulated Substance	Process Max. Quantity (lbs)	CAS#	
1. Toluene		108-88-3	
2. Xylenes		1330-20-7	
3. Methyl Tert Butyl Ether		1634-04-4	
4. C9-C13 Saturated Hydrocarbon		64741-41-9	
5. Calcium Phenate		64742547	
6. Raffinic Petro Distillates		64742650	
7. Strontium Nitrate		10042-76-9	
8. Potassium Perchlorate		7778-74-7	
3. Name of Each Regulated Substance in a Mixture	Percent Weight	Process Max. Quantity (lbs)	CAS#
1.			
2.			

Environmental Health
 JUN 27 2002
 Chico, California

III. Certification

I, the owner or operator of the aforementioned business, hereby certify that the registration information provided above is true, accurate, and complete to the best of my knowledge, based upon reasonable inquiry. I am fully aware that this certification, executed on the date indicated below, is made under penalty of perjury under the laws of the State of California.

OWNER/OPERATOR NAME (PRINT) Allen T. Smith	DATE EXECUTED 12-31-98
OWNER/OPERATOR SIGNATURE <i>A. T. Smith</i>	

CALIFORNIA ACCIDENTAL RELEASE PREVENTION PROGRAM REGISTRATION

OES 2735.6 (NEW 6/97)

Read instructions on reverse before completing.

REGISTRATION TYPE		UPDATE TYPE		
<input type="checkbox"/> NEW	<input checked="" type="checkbox"/> UPDATE	<input type="checkbox"/> ADD	<input type="checkbox"/> DELETE	<input checked="" type="checkbox"/> REVISE

I. Business Owner/Operator Information

BUSINESS NAME California Highway Patrol - Chico Area			
ADDRESS (Number and Street) 995 Fir Street			
CITY Chico	COUNTY Butte	STATE CA	ZIP CODE 95928
OWNER/OPERATOR NAME Lieutenant A. T. Smith		PHONE NUMBER (530) 895-4444	

II. Regulated Substance List

A. Name of Each-Regulated Substance	Process Max. Quantity (lbs)	CAS#	
1. Toluene		108-88-3	
2. Xylenes		1330-20-7	
3. Methyl Tert Butyl Ether		1634-04-4	
4. C9-C13 Saturated Hydrocarbon		64741-41-9	
5. Calcium Phenate		64742547	
6. Paraffinic Petro Distillates		64742650	
7. Strontium Nitrate		10042-76-9	
8. Potassium Perchlorate		7778-74-7	
B. Name of Each Regulated Substance in a Mixture	Percent Weight	Process Max. Quantity (lbs)	CAS#
1.			
2.			

III. Certification

I, the owner or operator of the aforementioned business, hereby certify that the registration information provided above is true, accurate, and complete to the best of my knowledge, based upon reasonable inquiry. I am fully aware that this certification, executed on the date indicated below, is made under penalty of perjury under the laws of the State of California.

OWNER/OPERATOR NAME (PRINT) Allen T. Smith	Environmental Health JAN 08 1999 Chico, CA	DATE EXECUTED 12-31-98
OWNER/OPERATOR SIGNATURE <i>A. T. Smith</i>		

**CALIFORNIA ACCIDENTAL RELEASE PREVENTION
PROGRAM REGISTRATION**

OES 2735.6 (NEW 6/97) (REVERSE)

PLEASE READ CAREFULLY BEFORE COMPLETING FORM**GENERAL INFORMATION**

This registration form is to be completed by an owner or operator of a stationary source that handles one or more regulated substances in a process in excess of the threshold quantity (see definition below). To complete this form, the registrant should refer to the California Accidental Release Prevention (CalARP) program regulations. The regulations are codified in the California Code of Regulations (CCR), Title 19, Division 2, Chapter 4.5, Sections 2735.1 through 2785.1. The list of regulated substances and thresholds are in Section 2770.5. Information on the CalARP program and the regulations are located on the Governor's Office of Emergency Service's (OES) internet home page at <http://www.oes.ca.gov>. The completed registration form must be submitted to the registrant's local Certified Unified Program Agency (CUPA) or administering agency (AA).

The following definitions of specific terms are included to assist the registrant in completing this form.

"Process" means any activity involving a regulated substance including any use, storage, manufacturing, handling, or on-site movement of such substances, or combination of these activities. For the purpose of this definition, any group of vessels that are interconnected, or separate vessels that are located such that a regulated substance could be involved in a potential release, shall be considered a single process.

"Regulated substance" means any substance, unless otherwise indicated, listed in CCR, Title 19, Section 2770.5.


"Stationary source" means any buildings, structures, equipment, installations, or substance emitting stationary activities which belong to the same industrial group, which are located on one or more contiguous properties, which are under the control of the same person (or persons under common control), and from which an accidental release may occur. A stationary source includes transportation containers that are no longer under active shipping papers and transportation containers that are connected to equipment at the stationary source for the purposes of temporary storage, loading, or unloading. The term stationary source does not apply to transportation, including storage incident to transportation, of any regulated substance or any other extremely hazardous substance under the provisions of CCR, Title 19, Chapter 4.5. Transportation includes, but is not limited to, transportation subject to oversight or regulations under Title 49 of the Code of Federal Regulations, Parts 192, 193, or 195. Properties shall not be considered contiguous solely because of a railroad or gas pipeline right-of-way. A stationary source does not include naturally occurring hydrocarbon reservoirs.

"Threshold quantity" means the quantity specified for a regulated substance pursuant to CCR, Title 19, Section 2770.5 and determined to be present at a stationary source as specified in Section 2770.2.

INSTRUCTION FOR COMPLETING THE CalARP PROGRAM REGISTRATION FORM

Please indicate the number of pages to be submitted in the upper right corner of each form completed. Use additional pages, if the number of regulated substances handled exceeds the space available on one page. Indicate if this is a "new" registration or a registration "update" by checking the appropriate box. If this form updates a previously submitted registration indicate the type of update as follows: check "add" if a regulated substance is being added; check "delete" if a regulated substance is being deleted; check "revise" if any other information is being revised.

- I. **Business Owner/Operator Information:** Complete business name, address (number and street), city, county, state, and zip code; and owner or operator name and phone number.
 - II. **Regulated Substance List:** A. Name of Each Regulated Substance - Provide the chemical name and Chemical Abstracts Service (CAS) number for each regulated substance held above the threshold quantity in a process, and the maximum quantity of each regulated substance in the process (in pounds), to two significant digits (refer to CCR, Title 19, Section 2770.2 and 2770.5); B. Name of Each Regulated Substance in a Mixture - Provide the chemical name and CAS number for each regulated substance in the mixture held above the threshold quantity in a process, the percent weight of the regulated substance in the mixture, and the maximum quantity of each regulated substance in the process (in pounds), to two significant digits (refer to CCR, Title 19, Sections 2770.2 and 2770.5). (Note: Specifically identify any information on this form which is classified information or trade secret.)
 - III. **Certification:** Read the certification statement and provide the owner or operator name, signature, and date when executed.
- If you have any questions regarding the completion of this form, please contact the local CUPA or AA.



Butte County

35

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
(530) 538-7282

ENVIRONMENTAL HEALTH

CALIFORNIA HIGHWAY PATROL
P O BOX 942898
SACRAMENTO CA 95818-2696

JUN 28 2000

Chico, California

COMPUTER #	INVOICE #	BILLING DATE	DUE DATE	BILLING PERIOD
2111- 17941	21000097	04-12-00	05-31-00	07-01-99 THRU 06-30-00

SITE: CALIFORNIA HIGHWAY PATROL DUE UPON RECEIPT
 204 995 FIR ST ST
 CHICO CA 95928

MATRL #	DESCRIPTION	REFERENCE	AMOUNTS
-SITE-	BASE RATE 6-10 MATERIALS	CALIFORNIA HIGHWAY PATROL	224.00
	550-5,500 GALLONS	CALIFORNIA HIGHWAY PATROL	97.00

HAZARDOUS MATERIALS RELEASE RESPONSE PLAN TOTAL DUE \$ 321.00
 10% PENALTY AFTER 05/31/00
 50% PENALTY AFTER 06/30/00

078 - Facilities

Approved for Payment

Date: 5/15/00 IF YOU HAVE ANY QUESTIONS REGARDING THIS INVOICE, CONTACT LESLIE ROBERTS AT THE CHICO ENVIRONMENTAL HEALTH OFFICE.

Contract #, PO#, Delegation #, X#: 2241 346-28/96501 LOCATED AT 411 MAIN STREET, CHICO OR CALL (530) 891-2727. OFFICE HOURS MONDAY - FRIDAY 9:00 - 9:00 A.M.

Coding: 2241 346-28/96501
 Signature: [Signature] Retain top portion for your records

Title/ID#: [Signature] Turn bottom portion with payment

Date Goods Recv'd: 07-01-99 THRU 06-30-00 2111- 17941 21000097
 995 FIR ST ST 21-321.00
 CHICO CA 95928

BILLING ADDRESS: CALIFORNIA HIGHWAY PATROL, P O BOX 942898, SACRAMENTO CA 95818 2696

PLEASE REMIT TO: SD-204 DUE DATE: 05-31-00

BUTTE COUNTY PUBLIC HEALTH 241 - Chico
 18 B COUNTY CENTER DRIVE Approved for Payment
 OROVILLE, CA 95965 Date: 5/15/00 TOTAL DUE \$ 321.00
 MAKE CHECK PAYABLE TO Contract #, PO#, Delegation #, X#:
 BUTTE COUNTY PUBLIC HEALTH

Coding: _____
 Signature: [Signature]
 Title/ID#: LEUTEJANT 9268
 Date Goods Recv'd: _____



C yes

Hazardous Waste Facility Survey

Facility Name: CALIFORNIA HIGHWAY PATROL

Current EPA I.D. Number: CAL000046131

Facility Physical Address: 995 FIR ST, CHICO, CA 95928

Mailing Address: PO BOX 1779, CHICO, CA 95927

Environmental Contact: LT. AL SMITH

Telephone: (530) 879-1999

We would would not wish to attend an informational workshop regarding local CUPA program development

Types of Hazardous Waste(s) generated at facility: AUTOMOTIVE WASTE (OIL, TIRES, BATTERIES, ETC.)

Are hazardous wastes treated on-site to reduce their volume or hazardous characteristics?

no

yes (if yes, describe treatment process for each waste treated)

This survey refers to the following facility:

California Highway Patrol - Chico
995 Fir Street
Chico, CA 95928

Environmental Health
DEC - 3 1999
Chico, California

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
Underground Storage Tank Program
P.O. Box 5364 (411 Main Street), Chico, CA 95927-5364
(530) 891-2727 FAX (530) 895-6512

PERMIT TO OPERATE
Underground Storage Facility For the Storage of
Hazardous Substances

PERMIT: Regular Interim Temporary Closure

Facility Name California Highway Patrol

Address 995 Fir Street, Chico, CA 95928

Telephone Number (530) 895-4444

AP# 002-060-012

No. of Tanks at this location 1

SWEEPS ID # 17941

Tank Volume/Fuel Type: (1) 12,000 M.G.U.

(4) _____

(7) _____

(2) _____

(5) _____

(8) _____

(3) _____

(6) _____

(9) _____

Owner's Name California Highway Patrol

Mailing Address P.O. Box 942898, Sacramento, CA 94298

Telephone Number (916) 375-2940

Hazardous Substances Stored: (Petroleum) GASOLINE DIESEL

CHEMICALS KEROSENE USED OIL HEATING OIL OTHER

Monitoring Methods Automatic Tank Gauging, Electronic Line Leak Detector

Other Hazardous Materials _____

After an investigation as provided for in Section 25288 of the Health and Safety code, it has been determined that the provisions of the California Administrative Code and the Health and Safety Code with respect to operating an Underground Hazardous Substances storage facility can be met by the facility described above. The permittee shall prepare an annual report detailing any changes and any unauthorized release occurrences as defines in Sections 25294 and 25295 of the Health and Safety Code.

Issued by BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH

Signed: _____

R.E.H.S.

Date April 22, 1999

PERMIT EXPIRES: April 15, 2004

GKL/dd/permit/chp995fir

UNITED PROGRAM CONSOLIDATED FORM

TANKS

UNDERGROUND STORAGE TANKS - FACILITY

(one page per site) Page 2 of 2

TYPE OF ACTION 1. NEW SITE PERMIT 2. RENEWAL PERMIT 3. CHANGE OF INFORMATION 7. PERMANENTLY CLOSED SITE
 (Check one item only) 4. AMENDED PERMIT (E.g. specify change in legal use only) 8. TANK REMOVAL
 6. TEMPORARY SITE CLOSURE

I. FACILITY / SITE INFORMATION

BUSINESS NAME (Same as FACILITY NAME IF UST is 100g Minimum A2) FACILITY ID#
 California Highway Patrol
 FACILITY OWNER TYPE
 1. CORPORATION 4. LOCAL AGENCY/DISTRICT
 2. INDIVIDUAL 5. COUNTY AGENCY
 3. PARTNERSHIP 6. STATE AGENCY - State Agency
 7. FEDERAL AGENCY
 TOTAL NUMBER OF TANKS REMAINING AT SITE 1
 In facility use (Include Remediation or restoration)? Yes No
 Name of UST owner (Name of responsible person, division, section or office which oversees the UST (This is the contact person for the tank records))
 A.T. Smith, Lt.

II. PROPERTY OWNER INFORMATION

PROPERTY OWNER NAME California Highway Patrol Facilities Section PHONE (916) 375-2940
 MAILING OR STREET ADDRESS P.O. Box 942898
 CITY Sacramento STATE CA ZIP CODE 94298-0001
 PROPERTY OWNER TYPE 1. CORPORATION 2. INDIVIDUAL 3. PARTNERSHIP 4. LOCAL AGENCY/DISTRICT 5. COUNTY AGENCY 6. STATE AGENCY - State Agency
 7. FEDERAL AGENCY

III. TANK OWNER INFORMATION

TANK OWNER NAME California Highway Patrol Facilities Section PHONE (916) 375-2940
 MAILING OR STREET ADDRESS P.O. Box 942898
 CITY Sacramento STATE CA ZIP CODE 94298-0001
 TANK OWNER TYPE 1. CORPORATION 2. INDIVIDUAL 3. PARTNERSHIP 4. LOCAL AGENCY/DISTRICT 5. COUNTY AGENCY 6. STATE AGENCY
 7. FEDERAL AGENCY

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER

TY (TK) HQ 44- 0 3 2 0 1 6 2 Call (916) 322-9669 if questions arise

V. PETROLEUM UST FINANCIAL RESPONSIBILITY

INDICATE METHOD(S) 1. SELF-INSURED 4. SURETY BOND 7. STATE FUND 10. LOCAL GOVT MECHANISM
 2. GUARANTEE 5. LETTER OF CREDIT 8. STATE FUND & CFO LETTER 9. OTHER
 3. INSURANCE 6. EXEMPTION 9. STATE FUND & UD

VI. LEGAL NOTIFICATION AND MAILING ADDRESS

Check one box to indicate which address should be used for legal notifications and mailing. Legal notifications and mailings will be sent to the tank owner unless box 1 or 2 is checked.
 1. FACILITY 2. PROPERTY OWNER 3. TANK OWNER

VII. APPLICANT SIGNATURE

Certification - I certify that the information provided herein is true and accurate to the best of my knowledge.
 SIGNATURE OF APPLICANT T.R. Upton, Sgt DATE 12/21/00 PHONE (530) 879-1999
 NAME OF APPLICANT (print) T.R. Upton TITLE OF APPLICANT Acting Area Commander
 STATE UST FACILITY NUMBER (For local use only) 428 UST FACILITY CERTIFICATE NUMBER (For local use only) 429

Environmental Health
DEC 26 2000
Chico, California

UNIFIED PROGRAM CONSOLIDATED FORM

TANKS

UNDERGROUND STORAGE TANKS - TANK PAGE 2

VI. PIPING CONSTRUCTION (Check all that apply)

Page / of 2

UNDERGROUND PIPING

ABOVEGROUND PIPING

SYSTEM TYPE	<input checked="" type="checkbox"/> 1. PRESSURE	<input type="checkbox"/> 2. SUCTION	<input type="checkbox"/> 3. GRAVITY	458	<input type="checkbox"/> 1. PRESSURE	<input type="checkbox"/> 2. SUCTION	<input type="checkbox"/> 3. GRAVITY	459
CONSTRUCTION	<input checked="" type="checkbox"/> 1. SINGLE WALL	<input type="checkbox"/> 2. LINED TRENCH	<input type="checkbox"/> 99. OTHER	460	<input type="checkbox"/> 1. SINGLE WALL	<input type="checkbox"/> 99. UNKNOWN		462
MANUFACTURER	<input type="checkbox"/> 2. DOUBLE WALL	<input type="checkbox"/> 99. UNKNOWN		451	<input type="checkbox"/> 2. DOUBLE WALL	<input type="checkbox"/> 99. OTHER		463
MANUFACTURER Owens Corning					MANUFACTURER			
<input type="checkbox"/> 1. BARE STEEL	<input type="checkbox"/> 6. FRP COMPATIBLE w/100% METHANOL	<input type="checkbox"/> 1. BARE STEEL	<input type="checkbox"/> 6. FRP COMPATIBLE w/100% METHANOL		<input type="checkbox"/> 1. BARE STEEL	<input type="checkbox"/> 6. FRP COMPATIBLE w/100% METHANOL		
<input type="checkbox"/> 2. STAINLESS STEEL	<input type="checkbox"/> 7. GALVANIZED STEEL	<input type="checkbox"/> 2. STAINLESS STEEL	<input type="checkbox"/> 7. GALVANIZED STEEL		<input type="checkbox"/> 2. STAINLESS STEEL	<input type="checkbox"/> 7. GALVANIZED STEEL		
<input type="checkbox"/> 3. PLASTIC COMPATIBLE w/CONTENTS	<input type="checkbox"/> 8. FLEXIBLE (HDPE)	<input type="checkbox"/> 3. PLASTIC COMPATIBLE w/CONTENTS	<input type="checkbox"/> 8. FLEXIBLE (HDPE)		<input type="checkbox"/> 3. PLASTIC COMPATIBLE w/CONTENTS	<input type="checkbox"/> 8. FLEXIBLE (HDPE)		
<input checked="" type="checkbox"/> 4. FIBERGLASS	<input type="checkbox"/> 9. CATHODIC PROTECTION	<input type="checkbox"/> 4. FIBERGLASS	<input type="checkbox"/> 9. CATHODIC PROTECTION		<input type="checkbox"/> 4. FIBERGLASS	<input type="checkbox"/> 9. CATHODIC PROTECTION		
<input type="checkbox"/> 5. STEEL W/COATING	<input type="checkbox"/> 99. UNKNOWN	<input type="checkbox"/> 5. STEEL W/COATING	<input type="checkbox"/> 99. UNKNOWN	464	<input type="checkbox"/> 5. STEEL W/COATING	<input type="checkbox"/> 99. UNKNOWN		463

VII. PIPING LEAK DETECTION (Check all that apply) (A description of the monitoring program shall be submitted to the local agency.)

UNDERGROUND PIPING

ABOVEGROUND PIPING

<p>SINGLE WALL PIPING 464</p> <p>UNPRESSURIZED PIPING (Check all that apply):</p> <p><input checked="" type="checkbox"/> 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST WITH AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION - AUDIBLE AND VISUAL ALARMS.</p> <p><input checked="" type="checkbox"/> 2. MONTHLY 0.2 GPH TEST</p> <p><input checked="" type="checkbox"/> 3. ANNUAL INTEGRITY TEST (0.1GPH)</p> <p>CONVENTIONAL SUCTION SYSTEMS</p> <p><input type="checkbox"/> 5. DAILY VISUAL MONITORING OF PUMPING SYSTEM + TRIENNIAL PIPING INTEGRITY TEST (0.1 GPH)</p> <p>SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING):</p> <p><input type="checkbox"/> 7. SELF MONITORING</p> <p>GRAVITY FLOW</p> <p><input type="checkbox"/> 9. BIENNIAL INTEGRITY TEST (0.1 GPH)</p> <p>SECONDARILY CONTAINED PIPING</p> <p>PRESSURIZED PIPING (Check all that apply):</p> <p>10. CONTINUOUS TURBINE SUMP SENSOR WITH AUDIBLE AND VISUAL ALARMS AND (Check one)</p> <p><input checked="" type="checkbox"/> a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS</p> <p><input checked="" type="checkbox"/> b. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION</p> <p><input type="checkbox"/> c. NO AUTO PUMP SHUT OFF</p> <p><input checked="" type="checkbox"/> 11. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) WITH FLOW SHUT OFF OR RESTRICTION</p> <p><input checked="" type="checkbox"/> 12. ANNUAL INTEGRITY TEST (0.1 GPH)</p> <p>SUCTION/GRAVITY SYSTEM</p> <p><input type="checkbox"/> 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS</p> <p>EMERGENCY GENERATORS ONLY (Check all that apply)</p> <p><input type="checkbox"/> 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND VISUAL ALARMS</p> <p><input type="checkbox"/> 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST) WITHOUT FLOW SHUT OFF OR RESTRICTION</p> <p><input type="checkbox"/> 16. ANNUAL INTEGRITY TEST (0.1 GPH) N/A</p> <p><input type="checkbox"/> 17. DAILY VISUAL CHECK</p>		<p>SINGLE WALL PIPING 467</p> <p>UNPRESSURIZED PIPING (Check all that apply):</p> <p><input type="checkbox"/> 1. ELECTRONIC LINE LEAK DETECTOR 3.0 GPH TEST WITH AUTO PUMP SHUT OFF FOR LEAK, SYSTEM FAILURE, AND SYSTEM DISCONNECTION - AUDIBLE AND VISUAL ALARMS.</p> <p><input type="checkbox"/> 2. MONTHLY 0.2 GPH TEST</p> <p><input type="checkbox"/> 3. ANNUAL INTEGRITY TEST (0.1GPH)</p> <p><input type="checkbox"/> 4. DAILY VISUAL CHECK</p> <p>CONVENTIONAL SUCTION SYSTEMS (Check all that apply)</p> <p><input type="checkbox"/> 5. DAILY VISUAL MONITORING OF PIPING AND PUMPING SYSTEM</p> <p><input type="checkbox"/> 6. TRIENNIAL INTEGRITY TEST (0.1 GPH)</p> <p>SAFE SUCTION SYSTEMS (NO VALVES IN BELOW GROUND PIPING):</p> <p><input type="checkbox"/> 7. SELF MONITORING</p> <p>GRAVITY FLOW (Check all that apply):</p> <p><input type="checkbox"/> 8. DAILY VISUAL MONITORING</p> <p><input type="checkbox"/> 9. BIENNIAL INTEGRITY TEST (0.1 GPH)</p> <p>SECONDARILY CONTAINED PIPING</p> <p>PRESSURIZED PIPING (Check all that apply):</p> <p>10. CONTINUOUS TURBINE SUMP SENSOR WITH AUDIBLE AND VISUAL ALARMS AND (Check one)</p> <p><input type="checkbox"/> a. AUTO PUMP SHUT OFF WHEN A LEAK OCCURS</p> <p><input type="checkbox"/> b. AUTO PUMP SHUT OFF FOR LEAKS, SYSTEM FAILURE AND SYSTEM DISCONNECTION</p> <p><input type="checkbox"/> c. NO AUTO PUMP SHUT OFF</p> <p><input type="checkbox"/> 11. AUTOMATIC LEAK DETECTOR</p> <p><input type="checkbox"/> 12. ANNUAL INTEGRITY TEST (0.1 GPH)</p> <p>SUCTION/GRAVITY SYSTEM</p> <p><input type="checkbox"/> 13. CONTINUOUS SUMP SENSOR + AUDIBLE AND VISUAL ALARMS</p> <p>EMERGENCY GENERATORS ONLY (Check all that apply)</p> <p><input type="checkbox"/> 14. CONTINUOUS SUMP SENSOR WITHOUT AUTO PUMP SHUT OFF + AUDIBLE AND VISUAL ALARMS</p> <p><input type="checkbox"/> 15. AUTOMATIC LINE LEAK DETECTOR (3.0 GPH TEST)</p> <p><input type="checkbox"/> 16. ANNUAL INTEGRITY TEST (0.1 GPH)</p> <p><input type="checkbox"/> 17. DAILY VISUAL CHECK</p>	
--	--	---	--

VIII. DISPENSER CONTAINMENT

DISPENSER CONTAINMENT	<input checked="" type="checkbox"/> 1. FLOAT MECHANISM THAT SHUTS OFF SHEAR VALVE	<input checked="" type="checkbox"/> 4. DAILY VISUAL CHECK
DATE INSTALLED	<input checked="" type="checkbox"/> 2. CONTINUOUS DISPENSER PAN SENSOR + AUDIBLE AND VISUAL ALARMS	<input type="checkbox"/> 5. TRENCH LINER / MONITORING
12/14/00	<input checked="" type="checkbox"/> 3. CONTINUOUS DISPENSER PAN SENSOR WITH AUTO SHUT OFF FOR DISPENSER + AUDIBLE AND VISUAL ALARMS	<input type="checkbox"/> 6. NONE

IX. OWNER/OPERATOR SIGNATURE

I certify that the information provided herein is true and accurate to the best of my knowledge.

SIGNATURE OF OWNER/OPERATOR	DATE	470
T.R. Upton, Sgt	12/21/00	
NAME OF OWNER/OPERATOR (print)	TITLE OF OWNER/OPERATOR	472
T.R. Upton	Acting Area Commander	
Permit Number (For local use only)	Permit Approved (For local use only)	Permit Expiration Date (For local use only)
473	474	475

APR 21 1999

Chico, California

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM A



COMPLETE THIS FORM FOR EACH FACILITY/SITE

MARK ONLY ONE ITEM	<input type="checkbox"/> 1 NEW PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT	<input checked="" type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY SITE CLOSURE	

I. FACILITY/SITE INFORMATION & ADDRESS - (MUST BE COMPLETED)

DBA OR FACILITY NAME California Highway Patrol		NAME OF OPERATOR California Highway Patrol		
ADDRESS 995 Fir Street		NEAREST CROSS STREET Humboldt Road	PARCEL # (OPTIONAL) 002-060-012	
CITY NAME Chico, CA 95928		STATE CA	ZIP CODE 95928	SITE PHONE # WITH AREA CODE (530) 895-4444
<input checked="" type="checkbox"/> BOX TO INDICATE <input type="checkbox"/> CORPORATION <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> LOCAL AGENCY DISTRICTS <input type="checkbox"/> COUNTY AGENCY <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> FEDERAL AGENCY				
TYPE OF BUSINESS		<input type="checkbox"/> 1 GAS STATION	<input type="checkbox"/> 2 DISTRIBUTOR	<input type="checkbox"/> 3 FARM
		<input type="checkbox"/> 4 PROCESSOR	<input checked="" type="checkbox"/> 5 OTHER	<input type="checkbox"/> IF INDIAN RESERVATION OR TRUST LANDS
		# OF TANKS AT SITE 1	E. P. A. I. D. # (optional) CAL000046131	

EMERGENCY CONTACT PERSON (PRIMARY)

EMERGENCY CONTACT PERSON (SECONDARY) - optional

DAYS: NAME (LAST, FIRST) Vickers, Dave	PHONE # WITH AREA CODE (530) 895-4444	DAYS: NAME (LAST, FIRST) Gillingwater, Scott	(530) 895-4444
NIGHTS: NAME (LAST, FIRST) Vickers, Dave	PHONE # WITH AREA CODE (530) 895-4453	NIGHTS: NAME (LAST, FIRST) Gillingwater, Scott	(530) 895-4453

II. PROPERTY OWNER INFORMATION - (MUST BE COMPLETED)

NAME California Highway Patrol	CARE OF ADDRESS INFORMATION		
MAILING OR STREET ADDRESS Post Office Box 942898	<input checked="" type="checkbox"/> box to indicate <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL AGENCY <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> COUNTY AGENCY <input type="checkbox"/> FEDERAL AGENCY		
CITY NAME Sacramento, CA 94298	STATE CA	ZIP CODE 94298-0001	PHONE # WITH AREA CODE (916) 375-2940

III. TANK OWNER INFORMATION - (MUST BE COMPLETED)

NAME OF OWNER California Highway Patrol	CARE OF ADDRESS INFORMATION		
MAILING OR STREET ADDRESS Post Office Box 942898	<input checked="" type="checkbox"/> box to indicate <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL AGENCY <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> COUNTY AGENCY <input type="checkbox"/> FEDERAL AGENCY		
CITY NAME Sacramento, CA 94298	STATE CA	ZIP CODE 94298-0001	PHONE # WITH AREA CODE (916) 375-2940

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER - Call (916) 323-9555 if questions arise.

TY (TK) HQ 44-032062

V. PETROLEUM UST FINANCIAL RESPONSIBILITY - (MUST BE COMPLETED) - IDENTIFY THE METHOD(S) USED

<input checked="" type="checkbox"/> box to indicate	<input checked="" type="checkbox"/> 1 SELF-INSURED	<input type="checkbox"/> 2 GUARANTEE	<input type="checkbox"/> 3 INSURANCE	<input type="checkbox"/> 4 SURETY BOND
	<input type="checkbox"/> 5 LETTER OF CREDIT	<input type="checkbox"/> 6 EXEMPTION	<input type="checkbox"/> 99 OTHER	

VI. LEGAL NOTIFICATION AND BILLING ADDRESS Legal notification and billing will be sent to the tank owner unless box I or II is checked.

CHECK ONE BOX INDICATING WHICH ABOVE ADDRESS SHOULD BE USED FOR LEGAL NOTIFICATIONS AND BILLING:	I. <input type="checkbox"/>	II. <input checked="" type="checkbox"/>	III. <input type="checkbox"/>
--	-----------------------------	---	-------------------------------

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE) A. T. Smith <i>A. T. Smith</i>	APPLICANT'S TITLE Lieutenant/Commander	DATE MONTH/DAY/YEAR 04/21/99
--	---	---------------------------------

LOCAL AGENCY USE ONLY

COUNTY # 04	JURISDICTION # 000	FACILITY # 17941
LOCATION CODE - OPTIONAL	CENSUS TRACT # - OPTIONAL	SUPVISOR - DISTRICT CODE - OPTIONAL

THIS FORM MUST BE ACCOMPANIED BY AT LEAST (1) OR MORE PERMIT APPLICATION - FORM B, UNLESS THIS IS A CHANGE OF SITE INFORMATION ONLY.
FORM A (5-91) FOR003A-5

HTJA... 11/10/88

APR 1 5 1994

INSTRUCTIONS FOR COMPLETING FORM "A"

GENERAL INSTRUCTIONS:

1. One FORM "A" shall be completed for all **NEW PERMITS, PERMIT CHANGES** or any **FACILITY/SITE INFORMATION CHANGES**.
2. **SUBMIT ONLY ONE (1) FORM "A"** for a Facility/Site, regardless of the number of tanks located at the site.
3. This form should be completed by either the **PERMIT APPLICANT** or the **LOCAL AGENCY UNDERGROUND TANK INSPECTOR**.
4. Please type or print clearly all requested information.
5. Use a hard point writing instrument, you are making 3 copies.

TOP OF FORM: "MARK ONLY ONE ITEM"

Mark an (X) in the box next to the item that best describes the reason the form is being completed.

I. FACILITY/SITE INFORMATION & ADDRESS (MUST BE COMPLETED)

1. Record name and address (physical location) of the underground tank(s).
NOTE: Address **MUST** have a valid physical location including city, state, and zip code.
P.O. BOX NUMBERS ARE NOT ACCEPTABLE.
Include nearest cross street and name of the operator.
2. Phone number must have an area code. If the night number is the same, write "SAME" in proper location.
3. Check the appropriate box for **TYPE OF BUSINESS OWNERSHIP** (ex. CORPORATION, INDIVIDUAL, etc.)
4. Check the appropriate box for **TYPE OF BUSINESS**.
5. If Facility/Site is located within an Indian reservation or other Indian trust lands, check the box marked "YES".
6. Indicate the **NUMBER OF TANKS** at this **SITE**.
7. Record the **E.P.A. ID.#** or write "NONE" in the space provided.

II. PROPERTY OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION I; if the same, write "SAME AS SITE" across this section. Be sure to check **PROPERTY OWNERSHIP TYPE** box.

III. TANK OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION I; if the same, write "SAME AS SITE" across this section. Be sure to check **TANK OWNERSHIP TYPE** box.

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER (MUST BE COMPLETED)

Enter your Board of Equalization (BOE) UST storage fee account number which is required before your permit application can be processed. Registration with the BOE will ensure that you will receive a quarterly storage fee return in reporting the \$0.006 (6 mills) per gallon fee due on the number of gallons placed in your USTs. The BOE will code persons exempt from paying the storage fee so returns will not be sent. If you do not have an account number with the BOE or if you have any questions regarding the fee or exemptions, please call the BOE at 916-323-9555 or write to the BOE at the following address: Board of Equalization, Environmental Fees Unit, P.O. Box 942879, Sacramento, CA 94279-0001.

V. PETROLEUM UST FINANCIAL RESPONSIBILITY (MUST BE COMPLETED)

Identify the method(s) used by the owner and/or operator in meeting the Federal and State financial responsibility requirements. USTs owned by any Federal or State agency are exempt from this requirement.

VI. LEGAL NOTIFICATION AND BILLING ADDRESS

Check **ONE BOX** for the address that will be used for **BOTH LEGAL AND BILLING NOTIFICATIONS**.

APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.

INSTRUCTION FOR THE LOCAL AGENCIES

The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)739-2421. The facility number may be assigned by the local agency; however, this number must be numerical and cannot contain any alphabetical. If the local agency prefers the State Board to assign the facility number, please leave it blank.

IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THIS APPLICATION CANNOT BE PROCESSED IF THE BOE ACCOUNT NUMBER IS NOT FILLED IN. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS.

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
C/O S.W.E.E.P.S.
DATA PROCESSING CENTER
P.O. BOX 527
PARAMOUNT, CA 90723

APR 21 1999

Chico, California

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM B



COMPLETE A SEPARATE FORM FOR EACH TANK SYSTEM.

MARK ONLY ONE ITEM	<input type="checkbox"/> 1 NEW PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT	<input checked="" type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED ON SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY TANK CLOSURE	<input type="checkbox"/> 8 TANK REMOVED

DBA OR FACILITY NAME WHERE TANK IS INSTALLED: California Highway Patrol

I. TANK DESCRIPTION COMPLETE ALL ITEMS - SPECIFY IF UNKNOWN

A. OWNER'S TANK I.D.#	CHI-01	B. MANUFACTURED BY:	OWENS-CORNING
C. DATE INSTALLED (MO/DAY/YEAR)	1979	D. TANK CAPACITY IN GALLONS:	12,000

II. TANK CONTENTS IF A-1 IS MARKED, COMPLETE ITEM C.

A. <input checked="" type="checkbox"/> 1 MOTOR VEHICLE FUEL	<input type="checkbox"/> 4 OIL	B. <input checked="" type="checkbox"/> 1 PRODUCT	C. <input type="checkbox"/> 1a REGULAR UNLEADED	<input type="checkbox"/> 3 DIESEL	<input type="checkbox"/> 6 AVIATION GAS
<input type="checkbox"/> 2 PETROLEUM	<input type="checkbox"/> 80 EMPTY	<input type="checkbox"/> 2 WASTE	<input type="checkbox"/> 1b PREMIUM UNLEADED	<input type="checkbox"/> 4 GASAHOL	<input type="checkbox"/> 7 METHANOL
<input type="checkbox"/> 3 CHEMICAL PRODUCT	<input type="checkbox"/> 95 UNKNOWN		<input checked="" type="checkbox"/> 1c MIDGRADE UNLEADED	<input type="checkbox"/> 5 JET FUEL	<input type="checkbox"/> 8 M85
D. IF (A.1) IS NOT MARKED, ENTER NAME OF SUBSTANCE STORED			C. A. S. #:		

III. TANK CONSTRUCTION MARK ONE ITEM ONLY IN BOXES A, B, AND C, AND ALL THAT APPLIES IN BOX D AND E

A. TYPE OF SYSTEM	<input type="checkbox"/> 1 DOUBLE WALL	<input type="checkbox"/> 3 SINGLE WALL WITH EXTERIOR LINER	<input type="checkbox"/> 5 INTERNAL BLADDER SYSTEM	<input type="checkbox"/> 95 UNKNOWN
	<input checked="" type="checkbox"/> 2 SINGLE WALL	<input type="checkbox"/> 4 SINGLE WALL IN A VAULT	<input type="checkbox"/> 99 OTHER	
B. TANK MATERIAL (Primary Tank)	<input type="checkbox"/> 1 BARE STEEL	<input type="checkbox"/> 2 STAINLESS STEEL	<input checked="" type="checkbox"/> 3 FIBERGLASS	<input type="checkbox"/> 4 STEEL CLAD W/ FIBERGLASS REINFORCED PLASTIC
	<input type="checkbox"/> 5 CONCRETE	<input type="checkbox"/> 6 POLYVINYL CHLORIDE	<input type="checkbox"/> 7 ALUMINUM	<input type="checkbox"/> 8 100% METHANOL COMPATIBLE W/FRP
	<input type="checkbox"/> 9 BRONZE	<input type="checkbox"/> 10 GALVANIZED STEEL	<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER
C. INTERIOR LINING OR COATING	<input type="checkbox"/> 1 RUBBER LINED	<input type="checkbox"/> 2 ALKYD LINING	<input type="checkbox"/> 3 EPOXY LINING	<input type="checkbox"/> 4 PHENOLIC LINING
	<input type="checkbox"/> 5 GLASS LINING	<input type="checkbox"/> 6 UNLINED	<input checked="" type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER
IS LINING MATERIAL COMPATIBLE WITH 100% METHANOL? YES ___ NO ___				
D. EXTERIOR CORROSION PROTECTION	<input type="checkbox"/> 1 POLYETHYLENE WRAP	<input type="checkbox"/> 2 COATING	<input checked="" type="checkbox"/> 3 VINYL WRAP	<input type="checkbox"/> 4 FIBERGLASS REINFORCED PLASTIC
	<input type="checkbox"/> 5 CATHODIC PROTECTION	<input checked="" type="checkbox"/> 91 NONE	<input checked="" type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER
E. SPILL AND OVERFILL, etc.	SPILL CONTAINMENT INSTALLED (YEAR) 1994		OVERFILL PREVENTION EQUIPMENT INSTALLED (YEAR) 1994	
	DROP TUBE YES <input checked="" type="checkbox"/> NO ___		STRIKER PLATE YES <input checked="" type="checkbox"/> NO ___	
			DISPENSER CONTAINMENT YES <input checked="" type="checkbox"/> NO ___	

IV. PIPING INFORMATION CIRCLE A IF ABOVE GROUND OR U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE	A <input checked="" type="checkbox"/> 1 SUCTION	A <input checked="" type="checkbox"/> 2 PRESSURE	A U <input type="checkbox"/> 3 GRAVITY	A U <input type="checkbox"/> 4 FLEXIBLE PIPING	A U <input type="checkbox"/> 99 OTHER
B. CONSTRUCTION	A <input checked="" type="checkbox"/> 1 SINGLE WALL	A U <input type="checkbox"/> 2 DOUBLE WALL	A U <input type="checkbox"/> 3 LINED TRENCH	A U <input type="checkbox"/> 95 UNKNOWN	A U <input type="checkbox"/> 99 OTHER
C. MATERIAL AND CORROSION PROTECTION	A U <input type="checkbox"/> 1 BARE STEEL	A U <input type="checkbox"/> 2 STAINLESS STEEL	A U <input type="checkbox"/> 3 POLYVINYL CHLORIDE (PVC)	A U <input type="checkbox"/> 4 FIBERGLASS PIPE	
	A U <input type="checkbox"/> 5 ALUMINUM	A U <input type="checkbox"/> 6 CONCRETE	A U <input type="checkbox"/> 7 STEEL W/ COATING	A U <input type="checkbox"/> 8 100% METHANOL COMPATIBLE W/FRP	
	A <input checked="" type="checkbox"/> 9 GALVANIZED STEEL	A U <input type="checkbox"/> 10 CATHODIC PROTECTION	A U <input type="checkbox"/> 95 UNKNOWN	A U <input type="checkbox"/> 99 OTHER	
D. LEAK DETECTION	<input type="checkbox"/> 1 MECHANICAL LINE LEAK DETECTOR	<input type="checkbox"/> 2 LINE TIGHTNESS TESTING	<input type="checkbox"/> 3 CONTINUOUS INTERSTITIAL MONITORING	<input checked="" type="checkbox"/> 4 ELECTRONIC LINE LEAK DETECTOR	<input checked="" type="checkbox"/> 5 AUTOMATIC PUMP SHUTDOWN
	<input checked="" type="checkbox"/> 99 OTHER Cathodic Protection				

V. TANK LEAK DETECTION

<input type="checkbox"/> 1 VISUAL CHECK	<input type="checkbox"/> 2 MANUAL INVENTORY RECONCILIATION	<input type="checkbox"/> 3 VADOZE MONITORING	<input checked="" type="checkbox"/> 4 AUTOMATIC TANK GAUGING	<input type="checkbox"/> 5 GROUND WATER MONITORING	<input type="checkbox"/> 6 ANNUAL TANK TESTING
<input type="checkbox"/> 7 CONTINUOUS INTERSTITIAL MONITORING	<input type="checkbox"/> 8 SIR	<input type="checkbox"/> 9 WEEKLY MANUAL TANK GAUGING	<input type="checkbox"/> 10 MONTHLY TANK TESTING	<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER

VI. TANK CLOSURE INFORMATION (PERMANENT CLOSURE IN-PLACE)

1. ESTIMATED DATE LAST USED (MO/DAY/YR)	12/12/98	2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING	0 GALLONS	3. WAS TANK FILLED WITH INERT MATERIAL? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
---	----------	--	-----------	---

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

TANK OWNER'S NAME (PRINTED & SIGNATURE)	A. T. Smith, Lieutenant/Commander	DATE	4/21/99
---	-----------------------------------	------	---------

LOCAL AGENCY USE ONLY THE STATE I.D. NUMBER IS COMPOSED OF THE FOUR NUMBERS BELOW

STATE I.D.#	COUNTY #	JURISDICTION #	FACILITY #	TANK #
	04	060	17941	
PERMIT NUMBER	PERMIT APPROVED BY/DATE	PERMIT EXPIRATION DATE		

THIS FORM MUST BE ACCOMPANIED BY A PERMIT APPLICATION - FORM A, UNLESS A CURRENT FORM A HAS BEEN FILED. FORM C MUST BE COMPLETED FOR INSTALLATIONS. THIS FORM SHOULD BE ACCOMPANIED BY A PLOT PLAN. FILE THIS FORM WITH THE LOCAL AGENCY IMPLEMENTING THE UNDERGROUND STORAGE TANK REGULATIONS

INSTRUCTIONS FOR COMPLETING FORM "B"

GENERAL INSTRUCTIONS

Section 2711 of Title 23, Division 3, Chapter 16, California Code of Regulations and sections 25286, 25287, and 25289 of Chapter 6.7, Division 20, Health and Safety Code require tank owners to apply for an UST operating permit.

- 1. One FORM "B" shall be completed for each tank for all NEW PERMITS, PERMIT CHANGES, REMOVALS and/or any other TANK INFORMATION CHANGE.
2. This form should be completed by either the PERMIT APPLICANT or the LOCAL AGENCY UNDERGROUND TANK INSPECTOR.
3. Please type or print clearly all requested information.
4. Use a hard point writing instrument, you are making 3 copies.
5. Tank owners must submit a plot plan to the local agency showing the location of the USTs with respect to buildings and landmarks [2711 (a)(8) CCR].
6. Tank owners must submit documentation showing compliance with state financial responsibility requirements to the local agency for petroleum USTs [2711 (a)(11) CCR].

TOP OF FORM: MARK ONLY ONE ITEM

- 1. Mark an (X) in the box next to the item that best describes the reason the form is being completed.
2. Indicate the DBA or Facility name where the tank is installed.

I. TANK DESCRIPTION - COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

- A. Indicate owners tank ID # - If there is a tank number that is used by the owner to identify the tank (ex. AB70789).
B. Indicate the name of the company that manufactured the tank (ex. ACME TANK MFG).
C. Indicate the year the tank was installed (ex. 1987).
D. Indicate the tank capacity in gallons (ex. 25,000 or 10,000 etc.).

II. TANK CONTENTS

- A. 1. IF MOTOR VEHICLE FUEL, check box 1 and complete items B & C.
2. If not MOTOR VEHICLE FUEL, check the appropriate box in section A and complete items B & D.
B. Check the appropriate box.
C. Check the type of MOTOR VEHICLE FUEL (if box 1 is checked in A).
D. Print the chemical name of the hazardous substance stored in the tank and the C.A.S.#. (Chemical Abstract Service number), if box 1 is NOT checked in A.

III. TANK CONSTRUCTION - MARK ONE ITEM ONLY IN BOX A, B, C & D

- 1. Check only one item in TYPE OF SYSTEM, TANK MATERIAL, INTERIOR LINING and CORROSION PROTECTION.
2. If OTHER, print in the space provided.

IV. PIPING INFORMATION

- 1. Circle "A" if above ground circle "U" if underground, and circle both if applicable.
2. If UNKNOWN circle; or if OTHER, print in space provided.
3. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirement for the piping.

V. TANK LEAK DETECTION

- 1. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirements for the tank.

VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

- 1. ESTIMATED DATE LAST USED - MONTH/YEAR (January, 1988 or 01/88)
2. ESTIMATED QUANTITY of HAZARDOUS SUBSTANCE remaining in the tank (in Gallons).
3. WAS TANK FILLED WITH INERT MATERIAL? Check "Yes" or "No".

TANK OWNER OR AUTHORIZED REPRESENTATIVE MUST SIGN AND DATE THE FORM AS INDICATED [see section 2711 (a)(13) CCR]

INSTRUCTION FOR THE LOCAL AGENCIES

The state underground storage tank identification number is composed of the two digit county number, the three digit jurisdiction number, the six digit facility number and the six digit tank number. The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916) 227-4303. The facility number must be the same as shown in form "A". The tank number may be assigned by the local agency, however, this number must be numerical and cannot contain an alphabet. If the local agency prefers the State Board to assign the tank number, please leave it blank.

IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX. THE LOCAL AGENCY SHOULD RETAIN THE ORIGINAL AND YELLOW COPIES. THE PINK COPY SHOULD BE RETAINED BY THE TANK OWNER.

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
Underground Storage Tank Program
P.O. Box 14 (411 Main Street), Chico, CA 95927-5364
(530) 891-2727 FAX (530) 895-6512

PERMIT TO OPERATE
Underground Storage Facility For the Storage of
Hazardous Substances

PERMIT: Regular Interim Temporary Closure

Facility Name California Highway Patrol

Address 995 Fir Street, Chico, CA 95928

Telephone Number (530) 895-4444

AP# 002-060-012

No. of Tanks at this location 1

SWEEPS ID # 17941

Tank Volume/Fuel Type: (1) 12,000 R.U.

(4) _____ (7) _____

(2) _____ (5) _____ (8) _____

(3) _____ (6) _____ (9) _____

Owner's Name California Highway Patrol (Facilities Section)

Mailing Address 860 Stillwater Rd., West Sacramento, CA 95818

Telephone Number (916) 657-7439

Hazardous Substances Stored: (Petroleum) GASOLINE DIESEL

CHEMICALS KEROSENE USED OIL HEATING OIL OTHER

Monitoring Methods Quarterly

Other Hazardous Materials _____

After an investigation as provided for in Section 25288 of the Health and Safety code, it has been determined that the provisions of the California Administrative Code and the Health and Safety Code with respect to operating an Underground Hazardous Substances storage facility can be met by the facility described above. The permittee shall prepare an annual report detailing any changes and any unauthorized release occurrences as defined in Sections 25294 and 25295 of the Health and Safety Code.

Issued by BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH

Signed: _____

R.E.H.S.

Date January 13, 1999

PERMIT EXPIRES: December 21, 1999

GKL/dd/permit/995fir

DEC 18 1995

STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM A
Chico, California
COMPLETE THIS FORM FOR EACH FACILITY/SITE



MARK ONLY ONE ITEM	<input type="checkbox"/> 1 NEW PERMIT	<input checked="" type="checkbox"/> 3 RENEWAL PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY SITE CLOSURE	

I. FACILITY/SITE INFORMATION & ADDRESS - (MUST BE COMPLETED)

DBA OR FACILITY NAME CALIFORNIA Highway Patrol		NAME OF OPERATOR CALIFORNIA Highway Patrol		
ADDRESS 995 FIR STREET		NEAREST CROSS STREET Hwy 32 @ SR 99	PARCEL # (OPTIONAL)	
CITY NAME Chico Ca 95928		STATE CA	ZIP CODE 95928	SITE PHONE # WITH AREA CODE (916) 895-4444
<input checked="" type="checkbox"/> BOX TO INDICATE <input type="checkbox"/> CORPORATION <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> LOCAL AGENCY DISTRICTS* <input type="checkbox"/> COUNTY AGENCY* <input checked="" type="checkbox"/> STATE AGENCY* <input type="checkbox"/> FEDERAL AGENCY*				
* If owner of UST is a public agency, complete the following: name of Supervisor of division, section, or office which operates the UST				
TYPE OF BUSINESS		IF INDIAN RESERVATION OR TRUST LANDS		# OF TANKS AT SITE
<input type="checkbox"/> 1 GAS STATION <input type="checkbox"/> 2 DISTRIBUTOR <input type="checkbox"/> 3 FARM <input type="checkbox"/> 4 PROCESSOR <input checked="" type="checkbox"/> 5 OTHER		<input type="checkbox"/>		<input type="checkbox"/>

EMERGENCY CONTACT PERSON (PRIMARY)

EMERGENCY CONTACT PERSON (SECONDARY) - optional

DAYS: NAME (LAST, FIRST) SCHREIBER, DAN		PHONE # WITH AREA CODE (916) 895-4444		DAYS: NAME (LAST, FIRST) VICKERS, DAVE		PHONE # WITH AREA CODE (916) 895-4444	
NIGHTS: NAME (LAST, FIRST) SAME		PHONE # WITH AREA CODE (916) 895-4453		NIGHTS: NAME (LAST, FIRST) " "		PHONE # WITH AREA CODE (916) 895-4453	

II. PROPERTY OWNER INFORMATION - (MUST BE COMPLETED)

NAME CALIFORNIA Highway Patrol		CARE OF ADDRESS INFORMATION		
MAILING OR STREET ADDRESS 2490 FIRST AVE		<input checked="" type="checkbox"/> box to indicate <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL AGENCY <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> COUNTY AGENCY <input type="checkbox"/> FEDERAL AGENCY		
CITY NAME SACRAMENTO		STATE CA	ZIP CODE 95818	PHONE # WITH AREA CODE (916) 657-7439

III. TANK OWNER INFORMATION - (MUST BE COMPLETED)

NAME OF OWNER CALIFORNIA Highway Patrol		CARE OF ADDRESS INFORMATION Facilities Section		
MAILING OR STREET ADDRESS 2490 FIRST AVE 860 Stollwieser Rd		<input checked="" type="checkbox"/> box to indicate <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL AGENCY <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> COUNTY AGENCY <input type="checkbox"/> FEDERAL AGENCY		
CITY NAME SACRAMENTO West Sac. Ca.		STATE CA	ZIP CODE 95818	PHONE # WITH AREA CODE (916) 657-7439

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER - Call (916) 322-9669 if questions arise.

TY (TK) HQ **44-032062** FAX **(916) 375-2944**

V. PETROLEUM UST FINANCIAL RESPONSIBILITY - (MUST BE COMPLETED) - IDENTIFY THE METHOD(S) USED

<input checked="" type="checkbox"/> box to indicate	<input checked="" type="checkbox"/> 1 SELF-INSURED	<input type="checkbox"/> 2 GUARANTEE	<input type="checkbox"/> 3 INSURANCE	<input type="checkbox"/> 4 SURETY BOND
	<input type="checkbox"/> 5 LETTER OF CREDIT	<input type="checkbox"/> 6 EXEMPTION	<input type="checkbox"/> 99 OTHER	

VI. LEGAL NOTIFICATION AND BILLING ADDRESS Legal notification and billing will be sent to the tank owner unless box I or II is checked.

CHECK ONE BOX INDICATING WHICH ABOVE ADDRESS SHOULD BE USED FOR LEGAL NOTIFICATIONS AND BILLING: I. II. III.

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

OWNER'S NAME (PRINTED & SIGNED) E.G. PRIETO, LT.	OWNER'S TITLE Area Commander	DATE MONTH/DAY/YEAR 11/14/95
--	--	--

LOCAL AGENCY USE ONLY

COUNTY # 01	JURISDICTION # 01	FACILITY # 117941
LOCATION CODE - OPTIONAL	CENSUS TRACT # - OPTIONAL	SUPVISOR - DISTRICT CODE - OPTIONAL

THIS FORM MUST BE ACCOMPANIED BY AT LEAST (1) OR MORE PERMIT APPLICATION - FORM B, UNLESS THIS IS A CHANGE OF SITE INFORMATION ONLY.
OWNER MUST FILE THIS FORM WITH THE LOCAL AGENCY IMPLEMENTING THE UNDERGROUND STORAGE TANK REGULATIONS

INSTRUCTIONS FOR COMPLETING FORM "A"

GENERAL INSTRUCTIONS:

SECTION 2711 OF TITLE 23, CHAPTER 16, CALIFORNIA CODE OF REGULATIONS AND SECTIONS 25286, 25287, AND 25289 OF CHAPTER 6.7, DIVISION 20, CALIFORNIA HEALTH AND SAFETY CODE REQUIRE OWNERS TO APPLY FOR AN UST OPERATING PERMIT.

1. One FORM "A" shall be completed for all NEW PERMIT CHANGES or any FACILITY/SITE INFORMATION CHANGES.
2. SUBMIT ONLY ONE (1) FORM "A" for a Facility/Site, regardless of the number of tanks located at the site.
3. This form should be completed by either the PERMIT APPLICANT or the LOCAL AGENCY UNDERGROUND TANK INSPECTOR.
4. Please type or print clearly all requested information.
5. Use a hard point writing instrument, you are making 3 copies.
6. Tank owner must submit a facility plot plan to the local agency as part of the application showing the location of the USTs with respect to buildings and landmarks [Section 2711 (a)(8), CCR].
7. Tank owner must submit documentation showing compliance with state financial responsibility requirements to the local agency as part of the application for petroleum USTs [Section 2711 (a)(11), CCR].

TOP OF FORM: "MARK ONLY ONE ITEM"

Mark an (X) in the box next to the item that best describes the reason the form is being completed.

I. FACILITY/SITE INFORMATION & ADDRESS (MUST BE COMPLETED)

1. Record name and address (physical location) of the underground tank(s).

NOTE: Address MUST have a valid physical location including city, state, and zip code.

P.O. BOX NUMBERS ARE NOT ACCEPTABLE.

Include nearest cross street and name of the operator.

2. Phone number must have an area code. If the night number is the same, write "SAME" in proper location.
3. Check the appropriate box for TYPE OF BUSINESS OWNERSHIP (ex. CORPORATION, INDIVIDUAL, etc.).
4. Check the appropriate box for TYPE OF BUSINESS.
5. If Facility/Site is located within an Indian reservation or other Indian trust lands, check the box marked "YES".
6. Indicate the NUMBER of TANKS at this SITE.
7. Record the E.P.A. ID # or write "NONE" in the space provided.

II. PROPERTY OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION I; If the same, write "SAME AS SITE" across this section. Be sure to check PROPERTY OWNERSHIP TYPE box.

III. TANK OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION I; If the same, write "SAME AS SITE" across this section. Be sure to check TANK OWNERS TYPE box.

IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER (MUST BE COMPLETED. SEE ARTICLE 5, CHAPTER 6.75, DIVISION 20, CALIFORNIA HEALTH AND SAFETY CODE.)

Enter your Board of Equalization (BOE) UST storage fee account number which is required before your permit application can be processed.

Registration with the BOE will ensure that you will receive a quarterly storage fee return in reporting the \$0.006 (sixths) per gallon fee due on the number of gallons placed in your USTs. The BOE will code persons exempt from paying the storage fee so returns will not be sent. If you do not have an account number with the BOE or if you have any questions regarding the fee or exemptions, please call the BOE at 916 322-8669 or write to the BOE at the following address Board of Equalization, Fuel Taxes Division, P.O. Box 942879, Sacramento, CA 94279-0001.

V. PETROLEUM UST FINANCIAL RESPONSIBILITY (MUST BE COMPLETED FOR PETROLEUM USTs ONLY, SEE SECTIONS 2711 (a)(8) OF TITLE 23, CHAPTER 16, CALIFORNIA CODE OF REGULATIONS.)

Identify the method(s) used by the owner and/or operator, in meeting the Federal and State financial responsibility requirements. USTs owned by any Federal or State agency as well as non-petroleum USTs are exempt from this requirement.

VI. LEGAL NOTIFICATION AND BILLING ADDRESS

Check ONE BOX for the address that will be used for BOTH LEGAL AND BILLING NOTIFICATIONS.

TANK OWNER OR AUTHORIZED REPRESENTATIVE MUST SIGN AND DATE THE FORM AS INDICATED. [SEE SECTIONS 2711 (a)(13) OF TITLE 23 CHAPTER 16, CALIFORNIA CODE OF REGULATIONS.]

INSTRUCTION FOR THE LOCAL AGENCIES

The county an jurisdiction numbers are predetermined and can be obtained by calling the State Board (916) 227-4303. The facility number may be assigned by the local agency; however, this number must be numerical and cannot contain any alphabetical characters. If the local agency prefers the State Board to assign the facility number, please leave it blank.

IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THIS APPLICATION CANNOT BE PROCESSED IF THE BOE ACCOUNT NUMBER IS NOT FILLED IN. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS. THE LOCAL AGENCY SHOULD RETAIN THE ORIGINALS AND FORWARD THE YELLOW COPIES TO THE FOLLOWING ADDRESS. THE PINK COPY SHOULD BE RETAINED BY THE TANK OWNER.

DEC 18 1995



STATE OF CALIFORNIA
STATE WATER RESOURCES CONTROL BOARD
UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM B
Chico, California

COMPLETE A SEPARATE FORM FOR EACH TANK SYSTEM

MARK ONLY ONE ITEM	<input type="checkbox"/> 1 NEW PERMIT	<input checked="" type="checkbox"/> 3 RENEWAL PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED ON SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY TANK CLOSURE	<input type="checkbox"/> 8 TANK REMOVED

DBA OR FACILITY NAME WHERE TANK IS INSTALLED:

I. TANK DESCRIPTION COMPLETE ALL ITEMS - SPECIFY IF UNKNOWN

A. OWNER'S TANK I.D.#	B. MANUFACTURED BY:
C. DATE INSTALLED (MO/DAY/YEAR) 1979	D. TANK CAPACITY IN GALLONS: 12,000

II. TANK CONTENTS IFA-1 IS MARKED, COMPLETE ITEM C.

A. <input checked="" type="checkbox"/> 1 MOTOR VEHICLE FUEL	<input type="checkbox"/> 4 OIL	B. <input type="checkbox"/> 1 PRODUCT	C. <input type="checkbox"/> 1a REGULAR UNLEADED	<input type="checkbox"/> 3 DIESEL	<input type="checkbox"/> 6 AVIATION GAS
<input type="checkbox"/> 2 PETROLEUM	<input type="checkbox"/> 80 EMPTY	<input type="checkbox"/> 2 WASTE	<input type="checkbox"/> 1b PREMIUM UNLEADED	<input type="checkbox"/> 4 GASAHOL	<input type="checkbox"/> 7 METHANOL
<input type="checkbox"/> 3 CHEMICAL PRODUCT	<input type="checkbox"/> 95 UNKNOWN		<input type="checkbox"/> 2 LEADED	<input type="checkbox"/> 5 JET FUEL	<input type="checkbox"/> 99 OTHER (DESCRIBE IN ITEM D. BELOW)

D. IF (A.1) IS NOT MARKED, ENTER NAME OF SUBSTANCE STORED C. A. S. #:

III. TANK CONSTRUCTION MARK ONE ITEM ONLY IN BOXES A, B, AND C, AND ALL THAT APPLIES IN BOX D AND E

A. TYPE OF SYSTEM	<input type="checkbox"/> 1 DOUBLE WALL	<input type="checkbox"/> 3 SINGLE WALL WITH EXTERIOR LINER	<input type="checkbox"/> 95 UNKNOWN
	<input checked="" type="checkbox"/> 2 SINGLE WALL	<input type="checkbox"/> 4 SECONDARY CONTAINMENT (VAULTED TANK)	<input type="checkbox"/> 99 OTHER
B. TANK MATERIAL (Primary Tank)	<input type="checkbox"/> 1 BARE STEEL	<input type="checkbox"/> 2 STAINLESS STEEL	<input checked="" type="checkbox"/> 3 FIBERGLASS
	<input type="checkbox"/> 5 CONCRETE	<input type="checkbox"/> 8 POLYVINYL CHLORIDE	<input type="checkbox"/> 7 ALUMINUM
	<input type="checkbox"/> 9 BRONZE	<input type="checkbox"/> 10 GALVANIZED STEEL	<input type="checkbox"/> 95 UNKNOWN
C. INTERIOR LINING	<input type="checkbox"/> 1 RUBBER LINED	<input type="checkbox"/> 2 ALKYD LIVING	<input type="checkbox"/> 3 EPOXY LINING
	<input type="checkbox"/> 5 GLASS LINING	<input type="checkbox"/> 6 UNLINED	<input checked="" type="checkbox"/> 95 UNKNOWN
	IS LINING MATERIAL COMPATIBLE WITH 100% METHANOL? YES ___ NO ___		<input type="checkbox"/> 4 PHENOLIC LINING
D. CORROSION PROTECTION	<input type="checkbox"/> 1 POLYETHYLENE WRAP	<input type="checkbox"/> 2 COATING	<input type="checkbox"/> 3 VINYL WRAP
	<input type="checkbox"/> 5 CATHODIC PROTECTION	<input type="checkbox"/> 91 NONE	<input checked="" type="checkbox"/> 95 UNKNOWN
E. SPILL AND OVERFILL	SPILL CONTAINMENT INSTALLED (YEAR) _____		OVERFILL PREVENTION EQUIPMENT INSTALLED (YEAR) _____

IV. PIPING INFORMATION CIRCLE A IF ABOVE GROUND OR U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE	A U 1 SUCTION	A U 2 PRESSURE	A U 3 GRAVITY	A U 99 OTHER
B. CONSTRUCTION	A U 1 SINGLE WALL	A U 2 DOUBLE WALL	A U 3 LINED TRENCH	A U 95 UNKNOWN
C. MATERIAL AND CORROSION PROTECTION	A U 1 BARE STEEL	A U 2 STAINLESS STEEL	A U 3 POLYVINYL CHLORIDE (PVC)	A U 4 FIBERGLASS PIPE
	A U 5 ALUMINUM	A U 6 CONCRETE	A U 7 STEEL W/ COATING	A U 8 100% METHANOL COMPATIBLE W/FRP
	A U 9 GALVANIZED STEEL	A U 10 CATHODIC PROTECTION	A U 95 UNKNOWN	A U 99 OTHER <u>STEEL</u>
D. LEAK DETECTION	<input checked="" type="checkbox"/> 1 AUTOMATIC LINE LEAK DETECTOR	<input type="checkbox"/> 2 LINE TIGHTNESS TESTING	<input type="checkbox"/> 3 INTERSTITIAL MONITORING	<input type="checkbox"/> 99 OTHER

V. TANK LEAK DETECTION

<input type="checkbox"/> 1 VISUAL CHECK	<input type="checkbox"/> 2 INVENTORY RECONCILIATION	<input type="checkbox"/> 3 VADOZE MONITORING	<input checked="" type="checkbox"/> 4 AUTOMATIC TANK GAUGING	<input type="checkbox"/> 5 GROUND WATER MONITORING
<input type="checkbox"/> 6 TANK TESTING	<input type="checkbox"/> 7 INTERSTITIAL MONITORING	<input type="checkbox"/> 81 NONE	<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER

VI. TANK CLOSURE INFORMATION

1. ESTIMATED DATE LAST USED (MO/DAY/YR) DAILY	2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING 5400 GALLONS	3. WAS TANK FILLED WITH INERT MATERIAL? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
---	---	---

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE) CALIFORNIA HIGHWAY PATROL E.G. PRIETO, Lt. <i>[Signature]</i>	DATE 11/14/95
--	---------------

LOCAL AGENCY USE ONLY THE STATE I.D. NUMBER IS COMPOSED OF THE FOUR NUMBERS BELOW

STATE I.D.#	COUNTY #	JURISDICTION #	FACILITY #	TANK #
			17941	
PERMIT NUMBER	PERMIT APPROVED BY/DATE	PERMIT EXPIRATION DATE		

THIS FORM MUST BE ACCOMPANIED BY A PERMIT APPLICATION - FORM A, UNLESS A CURRENT FORM A HAS BEEN FILED.
FILE THIS FORM WITH THE LOCAL AGENCY IMPLEMENTING THE UNDERGROUND STORAGE TANK REGULATIONS

INSTRUCTIONS FOR COMPLETING FORM "B"

GENERAL INSTRUCTIONS

1. One FORM "B" shall be completed for each tank for all NEW PERMITS, PERMIT CHANGES, REMOVALS and/or any other TANK INFORMATION CHANGE.
2. This form should be completed by either the PERMIT APPLICANT or the LOCAL AGENCY UNDERGROUND TANK INSPECTOR.
3. Please type or print clearly all requested information.
4. Use a hard point writing instrument, you are making 3 copies.

TOP OF FORM: 'MARK ONLY ONE ITEM'

1. Mark an (X) in the box next to the item that best describes the reason the form is being completed.
2. Indicate the DBA or Facility name where the tank is installed.

I. TANK DESCRIPTION - COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

- A. Indicate owners tank ID # - If there is a tank number that is used by the owner to identify the tank (ex. AB70789).
- B. Indicate the name of the company that manufactured the tank (ex. ACME TANK MFG).
- C. Indicate the year the tank was installed (ex. 1987).
- D. Indicate the tank capacity in gallons (ex. 25,000 or 10,000 etc.)

II. TANK CONTENTS

- A. 1. IF MOTOR VEHICLE FUEL, check box 1 and complete items B & C.
2. If not MOTOR VEHICLE FUEL, check the appropriate box in section A and complete items B & D.
- B. Check the appropriate box.
- C. Check the type of MOTOR VEHICLE FUEL (if box 1 is checked in A).
- D. Print the chemical name of the hazardous substance stored in the tank and the C.A.S.#. (Chemical Abstract Service number), if box 1 is NOT checked in A.

III. TANK CONSTRUCTION - MARK ONE ITEM ONLY IN BOX A, B, C & D

1. Check only one item in TYPE OF SYSTEM, TANK MATERIAL, INTERIOR LINING and CORROSION PROTECTION.
2. If OTHER, print in the space provided.

IV. PIPING INFORMATION

1. Circle A if above ground circle U if underground, and circle both if applicable.
2. If UNKNOWN circle; or if OTHER, print in space provided
3. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirement for the piping.

V. TANK LEAK DETECTION

1. Indicate the LEAK DETECTION system(s) used to comply with the monitoring requirements for the tank.

VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

1. ESTIMATED DATE LAST USED - MONTH/YEAR (January, 1988 or 01/88)
2. ESTIMATED QUANTITY of HAZARDOUS SUBSTANCE remaining in the tank (in Gallons).
3. WAS TANK FILLED WITH INERT MATERIAL? Check 'Yes' or 'NO'

APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.

INSTRUCTION FOR THE LOCAL AGENCIES

The state underground storage tank identification number is composed of the two digit county number, the three digit jurisdiction number, the six digit facility number and the six digit tank number. The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916) 227-4303. The facility number must be the same as shown in form "A". The tank number may be assigned by the local agency, however, this number must be numerical, and cannot contain an alphabet. If the local agency prefers the State Board to assign the tank number, please leave it blank.

IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS.



FORM 'A':
SITE

UNDERGROUND STORAGE TANK PROGRAM
FACILITY/SITE, INFORMATION and/or PERMIT APPLICATION

COMPLETE THIS FORM FOR EACH FACILITY/SITE

No 10043

MARK ONLY ONE ITEM	<input checked="" type="checkbox"/> 1 NEW PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY SITE CLOSURE	

I. FACILITY/SITE INFORMATION & ADDRESS — (MUST BE COMPLETED)

FACILITY/SITE NAME CALIFORNIA HIGHWAY PATROL		CARE OF ADDRESS INFORMATION 995 FIR STREET		
ADDRESS 995 FIR STREET		NEAREST CROSS STREET HUMBOLDT	<input checked="" type="checkbox"/> Box to indicate <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL AGENCY <input type="checkbox"/> FEDERAL AGENCY <input type="checkbox"/> COUNTY AGENCY	
CITY NAME CHICO		STATE CA	ZIP CODE 95928	SITE PHONE #, WITH AREA CODE (916) 895-4444
TYPE OF BUSINESS: <input type="checkbox"/> 2 DISTRIBUTOR <input type="checkbox"/> 4 PROCESSOR <input checked="" type="checkbox"/> Box if INDIAN RESERVATION or TRUST LANDS		EPA ID # 0297		# of TANKS AT THIS SITE 1
<input type="checkbox"/> 1 GAS STATION <input type="checkbox"/> 3 FARM <input checked="" type="checkbox"/> 5 OTHER				
EMERGENCY CONTACT PERSON (PRIMARY)		EMERGENCY CONTACT PERSON (SECONDARY)		
DAYS: NAME (LAST, FIRST) PHONE # WITH AREA CODE Lt. Warren Lofftus (916) 895-4444		DAYS: NAME (LAST, FIRST) PHONE # WITH AREA CODE Sgt. Arthur Bowen (916) 895-4444		
NIGHTS: NAME (LAST, FIRST) PHONE # WITH AREA CODE Same As Above (916) 895-4453		NIGHTS: NAME (LAST, FIRST) PHONE # WITH AREA CODE Same as Above (916) 895-4453		

II. PROPERTY OWNER INFORMATION & ADDRESS — (MUST BE COMPLETED)

NAME CALIFORNIA HIGHWAY PATROL		CARE OF ADDRESS INFORMATION 2555 First Avenue		
MAILING or STREET ADDRESS P. O. BOX 942898		<input checked="" type="checkbox"/> Box to indicate <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL AGENCY <input type="checkbox"/> FEDERAL AGENCY <input type="checkbox"/> COUNTY AGENCY		
CITY NAME SACRAMENTO		STATE CA	ZIP CODE 94298-0001	PHONE #, WITH AREA CODE (916) 445-1564

III. TANK OWNER INFORMATION & ADDRESS — (MUST BE COMPLETED)

NAME CALIFORNIA HIGHWAY PATROL		CARE OF ADDRESS INFORMATION 2555 First Avenue		
MAILING or STREET ADDRESS P. O. BOX 942898		<input checked="" type="checkbox"/> Box to indicate <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input checked="" type="checkbox"/> STATE AGENCY <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL AGENCY <input type="checkbox"/> FEDERAL AGENCY <input type="checkbox"/> COUNTY AGENCY		
CITY NAME SACRAMENTO		STATE CA	ZIP CODE 94298-0001	PHONE #, WITH AREA CODE (916) 445-1564

IV. LEGAL NOTIFICATION AND BILLING ADDRESS

CHECK ONE (1) BOX INDICATING WHICH ABOVE ADDRESS SHOULD BE USED FOR BOTH LEGAL NOTIFICATION AND BILLING: I. II. III.

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT.

APPLICANT'S NAME (PRINTED & SIGNATURE) W. LOFFTUS, Lieutenant	DATE 4-23-90
---	------------------------

LOCAL AGENCY USE ONLY

COUNTY #	JURISDICTION #	AGENCY #	FACILITY ID #	# of TANKS at SITE
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
CURRENT LOCAL AGENCY FACILITY ID #		APPROVED BY NAME		PHONE # WITH AREA CODE
<input type="text"/>		<input type="text"/>		<input type="text"/>
PERMIT NUMBER	PERMIT APPROVAL DATE	PERMIT EXPIRATION DATE		
<input type="text"/>	<input type="text"/>	<input type="text"/>		
LOCATION CODE	CENSUS TRACT #	SUPERVISOR-DISTRICT CODE	BUSINESS PLAN FILED YES <input type="checkbox"/> NO <input type="checkbox"/>	DATE FILED
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
CHECK #	PERMIT AMOUNT	SURCHARGE AMOUNT	FEE CODE	RECEIPT # BY:
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

THIS FORM MUST BE ACCOMPANIED BY AT LEAST (1) OR MORE TANK PERMIT FORM 'B' APPLICATION(S), UNLESS THIS IS A CHANGE OF SITE INFORMATION ONLY. FORM A (3-2-88)

DATA PROCESSING COPY

STATE OF CALIFORNIA

WATER RESOURCES CONTROL BOARD



FORM B TANK

UNDERGROUND STORAGE TANK PROGRAM TANK PERMIT APPLICATION INFORMATION

COMPLETE A SEPARATE FORM WITH THE FOLLOWING INFORMATION FOR EACH TANK.

MARK ONLY ONE ITEM	<input checked="" type="checkbox"/> 1 NEW PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED TANK
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY TANK CLOSURE	<input type="checkbox"/> 8 TANK REMOVED

FACILITY/SITE NAME WHERE TANK IS INSTALLED: CALIFORNIA HIGHWAY PATROL FARM TANK - YES NO

I. TANK DESCRIPTION COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

A. OWNERS TANK ID # 0297	OSA Tank #	B. MANUFACTURED BY: Owens/Corning Fiberglas
C. YEAR INSTALLED 1978		D. TANK CAPACITY IN GALLONS: 12,000

II. TANK CONTENTS IF (A.1), IS MARKED, COMPLETE ITEM C. IF (A.1), IS NOT MARKED, COMPLETE ITEM D.

A. <input checked="" type="checkbox"/> 1 MOTOR VEHICLE FUEL	<input type="checkbox"/> 2 PETROLEUM	B. <input checked="" type="checkbox"/> 1 PRODUCT	C. <input checked="" type="checkbox"/> 1 UNLEADED	<input type="checkbox"/> 2 LEADED	<input type="checkbox"/> 3 DIESEL
<input type="checkbox"/> 3 CHEMICAL PRODUCT	<input type="checkbox"/> 4 OIL	<input type="checkbox"/> 2 WASTE	<input type="checkbox"/> 4 GASAHOL	<input type="checkbox"/> 5 JET FUEL	<input type="checkbox"/> 6 AVIATION GAS
<input type="checkbox"/> 5 HAZARDOUS	<input type="checkbox"/> 80 EMPTY	<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 7 METHANOL	<input type="checkbox"/> 99 OTHER (DESCRIBE IN ITEM D, BELOW)	

D. IF NOT MOTOR VEHICLE FUEL, ENTER NAME OF HAZARDOUS SUBSTANCE STORED & C.A.S. # C.A.S. #:

III. TANK CONSTRUCTION MARK ONE ITEM ONLY IN BOX A, B, C, & D

A. TYPE OF SYSTEM	<input type="checkbox"/> 1 DOUBLE WALLED	<input type="checkbox"/> 3 SINGLE WALLED WITH EXTERIOR LINER	<input type="checkbox"/> 95 UNKNOWN
	<input checked="" type="checkbox"/> 2 SINGLE WALLED	<input type="checkbox"/> 4 SECONDARY CONTAINMENT	<input type="checkbox"/> 99 OTHER
B. TANK MATERIAL	<input type="checkbox"/> 1 STEEL/IRON	<input type="checkbox"/> 2 STAINLESS STEEL	<input checked="" type="checkbox"/> 3 FIBERGLASS
	<input type="checkbox"/> 5 CONCRETE	<input type="checkbox"/> 6 POLYVINYL CHLORIDE	<input type="checkbox"/> 7 ALUMINUM
	<input type="checkbox"/> 9 BRONZE	<input type="checkbox"/> 10 GALVANIZED STEEL	<input type="checkbox"/> 95 UNKNOWN
C. INTERIOR LINING	<input type="checkbox"/> 1 RUBBER LINED	<input type="checkbox"/> 2 ALKYD LINING	<input type="checkbox"/> 3 EPOXY LINING
	<input type="checkbox"/> 5 GLASS LINING	<input checked="" type="checkbox"/> 6 UNLINED	<input type="checkbox"/> 4 PHENOLIC LINING
	IS LINING MATERIAL COMPATIBLE WITH 100% METHANOL?		<input type="checkbox"/> 95 UNKNOWN
			<input type="checkbox"/> 99 OTHER
D. CORROSION PROTECTION	<input type="checkbox"/> 1 POLYETHYLENE WRAP	<input type="checkbox"/> 2 TAR OR ASPHALT	<input type="checkbox"/> 3 VINYL WRAP
	<input type="checkbox"/> 5 CATHODIC PROTECTION	<input type="checkbox"/> 91 NONE	<input checked="" type="checkbox"/> 95 UNKNOWN
			<input type="checkbox"/> 4 FIBERGLASS REINFORCED PLASTIC
			<input type="checkbox"/> 99 OTHER

IV. PIPING INFORMATION CIRCLE A IF ABOVE GROUND, U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE	A U 1 SUCTION	A U 2 PRESSURE	A U 3 GRAVITY	A U 99 OTHER
B. CONSTRUCTION	A U 1 SINGLE WALLED	A U 2 DOUBLE WALLED	A U 3 LINED TRENCH	A U 95 UNKNOWN
C. MATERIAL	A U 1 STEEL/IRON	A U 2 STAINLESS STEEL	A U 3 POLYVINYL CHLORIDE (PVC)	A U 4 FIBERGLASS PIPE
	A U 5 ALUMINUM	A U 6 CONCRETE	A U 7 STEEL CLAD W/FRP	A U 8 100% METHANOL COMPATIBLE FRP
	A U 9 GALVANIZED STEEL	A U 95 UNKNOWN	A U 99 OTHER	

V. LEAK DETECTION SYSTEM CIRCLE P FOR PRIMARY, OR S FOR SECONDARY. A PRIMARY LEAK DETECTION SYSTEM MUST BE CIRCLED.

P S 1 VISUAL CHECK	P S 2 INVENTORY RECONCILIATION	P S 3 VADOSE WELLS	P S 4 ELECTRONIC MONITOR	P S 5 GROUND WATER MONITORING WELLS
P S 6 PRECISION TESTING	P S 7 PRESSURE TESTING	P S 91 NONE	P S 95 UNKNOWN	P S 99 OTHER

VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

1. ESTIMATED DATE LAST USED (MO/YR) N/A	2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING IN GALLONS	3. WAS TANK FILLED WITH INERT MATERIAL? <input type="checkbox"/> YES <input type="checkbox"/> NO
--	---	--

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT.


APPLICANT'S NAME (PRINTED & SIGNATURE) W. LOFFTUS, Lieutenant	DATE 4-23-90
--	-----------------

LOCAL AGENCY USE ONLY

COUNTY #	JURISDICTION #	AGENCY #	FACILITY ID #	TANK ID #
CURRENT LOCAL AGENCY FACILITY ID #	APPROVED BY NAME	PHONE # WITH AREA CODE		
PERMIT NUMBER	PERMIT APPROVAL DATE	PERMIT EXPIRATION DATE		
CHECK #	PERMIT AMOUNT	SURCHARGE AMT.	FEE CODE	RECEIPT #
				BY:

FORM B (3-7-88) THIS FORM MUST BE ACCOMPANIED BY A FACILITY/SITE APPLICATION, FORM 'A', UNLESS A CURRENT FORM 'A' HAS BEEN FILED

N9 17845



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

March 1, 2001

Mr. John Lynch
Wright Environmental Services, Inc.
67 E. 10th Street
Tracy, CA 95376

9-17-01 @ 9:50 AM
Left msg for Ligaya
to call me 8-9 AM

RE: CHP @ 975 Fir Street, Chico; APN: 002-060-012

Dear Mr. Lynch:-

In response to your letter dated February 8, 2001, we offer the following:

1. Any additional work above and beyond that completed under the original permit to the underground tank system will require another application for repair, fees, cut sheets, work plan, etc., before a permit can be issued.
2. A copy of the results to the system tightness test has not been forwarded to this department.
3. All new piping is to be double wall.

If you have any questions, I can be contacted at the Chico office listed above between 8:00 a.m. and 9:00 a.m., Monday through Friday.

Sincerely,

Greg Lyon, R.E.H.S.
Division of Environmental Health

GKL:rlh:ust:chp975FirStreet

cc: Ligaya Reyes-Ibanez, CHP



**Wright
Environmental
Services, Inc.**

Construction ♦ Engineering ♦ Remediation

116
ENVIRONMENTAL HEALTH

FEB 12 2001

Chico, California

February 8, 2001

Mr. Greg Lyon
Butte County Department of Public Health
Division of Environmental Health
P.O. Box 5364
Chico CA 95927

Re: CHP 975 Fir Street, Chico CA
Dispenser, Fuel Management System Replacement Project

Dear Mr. Lyon:

As we discussed Wright Environmental Services, Inc. (Wright) requests a modification to the November 22, 2000 permit issued by your office to install the new dispenser at the above referenced site.

The modification requested is to allow the installation of a new single wall fiberglass supply pipe from the submersible turbine to the dispenser (approximately 12 feet). The existing line could not pass a precision line test despite having passed an air test witnessed by your agency. The existing line has an inline leak detector with positive shutdown of the turbine (ILS-350) Wright will ensure the leak detector is reinstalled and wired to positively shutdown the system in the event of a leak being detected. In addition, Wright will have the cathode protection system, which includes anodes at each end of the existing line certified as required for the type of fittings used at each end of the line.

As we discussed the CHP has indicated they will be replacing the UST next year and are aware that the single wall piping, tank and will require replacement or closure. The above noted pipeline replacement is an interim measure allowing the system to function while contracts are let for replacement and or closure of the existing fuel tank.

Please indicate your authorization to our Tracy CA, office and copy to Ms Ligaya Reyes-Ibanez at CHP Facilities Section, P.O. Box 942898, Sacramento CA 94298-0001. Your faxed approval to our office (209-832-5219fax) would be appreciated for scheduling reasons. Should you have any Questions please contact Ligaya at 916-375-2936 or myself at 209-833-0758.

Yours truly,
John Lynch

Wright Environmental Services, Inc.

cc Ligaya Ibanez, CHP

67 E. 10th Street ♦ Tracy, CA 95376
209.833.0758 ♦ Fax 209.832.5152
wright@inreach.com Lic. #651501 A-B HazMat
websit <http://home.inreach.com/wright>



OFFICIAL NOTICE
BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

P. O. BOX 5364
CHICO, CALIFORNIA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 COUNTY CENTER DRIVE
OROVILLE, CALIFORNIA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

DATE: 

TO:

Wright Environmental

SUBJECT:

Dispenser from water's CHIP 995 Fir St Chico

INSTRUCTIONS:

*Check all last on primary product line and
water test on dispenser from this lot*

TIME _____

DAYS _____

RECEIVED COPY

Harold Sauer

ENVIRONMENTAL HEALTH SPECIALIST



118
RECEIVED

ENVIRONMENTAL HEALTH

NOV 14 2000

Chico, California



Wright
Environmental
Services, Inc.

Construction * Engineering * Remediation

TRANSMITTAL

PAGE: 114

TO: *Greg Gait*

Fax#: 530/895 6512

Phone: _____

E-Mail: _____

From: *Elisa or John Beach*

Date: 11/14/00

WE ARE SENDING YOU:

Prints Plans Specifications

For approval Your Copies As Requested

Copy of Letter Attached Please Sign & Return

RE: *We need the permit as soon as possible - we are set to start work next week*

Thank you

Confidentiality Notice

The document(s) accompanying this transmittal contain confidential information belonging to the sender which is legally privileged. The information is intended only for use of the individual or entity name in direct business dealings with Wright Environmental Services, Inc. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of action in reliance on the contents of the information by the recipient or any other party is expressly forbidden except with written authorization from Wright Environmental Services, Inc.

67 E. 10th Street, Tracy, CA 95376
209-833-0758 *Fax 209-832-5152

wright@inreach.com License 651501 A-B HazMat DVBE

Wright
Environmental
Services, Inc.

Construction ♦ Engineering ♦ Remediation

ENVIRONMENTAL HEALTH

November 6, 2000

NOV 20 2000

Chico, California

Greg Lyon
Department of Public Health
Butte County
411 Main Street
P.O. Box 5364
Chico, CA 95927

Dear Mr. Lyon,

The CHP has decided to install a new tank next year and do not wish to upgrade the product piping at this time, therefore our scope of work will include the installation of a new dispenser and a new dispenser pan. The product piping will be connected to the new dispenser pan with metallic piping as before, and the existing cathodic protection system will be reconnected. I have talked with Ligaya Reyes-Ibanez of the CHP facilities, and she understands that the cathodic protection will have to be recertified.

The dispenser island will be restored to the existing condition after the new installation.

The E.J. Ward Fuel Management System will not be installed.

A precision test of the product piping and water test of the dispenser pan will be conducted.

Respectfully,

John Bench

John Bench
Estimator

*11/17/2000
resent 11/14 + current
ASAP, please work out to start
next week*

67 E. 10th Street ♦ Tracy, CA 95376
209.833.0758 ♦ Fax 209.832.5152
wright@inreach.com Lic. #651501 A-B Haz/Mat
website <http://home.inreach.com/wright>



COUNTY OF BUTTE
OFFICIAL RECEIPT

312736

Chad E.H.

11-20-2020

OFFICE OR DEPARTMENT ISSUING RECEIPT

Received from *Wright Environmental Services Inc.*

The Sum of *One hundred thirty two & no/100 - \$132.00*

For *UST piping upgrade, C&P, 995 Fer St*

Received: CASH

CHECK *3360*

Received By *JE*

Title _____

By _____

The Village Printer, Inc. (530) 977-9693

Resubmitted

ENVIRONMENTAL HEALTH

NOV 14 2000

Chico, California

Lost →

WRIGHT ENVIRONMENTAL SERVICES, INC.
 CORPORATION HEADQUARTERS
 BUS. LIC. NO. 651501
 67 F. JOLLISETT RD. #200
 HUNTINGTON BEACH, CA 92648

DATE 9-19-00 9010731211

PAY TO THE ORDER OF Dept. Public Health
 One Hundred Thirty Two ⁰⁰/₁₀₀ DOLLARS \$132.00

BANK OF STOCKTON
 BRANCH OFFICE
 HUNTINGTON BEACH, CA 92648

FOR Check- 24th's Review & Inspection Maria R

⑆003287⑆ ⑆121101037⑆ 2400662051001

3287

11-14-00
 [Handwritten initials and notes]



**Wright
Environmental
Services, Inc.**

Construction ♦ Engineering ♦ Remediation

**Environmental Health
NOV 21 2000
Chico, California**

~~November 6, 2000~~

Greg Lyon
Department of Public Health
Butte County
411 Main Street
P.O. Box 5364
Chico, CA 95927

Dear Mr. Lyon,

The CHP has decided to install a new tank next year and do not wish to upgrade the product piping at this time, therefore our scope of work will include the installation of a new dispenser and a new dispenser pan. The product piping will be connected to the new dispenser pan with metallic piping as before, and the existing cathodic protection system will be reconnected. I have talked with Ligaya Reyes-Ibanez of the CHP facilities, and she understands that the cathodic protection will have to be recertified.

The dispenser island will be restored to the existing condition after the new installation.

The E.J. Ward Fuel Management System will not be installed.


A precision test of the product piping and water test of the dispenser pan will be conducted.

Respectfully,

John Bench
Estimator

67 E. 10th Street ♦ Tracy, CA 95376
209.833.0758 ♦ Fax 209.832.5152
wright@inreach.com Lic. #651501 A-B HazMat
website <http://home.inreach.com/wright>





Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 638-7281
FAX: (530) 538-2140

September 14, 2000

Wright Environmental Services, Inc,
67 E. 10th St.
Tracy, CA 95376
Attn: Mr. John Bench

Re: Underground Storage Tank System (UST) Modification Permit Application, California Highway Patrol, 955 Fir Street, Chico

Dear Mr. Bench:

I have reviewed the cut sheets submitted for the proposed fuel dispenser and dispenser pan replacement at the above address. The following will be required prior to permit issuance:

- 1) Submit inspection fees of \$132 based on a total of two hours review and inspection time. Additional hourly fees may be required if substantial additional review and/or inspection time is required.
- 2) Submit a brief "scope of work" statement, and plot plan. The scope of work should include proposed disposition of the dispenser island.
- 3) Please provide specifications for equipment to be installed to provide connection from dispenser pan to existing product piping. As per our telephone conversation, it may be desirable to visually evaluate existing piping prior to selecting necessary connection equipment. You may wish to provide for field evaluation, product selection and agency approval in your scope of work.

As we discussed, a precision test of the product piping and water test of the dispenser pan will be required prior to putting the system service. Recertification of the piping cathodic protection system will be also be required, if the existing metallic swing joints or other metallic piping components are to remain in contact with soil or backfill material.

Sincerely,

Vance Severin
Program Manager

cc: Greg Lyon

A:\UST\CHP.doc

BUTTE COUNTY
DIVISION

P.O. BOX 5

F A

FROM: _____

DATE: ~~9/1/01~~

TO: John Bench

CO/DEPT: _____

PHONE: () _____ FAX #: (209) 832-5152

COMMENTS: _____

GL/memos/faxcover

Please FAX Clipped pages.

Attn: John Bench
Wright Environmental Services

209 832-5152

902 U.S.

0324



Butte County
ENVIRONMENTAL HEALTH
SEP 12 2000

Chico, California

DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Oroville, CA 95965
TEL: () 536-7262
FAX: () 536-2185

411 Main Street
P.O. Box 5304
Chico, CA 95927
TEL: () 891-2727
FAX: () 895-8512

7 County Center Drive
Oroville, CA 95965
TEL: () 536-7261
FAX: () 536-2140

UNDERGROUND TANK REPAIR/MODIFICATION
PERMIT APPLICATION

This permit expires in six months

FACILITY/SITE INFORMATION & ADDRESS (MUST BE COMPLETED):

FACILITY NAME Department of California Highway Patrol

FACILITY ADDRESS 995 Fir Street

NEAREST CROSS STREET Humbolt PHONE NO. 530-879-1999

OWNERS NAME California Highway Patrol

OWNERS ADDRESS 860 Stillwater Road, West Sacramento CA 95605-1649

CONTRACTOR INFORMATION:

CONTRACTOR'S NAME Wright Env. Serv. LICENSE TYPE & NO. A-B HazMat

CONTRACTOR'S ADDRESS 67 E 10th Street PHONE NO. 209-833-0758

DESCRIPTION OF WORK: Remove and replace under dispenser
drip pan, remove and replace dispenser unit

APPLICANT'S SIGNATURE: John R. Bench DATE: 9/12/00

*Note: Please attach a blueprint/plot diagram of the facility and the repairs.

OFFICE USE

Rcpt. No. 312736 Amount/Date \$132.⁰⁰ 11-20-00

Permit: Approved Denied Expires 9-12-2001

G. Lyon Nov. 21, 2000
Authorized Signature Date

UST/00/ugcepa15 A CLEAN INDOOR AIR ENVIRONMENT FOR A HEALTHIER TOMORROW



11-21-00
Med to CHP & Wright Env.



Wright Environmental Services, Inc.

Construction * Engineering * Remediation

ENVIRONMENTAL HEALTH
SEP 12 2000
Chico, California

TRANSMITTAL

PAGE: 1 / 10

TO: Vance Severin

Fax#: 530-895-6512

Phone:

E-Mail:

From: John Bench

Date: 9/12/00

WE ARE SENDING YOU:

- Prints Plans Specifications
- For approval Your Copies As Requested
- Copy of Letter Attached Please Sign & Return

RE: CHP, Chico

Attached are copies of the cut sheets for the equipment to be installed. Please call me if the fax does not transmit clearly, or if there is anything else you need.

Thanks,
John B

Confidentiality Notice

The document(s) accompanying this transmittal contain confidential information belonging to the sender which is legally privileged. The information is intended only for use of the individual or entity name in direct business dealings with Wright Environmental Services, Inc. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of action in reliance on the contents of the information by the recipient to any other party is expressly forbidden except with written authorization from Wright Environmental Services, Inc.

67 E. 10th Street, Tracy, CA 95376
209-833-0758 *Fax 209-832-5152
wright@inreach.com License 651501 A-B HazMat DVBE

May 11, 2000



CCI #575-0984

For Every Corner of Your World

2799 Miller Street • San Leandro, CA 94577
Tel: (510) 614-8800 • Fax: (510) 614-8811
E-mail: corprosf@aol.com

State of California
Department of General Services
Real Estate Services Division
1102 "Q" Street, Suite 4400
Sacramento, CA 95814

ENVIRONMENTAL HEALTH

JUL 21 2000

Chico, California

Attention: Mr. A.K. Jain

Subject: UST Piping - Cathodic Protection System Post-Installation Survey
Work Order # CHP 9701.03
Contract #: UT0759
GHP-Chico
995 Fir St., Chico, CA 95927

Gentlemen:

Corrpro Companies has completed the design, materials supply, installation and initial testing of the cathodic protection system for the product piping (tank is fiberglass) at the subject site. The work was completed to comply with the EPA 1998 requirements for UST corrosion control. In brief, the survey results indicate that the new cathodic protection system is fully operational and that the steel piping is protected from external corrosion in accordance with industry criterion which satisfies EPA requirements for corrosion control. The survey results are discussed in detail in this report.

The subject location has fiberglass tanks with steel piping, therefore the only EPA requirement for corrosion protection is to provide cathodic protection to the product piping. The product piping itself was found to be fiberglass, with the exception of the metallic swing joints at both the turbine end and the dispenser end. Corrpro Companies designed a galvanic cathodic protection system comprised of two (2) 5-lb magnesium alloy anodes, one connected to each metallic swing joint, which would be adequate in providing corrosion control for the metallic swing joints over a 20-year design life. One (1) test station was provided to allow future monitoring of the anodes and of the piping potentials.

A structure-to-soil potential survey using local and remote reference cell locations was completed at the subject facility. Structure-to-soil potentials were taken using the DC voltmeter circuit of a high-impedance digital multimeter and a portable copper-copper sulfate reference electrode. Potentials were recorded prior to system energizing (Static Potential) and repeated with the cathodic protection systems ON and also when momentarily disconnected (Polarized OFF potential).

The survey was conducted and data was collected (see Attachment 1, Cathodic Protection Potential Data) to determine if the cathodic protection system meets the National Association of Corrosion Engineers International (NACE) criteria for cathodic protection (see Attachment 8,

- | | | | | | | | | | | |
|-------------|----------|-----------|------------|-------------|----------|-------------|-------------|---------------|------------------|----------------|
| Abu Dhabi | Billings | Calgary | Denver | P. St. John | Jakarta | Los Angeles | Montreal | Perth | San Diego | Sydney |
| Adelaide | Bahrain | Caracas | Detroit | Halifax | Liberal | Lyon | New Orleans | Philadelphia | Seattle | Taipei |
| Anchorage | Bogota | Charlotte | Dhahran | Hong Kong | Lisbon | Melbourne | New York | Phoenix | Shanghai | Toronto |
| Atlanta | Boston | Chicago | Edmonton | Honolulu | London | Midland | Ocean City | Rosario | Singapore | Tulsa |
| Bakersfield | Brisbane | Cleveland | Farmington | Houston | Longview | Milwaukee | Orlando | San Francisco | Stockton-on-Tees | Washington, DC |

NACE: RP-0285-95 criteria). Attachment 2 contains the "as-built" installation drawings of the cathodic protection system.

The recorded structure-to-soil potential levels for the product piping was found to meet the accepted NACE criteria for cathodic protection and thereby meet the EPA requirements for external corrosion control.

The magnesium anodes at the test station were checked and found to be in a proper operational condition for a 20-year design life(see Attachment 3, Cathodic Protection Design Calculations). The structure to soil potentials with the anodes momentarily disconnected (polarized OFF) exceed either the 100mV polarization shift or the -850mV criteria as required by NACE and is therefore considered protected from external corrosion.

Per the County EPA requirements, the following additional work was completed by Corrpro as a change order to the original contract:

- A tank bottom protector was installed.
- An overflow valve was installed.


It is recommended that the following issues be addressed:

- Corrpro to carry out the federally mandated contract agreement of a 6-month retest and adjustment of the CP system.
- Authorize Corrpro to conduct a cathodic protection re-survey on at least a three-year basis, as required by the County EPA. However, Corrpro recommends that the re-survey be carried out on an annual basis.

Thank you for this opportunity to serve you. If you have any questions or if we may be of additional assistance, please do not hesitate to call us at (510) 614-8800.

Very truly yours,

CORRPRO COMPANIES, INC.



Dwayne A. Bell
Engineering Division

Cc: ✓ Greg Lyon, County Inspector
Ligaya Reyes-Ibanez, CHP facilities representative
John Wells, site auto-tech
Dennis Shearer, State of CA area construction supervisor
A.K. Jain, State of CA project engineer

ATTACHMENT 1

CATHODIC PROTECTION POTENTIAL DATA

APPENDIX 1

CATHODIC PROTECTION FIELD DATA

ENVIRONMENTAL HEALTH

JUL 21 2000

PIPE-TO-SOIL POTENTIAL (-mV)

Chico, California

DATE: March, 1999


LOCATION	STATIC	ON	OFF	CURRENT OUTPUT (mA)	REMARKS
<u>CHP-Chico, 995 Fir St., Chico, CA 95927-----Test station at product piping</u> piping is FRP with metallic swing joints at both ends					
test lead	228	1757	1078	N/A	turbine side
test lead	590	1757	1050	N/A	dispenser side

N/A: Not Applicable, Not Available.



ATTACHMENT 2

AS-BUILT INSTALLATION DRAWING



ENVIRONMENTAL HEALTH

JUL 21 2000

Chico, California

0" ENG 1" ARCH 2"
 SCALE DRAWING ACCORDINGLY

ALASKA • ARIZONA • CALIFORNIA • COLORADO • GEORGIA • ILLINOIS • KANSAS • LOUISIANA
 MASSACHUSETTS • MARYLAND • MICHIGAN • NEW JERSEY • NEW MEXICO • NORTH CAROLINA • NORTH DAKOTA
 OHIO • OKLAHOMA • PENNSYLVANIA • TEXAS • VIRGINIA • WASHINGTON • WISCONSIN • INTERNATIONAL

REVISION DATE DRAWN DESCRIPTION

Corpro Companies Incorporated


DEPARTMENT OF THE CALIFORNIA HIGHWAY PATROL
 CHP-CHICO, CA.
 905 FIR ST. CHICO, CA. 95927
 INSTALLATION OF CATHODIC PROTECTION AT STEEL PILING

DRAWN BY: DWAYNE J.F.
 JOB NO: 575-0884
 DATE: 9/21/98
 PLOT: 0884-CPO

31009
 HAYWARD ST.
 HAYWARD
 CALIFORNIA
 94544
 PH: 510.471.2233
 FAX: 510.471.3266


PRELIMINARY

CP-1D
 SHEET 4 OF 8 SHEETS





1 PLOT PLAN
 CP-110 NOT TO SCALE



ENVIRONMENTAL HEALTH

JUL 2 1 2000

Chico, California

0" ENG 1" ARCH 2"
SCALE DRAWING ACCORDINGLY

ALASKA • ARIZONA • CALIFORNIA • COLORADO • GEORGIA • ILLINOIS • KANSAS • LOUISIANA
MASSACHUSETTS • MICHIGAN • MONTANA • NEW JERSEY • NEW MEXICO • NORTH CAROLINA • NORTH DAKOTA
OHIO • OKLAHOMA • PENNSYLVANIA • TEXAS • VIRGINIA • WASHINGTON • WISCONSIN • INTERNATIONAL

REVISION DATE REVISION DESCRIPTION

Corpro Companies Incorporated

DEPARTMENT OF THE CALIFORNIA HIGHWAY PATROL
 CHP-CHICO, CA.
 995 FIR ST. CHICO, CA. 95927
 INSTALLATION OF CATHOIC PROTECTION AT STEEL PILING

31909-
 HAYMAN ST.
 CALIFORNIA
 95954
 PH: 530.471.2233
 FAX: 530.471.5028

PRELIMINARY

CP-1D
 SHEET 4 OF 8 SHEETS

ATTACHMENT 3

CATHODIC PROTECTION DESIGN CALCULATIONS

SACRIFICIAL ANODE CATHODIC PROTECTION SYSTEM DESIGN SPREADSHEET.

Anode Designation

5# GALV

Date: 9/28/98

By: DAB

Client: State of California

Project: California Highway Patrol Refueling Station UST's, Associated Piping Cathodic Protection Design, Various Sites
CHP-Chico, 995 Fir St., Chico, CA 95927

Design Basis

To protect approximately 20 feet of 2" product pipelines associated with the refueling station UST(s).

Based upon the quantity of buried piping associated with this location and the calculated current demand, it is proposed to use a sacrificial anode cathodic protection system. This system will be sized to protect the buried metallic piping only.

The piping shall be electrically isolated from all other metallic structures using dielectric unions (and / or other means). As the tank is of FRP construction it may not prove necessary to install isolation devices at the tank itself, but isolation will be required at the remote end of each fuel product pipe at the fuel islands and possibly at the tank turbine unit. Also it may be necessary to isolate the pipes from possible contact with steel reinforcing where they pass through concrete structures. In addition it is possible that the pipelines may be shorted below ground by direct contact to other metallic structures, for example conduits. If this proves to be the case then the shorts will either need to be cleared or a higher capacity (impressed current) CP system will be required to accommodate current drainage to other structures.

Notes:

- 1). The site installation details drawings for "State of California, CHP, Various Sites" shows the fuel lines between the tanks and the fuel islands schematically only.
- 2). The anode locations and cable routes shall be field located to suite prevailing site conditions.

ENVIRONMENTAL HEALTH

JUL 21 2000

Chico, California

SACRIFICIAL ANODE CATHODIC PROTECTION SYSTEM DESIGN SPREADSHEET.

Anode Designation

5# GALV

Date: 9/28/98

By: DAB

Client: State of California

Project: California Highway Patrol Refueling Station UST's, Associated Piping Cathodic Protection Design, Various Sites

DATA INPUT

Total piping surface area	9	sq ft	
Coating efficiency (0 for bare, else xx% as a decimal)	0.5		
Bare steel current requirement (ma/sq.ft)	1	ma/sqft	
Allowance for Unknowns/Safety Factor (% expressed as a decimal)	0.25		
Total current Demand - (ma)	5	ma	
Anode net weight (lbs.)	5	lbs.	
Anticipated number of anodes	1	anodes	
Number of anode beds	1	bed (s)	
Number of anodes per bed	1	anode	
Spacing of anodes desired (feet)	0	ft	
Anode length (inches)	10	in	
Anode diameter (inches)	6.0	in	
Electrolyte resistivity (Assumed from soil sample testing)	10,100	ohm-cm	
Anode-to-earth resistance (ohm)	102.29	ohm	
Estimated structure-to-earth resistance (ohm)	0.10	ohm	
Total Circuit Resistance (ohm)	102.39	ohm	
Driving potential to protected steel (at 0.85 V)	0.90	volt	
Actual total current output (ma)	9	ma	
Required current output (ma)	5	ma	
Magnesium anode consumption rate, at 50% efficiency (lbs. / amp-yr.)	17.00	lbs./ amp-yr.	
Total anode weight (lbs.)	5	lbs.	
Target design life (years)	20	years	
Anode Utilization	85%		
Calculated design life(based on required current output)	Greater than 20 years		46.30

Notes: Anode resistance to earth and current output calculation uses formulae by "Dwight" and Ohm's Law.

ATTACHMENT 5

SOIL ANALYSIS FOR CORROSIVITY CHARACTERISTICS

Analytical Results Table

Client Sample #	Dab Sample #	Sample Location / Worker ID	Analyte	Method	Sample Concentration	Analysis Date
Chico 9/22/98	399502		pH	SW 846 9045A/pH Meter	7.03 pH	9/28/98
			% Moisture	Gravimetric	9.60 %	9/29/98
			Wet Resistivity	In-house/Resistivity Cell	10100 Ohm-cm	9/30/98
			Resistivity	In-house/Resistivity Cell	28700 Ohm-cm	9/29/98
			Chloride	SM 18 4110 modified/IC	15.8 mg/kg	9/29/98
			Sulfide	SM 18 4500 modified/Titration	<0.320 mg/kg	10/2/98
Droville 9/22/98	399503		pH	SW 846 9045A/pH Meter	7.25 pH	9/28/98
			% Moisture	Gravimetric	1.20 %	9/29/98
			Wet Resistivity	In-house/Resistivity Cell	1100000 Ohm-cm	9/30/98
			Resistivity	In-house/Resistivity Cell	infinite	9/29/98
			Chloride	SM 18 4110 modified/IC	6.50 mg/kg	9/29/98
			Sulfide	SM 18 4500 modified/Titration	<0.320 mg/kg	10/2/98
Yuba City 9/23/98	399504		pH	SW 846 9045A/pH Meter	7.12 pH	9/28/98
			% Moisture	Gravimetric	15.7 %	9/29/98
			Wet Resistivity	In-house/Resistivity Cell	8270 Ohm-cm	9/30/98
			Resistivity	In-house/Resistivity Cell	8040 Ohm-cm	9/29/98
			Chloride	SM 18 4110 modified/IC	22.1 mg/kg	9/29/98
			Sulfide	SM 18 4500 modified/Titration	<0.320 mg/kg	10/2/98
Yuba City 2/23/98	399505	Pea Gravel	pH	SW 846 9045A/pH Meter	7.05 pH	9/28/98
			% Moisture	Gravimetric	0.700 %	9/29/98
			Wet Resistivity	In-house/Resistivity Cell	insufficient	9/30/98
			Resistivity	In-house/Resistivity Cell	sample	9/29/98
			Chloride	SM 18 4110 modified/IC	8.50 mg/kg	9/29/98
			Sulfide	SM 18 4500 modified/Titration	<0.320 mg/kg	10/2/98

These results are submitted pursuant to RJ Lee Group, Inc.'s current terms and conditions of sale, including the company's standard warranty and limitation of liability provisions. No responsibility or liability is assumed for the manner in which the results are used or interpreted. These results pertain only to the items tested. Unless notified in writing to return the samples covered by this report RJ Lee Group, Inc. will store what remains of the samples for a period of 15 days before discarding, unless otherwise required by law.

RJ Lee Group, Inc.
 350 Hochberg Road
 Monroeville, PA 15146
 724-325-1776 FAX 724-733-1799

Page # 2 of 2
 Report Date: 10/5/98
 Laboratory # CA809282
 Client: Compro Companies Inc.

0339

ATTACHMENT 6

**CATHODIC PROTECTION SYSTEM
INSTALLATION SAFETY AND WORK PLANS**

CATHODIC PROTECTION SYSTEM WORK PLAN

I. INTRODUCTION:

The structures considered for cathodic protection consists of underground gasoline fuel storage tanks' associated metallic product piping. These structures are constructed of steel. The cathodic protection system design is in accordance with the National Association of Corrosion Engineers International (NACE) Recommended Practice RP-0285-95, "Control of External Corrosion on Metallic Buried, Partially Buried, or Submerged Liquid Storage Systems."

II. CATHODIC PROTECTION SYSTEM DESCRIPTION:

The galvanic-anode type cathodic protection system will consist of one or two anodes installed underground in the vicinity of the underground storage tank product piping. A cathodic protection test station will also be installed underground near the underground storage tank product piping.

The anodes will be high potential magnesium type, enclosed in a semi-permeable cloth bag containing a gypsum-bentonite backfill mixture. The anodes will be installed 2 -3 feet below grade. Individual anode lead wires will be routed underground to the cathodic protection test station.

The cathodic protection test station will consist of anode lead wires and wires connected to the underground storage tank piping, all of which are routed to a test box. The lead wires are used for periodic testing of the cathodic protection system.

III. CATHODIC PROTECTION SYSTEM INSTALLATION

The following installation method will be utilized:

- 1) UST Equipment lock-out (pumps and turbines)
- 2) Product piping electrical isolation at tank end and dispenser end using dielectric insulating unions
- 3) Product spill containment during electrical isolation of piping
- 4) Magnesium anode installation at 2-3 feet below grade. Some saw-cutting of pavement may be necessary.
- 5) File coating off a 2-3 inch wide area around the external surface of the product piping to allow electrical connection of a 5 inch x 5 inch micarta terminal board to the product piping by means of a brass clamp.
- 6) Attach brass clamps of sufficient size to fit 2-inch diameter piping at exposed bare steel on product piping.

- 7) Route appropriate size cable from anode(s) to terminal board and from product piping brass clamps to terminal board.
- 8) Repair exposed bare metal after brass clamps and wire are attached with coal tar mastic coating.
- 9) Enclose terminal board inside an appropriate utility box. Utility box will most likely be located over the anode location.
- 10) Backfill and compact excavation and repair concrete and/or asphalt as needed.

IV. TESTING AND COMPLIANCE CERTIFICATION:

After installation, the cathodic protection system will be tested to confirm compliance with the aforementioned NACE Recommended Practice RP-0285-95. All testing will be performed by a qualified cathodic protection technician under the direct supervision of a registered professional corrosion engineer. Upon completion of the testing a written report complete with tabulation and analysis of all field data and recommendations for future monitoring of the system will be prepared and forwarded to the client.

CATHODIC PROTECTION SYSTEM INSTALLATION SAFETY PLAN

I. Personal Protective Equipment

Throughout the installation of the cathodic protection system personal protective equipment will be used as required. Personal protective equipment for the work involved includes, but is not limited to:

- *Orange traffic cones for sectioning off the work area
- *Eye protection
- *Hard hats
- *Gloves
- *Fire extinguisher (minimum 5 lb size)

At all times, sound safety practices are to be adhered to. Specific hazard control precautions include, but are not limited to:

- *Equipment lock-out
- *Use proper lifting techniques
- *When opening manhole coverings, allow enough time to adequately vent to air prior to breathing in close proximity.
- *Prior to excavation, all areas will be USA'd. Trenching not to exceed 4 feet deep.
- *During backhoe operation stand clear of the "kill-zone" radius.
- *Ground any electrical equipment used in the vicinity of gasoline product piping.

ATTACHMENT 7

**COUNTY ENVIRONMENTAL HEALTH SERVICES
PERMIT APPLICATION FOR UNDERGROUND STORAGE OF
HAZARDOUS MATERIALS**

REC'D NOV 9 - 1998

Butte County

LAND OF NATURAL WEALTH AND BEAUTY



REC'D NOV 9 - 1998

DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

<input type="checkbox"/> 18-B County Center Drive Oroville, CA 95965 TEL: (530) 538-7282 FAX: (530) 538-2185	<input checked="" type="checkbox"/> 411 Main Street P.O. Box 5364 Chico, CA 95927 TEL: (530) 891-2727 FAX: (530) 895-6512	<input type="checkbox"/> 7 County Center Drive Oroville, CA 95965 TEL: (530) 538-7281 FAX: (530) 538-2140
---	---	--

November 4, 1998

Corrpro Companies, Inc.
31904 Haynan Street
Hayward, CA 94544

RE: CATHODIC PROTECTION PERMIT APPLICATION(S); California Highway
Patrol @ 995 Fir St., Chico; APN 002-060-012 and 2072 3rd St.,
Oroville; APN 031-161-063

Cathodic Protection Permits have been approved for the property
listed above on 11-4-98. The permit expires one year from date of
issuance. ✓

NOTE: A minimum 24-hour notice prior to placing or installing a
sanitary seal must be provided in order for an Environmental Health
Specialist to be present. Call (530) 891-2727, 8am to 12pm or 1pm
to 4pm, Monday through Friday.

If you have any questions, inspectors are available at the Chico
office between 8am and 9am, Monday through Friday.

GKL/dd/cathodic/chpchico.oro

cc: California Highway Patrol

Box 5364
411 Main Street
Chico, CA 95927
(916) 891-2727
FAX (916) 895-8512

PLUMBERS COUNTY DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

7 County Center Drive
Oroville, CA 95965
(916) 538-7281
FAX (916) 538-2140

* FOR 2 SITES, 2 CHECKS ENCLOSED.

APPLICATION AND PERMIT TO CONSTRUCT A SMALL DIAMETER WELL
WITH A CASING DIAMETER OF EIGHT (8) INCHES OR LESS
OR A CHAPTER 23B- 5c EXEMPT WELL

Application for : Small Diameter Domestic Well Repair or Deepening With Same Pump Capacity Replacement Well
With Same Pump Capacity Within 100 ft. of Destroyed Well Cost Protection Fire Suppression
Monitoring Well Public Water Supply Well Destruction Other Cathodic Protection

Owner Name: STATE OF CALIFORNIA - REAL ESTATE SERVICES DIV. Assessor Parcel No 002-060-012

Applicant Name: DWAYNE BELL - CORRPRO COMPANIES, INC. Telephone No. (510) 471-2233, X39

Applicant Mailing Address: 31909 HAYMAN ST., HAYWARD, CA Zip 94544

Site Location: 995 FIR ST., CHICO (CAMP FACILITY) T.R.S. Zone

SKETCH HOW TO LOCATE PROPERTY

WELL INFORMATION

Proposed Depth	<u>< 4 FEET</u>
	Diameter Casing
Type Construction	<u>SAWCUTTING</u>
<u>of BACKHOLE EXCAVATION TO INSTALL BAGGED ANODE FOR CATHODIC PROTECTION</u>	

EXCAVATOR: CORRPRO COMPANIES, INC.
Well Driller

LICENSED CONTRACTOR'S DECLARATION
I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.
License Class C10 Lic. No. 455164, EXP. 4/30/00
Date 10/21/98 Contractor CORRPRO COMPANIES, INC.

PERMIT
(EXPIRES ONE (1) YEAR FROM DATE ISSUED)

Fee Received \$124.00 11-3-98
Receipt No. 253750
Date Issued 11/04/98
Approved By G. Lyon
Special Conditions: most of the
department, plus
field activities

WORKERS' COMPENSATION DECLARATION
I hereby affirm under penalty of perjury one of the following declarations:

I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.

I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of work for which this permit is issued. My workers' compensation insurance carrier and policy number are:
Carrier LIBERTY MUTUAL
Policy Number WC 781053853020
(The above sections need not be completed if the permit is for work of a valuation of one hundred dollars (\$100) or less).

I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to workers' compensation laws of California, and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

X Wayne A. Bell Date 10/21/98
Signature of Applicant - Owner Contractor Agent

- NOTE:**
1. Provide a minimum twenty-four (24) hour notice prior to installing or placing sanitary seal or drilling a well expected to be completed in less than twenty-four (24) hours.
 2. A satisfactory inspection by the Health Department and receipt by the Health Department of a Driller's Report or a satisfactory abandonment report and a disinfection statement is required for final approval of work.

WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS (\$100,000), IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3708 OF THE LABOR CODE, INTEREST, AND ATTORNEYS FEES.

ATTACHMENT 8

**PROJECT DETAILS & NACE INTERNATIONAL CATHODIC
PROTECTION CRITERIA
(INCLUDES OPERATION & MAINTENANCE)**

ATTACHMENT 8

PROJECT DETAILS & NACE (RP0285-95) CATHODIC PROTECTION CRITERIA

DESCRIPTION: Cathodic Protection System Survey
UST Product Piping
CHP-Chico, CA

PROJECT DATES:
Installed: December, 1998
Surveyed: December, 1998

PERSONNEL:
Field: Mr. Owen Weyers
Office: Mr. Dwayne Bell, Project Engineer

PURPOSE:

The purpose of the work carried out on behalf of the State of California was:

- * To conduct a survey of the cathodic protection system.
- * To check the integrity of the components of the cathodic protection system.
- * To issue a report based on the results of the field survey, complete with recommendations on future operation of the cathodic protection system as required.

CRITERIA

Cathodic protection is the method of mitigating the natural electrochemical corrosion process which takes place on buried metallic structures in an electrolyte such as soil. The direct current applied to the structure from either sacrificial anodes or powered anodes counteracts the natural corrosion current flow. The amount of current required is dependent primarily on the amount of structure surface area of metal exposed to the electrolyte and the composition of the electrolyte and structure environment.

The accepted criteria indicative of the achievement of cathodic protection on underground steel storage tanks in accordance with NACE International Standard RP0285-95 (latest edition), is as follows:

**NATIONAL ASSOCIATION OF CORROSION ENGINEERS
STANDARD RP0285-95**

**CORROSION CONTROL OF UNDERGROUND STORAGE TANK SYSTEMS
BY
CATHODIC PROTECTION**

**SECTION 4
CRITERIA FOR CATHODIC PROTECTION**

4.1 General

4.1.1 The purpose of this section is to list criteria for cathodic protection which, when complied with either separately or collectively, will indicate that adequate cathodic protection of a metallic UST system has been achieved.

4.1.2 The objective of using cathodic protection is to control the corrosion of UST systems.

4.1.3 The selection of a particular criterion depends, in part, on prior experience with similar structures and environments wherein the criterion has been used successfully.

4.1.4 The criteria in Section 4.2 were developed through laboratory experiment or were determined empirically by evaluating data obtained from successfully operated cathodic protection systems. It is not intended that persons responsible for corrosion control be limited to these criteria if it can be demonstrated by other means that the control of corrosion has been achieved.

4.1.5 Voltage measurement on UST systems are to be made with the reference electrode located on the electrolyte surface as close as possible to the UST system. Consideration must be given to voltage (IR) drops other than those across the structure-electrolyte boundary, the presence of dissimilar metals, and the influence of other structures that may interfere with valid interpretation of voltage measurements. Measurements made with a reference electrode located on asphalt pavement or a concrete slab may be in error.

NOTE: Consideration is understood to mean the application of sound engineering practice in determining the significance of voltage drops by methods such as:

- a) Measuring or calculating the voltage drops(s).
- b) Reviewing the historical performance of the cathodic protection system.
- c) Evaluating the physical and electrical characteristics of the UST system and its environment.
- d) Determining whether or not there is physical evidence of corrosion.

4.2 Criteria for Steel Structures

4.2.1 Corrosion control can be achieved at various levels of cathodic polarization depending on the environmental conditions. However, in the absence of data which demonstrate that adequate cathodic protection has been achieved, one or more of the following shall apply:

4.2.1.1 A negative (cathodic) potential of at least 850 mV with the cathodic protection applied. This potential is measured with respect to a saturated copper/copper sulfate reference electrode contacting the electrolyte. Voltage drops other than those across the structure-to-electrolyte boundary must be considered for valid interpretation of this voltage measurement.

4.2.1.2 A negative polarized potential (see definition in Section 1.2) of at least 850 mV relative to a saturated copper/copper sulfate reference electrode.

4.2.1.3 A minimum of 100 mV of cathodic polarization. The formation or decay of polarization can be used to satisfy this criterion.

4.3 Alternative Reference Electrodes

4.3.1 Other standard reference electrodes may be substituted for the saturated copper/copper sulfate reference electrodes. However, their voltage equivalents need to be converted to the referenced equivalents.

4.4 Special Considerations

4.4.1 Special cases may exist such as stray currents and stray electrical gradients that require the use of criteria different from those listed above. Measurements for current loss and gain on the structure and current tracing in the electrolyte have been useful in such cases.

4.4.2 Abnormal conditions in which protection is ineffective or only partially effective sometimes exist. Such conditions may include elevated temperatures, disbanded coatings, shielding, bacterial attack, and unusual contaminants in the electrolyte.

DATA INTERPRETATION

The assessment of cathodic protection effectiveness is based on the interpretation of structure-to-soil potentials gathered at points of access to the protected structure. Normal survey techniques require, as a minimum, measurement of a sufficient number of potentials at strategic locations to give a reasonable certainty the measured potentials are representative for the area and structure of concern. This procedure permits the general status of cathodic protection to be assessed on any structure based on a minimum number of gathered potentials, but it does not provide the actual status of cathodic protection at all points. In reality, the gathered potentials are only valid at the point of measurement.

Situations such as high coating conductivity at some location, due to coating damage or deterioration, may result in low potentials and no protection on the structure. Electrical interference from other direct current sources and electrical shielding of the protected structure

may contribute to corrosion of the structure if the problem is not identified and corrected. Items such as these may not be discovered in a normal survey because of limited access to the structure. Even when structure access is good and the potentials exceed the cathodic protection criteria, corrosion may still occur if a disbanded coating is present.

Survey techniques exist to permit a thorough assessment of the cathodic protection status at all points on a structure. As these techniques are time consuming and costly, they are only recommended when it is believed that a possible problem exists or additional assurance of adequate protection is required.

ATTACHMENT 9

**CERTIFICATION OF DESIGN AND INSTALLATION
OF
CATHODIC PROTECTION SYSTEM**

**CERTIFICATION OF DESIGN AND INSTALLATION
OF
CATHODIC PROTECTION SYSTEM**

This certificate verifies that the installed cathodic protection system at: .

CHP-Chico, 955 Fir St., Chico, CA 95927

Is functional and adequately satisfies the NACE International criteria for cathodic protection of the UST coated steel product piping.

Wet-Stamped:



ATTACHMENT 10

MAINTENANCE & OPERATION INSTRUCTION

At the installation of the galvanic anode cathodic protection system, the site auto-tech was present and was instructed on how the system works. Detailed operation and maintenance instructions are included in Attachment 8 of this report and will be supplied as part of the final report to the project engineer, the CHP-facility, the local enforcing agency inspector, and the CHP-facilities representative.

ATTACHMENT 11

COPY OF TRANSMITTAL LETTER TO LEA

Corrpro Companies, Inc.

2799 Miller St.
San Leandro, CA 94577
Tel: (510) 614-8800
Fax: (510) 614-8811

March 5, 1999

County of Butte
Environmental Health
411 Main Street
Chico, CA 95928

ATTN: Greg Lyon

**Subject: Request of compliance letter for
State of California, CHP – Chico
Cathodic Protection Design & Installation
Refueling Station Underground Storage Tank Associated Product Piping
Work Order No. CHP 9701.03
Contract No. UT0759**

Gentlemen:

Corrpro Companies, Inc. has completed the design, materials supply, and installation of the cathodic protection system at:

CHP-Chico
995 Fir St.
Chico, CA 95927

Your office sent an inspector to the site and issued a compliance sticker that was partially based on the installation of the cathodic protection system. Please send a letter stating that the above facility is in compliance to myself at the address on the top of this page and to the State of California project engineer listed below.

Mr. A.K. Jain
State of California
Dept. of General Services
Real Estate Services Division
1102 "Q" St., Suite 4400
Sacramento, CA 95814

Thankyou for your time and efforts in working with us to bring this site into compliance with current regulations.

Sincerely,
CORRPRO COMPANIES, INC.

Dwayne A. Bell
Engineering Division

REMITTANCE ADVICE

STD. 404C (REV. 4-95)

VENDOR- ID

BUTTECOUNT - 33

PAGE 1

STATE OF CALIFORNIA

THE ENCLOSED WARRANT IS A STATEMENT OF THE INVOICES SHOWN BELOW

DEPARTMENT NAME		ORG. CODE	INVOICE DATE	INVOICE NUMBER	RPI
CALIFORNIA HIGHWAY PATROL		2720			
DEPARTMENT ADDRESS		CLAIM SCHED. NO.	INVOICE AMOUNT		
P. O. BOX 942901 SACRAMENTO CA 94298-2901		9910805	273.00		
<p>VENDOR</p> <p>BUTTE COUNTY PUBLIC HEALTH 18-B COUNTY/CTR DRIVE OROVILLE CA 95965</p> <p>PAYMENT INQUIRIES: (916)375-2750</p>					
FEDERAL TAX ID NO. OR SSAN	RP TYPE	TAX YR	TOTAL REPORTED TO IRS	TOTAL PAYMENT	
			.00	273.00	

~~09/16/99 20230~~ 071

0357



Alliance Environmental Services

3080 Thorntree Drive #55

Chico, Ca. 95973

Phone: (530) 345-8562

Fax: (530) 345-4028

Cont. Lic. #715271

~~January 4, 1999~~

Butte County Environmental Services
P.O. Box 5364
Chico, CA 95927-5364

Attn: Greg Lyon

Re: Temporary Close – California Highway Patrol
995 Fir Dr., Chico, CA 95928

Environmental Health

JAN - 7 1999

Chico, California

Dear Greg,

On Sunday December 20th, 1998 Alliance Environmental Services performed a temporary close of the 12,000 gallon UST located at 995 Fir at the CHP office. Alliance Environmental Services disconnected all power to the tank; triple rinsed the tank with simple green and water. (See attached Hazardous Waste Manifest #96767249) The tank was then inerted with dry ice at a rate of 15 pounds per 1,000 gallons volume. The LEL meter showed a reading of 0, and the Oxygen less than 5. The tank was then closed off.

Please call our office with questions or concerns you might have about this job.

Regards,

Heather Quiggle
Heather Quiggle
Office Manager

96767249
 IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER: 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CA1L190101041013116173419	Manifest Document No. Environmental Health	2. Page 1 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Highway Patrol 775 F St Chico, CA 95928		JAN - 7 1999 Chico, California		A. State Manifest Document Number 96767249	
4. Generator's Phone (530) 895-4444		5. Transporter 1 Company Name Allanac Environmental		B. State Generator's ID	
6. US EPA ID Number CA1R1010101101063A		7. Transporter 2 Company Name		C. State Transporter's ID	
8. US EPA ID Number		9. Designated Facility Name and Site Address RAMOS Environmental 1515 South River Rd West Sacramento, CA 95691		D. Transporter's Phone (530) 345-8562	
10. US EPA ID Number CA1D1041010131516		11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number) a. NON RCRA Hazardous Waste liquid		E. State Transporter's ID	
12. Containers No. Type 002 DM		13. Total Quantity 00100		14. Unit G	
15. Additional Descriptions for Materials Listed Above a. Only Water		16. Handling Codes for Wastes Listed Above a. 14		17. Waste Number 223	
18. Special Handling Instructions and Additional Information Handlers Be 40K OSHA/SARA Trained and use Niosh Approved PPE For Emergencies CALL: Willy Irwin @ (530) 345-8562 profile 981303		19. Generator's Certification: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		EPA/Other N/A	
Printed/Typed Name Suzanne [Signature]		Signature [Signature]		Month Day Year 1 13 1998	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Joshua Cockrell		Signature [Signature]		Month Day Year 1 2 9 1998	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name BARBARA WENCKE		Signature [Signature]		Month Day Year 1 30 98	

DO NOT WRITE BELOW THIS LINE.

BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH
P.O. Box 5363, Chico, CA 95927-5364 (411 Main Street, First Floor, Chico)
ENVIRONMENTAL HEALTH (530)891-2727 FAX (530) 895-6512

APR 21 1999

EMERGENCY RESPONSE PLAN
Underground Storage Tank Monitoring Program

Chico, California

This monitoring program must be kept at the UST location at all times. The information on this monitoring program are condition of the operating permit. The permit holder must notify Butte County Environmental Health within 30 days of any changes to the monitoring procedures, unless required to obtain approval before making the change. Required by Sections 2632(b) CCR.

Facility Name California Highway Patrol

Facility Address 995 Fir Street, Chico, CA 95928

1. **If an unauthorized release occurs, how will the hazardous substance be cleaned up? Note: If the hazardous substances reach the environment, increase the fire or explosion hazard, are not cleaned up from the secondary containment within 8 hours, or deteriorate the secondary containment, then Butte County Environmental Health Department must be notified within 24 hours.** Low bid, or if an emergency, a local vendor is called ASAP to remove hazardous substance.

2. **Describe the proposed methods and equipment to be used for removing and properly disposing of any hazardous substances:** N/A

3. **Describe the location and availability of the required clean-up equipment in Item 2 above:** N/A

4. **List the name(s) and title(s) of the person(s) responsible for authorizing any work necessary under the response plan:** 1) Al Smith, Lieutenant
2) Dave Vickers, Sergeant

DEPARTMENT USE ONLY:

Approved by _____, R.E.H.S.

Butte County Division of Environmental Health

Date _____

:KL/emeresp/

APR 21 1999

UNDERGROUND STORAGE TANK FACILITY

Chico, California

Annual Summary Report

Facility Name California Highway Patrol

Facility Address 995 Fir Street, Chico, CA 95928

1. **List changes in hazardous substances stored in facility underground storage tanks in the last 12 months. Submit Forms A and B as appropriate.**

N/A

2. **List changes in monitoring procedures and/or equipment which were made in the last 12 months. Submit revised monitoring plans as required.**

Upgrade piping system.

3. **List dates, quantity, and types of unauthorized releases which occurred in the last 12 months. Submit Unauthorized Release Report as required.**

None.

Signed:  Date: 4/21/99

Permit Applicant

BUTTE COUNTY DIVISION OF ENVIRONMENTAL HEALTH
P.O. Box 5364, Chico, CA 95927-5364 (411 Main Street, First Floor, Chico)
ENVIRONMENTAL HEALTH (530) 891-2727 FAX (530) 895-6512

APR 21 1999

WRITTEN MONITORING PROCEDURES
Underground Storage Tank Monitoring Program

Chico, California

This monitoring program must be kept at the UST location at all times. The information on this monitoring program are conditions of the operating permit. The permit holder must notify Butte County Environmental Health within 30 days of any changes to the monitoring procedures, unless required to obtain approval before making the change. Required by Sections 2632(d) and 2641(h) CCR.

Facility Name California highway Patrol - Chico Area

Facility Address 995 Fir Street, Chico, CA 95928

A. Describe the frequency of performing the monitoring:

Tank Veeder-Root TLS-350 Tank Monitor and Line Leak Detection System
plus Cathodic Protection - Continuous Monitoring

Piping Same

B. What methods and equipment, identified by name and model, will be used for performing the monitoring:

Tank Veeder-Root TLS-350 Tank Monitor and Line LEak Detection System
plus Cathodic Protection

Piping Same

C. Describe the location(s) where the monitoring will be performed (facility plot plan should be attached): 995 Fir Street, Chico, CA 95928

D. List the name(s) and title(s) of the people responsible for performing the monitoring and/or maintaining the equipment: Automotive Technician John Wells

E. Reporting Format for monitoring equipment maintenance/certification:

Tank audio and visual monitoring

Piping audio and visual monitoring

Describe the preventive maintenance schedule for the monitoring equipment. Note: Maintenance must be in accordance with the manufacturer's maintenance schedule but not less than every 12 months. equipment certified on an annual basis

F. Describe the training necessary for the operation of the UST system, including piping, and the monitoring equipment: Automotive technician trained by installation vendor and received training from departmental motor transport personnel.

DEPARTMENT USE ONLY: Approved by _____, R.E.H.S.

Butte County Division of Environmental Health

Date _____

GKL/monpro/

A B C D E F H I J

1

2

3

4

5

6

7



**CALIFORNIA
HIGHWAY PATROL
CHICO**
HAZARDOUS MATERIALS
LOCATION PROFILE
(Not to scale)

**Communications
Center**

Underground
Fuel Storage
Tanks

Fuel Access
Openings

Refuse Bin

Fence

Gas Pump On
Concrete Island

Compressed
Gas Tanks

Contains solvents
and lubricants

Wash Rack

Storage Lockers
(Containing flares and
ammunition)

Hallway

Contains oil, anti-freeze
and other auto fluids

Garage Bay

Fence

ENVIRONMENTAL HEALTH

APR. 21, 1999

Chico, California

Office Building

103 ft.

105 ft.

13 ft.

3 ft.

22 ft.

20 ft.

- For Site Map
- Scale of Map
 - Loading Areas
 - Parking Lots
 - Internal Roads
 - Storm and Sew Drains
 - Adjacent Property Use
 - Locations and Names of Adjacent Streets and Alleys
 - Access and Egress Points and Roads

- For Sub-Site Map
- Scale of Map
 - Location of Emergency Response Area
 - Location of Emergency Response Equipment

Scale:
1" = ___ Ft.



0364

CHP - 241
CHICO, CA 95927
99 APR 15 AM 9 10

CHICO, California

APR 5 1999

EXHIBIT 11 11411

ENVIRONMENTAL HEALTH



APR 21 1999

Chico, California

March 23, 1999

Mr. Greg Lyons
Butte County Environmental Health
P.O. Box 5364
Chico, Ca. 95927-5364

RE: California Highway Patrol - 995 fir St., Chico, Ca. 95928

Dear Mr. Greg Lyons,

Conducted Annual Test / Inspection of the Veeder -Root TLS-350 Tank Monitor and Line Leak Detector System at the CHP at 995 Fir St., Chico Ca., on March 19, 1999. Found all equipment in good working order.

Sincerely,

Stephen D. Busby

Stephen D. Busby
Technician
B.L. Griffin Co.

SDB/kk
cc: CHP

P.O. Box 6753 Chico, CA 95927 530.893.8035



SERVICE STATION CONSTRUCTION & REPAIR
P.O. Box 6753 Chico, CA 95927

INVOICE

INVOICE NO: 8774

INVOICE DATE: 04/12/99

SOLD TO: CALIFORNIA HIGHWAY PATROL
P.O. BOX 1779
CHICO, CA 95927

SHIP TO: CALIFORNIA HIGHWAY PATROL
P.O. BOX 1779
CHICO, CA 95927

ENVIRONMENTAL HEALTH

APR 21 1999

Chico, California

Order Date: 04/12/99 Ship Date: 04/12/99
Terms: NET 30 Payment Due: 05/12/99

ITEM / PART #	QUANTITY	DESCRIPTION	PRICE	AMOUNT
	2.00	LABOR		
	1.00	FUEL FLOAT	55.00	110.00
	1.00	WATER FLOAT	22.00	22.00
	1.00	LAMP INDICATOR	25.90	25.90
	1.00	WORK DONE 03/19/99	3.99	3.99
		VEEDER ROOT DOWN.		
		REPLACED BROKEN		
		FUEL & WATER FLOATS		
		ON PROBE-REPLACED		
		BURNED OUT POWER		
		LAMP ON MONITOR.		
		CONDUCTED ANNUAL		
		TEST/INSPECTION OF		
		VEEDER ROOT TLS-350		
		TANK MONITOR & LINE		
		LEAK DETECTOR SYSTM		
		ALL EQUIPMENT IS IN		
		GOOD WORKING ORDER.		
SERVICE CHICO			SUBTOTAL	161.89
CHP			Sales Tax	3.76
			TOTAL	165.65

ENVIRONMENTAL HEALTH



FORM # 0847090-022
SER # 40931443305001

APR 21 1999

TLS-350 SYSTEM PERIODIC MAINTENANCE CHECKLIST

C.H.P., 995 FIR ST., CHICO, CA. 95428

3/19/99


Maintenance Operation	When to Perform	What to Do	
TLS-350 Console 8470XX-XXX	Yearly	1. Check printer for paper if equipped. 2. Check system status display. 3. Print out or check TLS inventory and verify to actual inventory. 4. Print out or check TLS setup values. 5. Verify battery backup is working. See Note 2. 6. Verify in-tank tests are being performed if required. 7. Verify LLD tests are being performed. 8. Press Alarm/Test button to verify power, warning and alarm indicators light and audible alarm sounds.	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Mag "1" Probe 8473XX-XXX Mag "2" Probe 8473XX-XXX	Yearly	1. Inspect probe cables for any cracking or swelling and replace as necessary. 2. Inspect floats and probe shaft for any residue build up. Clean with mineral spirits as necessary. 3. Verify epoxy kits have been installed on field wiring.	✓ ✓ ✓
Cap "0" Probe 7842XX-XXX Cap "1" Probe 8472XX-XXX	Yearly	 1. Run diagnostic check on probes and verify there are no open or shorted segments. 2. Inspect probe cables for any cracking or swelling and replace as necessary. 3. Verify epoxy kits have been installed on field wiring. 	
Line Leak Detector 847590-001	Yearly	1. Replace check valve filters (Diesel products only). 2. Check flexible fuel control lines for any chaffing, and replace as necessary. 3. Verify epoxy kits have been installed on field wiring.	N/A ✓ ✓

more...

* Mag Probes used in products such as waste oil should be checked more frequently than yearly since products of this type can leave deposits on the probe shaft and float assemblies that may restrict the probe's measurement capability.

NOTE 1: System status display should display "ALL FUNCTIONS NORMAL". If this is not displayed, then refer to TLS-350 System Operating Instructions, Manual No. 576013-610.

NOTE 2: Before verifying that the battery backup is working, print out or record all setup values.



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

April 13, 1999

Sgt. Dave Vickers
Calif. Highway Patrol
P.O. Box 1779
Chico, Ca 95927

**DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH**

18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7-County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-2140

RE: **Underground Storage Tank Operational Permit, Calif. Highway Patrol Facility
995 Fir Street, Chico, AP# 002-060-012**

Dear Sgt. Vickers:

This letter is in response to your fax dated April 12, 1999, to this Department for the above identified location.

A permit to operate cannot be issued at this time as was discussed with Dwayne Bell on March 19, 1999. During that conversation, we discussed our letter dated October 14, 1998, and the required submittals which must be returned to this Department.

Several requested items have been taken care of, but the following are still outstanding:

- OK1. Submit the Annual Report.
- OK2. Submit annual certification on electronic line leak equipment.
- OK3. Submit Emergency Response Plan.
- OK4. Submit monitoring plan.
- OK5. Submit completed State forms, "A" and "B".

If you have any questions, please contact me at the Chico office between 8am and 9am, Monday through Friday.

Sincerely,

Greg Lyon, R.E.H.S.
Division of Environmental Health

GKL/gl/ust/995fir

Encl.



CHICO AREA

**FAX
TRANSMITTAL**

Date 4/12/99

Number of pages including cover sheet 3

TO: CARL

Phone

Fax Phone

FROM:

CALIFORNIA HIGHWAY
PATROL

995 Fir Street

PO Box 1779

Chico, CA 95928

Phone (530) 895-4444

Fax Phone (530) 895-4040

CC:

REMARKS: Urgent For your review Reply ASAP Please Comment

AS DISCUSSED, WE'RE ANXIOUS TO OPEN.
PLEASE EXPEDITE. THANKS,

SGT. Dave Vickers

Environmental Health

APR 12 1999

Chico, California

⊗ ⊗ ⊗ **CONFIDENTIAL** ⊗ ⊗ ⊗

THIS MESSAGE IS INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY TO WHICH IT IS ADDRESSED AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL AND EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE FOR DELIVERING THE MESSAGE TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU RECEIVED THIS COMMUNICATION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS ABOVE VIA THE US POSTAL SERVICE. THANK YOU.

516895
FRI 10:48 AM CORRPRO COMPANIES INC

CHP CHICO
9163752944

FAX NO. 510 471 3698



Corpro Companies, Inc.
2799 Miller St.
San Leandro, CA 94577
Tel: (510) 614-8900
Fax: (510) 614-8811

Cover Sheet for Facsimile Transmission

TO: **Greg Lyon** Date **March 19, 1999**
 COMPANY: **C.P. HEARA 916-378-2944** Butte County Number of Pages: **2**
 FAX NUMBER: **(530) 845-6512** Document Reference:
 FROM: **Dwayne Bell**
 SUBJECT: **work completed at CHP-Chico**

Greg,

Per your request, this is a written notice to you that the following work has been completed at CHP-Chico:

- Furnish and installation of galvanic anodes to cathodically protect the metallic product piping for the subject site UST.

The electrical potential measurements for the product piping were as follows:

	<u>Turbine end</u>	<u>Dispenser end</u>
"ON"	-1757mV	-1757mV
"OFF"	-1078mV	-1050mV
Native	- 226mV	- 590mV

The above readings indicate that the cathodic protection system satisfies the NACE International (National Association of Corrosion Engineers International) criteria for cathodic protection.

- Furnish and installation of overflow valve / drop tube
- Furnish and installation of standard tank bottom protector through the drop tube.

Environmental Health
APR 12 1999
Chico, California

APR-09-88 FRI 10:48 AM CORRPRO COMPANIES INC

FAX NO. 510 471 3688

P. 02/02

The State of California contract that we are working under requires a letter format report with attachments that include as-built details of the anode location(s). A copy of this report will be sent to you once complete.

If you have any questions, please give me a call.

Sincerely,

CORRPRO COMPANIES, INC.



Dwayne Bell
Engineering Division

Environmental Health

APR 12 1999

Chico, California



ENVIRONMENTAL HEALTH

MAR 24 1999

Chico, California

~~March 23 1999~~

Mr. Greg Lyons
Butte County Environmental Health
P.O. Box 5364
Chico, Ca. 95927-5364

RE: California Highway Patrol - 995 fir St., Chico, Ca. 95928

Dear Mr. Greg Lyons,

Conducted Annual Test / Inspection of the Veeder -Root TLS-350 Tank Monitor and
Line Leak Detector System at the CHP at 995 Fir St., Chico Ca., on ~~March 19, 1999~~
Found all equipment in good working order.

Sincerely,

Stephen D. Busby
Technician
B.L. Griffin Co.

SDB/kk
cc: CHP

P.O. Box 6753 Chico, CA 95927 530.893.3035


 FORM # 0847090-022
 SER# 40931443305001

MAR 24 1999

Chico, California

TLS-350 SYSTEM PERIODIC MAINTENANCE CHECKLIST

C.H.P., 995 FIR ST., CHICO, CA. 95928

3/19/99

Maintenance Operation	When to Perform	What to Do	✓
TLS-350 Console 8470XX-XXX	Yearly	1. Check printer for paper if equipped. 2. Check system status display. 3. Print out or check TLS inventory and verify to actual inventory. 4. Print out or check TLS setup values. 5. Verify battery backup is working. See Note 2. 6. Verify in-tank tests are being performed if required. 7. Verify LLD tests are being performed. 8. Press Alarm/Test button to verify power, warning and alarm indicators light and audible alarm sounds.	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Mag "1" Probe 8473XX-XXX Mag "2" Probe 8473XX-XXX	Yearly*	1. Inspect probe cables for any cracking or swelling and replace as necessary. 2. Inspect floats and probe shaft for any residue build up. Clean with mineral spirits as necessary. 3. Verify epoxy kits have been installed on field wiring.	✓ ✓ ✓
Cap "0" Probe 7842XX-XXX Cap "1" Probe 8472XX-XXX	Yearly	 1. Run diagnostic check on probes and verify there are no open or shorted segments. 2. Inspect probe cables for any cracking or swelling and replace as necessary. 3. Verify epoxy kits have been installed on field wiring. 	
Line Leak Detector 847590-001	Yearly	1. Replace check valve filters (Diesel products only). 2. Check flexible fuel control lines for any chaffing, and replace as necessary. 3. Verify epoxy kits have been installed on field wiring.	N/A ✓ ✓

more...

* Mag Probes used in products such as waste oil should be checked more frequently than yearly since products of this type can leave deposits on the probe shaft and float assemblies that may restrict the probe's measurement capability.

NOTE 1: System status display should display "ALL FUNCTIONS NORMAL". If this is not displayed, then refer to TLS-350 System Operating Instructions, Manual No. 576013-610.

NOTE 2: Before verifying that the battery backup is working, print out or record all setup values.

TLS-350 SYSTEM PERIODIC MAINTENANCE CHECKLIST (Continued) 4 1999

Chico, California

<i>Maintenance Operation</i>	<i>When to Perform</i>	<i>What to Do</i>	✓
Piping Sump Sensor 794390-205	Yearly	<ol style="list-style-type: none"> 1. Inspect sensors to verify float moves freely. 2. Turn sensor upside down to verify the monitor liquid alarm is activated. 3. Verify epoxy kits have been installed on field wiring. 	
Dispenser Pan Sensor 794380-320	Yearly	<ol style="list-style-type: none"> 1. Inspect sensor cables for any cracking or swelling and replace sensor as necessary. 2. Verify sensor is firmly secured in an upright position on the bottom of the pan. 3. Verify epoxy kits have been installed on field wiring. 	
Containment Sump Sensor 794380-350	Yearly	<ol style="list-style-type: none"> 1. Inspect sensor cables for any cracking or swelling and replace sensor as necessary. 2. Verify sensor is firmly secured in an upright position on the bottom of the containment sump. 3. Verify epoxy kits have been installed on field wiring. 	
Vapor Sensor 794380-700	Yearly	<ol style="list-style-type: none"> 1. Inspect sensor cables for any cracking or swelling and replace sensor as necessary. 2. Verify epoxy kits have been installed on field wiring. 	
Groundwater Sensor 794380-62X	Yearly	<ol style="list-style-type: none"> 1. Inspect sensor cables for any cracking or swelling and replace sensor as necessary. 2. Lift sensor above water level in the well and verify the TLS-350 activates a "WATER OUT" alarm. If the sensor does not alarm, replace sensor. 3. Verify epoxy kits have been installed on field wiring. 	
Hydrostatic Sensor 794380-30X	Yearly	<ol style="list-style-type: none"> 1. Inspect sensor cables for any cracking or swelling and replace sensor as necessary. 2. Remove sensor from brine reservoir and verify floats move freely. With sensor in its upright position, the TLS-350 should activate a "FUEL ALARM". Turn the sensor upside down to be sure the TLS-350 activates a "WATER ALARM". If sensor does not alarm in both conditions, replace sensor. 3. Verify epoxy kits have been installed on field wiring. 	



VEEDER-ROOT 
Environmental Products

125 Powder Forest Drive, Post Office Box 2003, Simsbury, CT 06070-2003 TEL: (203) 651-2700. FAX: (203) 651-2719

BRAZIL: Sao Paulo • ENGLAND: Richmond, Surrey • FRANCE: Rungis Cedex • GERMANY: Neuhausen/Minster

MAR 24 1999

Chico, California



CHP
CHICO



ENVIRONMENTAL HEALTH

Corrpro Companies, Inc.

2799 Miller St.

San Leandro, CA 94577

Tel: (510) 614-8800

Fax: (510) 614-8811

MAK 22 1999

Chico, California

Cover Sheet for Facsimile Transmission

TO: Greg Lyon

Date: March 19, 1999

COMPANY: Butte County

Number of Pages: 2

FAX NUMBER: (530) 895-6512

Document Reference:

FROM: Dwayne Bell

SUBJECT: work completed at CHP-Chico

Greg,

Per your request, this is a written notice to you that the following work has been completed at CHP-Chico:

- Furnish and installation of galvanic anodes to cathodically protect the metallic product piping for the subject site UST.

The electrical potential measurements for the product piping were as follows:

	<u>Turbine end</u>	<u>Dispenser end</u>
"ON"	-1757mV	-1757mV
"OFF"	-1078mV	-1050mV
Native	- 228mV	- 590mV


The above readings indicate that the cathodic protection system satisfies the NACE International (National Association of Corrosion Engineers International) criteria for cathodic protection.

- Furnish and installation of overfill valve / drop tube
- Furnish and installation of standard tank bottom protector through the drop tube.

The State of California contract that we are working under requires a letter format report with attachments that include as-built details of the anode location(s). A copy of this report will be sent to you once complete.

If you have any questions, please give me a call.

Sincerely,
CORRPRO COMPANIES, INC.



Dwayne Bell
Engineering Division

ENVIRONMENTAL HEALTH

MAR 22 1999

Chico, California


Terry - Chap
Troth Chico 895-4444 tank filled. can dispense

Referred him to our letter dated 10-14-98
No permit until all items returned

Owen Weyers cell # 805 340-6530

3-19-99 @ 2:30 pm

Dwayne Ball returned my call. A report will be sent to me verifying overfill, overfill, CP, sticks & date installed and accounted for.



Environmental Health **Butte County**

FEB 08 1999 NATURAL WEALTH AND BEAUTY

Chico, CA

DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

- 18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165
- 411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512
- 7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-2140

January 26, 1999

Lt. A. T. Smith
California Highway Patrol
P O Box 1779
Chico, CA 95927

Department of California Highway Patrol

Department of California Highway Patrol

SUBJECT: ~~Underground Storage Tank Temporary Closure Application Fee~~
~~California Highway Patrol Station @ 995 Fir Street, Chico, APN 002-060-012~~

Dear Lt. Smith:

Please remit the Temporary Closure fee of \$235.00 (payable to "Butte County") for the processing and issuance of the application and permit, respectively, for the site listed above and mail to:

Carl Rodriguez
Butte County Environmental Health Department
P O Box 5364
Chico, CA 95927-5364

Environmental Health

FEB 08 1999

Chico, CA

If you have any questions, please call me at the Chico office between 8:00 and 9:00 am, Monday through Friday.

Sincerely,

Carl Rodriguez

Environmental Health

FEB 08 1999

Chico, CA

COUNTY OF BUTTE
OFFICIAL RECEIPT

60267

OFFICE OR DEPARTMENT ISSUING RECEIPT

Chico Ed

2-8 19*99*

Received from

State of Ca

The Sum of

Two hundred thirty five \$ *235*^{*00*}

For

UST Temporary Closure 002-060-002

Received:

Received By

S. Genon

CASH

Title

CHECK

016-935608 By

REMITTANCE ADVICE

850 MIS

Donna 98/99

STATE OF CALIFORNIA

STD. 404C (REV. 4-85)

BUTTECOUNT/33


THE ENCLOSED WARRANT IS IN PAYMENT OF INVOICES SHOWN BELOW

DEPARTMENT NAME		ORG. CODE	INVOICE DATE	INVOICE NUMBER	RPI
CALIFORNIA HIGHWAY PATROL		2720	01/26/99		
DEPARTMENT ADDRESS		CLAIM SCHED. NO.	INVOICE AMOUNT		
P.O. BOX 942901 SACRAMENTO CA 94298					
VENDOR					
BUTTE COUNTY PUBLIC HEALTH Division of Environmental Health P.O. BOX 5364 Chico, CA 95927-5364					
FEDERAL TAX ID NO. OR SSAN	RP TYPE	TAX YR	TOTAL REPORTED TO IRS	TOTAL PAYMENT	
			.00	\$ 235.00	

~~JUST TEMPORARY CLOSURE~~

REVOLVING FUND \$ 235.00
Check # 5608
PAID 1/30/99

0380



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Orville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-8512

7 County Center Drive
Orville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-2140

January 26, 1999

Lt. A. T. Smith
California Highway Patrol
P O Box 1779
Chico, CA 95927

SUBJECT: Underground Storage Tank Temporary Closure Application Fee
California Highway Patrol Station @ 995 Fir Street, Chico; APN 002-060-012

Dear Lt. Smith:

Please remit the Temporary Closure fee of \$235.00 (payable to "Butte County") for the processing and issuance of the application and permit, respectively, for the site listed above and mail to:

Carl Rodriguez
Butte County Environmental Health Department
P O Box 5364
Chico, CA 95927-5364

If you have any questions, please call me at the Chico office between 8:00 and 9:00 am, Monday through Friday.

Sincerely,

Carl Rodriguez, R.E.H.S.
Division of Environmental Health

CR/dd/ust/chp995fi.r

Environmental Health

JAN - 7 1999

Chico, California

~~December 23, 1998~~

County of Butte
Environmental Health
1469 Humboldt Rd.
Chico, CA 95928

ATTN: Greg Lyon

Subject: Letter of Intent
State of California, CHP - Various Sites
Cathodic Protection
Refueling Station Underground Storage Tank Associated Product Piping
Work Order No. CHP 9701.03
Contract No. UT0759

Gentlemen:

Per your request, I am submitting this letter of intent for the above subject project. The specific CHP site(s) that this letter of intent applies to are as follows:

CHP-Chico
995 Fir St.
Chico, CA 95927

Due to the tremendous workload that Corpro has been experiencing in relation to UST compliance issues, as well as scheduling of subcontractors to complete various aspects of the cathodic protection installations, the Dec. 22nd, 1998 EPA deadline was not able to be met. Most of the UST sites where we are providing cathodic protection for the piping require other upgrades as well, which Corpro has been executing by change order. This change order work is incurring an average of an extra 4 days per site. The anticipated work week for the CHP-Chico facility is 1/11/98 or the week of 1/18/98, however, these dates are not fixed.

We look forward to working with you to help these sites meet environmental compliance. If you have any questions, please do not hesitate to call us at (510) 614-8800, X39.

Very truly yours,
CORPRO COMPANIES, INC.


Dwayne A. Bell
Engineering Division

CHICHO 017 0100A
01/07/99

Environmental Health

JAN - 7 1992

Orlando, California

Environmental Health
Orlando, California
JAN - 7 1992

DEPARTMENT OF CALIFORNIA HIGHWAY PATROL

California Highway Patrol
995 Fir Street (PO Box 1779)
Chico, CA 95928 (95927)
(916) 895-4444
(800) 735-2929 (TT/TDD)
(800) 735-2922 (Voice)



ENVIRONMENTAL HEALTH

DEC 21 1998

Chico, California

December 21, 1998

Butte County of Public Health
Division of Environmental Health
P. O. Box 5364 (411 Main Street)
Chico, CA 95927-5364

Re: Application for Temporary Closure

Mr. Carl Rodriguez:

Enclosed is the Application for Permit for Temporary Closure of the underground storage tank located at the Chico Area office of the California Highway Patrol. Also enclosed are the work orders for Cross Petroleum, who transferred approximately 6,000 gallons of fuel to the Oroville CHP Area office, and Alliance Environmental, who removed any hazardous waste residue and inerted the tank. Alliance Environmental also disconnected the power supply associated with the tank usage.

As previously discussed with your agency, payment of the \$235.00 application fee will follow immediately upon our submission of the invoice to the Accounts Payable Unit of the Department's Accounting Section. In order to expedite payment, they are requesting a letter of remittance on your agency letterhead which I will forward on your behalf. An example of this letter used by the County of Mendocino is enclosed.

If you have any questions please contact Sergeant D. Vickers of my command at (530) 895-4444 during normal business hours.


A. T. SMITH, Lieutenant
Commander
Chico Area

Enclosures

OFFICIAL NOTICE
BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

P. O. BOX 5364
CHICO, CALIFORNIA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 COUNTY CENTER DRIVE
OROVILLE, CALIFORNIA 95965
TEL: (530) 538-7281
FAX: (530) 538-7785

DATE: 1/11/98

TO: Josh Cockrell, Alliance

SUBJECT: Temporary closure first inspection
@ 995 First St. CHP station.

INSTRUCTIONS: need locked cap on bill end
to meet Sect. 2671 Health & Safety
code requirement.

TIME _____ DAYS _____
Josh Cockrell

Carl Rodriguez
ENVIRONMENTAL HEALTH SPECIALIST

RECEIVED COPY

DLSS. 2

BUTTE COUNTY DEPARTMENT OF PUBLIC HEALTH
Division of Environmental Health

ENVIRONMENTAL HEALTH

P.O. Box 5364 (411 Main Street) Chico, CA 95927-5364

APPLICATION FOR PERMIT FOR TEMPORARY CLOSURE
UNDERGROUND HAZARDOUS MATERIALS STORAGE TANK(S) Chico, California

DEC 21 1998

Name of Establishment: California Highway Patrol
Assessor Parcel Nbr 002-060-012
Site Address/Location: 995 Fir Street, Chico, CA 95928
Mailing Address: Post Office Box 1779, Chico, CA 95927

Tank Owner: California Highway Patrol
Tank Owner's Address: Post Office Box 942898, Sacramento, CA 94298-0001
Telephone: (916) 375-2940

Applicant's Name: California Highway Patrol, Chico Area Telephone: (530) 895-4444
Mailing Address: Post Office Box 1779, Chico, CA 95927

Closure Methods Proposed: Empty, rinse, inert and monitor tank in place
Proposed Disposition of Tank(s): Empty, rinse, inert and monitor tank in place

Closure Contractor: Telephone: _____
Lic. Nbr. _____
Mailing Address: Lic. Type _____

Workers' Compensation Declaration: I hereby affirm under penalty of perjury one of the following declarations:

- () I have and will maintain a certificate of consent to self-insure for workers' compensation as provided for by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.
- () I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of work for which this permit is issued. My workers' compensation insurance carrier and policy number are:
Carrier: _____ Policy Number: _____
(The above sections need not be completed if the permit is for work of a valuation of one hundred dollars (\$100) or less).
- (X) I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to workers' compensation laws of California, and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

WSS DATE 11/27/98
Signature of Applicant

ATTACHMENTS TO BE INCLUDED: Closure Work Plan - Date Recd _____
Site Specific Health & Safety Plan - Date Recd _____

PERMIT FEES: Number of Tanks: _____
Plan Review: _____
Permanent Closure Fee: 2350
TOTAL FEES: 2350

DEPARTMENT USE ONLY: Receipt No. _____ Date _____

Permit Issued _____ By _____ EXPIRATION DATE: _____

UST/gl/tempclose/applic

DEC 21 1998

Chico, California



STATE OF CALIFORNIA
DEPARTMENT OF CALIFORNIA HIGHWAY PATROL
**HAZARDOUS MATERIALS
TRANSPORTATION LICENSE**
CHP 360H (6-97) OPI 062

CONTROL NUMBER 132686	LICENSE NUMBER 28351	ISSUE DATE 6/28/98	EFFECTIVE DATE	EXPIRATION DATE 8/31/99
CHP CARRIER NUMBER CA- 4742	LOCATION	<input type="checkbox"/> Duplicate <input type="checkbox"/> Initial	<input type="checkbox"/> Replacement <input checked="" type="checkbox"/> Renewal	

PROPERTY OF THE CALIFORNIA HIGHWAY PATROL (CHP)

The original valid license must be kept at the licensee's place of business as indicated on this license and a legible copy must be carried in any vehicle or combination transporting hazardous materials and must be presented to any traffic officer upon request. This license is NON-TRANSFERABLE and must be surrendered to the CHP upon demand or as required by law. Any change in ownership or control of the licensed activity shall require a new license. This license may be renewed by submitting an application and appropriate fee to the CHP. Persons whose licenses have expired or are otherwise no longer valid must immediately cease the activity requiring a license. THERE IS NO GRACE PERIOD FOR A LICENSED ACTIVITY. For license information contact CHP, Commercial Vehicle Section at (916) 327-3310.

LICENSEE NAME AND PHYSICAL ADDRESS *(only if different from below)*

Cross Petroleum
3744 Flight Avenue
Redding CA 96001

LICENSEE NAME AND MAILING ADDRESS

Cross Petroleum
P.O. Box 492200
Redding CA 96049-2200
ATTENTION: Accts. Pay. - Nancy

This carrier is on the special routing/safe stopping place routing lists as indicated below:

- (HMO) Explosives subject to Division 14, California Vehicle Code (CVC).
- (HMPH) Poison Inhalation Hazard materials in bulk packagings subject to Division 14.3, CVC.
- (HRCO) Highway Route Controlled Quantity radioactive materials subject to Division 14.5, CVC.

Any person who dumps, spills, or causes the release of hazardous materials or hazardous waste upon any highway shall immediately notify the CHP or the agency having jurisdiction for that highway. The minimum fine for failure to make the appropriate notification is \$2,000.00. (CVC Section 23112.5)

[Handwritten scribble]

3

California Environmental Protection Agency # 07093
AIR RESOURCES BOARD

Expires: 6/30/99

Motor Vehicle Fuel Distributor Certificate Of Compliance

The company or individual named below has complied with Health and Safety Code Section 43026 and is registered with the Air Resources Board as a motor vehicle fuel distributor.

Issued to: **CROSS PETROLEUM, INC.**
P.O. BOX 492200
REDDING, CA 96049-2200

RECEIVED
DEC 21 1998
BY: _____

[Signature]
James J. Mergester, Chief
Compliance Division

[Signature]
Chuck Beddow, Manager
Field Enforcement Section

For inquiries: P.O. Box 2815 Sacramento, CA 95812

(916) 322-6033

#98-C3576
Alliance Environmental Services

ENVIRONMENTAL HEALTH

DEC 21 1998

Company HIGHWAY PATROL
 Billing Address 995 FIRE
 City/State CHICO CA Zip Code 95727
 Location SAME Phone _____
 Type of Services Performed TEMPORARY CLOSE IN PLACE
ONE 12,000 GAL 12 ST CONTAINERS #98-C3576

Date 12-20-98 Chico, California
 Cust. Contract DAVE
 Manifest No. _____
 Job Type: T&M Bld
 Depart Yard 10:00
 Return Yard 1:30

Truck No.	Type	Arrive Job AM or PM	Depart Job AM or PM	NAME	Classification	Arrive Job AM or PM	Depart Job AM or PM	Remarks
02	TRUCK	10:15	1:15	Willy I	LAB	10:15	1:15	WASTE WATER
01	VAN	10:15	1:15	Josh K	SUP	10:15	1:15	WILL BE PLV
				JEFF K	LAB	10:15	1:15	UP ON MILK P.L.W.

Qty	Equipment & Number	Qty	Equipment & Number	Qty	Equipment & Number
VEHICLES		PROTECTIVE GEAR		SAMPLING	
	Truck, Personal		Full-face respirator		Sample Tubes
3	Truck, Pickup # 02		Half-face Respirator		Samples Extracted
3	Truck, 1 Ton # 01		Cartridge (type)		Sample Analysis
	Truck, Dump #		Tyvek Suit, White		Shipping
	Truck, Roll-off #		Tyvek Suit, Yellow		24 Hour Turnaround on Analysis
	Truck, Vacuum #		Gloves (type)		AIR BOTTLES/SIZE
DRUM WORK		EQUIPMENT			Hose
2	Drum Disposal	1	Compressor (type)		Type Size Lgth
80	Drum Disposal Volumes	1	Generator		Type Size Lgth
	17-H Drums		Air Pack		MISCELLANEOUS
	17-E Drums		Air Pack		Cellular Phone
	Acid Drums		Aromatic Salts		Closure Report
	Salvage Drums	170	Hand-Tools ICE	1	Site Safety Plan
MONITORING			Pump (type)		Polyplastic
	FID	1	Pressure Washer		Solidisorb
1	LEL/O ₂ Meter		Portable Lights		Other:

Meals Start _____ Waste Hauler No. _____ Washout Tag No. _____
 Stop _____ No. Loads 1 Gallons 80 Yards _____ Washout _____
 Disposal Site _____ Substance WASTE & GAS

AUTHORIZATION
 I have reviewed this report and verified the accuracy of the above information. I hereby authorize payment for the services and equipment indicated above.
 Authorization Signature: [Signature] Prepared By: [Signature]

ENVIRONMENTAL HEA



Alliance Environmental Services

3080 Thorntree Drive #55
Chico, Ca. 95973

Phone: (530) 345-8562

Fax: (530) 345-4028

Cont. Lic. #715271

DEC 21 1998
Chico, California

December 18, 1998

Highway Patrol
995 Fir
Chico, CA 959

Attn: Dave

Re: BID FOR TEMPORARY CLOSE IN PLACE OF ONE 12,000 GALLON UST

This price includes all labor, materials and equipment needed to temporary close in place one 12,000 UST.

Total.....\$3,750.00

We are currently waiting for a call back from Butte County Environmental Health. If they give us the approval to close the tank without an inspector on-site we will do so. The only day we have open right now is Sunday December 20, 1998. This price does not include permits.

Please call us back today if you would like to accept this bid.

Thank you for the opportunity to do business with you.

Sincerely,

Heather Quiggle
Office Manager

98-C3576

State of California—Business, Transportation and Housing Agency

PETE WILSON, Governor

DEPARTMENT OF CALIFORNIA HIGHWAY PATROL

P. O. Box 942898
Sacramento, California 94298-0001
(916) 322-7157
(800) 735-2929 (TT/TDD)
(800) 735-2922 (Voice)



May 5, 1997

ASSIGNMENT OF CARRIER IDENTIFICATION NUMBER CA 141592

File No.: 82.A6102.LTR1

ALLIANCE ENVIROMENTAL SERVICES
3060 THORNTREE DR 80
CHICO, CA 95973

ENVIRONMENTAL HEALTH

DEC 21 1998

Chico, California

Your company has been assigned Carrier Number CA 141592 in the California Highway Patrol's Management Information System of Terminal Evaluation Records (MISTER). This is an automated file pertaining to motor carriers operating in the State of California. MISTER gives the CHP immediate access to emergency information about your company. It also allows the CHP to make better use of its inspection personnel by monitoring the overall safety operations of carriers. This is done by collecting information regarding citations, traffic accidents, hazardous material spills, and terminal evaluation ratings.

Your assigned Carrier Number must be displayed on both sides of each vehicle, or on both sides of at least one vehicle in a combination described in Vehicle Code Section 34500 (e.g., buses, three-axle trucks, truck tractors, combinations of a truck and trailer that exceed 40 feet, trucks transporting hazardous materials). The Carrier Number does not need to be displayed if a valid California Public Utilities Commission (PUC), Interstate Commerce Commission (ICC), or U. S. Department of Transportation (USDOT) number is displayed. (Reference: California Vehicle Code Section 34507.5) The number must be legible from 50 feet during normal daylight hours (approximately two inches high) and in a contrasting color to the background.

Example of proper display: CA 141592

If you have any questions regarding your assigned Carrier Number or the requirement to display the number, please contact the CHP Commercial Records Unit at (916) 322-7157.

Rev. 10/95

STATE OF CALIFORNIA
STATE AND CONSUMER SERVICES AGENCY

CONTRACTORS STATE LICENSE BOARD



Building Quality



HAZARDOUS SUBSTANCES REMOVAL AND REMEDIAL ACTIONS CERTIFICATION

Pursuant to the provisions of Section 70587.5 of the Business and Professions Code, the Registrar of Contractors does hereby certify that the following qualifying person has successfully completed the hazardous substances removal and remedial actions examination.



Qualifier: WILLIAM EDWARD IRWIN

License No.: 715271

Business Name: WILLIAM EDWARD IRWIN

ENVIRONMENTAL HEALTH

DEC 21 1998

Chico, California

WITNESS my hand and official seal this
28TH day of DECEMBER 1995

David R. Bellin
Registrar of Contractors

13L-36 (12/91)

This certification is the property of the Registrar of Contractors, is not transferable, and shall be returned to the Registrar upon demand when suspended, revoked, or (invalidated for any reason.

A 6807

State of California Contractors State License Board

Pursuant to Chapter 9 of Division 3 of the Business and Professions Code
and the Rules and Regulations of the Contractors State License Board,
the Registrar of Contractors does hereby issue this license to:

ALLIANCE ENVIRONMENTAL SERVICES



to engage in the business or act in the capacity of a contractor
in the following classification(s):

**A - GENERAL ENGINEERING CONTRACTOR
HAZ - HAZARDOUS SUBSTANCES REMOVAL**



Witness my hand and seal this day,
February 28, 1996

Issued November 15, 1995

Will
Signature of Licensee

Will
Signature of License Qualifier

CERTIFIED COPY

Paul W. Deussen
Registrar of Contractors

This license is the property of the Registrar of Contractors, is not transferable, and shall be returned to the Registrar upon demand when suspended, revoked, or invalidated for any reason. It becomes void if not renewed.

715471
License Number

Chico, California

DEC 21 1998

ENVIRONMENTAL HEALTH



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

October 13, 1998

Dwayne Bell
Corrpro Company, Inc.
31909 Hayman St.
Hayward, CA 94544

18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-2140

SUBJECT: Cathodic Protection (CP) System, California Highway Patrol Facility
995 Fir Street, Chico; APN 002-060-012

Dear Mr. Bell:

This Department is in receipt of your workplan for installing a Cathodic Protection System at the above location. The fee is \$124.00 and an application is enclosed.

For your information, in addition to the Cathodic Protection the following upgrade requirements are to be met:

1. Striker plates are to be installed in the tank under access openings.
2. Overfill valve and overspill bucket is to be installed.
3. Line leak detection with automatic shut-off is to be installed.

Also, after the Cathodic Protection is installed, a report is to be forwarded to this Department certifying the system.

If you have any questions, please contact me at the Chico office between 8:00 and 9:00 am, Monday through Friday.

Sincerely,

Greg Lyon, R.E.H.S.
Division of Environmental Health

GKL/dd/cathodic/995fir.cp

cc - California Highway Patrol

enclosure

PD007

COUNTY OF BUTTE
PROPERTY SYSTEM
ASSESSOR INQUIRY

10/13/98
15:53:26.7

FEE PARCEL
PARCEL: 002 060 012 000 STATUS: A 00/00/00 CREATED: 80R2511157 00/00/00
SEC TRA: 002103 KILLED:
DESC: BIDWELL 9TH ADD, LOTS 4 AND 5 ZONING: CITY

ASSMT: 002 060 012 000 STATUS: A 00/00/00 CREATED: 80R2511157 00/00/00
TRA: 002103 TAX CD: 003 BASE: 00/77 KILLED:
CUR DOC:

DESC: BIDWELL 9TH ADD, LOTS 4 AND 5
STATE OF CALIFORNIA
REAL ESTATE SERVICE DIVISION
650 HOWE AVE
SACRAMENTO CA 95825
BONDS:
ROLL ASSESSEE: N
RETAINED OWNER: Y
ACRES: 0.00
ET AL OWNERS: N
SUPL CNT:

COMMENT: 0206001200 CONVERTED 09/08/88

SITUS: 995 FIR ST CHIC

F8=ASMT SUMMARY

OPTION: ---
NXT OWN PCL SIT EXP TAX PRE RET
SC2 ATT HON APR MEN HLP PHY

September 29, 1998

County of Butte
Environmental Health
1469 Humboldt Rd.
Chico, CA 95928



Corrpro
Companies
Incorporated

"A Commitment to Excellence"

31909 Hayman Street • Hayward, CA 94544
Tel 510/471-2233, Fax 510/471-3698
ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California

ATTN: Greg Lyon

Subject: State of California, CHP ~~Various Sites~~
Cathodic Protection
Refueling Station Underground Storage Tank Associated Product Piping
Work Order No. CHP 9701.03
Contract No. UT0759

Gentlemen:

Per our phone conversation, we are submitting the necessary documents to your office for pre-construction approval for the above subject project. The specific CHP site(s) that we are seeking approval for are as follows:

CHP-Chico
~~995 RFSL~~
Chico, CA 95927

CHP-Oroville
2072 Third. St.
Oroville, CA 95965

You will find the following items enclosed:

- 1) Work Plan
- 2) Safety Plan
- 3) Typical design details and calculations for a UST galvanic anode cathodic protection system
- 4) Drawing detail for typical UST galvanic anode installation
- 5) Appropriate permit application and fees (if applicable)
- 6) Workman's Compensation Insurance Certificate

We look forward to working with you to help these sites meet the Dec. 22nd, 1998 Federal EPA deadline. If you have any questions, please do not hesitate to call us at (510) 471-2233.

Very truly yours,
CORRPRO COMPANIES, INC.

Dwayne A. Bell
Engineering Division

Anchorage	Broussard	Cleveland	Fridley	New Orleans	Philadelphia	San Diego	West Chester	Middle East
Atlanta	Charlotte	College Park	Houston	New York	Phoenix	San Francisco	Asia	United Kingdom
Billings	Chicago	Denver	Los Angeles	Ocean City	Racine	Seattle	Canada	Washington DC

ENVIRONMENTAL HEALTH

OCT 07 1998


Chico, California

PLOT PLAN VIEW

PUBLIC PARKING = 34
SECURITY PARKING = 35
CARPORT = 3

Cathodic Protection Site #1^m
W.O.# CHP 9 701-03

ENVIRONMENTAL HEALTH
OCT 07 1998
Chico, California



PLOT PLAN Scale: 1"=50'

Contact: Lt. A.T. Smith
Telephone: (530) 895-4444

LOCATION: CHICO, CA
PROJECT: Installation of Cathodic Protection at 995 Fir Street, Chico, ca 95927 Steel Piping


REV. 7-31-84
DEPARTMENT OF THE CALIFORNIA HIGHWAY PATROL
FACILITIES SECTION 5-2-79 DRN. BY: A. M. LIM

0409

OCT 07 1998

Chico, California

Cathodic Protection Site # 2
W.O. # C.H.P 9 701-03



PLOT PLAN

SCALE: 1" = 40'

- PUBLIC PARKING = 14
- SECURITY PARKING = 20
- CARPORIT = 6

Contact: Lt. D.W. Beasley
 Telephone: (916) 533-3822

LOCATION: ORVILLE AREA OFFICE
 2072 7th St., Orville, CA 95965

PROJECT: Installation of Cathodic Protection at *Steel*

REV. 7-22-84 R. LIM
 DEPARTMENT OF THE CALIFORNIA HIGHWAY PATROL
 FACILITIES SECTION 5-18-76
 REV 22-07-81 DR BY A. CAVANAGH

OCT 07 1998

Chico, California

WORKPLAN

OCT 07 1998

Chico, California

CATHODIC PROTECTION SYSTEM WORK PLAN

I. INTRODUCTION:

The structures considered for cathodic protection consists of underground gasoline fuel storage tanks' associated metallic product piping. These structures are constructed of steel. The cathodic protection system design is in accordance with the National Association of Corrosion Engineers International (NACE) Recommended Practice RP-0285-95, "Control of External Corrosion on Metallic Buried, Partially Buried, or Submerged Liquid Storage Systems."

II. CATHODIC PROTECTION SYSTEM DESCRIPTION:

The galvanic-anode type cathodic protection system will consist of one or two anodes installed underground in the vicinity of the underground storage tank product piping. A cathodic protection test station will also be installed underground near the underground storage tank product piping.

The anodes will be high potential magnesium type, enclosed in a semi-permeable cloth bag containing a gypsum-bentonite backfill mixture. ~~The anodes will be installed 2-3 feet below grade.~~ Individual anode lead wires will be routed underground to the cathodic protection test station.

The cathodic protection test station will consist of anode lead wires and wires connected to the underground storage tank piping, all of which are routed to a test box. The lead wires are used for periodic testing of the cathodic protection system.

III. CATHODIC PROTECTION SYSTEM INSTALLATION

The following installation method will be utilized:

- 1) UST Equipment lock-out (pumps and turbines)
- 2) Product piping electrical isolation at tank end and dispenser end using dielectric insulating unions
- 3) Product spill containment during electrical isolation of piping
- 4) Magnesium anode installation at 2-3 feet below grade. Some saw-cutting of pavement may be necessary.
- 5) File coating off a 2-3 inch wide area around the external surface of the product piping to allow electrical connection of a 5 inch x 5 inch micarta terminal board to the product piping by means of a brass clamp.
- 6) Attach brass clamps of sufficient size to fit 2-inch diameter piping at exposed bare steel on product piping.

- 7) Route appropriate size cable from anode(s) to terminal board and from product piping brass clamps to terminal board.
- 8) Repair exposed bare metal after brass clamps and wire are attached with coal tar mastic coating.
- 9) Enclose terminal board inside an appropriate utility box. Utility box will most likely be located over the anode location.
- 10) Backfill and compact excavation and repair concrete and/or asphalt as needed.

IV. TESTING AND COMPLIANCE CERTIFICATION:

After installation, the cathodic protection system will be tested to confirm compliance with the aforementioned NACE Recommended Practice RP-0285-95. All testing will be performed by a qualified cathodic protection technician under the direct supervision of a registered professional corrosion engineer. ~~Upon completion of the testing a written report complete with tabulation and analysis of all field data and recommendations for future monitoring of the system will be prepared and forwarded to the client.~~ § 4.5.2.

ENVIRONMENTAL HEALTH

OCT n 7 1998

Chico, California

SAFETY PLAN

ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California

CATHODIC PROTECTION SYSTEM INSTALLATION SAFETY PLAN

ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California

I. Personal Protective Equipment

Throughout the installation of the cathodic protection system personal protective equipment will be used as required. Personal protective equipment for the work involved includes, but is not limited to:

- *Orange traffic cones for sectioning off the work area
- *Eye protection
- *Hard hats
- *Gloves
- *Fire extinguisher (minimum 5 lb size)

At all times, sound safety practices are to be adhered to. Specific hazard control precautions include, but are not limited to:

- *Use proper lifting techniques
- *When opening manhole coverings, allow enough time to adequately vent to air prior to breathing in close proximity.
- *Prior to excavation, all areas will be USA'd. Trenching not to exceed 4 feet deep.
- *During backhoe operation stand clear of the "kill-zone" radius.
- *Ground any electrical equipment used in the vicinity of gasoline product piping.

TYPICAL DESIGN

ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California

SACRIFICIAL ANODE CATHODIC PROTECTION SYSTEM DESIGN SPREADSHEET.

ENVIRONMENTAL HEALTH

Anode Designation

9# GALV

OCT 07 1998

Date: 9/28/98

By: DAB

Chico, California

Client: State of California

Project: California Highway Patrol Refueling Station UST's, Associated Piping Cathodic Protection Design, Various Sites

Design Basis

To protect approximately 20 feet of 2" product pipelines associated with the refueling station UST(s).

Based upon the quantity of buried piping associated with this location and the calculated current demand, it is proposed to use a sacrificial anode cathodic protection system. This system will be sized to protect the buried metallic piping only.

The piping shall be electrically isolated from all other metallic structures using dielectric unions (and / or other means). As the tank is of FRP construction it may not prove necessary to install isolation devices at the tank itself, but isolation will be required at the remote end of each fuel product pipe at the fuel islands and possibly at the tank turbine unit. Also it may be necessary to isolate the pipes from possible contact with steel reinforcing where they pass through concrete structures. In addition it is possible that the pipelines may be shorted below ground by direct contact to other metallic structures, for example conduits. If this proves to be the case then the shorts will either need to be cleared or a higher capacity (impressed current) CP system will be required to accommodate current drainage to other structures.

Notes:

- 1). The site installation details drawings for "State of California, CHP, Various Sites" shows the fuel lines between the tanks and the fuel islands schematically only.
- 2). The anode locations and cable routes shall be field located to suite prevailing site conditions.

SACRIFICIAL ANODE CATHODIC PROTECTION SYSTEM DESIGN SPREADSHEET.

ENVIRONMENTAL HEALTH

Anode Designation

9# GALV

OCT 07 1998

Chico, California

Date: 9/28/98

By: DAB

Client: State of California

Project: California Highway Patrol Refueling Station UST's, Associated Piping Cathodic Protection Design, Various Sites

DATA INPUT

Total piping surface area	10	sq ft	
Coating efficiency (0 for bare, else xx% as a decimal)	0.5		
Bare steel current requirement (ma/sq.ft)	0.75	ma/sqft	
Allowance for Unknowns/Safety Factor (% expressed as a decimal)	0.25		
Total current Demand - (ma)	5	ma	
Anode net weight (lbs.)	9	lbs.	
Anticipated number of anodes	1	anodes	
Number of anode beds	1	bed (s)	
Number of anodes per bed	1	anode	
Spacing of anodes desired (feet)	0	ft	
Anode length (inches)	16	in	
Anode diameter (inches)	6.0	in	
Electrolyte resistivity (Assumed from soil sample testing)	8,000	ohm-cm	
Anode-to-earth resistance (ohm)	192.50	ohm	
Estimated structure-to-earth resistance (ohm)	0.10	ohm	
Total Circuit Resistance (ohm)	192.60	ohm	
Driving potential to protected steel (at 0.85 V)	0.90	volt	
Actual total current output (ma)	5	ma	
Required current output (ma)	5	ma	
Magnesium anode consumption rate, at 50% efficiency (lbs. / amp-yr.)	17.00	lbs/ amp-yr.	
Total anode weight (lbs.)	9	lbs.	
Target design life (years)	20	years	
Anode Utilization	85%		
Calculated design life(based on required current output)	Greater than 20 years		91.69

Notes: Anode resistance to earth and current output calculation uses formulae by "Dwight" and Ohm's Law.



ETWA J. ALTH

OCT 07 1909



Chico, California

DESIGN DRAWING DETAILS

0" ENG 1" ARCH 2"
SCALE DRAWING ACCORDINGLY

ENVIRONMENTAL HEALTH

OCT 07 1998
Chico, California



ALASKA • ARIZONA • CALIFORNIA • COLORADO • GEORGIA • ILLINOIS • IOWA • KANSAS • LOUISIANA
MASSACHUSETTS • MICHIGAN • MINNESOTA • MISSOURI • MONTANA • NEBRASKA • NEW JERSEY • NEW MEXICO • NORTH CAROLINA • NORTH DAKOTA
OHIO • OKLAHOMA • PENNSYLVANIA • TEXAS • VIRGINIA • WASHINGTON • WISCONSIN • WYOMING • INTERNATIONAL



Compro Companies Incorporated
CATHODIC PROTECTION SYSTEM
FUEL TANK PIPING



CHP STATE OF CALIFORNIA, VARIOUS SITES

OWNER:	D.B.	J.F.	J.E.
DATE:	08/94	08/94	08/94
NO.:	575-0884	NONE	NONE
DATE:	9/29/98		
FILE:	0884-CP0		

31800 S. HAYWARD BL. HAYWARD, CALIFORNIA 94544
PH. 510-471-2333 FAX. 510-471-2886


FOR APPROVAL

CP-2
SHEET 2 OF 3 SHEETS




1 ANODE TEST STATION
 CP-2 NOT TO SCALE

2 TEST STATION TERMINAL
 CP-2 NOT TO SCALE





4 CABLE TRENCH
 CP-2 NOT TO SCALE



5 NEGATIVE CONNECTION TO STRUCTURE
 CP-2 NOT TO SCALE

0" ENG 1" ARCH 2"
SCALE DRAWING ACCORDINGLY

- 0.01 OHM SHUNT



ENVIRONMENTAL HEALTH
OCT 07 1998
Chico, California

BOARD

3 GALVANIC ANODE INSTALLATION
CP-2 NOT TO SCALE

ALASKA • ARIZONA • CALIFORNIA • COLORADO • GEORGIA • ILLINOIS • KANSAS • LOUISIANA
MASSACHUSETTS • MINNESOTA • MONTANA • NEW JERSEY • NEW MEXICO • NORTH CAROLINA • NORTH DAKOTA
OHIO • OKLAHOMA • PENNSYLVANIA • TEXAS • VIRGINIA • WASHINGTON • WISCONSIN • INTERNATIONAL


REVISION DATE ENGINEER APPROVAL



Corpro Companies Incorporated
CHP STATE OF CALIFORNIA, VARIOUS SITES
CATHODIC PROTECTION SYSTEM
FUEL TANK PIPING

ENGINEER:	D.D.	J.F.	J.E.
DATE:	08/08/98	08/08/98	08/08/98
JOB NO:	575-0884		
SCALE:	NONE		
DATE:	9/29/98		
FILE:	0884-CP0		

-CLAMP



ICTURE

6 DIELECTRIC INSULATION UNION
CP-2 NOT TO SCALE

FOR APPROVAL
3100 S. HAYWARD ST. HAYWARD CALIFORNIA 94544
SUCRO 22255 FAX 510 712255

FOR APPROVAL

CP-2
SHEET 2 OF 3 SHEETS

0" ENG 1" ARCH 2"
SCALE DRAWING ACCORDINGLY

ALASKA • ARIZONA • CALIFORNIA • COLORADO • GEORGIA • ILLINOIS • IOWA • KANSAS • LOUISIANA
MASSACHUSETTS • MINNESOTA • MONTANA • NEW JERSEY • NEW MEXICO • NORTH CAROLINA • NORTH DAKOTA
OHIO • OKLAHOMA • PENNSYLVANIA • TEXAS • VIRGINIA • WASHINGTON • WISCONSIN • INTERNATIONAL

REVISION DATE CHANGE DESCRIPTION

ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California



(1) u/a

Corpro Companies Incorporated

ENGINEER	D.B.	J.F.	J.E.
DATE			
CHRG			
JOB NO.	575-0824		
SCALE	NONE		
DATE	9/29/88		
FILE	0824-CFO		

CHP STATE OF CALIFORNIA, VARIOUS SITES
PLOT PLAN VIEW (TYP.)
CATHODIC PROTECTION SYSTEM
FUEL TANK PIPING



FOR APPROVAL

CP-3
SHEET 3 OF 3 SHEETS


0" ENG 1" ARCH 2"
SCALE DRAWING ACCORDINGLY

ALASKA • ARIZONA • CALIFORNIA • COLORADO • GEORGIA • ILLINOIS • IOWA • KANSAS • LOUISIANA
MASSACHUSETTS • MICHIGAN • MINNESOTA • MISSOURI • NEBRASKA • NEW JERSEY • NEW MEXICO • NORTH CAROLINA • NORTH DAKOTA
OHIO • OKLAHOMA • PENNSYLVANIA • TEXAS • VIRGINIA • WASHINGTON • WISCONSIN • WYOMING

REVISION DATE DIVISION DESCRIPTION

REVISED... ALTH

OCT 07 1998
Chico, California



Corpro Companies Incorporated

ENGINEER	D.B.	J.F.	J.E.
CHK			
DATE		575-0884	
REASON		NONE	
DATE	9/29/98		
FILE	0984-C90		

CNP STATE OF CALIFORNIA, VARIOUS SITES
PLOT PLAN VIEW (TYP.)
CATHODIC PROTECTION SYSTEM
FUEL TANK PIPING



FOR APPROVAL

CP-3
SHEET 3 OF 3 SHEETS

(1) U/G TANKS (FRP)


PRODUCT PIPES
(QTY. & DIA.
VARIES)



NOTES:
1. FIELD LOCATE CABLES & LOCATE UNITS TO
AVOID CONFLICT WITH OTHER UTILITIES
2. PRODUCT PIPES SHALL BE INSTALLED ONLY
3. ALL ELECTRICAL ISOLATION OF PIPING AT TANK
AND COMPRESSOR ENDS.

(1) U/G TANKS (FRP)

PRODUCT PIPES
(QTY. & DIA.
VARIES)



- NOTES:
1. FIELD LOCATE CABLES & LOCATE ANODES TO AVOID CONFLICT WITH OTHER STRUCTURES.
 2. PRODUCT PIPES SHOWN SCHEMATICALLY ONLY.
 3. ALL ELECTRICAL ISOLATION OF PIPING AT TANK AND DISPENSER ENDS.

 **PLAN - STATE OF CALIFORNIA**
NOT TO SCALE

VOID TEST STATION
SEE DETAIL



TEST #10 HMWPE (WHT) &
DRAIN #10 HMWPE (BLK)
TRENCH TO TEST STATION
SEE DETAIL



PRODUCT
DISPENSER ISLAND

RAINFALL
DIELECTRIC
INSULATION UNIFORM.
SEE DETAIL



ENVIRONMENTAL HEALTH

OCT 07 1998
Chico, California

0" ENG 1" ARCH 2"
SCALE DRAWING ACCORDINGLY

ALASKA • ARIZONA • CALIFORNIA • COLORADO • GEORGIA • ILLINOIS • IOWA • IOWA • IOWA
MASSACHUSETTS • MINNESOTA • MONTANA • NEW JERSEY • NEW MEXICO • NORTH CAROLINA • NORTH DAKOTA
OHIO • OREGON • PENNSYLVANIA • TEXAS • VIRGINIA • WASHINGTON • WISCONSIN • WYOMING

PROVIDE DATE ENGINEER DESCRIPTION



Corpro Companies Incorporated

OWNER:	D.B.	J.F.
DATE:	08/08	08/08
JOB NO.:	575-0884	575-0884
SCALE:	NONE	NONE
DATE:	9/29/98	9/29/98
FILE:	0884-CPD	0884-CPD

CHIP STATE OF CALIFORNIA, VARIOUS SITES
PLOT PLAN VIEW (TYP.)
CATHODIC PROTECTION SYSTEM
FUEL TANK PIPING

J. F. J. E.
REGISTERED PROFESSIONAL ENGINEER
STATE OF CALIFORNIA
LICENSE NO. 575-0884
EXPIRES 06/30/2000

FOR APPROVAL

CP-3
SHEET 3 OF 3 SHEETS

WORKMAN'S COMPENSATION CERTIFICATE

ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California

ACORD

CERTIFICATE OF INSURANCE

DAB

78086

ISSUE DATE (MM/DD/YY)

08/21/98

PRODUCER

ACORDIA OF N.E. OHIO
1301 EAST NINTH ST
CLEVELAND OH 44114

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND
CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE
DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE
POLICIES BELOW.

COMPANIES AFFORDING COVERAGE

COMPANY A COMMERCE & INDUSTRY

COMPANY B LIBERTY MUTUAL INSURANCE CO.

COMPANY C

COMPANY D

COMPANY E

COPY

INSURED

Corpro Companies
31909 Hayman Street
Hayward CA 94544

1998

REC'D AUG 27 1998

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD
INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS
CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS,
EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Table with columns: CO, TR, TYPE OF INSURANCE, POLICY NUMBER, POLICY EFFECTIVE DATE, POLICY EXPIRATION DATE, LIMITS. Rows include General Liability, Automobile Liability, Excess Liability, and Worker's Compensation.

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS

SEE ATTACHED ADDENDUM

OCT 17 1998

Chico, California

CERTIFICATE HOLDER
REAL ESTATE SERVICES DIV
CONSTRUCTION CONTRACTS
ATTN: NADINE T. O'BANNON
1300 I STREET, SUITE 800
SACRAMENTO CA 95814

CANCELLATION
SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE
EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO
MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE
LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR
LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE
[Signature]

CERTIFICATE OF INSURANCE

Issue Date

8/21/98

DESCRIPTION OF OPERATIONS EXTENSION

PRODUCER

Acordia of NE Ohio
The Galleria & Tower at Erleview
1301 East Ninth Street
Cleveland, OH 44114-1824
(216) 241-4344

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

COMPANIES AFFORDING COVERAGE

COMPANY

LETTER **A** COMMERCE & INDUSTRY

COMPANY

LETTER **B** LIBERTY MUTUAL INSURANCE CO.

COMPANY

LETTER **C**

COMPANY

LETTER **D**

COMPANY

LETTER **E**

INSURED

CORRPRO COMPANIES, INC.
31909 HAYMAN STREET
HAYWARD, CA. 94544

THIS DESCRIPTION OF OPERATIONS EXTENSION MAY BE RELIED UPON ONLY IF THE CERTIFICATE REFERRED TO HEREIN IS ATTACHED HERETO.

Certificate Holder: REAL ESTATE SERVICES DIVISION
CONSTRUCTION CONTRACTS

RE: CONTRACT #UTO762; JOB CHP9701-05

PROJECT: CP AT UNDERGROUND STEEL PIPING, SAN JUAN CAPISTRANO, TEMECULA, BARSTOW VICTORVILLE, SAN BERNARDINO, BLYTHE, DEPARTMENT OF CA HIGHWAY PATROL ORANGE, RIVERSIDE AND SAN BERNARDINO COUNTIES.

THE STATE OF CALIFORNIA, ALL OFFICERS, EMPLOYEES AND SERVANTS OF THE STATE ARE INCLUDED AS ADDITIONAL INSURED. THIS POLICY INSURES THE CONTRACTOR, THE STATE OF CALIFORNIA AND ALL OFFICERS, EMPLOYEES AND SERVANTS OF THE STATE, WHILE ACTING WITHIN THE SCOPE OF THEIR DUTIES, AGAINST ALL CLAIMS, SUITS OR OTHER ACTIONS OF ANY NATURE BROUGHT FOR OR ON ACCOUNT OF ANY INJURY DAMAGE OR LOSS, INCLUDING ANY DEATH, ARISING OUT OF OR CONNECTED WITH THE WORK UNDER THIS CONTRACT.

THE INSURER SHALL NOT CANCEL OR MODIFY THIS POLICY WITHOUT GIVING 30 DAYS PRIOR WRITTEN NOTICE TO THE REAL ESTATE SERVICES DIVISION, CONSTRUCTION CONTRACTS.

THE STATE SHALL NOT BE RESPONSIBLE FOR ANY PREMIUMS OR ASSESSMENTS ON THE POLICY.

THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICY.

ERNEST & BERTHOUD HEALTH

OCT 7 1998

Chico, California

BILL OF MATERIALS

ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California

**STATE OF CALIFORNIA
CALIFORNIA HIGHWAY PATROL – VARIOUS SITES
UST ASSOCIATED PIPING
SACRIFICIAL ANODE CATHODIC PROTECTION**

BILL OF MATERIALS

ITEM #	QUANTITY / UNITS	DESCRIPTION
1	1 Ea	Prepackaged high potential magnesium alloy anodes. Nominal anode weight = 9 pounds. Supplied with special backfill in a water permeable cloth bag and #10 AWG THHN insulated cable
2	1 Ea	Christy G-5 , surface box, marked "CP-Test"
3	100 feet	Cable AWG #10, HMWPE insulated
4	1 ea	Ground clamps to suit 2" diameter pipes
5	Lot	Pipe coating patching materials


Note:

The above Bill of Materials comprises the major components of the sacrificial anode cathodic protection system. All other sundry items to complete the system installation to be supplied by Corpro's local office. (i.e. cable terminals, cable ID markers, etc.)

ENVIRONMENTAL HEALTH

OCT 07 1998

Chico, California



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Oroville, CA 95965
TEL: (530) 538-7282
FAX: (530) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (530) 891-2727
FAX: (530) 895-8512

7 County Center Drive
Oroville, CA 95965
TEL: (530) 538-7281
FAX: (530) 538-2140

July 16, 1998

CALIFORNIA HIGHWAY PATROL
2490 FIRST ST
SACRAMENTO, CA 95818

**RE: REMINDER OF STATE & FEDERAL REQUIREMENTS TO UPGRADE OR CLOSE
UNDERGROUND STORAGE TANKS BY DECEMBER 22, 1998 :**

By now, you should be aware of the rapidly approaching December 22, 1998, Federal and State deadline to close, replace, or upgrade your underground storage tank (UST) or tanks in accordance with State regulations. You should also be aware of Assembly Bill 1491 which is now law, and will prohibit deliveries of petroleum products on or after January 1, 1999, to USTs unless specific upgrade requirements are met and a valid Permit to Operate has been issued. This Department does not have the authority to extend these compliance deadlines and the chance is remote that the State or Federal Government will approve a time extension.

You are accordingly notified that unless prompt action is taken to fully comply with AB 1491, the UST(s) at the above mentioned facility will become subject to the January 1, 1999, prohibition against petroleum product deliveries. A review of our file for your facility has indicated the following:

This facility does not have a current Permit to Operate issued by this Department. Please contact this office immediately regarding necessary action to bring this facility into compliance.

Contractors and related professionals involved in UST upgrading activity can be expected to become increasingly busy in coming months as the upgrade deadline approaches. This may cause a shortage of qualified contractors. It will also be impractical for this Department to process a flood of permit applications at the last minute. Prompt action is necessary to ensure that your facility can comply with upgrade requirements. Please contact me as soon as possible at the Chico office listed above to discuss your compliance options and timetable.

Sincerely,

Greg Lyon, R.E.H.S.

Division of Environmental Health

GKL//deadline.98/current.no/

NOV 25 1997



State of California
State Water Resources Control Board

For Regulatory Agency Use Only

Chico, CA

CERTIFICATION OF FINANCIAL RESPONSIBILITY

FOR UNDERGROUND STORAGE TANKS CONTAINING PETROLEUM

A. I am required to demonstrate Financial Responsibility in the required amounts as specified in Section 2807, Chapter 18, Div. 3, Title 23, CCR:

500,000 dollars per occurrence

1 million dollars annual aggregate

or

AND

or

1 million dollars per occurrence

2 million dollars annual aggregate

B. _____ hereby certifies that it is in compliance with the requirements of Section 2807, (Name of Tank Owner or Operator)

Article 3, Chapter 18, Division 3, Title 23, California Code of Regulations.

The mechanisms used to demonstrate financial responsibility as required by Section 2807 are as follows:

C. Mechanism Type	Name and Address of Issuer	Mechanism Number	Coverage Amount	Coverage Period	Corrective Action	Third Party Comp.
STATE IS SELF INSURED.						
SEE ATTACHED EXEMPTION.						
SUBPART H - FINANCIAL RESPONSIBILITY 2807.90 (C)						
97						

Note: If you are using the State Fund as any part of your demonstration of financial responsibility, your execution and submission of this certification also certifies that you are in compliance with all conditions for participation in the Fund.

D. Facility Name	Facility Address	
Facility Name	Facility Address	
Facility Name	Facility Address	
Facility Name	Facility Address	
Facility Name	Facility Address	
E. Signature of Tank Owner or Operator	Date	Name and Title of Tank Owner or Operator
Signature of Witness or Notary	Date	Name of Witness or Notary

NOV 25 1997

43370 Federal Register / Vol. 53, No. 207 / Wednesday, October 28, 1988 / Rules and Regulations

entities (i.e., small businesses, small organizations, and small governmental jurisdictions). No regulatory flexibility analysis is required, however, if the head of the agency certifies that the rule will not have a significant economic impact on a substantial number of small entities.

EPA has conducted an analysis of the impacts of this regulation on small businesses as part of its regulatory impact analysis (RIA) and has concluded that this regulation may have a significant economic impact on some small businesses. EPA examined the economic impacts of financial responsibility requirements on the small business segments of the retail motor fuel marketing industry and on the general industry sectors for which expected annual insurance premium costs are more than 10 percent of before-tax profits.

In the retail motor fuel marketing sector, economic impacts are measured in terms of the percentage of existing outlets surviving 5, 10, and 15 years after the imposition of regulations. Through year 5, 57 percent of existing small-firm-owned outlets would survive if only the technical requirements were imposed. Assuming the imposition of technical and financial responsibility requirements, 55 percent of existing outlets survive, if all small firms can obtain insurance. By year 15, 34 percent of outlets would survive the imposition of technical requirements and 47 percent would survive the imposition of both technical and financial responsibility requirements, if all small firms can obtain insurance. Thus, by year 15, the imposition of the financial responsibility requirements has a beneficial impact on the survival of small-firm-owned outlets.

In the general industry sector, EPA found that the costs of insurance premiums represent 19 percent or more of the before-tax profits of firms that have less than \$1 million in assets in 4 of the 65 four-digit SIC codes examined. The impact of these premium costs on the pre-tax returns on assets for these firms ranged between 0.1 and 0.8 percent.

The RIA does not examine the possibility that all corrective action costs and third-party liability awards might be paid by state funds financed by taxes on gasoline. Such funds would minimize economic impacts on small businesses and transfer the costs of these financial responsibility requirements to the consumers of motor fuel.

C. Paperwork Reduction Act

The information collection requirements in this rule have been

approved by the Office of Management and Budget (OMB) under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. and have been assigned OMB control number 2050-0088. The reporting and recordkeeping burden on the public for this collection is estimated at 65,707 hours for the 265,534 respondents, with an average of 0.1 hours per response. These burden estimates include all aspects of the collection effort and may include time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, completing and reviewing the collection of information, etc.

If you wish to submit comments regarding any aspect of this collection of information, including suggestions for reducing the burden, or if you would like a copy of the information collection request (please reference ICR #1359), contact Rick Westland, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M St., SW., Washington, DC 20460 (202-382-2745); and Marcus Peacock, Office of Management and Budget, Washington, DC 20503.

List of Subjects in 40 CFR Parts 280 and 281

Administrative practice and procedure, Environmental protection, Hazardous materials insurance, Oil pollution, Penalties, Petroleum, Reporting and recordkeeping requirements, State program approval, Surety bonds, Underground storage tanks, Water pollution control.

Lee M. Thomas,

Administrator.

Dated: October 14, 1988.

For the reasons set out in the preamble, Parts 280 and 281 of Title 40 of the Code of Federal Regulations are amended as follows:

PART 280—TECHNICAL STANDARDS AND CORRECTIVE ACTION REQUIREMENTS FOR OWNERS AND OPERATORS OF UNDERGROUND STORAGE TANKS

1. The authority citation for Part 280 continues to read as follows:

Authority: 42 U.S.C. 6912, 6991, 6991(a), 6991(b), 6991(c), 6991(d), 6991(e), 6991(f), and 6991(h).

2. Appendices I through III following Subpart C are designated as Appendices I through III, to Part 280.

3. 40 CFR Part 280 is amended to add a new Subpart H as follows:

Subpart H—Financial Responsibility
Sec.

- 280.80 Applicability.
- 280.91 Compliance dates.
- 280.92 Definition of terms.
- 280.93 Amount and scope of required financial responsibility.
- 280.94 Allowable mechanisms and combinations of mechanisms.
- 280.95 Financial test of self-insurance.
- 280.96 Guarantees.
- 280.97 Insurance and risk retention group coverage.
- 280.98 Surety bond.
- 280.99 Letter of credit.
- 280.100 Use of state-required mechanism.
- 280.101 State fund or other state assurance.
- 280.102 Trust fund.
- 280.103 Standby trust fund.
- 280.104 Substitution of financial assurance mechanisms by owner or operator.
- 280.105 Cancellation or nonrenewal by a provider of financial assurance.
- 280.106 Reporting by owner or operator.
- 280.107 Recordkeeping.
- 280.108 Drawing on financial assurance mechanisms.
- 280.109 Release from the requirements.
- 280.110 Bankruptcy or other incapacity of owner or operator or provider of financial assurance.
- 280.111 Replenishment of guarantees, letters of credit, or surety bonds.
- 280.112 Suspension of enforcement. [Reserved]

Subpart H—Financial Responsibility

§ 280.90 Applicability.

(a) This subpart applies to owners and operators of all petroleum underground storage tank (UST) systems except as otherwise provided in this section.

(b) Owners and operators of petroleum UST systems are subject to these requirements if they are in operation on or after the date for compliance established in § 280.91.

(c) State and Federal government entities whose debts and liabilities are the debts and liabilities of a state or the United States are exempt from the requirements of this subpart.

(d) The requirements of this subpart do not apply to owners and operators of any UST system described in § 280.10 (b) or (c).

(e) If the owner and operator of a petroleum underground storage tank are separate persons, only one person is required to demonstrate financial responsibility; however, both parties are liable in event of noncompliance. Regardless of which party complied, the date set for compliance at a particular facility is determined by the characteristics of the owner as set forth in § 280.91.

Title 23

CHICO, CA

sumps or other structures defined as underground storage tanks under the Federal Act are not exempted by this section:

(d) A tank holding hydraulic fluid for a closed loop mechanical system that uses compressed air or hydraulic fluid to operate lifts, elevators, and other similar devices;

(e) A liquified petroleum gas tank which contains normal butane, isobutane, propane, or butylenes (including isomers) or mixtures composed predominantly thereof in liquid or gaseous state having a vapor pressure in excess of 40 pounds per square inch absolute at a temperature of 100 degrees of Fahrenheit;

(f) A liquid asphalt tank which contains steam refined asphalt;

(g) A septic tank designed and used to receive and process biological waste and sewage;

(h) A wastewater treatment tank except a tank which is part of an underground storage tank system;

(i) Storm water or wastewater collection systems;

(j) Tanks containing radioactive material such as spent fuel pools, radioactive waste storage tanks, and similar tanks that are regulated under the Atomic Energy Act of 1954 (42 USC 2011);

(k) An emergency containment tank kept empty to receive accidental spills and approved for such use by the appropriate local agency;

(l) Drums located in basements or vaults which contain 55 gallons or less of material;

(m) Underground storage tanks containing hazardous wastes as defined in Section 25316 of the California Health and Safety Code;

(n) A flow-through process tank;

(o) If exempted by Section 25283.5 of Chapter 6.7 of the California Health and Safety Code, a storage tank situated in an underground area such as a basement, vault, cellar, mine, workings, drift, shaft, or tunnel, if the storage tank is situated upon or above the surface of the floor.

NOTE: Authority cited: Section 25299.77, Health and Safety Code. Reference: Sections 25281, 25299.11-25299.25, 25299.37, 25299.52, 25299.54(e)(1) and (2), 25299.55, 25299.57(a) and 25299.58, Health and Safety Code; 40 CFR, Section 280.12.

HISTORY

1. New section filed 12-2-91 as an emergency, operative 12-2-91. Text remains in effect uninterrupted pursuant to Health and Safety Code section 25299.77 (Register 92, No. 9).

2. Editorial correction of printing errors in HISTORY 1. (Register 92, No. 43).

3. Editorial correction of printing error restoring article 2 heading (Register 93, No. 23).

4. Amendment adding definitions for "Annual revenue," "Environmental services," "General purpose revenues" and "Non profit organization," and amending definitions for "Designated representative," "Facility," "Residential Tank," "Small business," "Third party" and "Underground storage tank" filed 12-27-94 as an emergency, operative 12-27-94 (Register 94, No. 52). Notwithstanding Chapter 3.5 (commencing with section 11340) of Part 1 of Division 3 of Title 2 of the Government Code, this section shall not be repealed by OAL and shall remain in effect until revised by the State Water Resources Control Board, pursuant to Health and Safety Code section 25299.77, subdivision (b).

Article 3. Financial Responsibility Requirements

§ 2806. Applicability.

(a) This Article applies to all owners and operators of underground storage tanks containing petroleum who, pursuant to the Federal Act, are required to demonstrate financial responsibility to take corrective action and compensate third parties for bodily injury and property damage caused by accidental releases of petroleum. Owners and operators who are not required to demonstrate financial responsibility by the Federal Act are not subject to the requirements of this Article.

(b) Current federal financial responsibility requirements are contained in 40 CFR Part 280 regulations which are incorporated herein by reference.

NOTE: Authority cited: Section 25299.77, Health and Safety Code. Reference: Sections 25299.30 and 25299.77, Health and Safety Code.

- 1. New section filed 12-2-91 as an emergency, operative 12-2-91. Text remains in effect uninterrupted pursuant to Health and Safety Code section 25299.77 (Register 92, No. 9).
2. Editorial correction of printing errors in HISTORY 1. (Register 92, No. 43).

§ 2806. General Responsibility to Meet Federal Requirements.

(a) All owners and operators subject to this Article are required to demonstrate financial responsibility in the amounts and at the times required by the Federal Act. When owners and operators are no longer required to demonstrate financial responsibility by the Federal Act, they are no longer required to demonstrate financial responsibility by this Article.

(b) An owner or operator is no longer required to demonstrate financial responsibility or maintain evidence thereof for any underground storage tank which has been permanently closed or, if corrective action is required, after the corrective action has been completed and the tank has been permanently closed in accordance with the applicable provisions of Section 25298 of Chapter 6.7 of the California Health and Safety Code and Article 7, Chapter 16, Division 3, Title 23, California Code of Regulations and applicable local requirements.

NOTE: Authority cited: Section 25299.77, Health and Safety Code. Reference: Sections 25299.30 and 25299.77, Health and Safety Code.

HISTORY

1. New section filed 12-2-91 as an emergency, operative 12-2-91. Text remains in effect uninterrupted pursuant to Health and Safety Code section 25299.77 (Register 92, No. 9).

2. Editorial correction of printing errors in HISTORY 1. (Register 92, No. 43).

§ 2806.1. Current Federal Compliance Dates.

(a) Owners and operators must comply with federal financial responsibility requirements by the date or dates specified in the Federal Act. Currently the applicable federal compliance dates are:

(1) January 24, 1989 for all petroleum marketing firms owning 1,000 or more underground storage tanks and all other underground storage tank owners who report a tangible net worth of \$20 million or more to the U.S. Securities and Exchange Commission (SEC), Den and Bradstreet, the Energy Information Administration, or the Rural Electrification Administration;

(2) October 26, 1989 for all petroleum marketing firms owning 100-999 underground storage tanks;

(3) April 26, 1991 for all petroleum marketing firms owning 13-99 underground storage tanks at more than one facility; and

(4) December 31, 1993 for all petroleum underground storage tank owners or operators not described in paragraphs (1)-(3) of this Section, excluding local governmental entities.

(5) February 18, 1994 for local governmental entities.

(6) December 31, 1994 for federally recognized Indian tribes that own underground storage tanks on Indian lands if those tanks comply with all current technical requirements, such as leak detection requirements.

(b) Federal and state agencies are not subject to financial responsibility.

NOTE: Authority cited: Section 25299.77, Health and Safety Code. Reference: Sections 25299.30 and 25299.77, Health and Safety Code.

HISTORY

1. New section filed 12-2-91 as an emergency, operative 12-2-91. Text remains in effect uninterrupted pursuant to Health and Safety Code section 25299.77 (Register 92, No. 9).

2. Editorial correction of printing errors in HISTORY 1. (Register 92, No. 43).

3. Amendment of subsection (a)(4), new subsections (a)(5) and (a)(6), and repeal and new subsection (b) filed 12-27-94 as an emergency, operative 12-27-94 (Register 94, No. 52). Notwithstanding Chapter 3.5 (commencing with section 11340) of Part 1 of Division 3 of Title 2 of the Government Code, this section shall not be repealed by OAL and shall remain in effect until revised by the State Water Resources Control Board, pursuant to Health and Safety Code section 25299.77, subdivision (b).

§ 2807. Required Financial Responsibility Amounts.

Owners and operators must demonstrate financial responsibility in the amounts required by the Federal Act. Currently the federally required minimum amounts are:

DEPARTMENT OF CALIFORNIA HIGHWAY PATROL

CHICO AREA

P.O. BOX 1779 - 895 FIR STREET

CHICO, CA 95927

(916) 895-4444

(800) 735-2929 (TT/TDD)

(800) 735-2922 (Voice)



To: UST file

March 17, 1997

Environmental Health

MAR 18 1997

Chico, California

File No.:


Mr. Vance Severin, Program Manager
Butte County Division of Environmental
Health - Chico
P.O. Box 5364
Chico, CA 95927

Dear Mr. Severin:

This letter is in response to a request by the County of Butte regarding a 1,000 gallon underground fuel tank. This facility has, to my knowledge, never had any underground fuel except for the existing 12,000 gallon fuel tank currently in place. This 12,000 gallon tank was installed when the facility was built in 1978.

If you have any further questions, please contact Chris Winters at (916) 895-4444.

Very truly yours,


M. J. NIVENS, Lieutenant
Area Commander

Doug F
For info.
Suggest we consolidate
SWEEPS files under
1 computer #,
Keep 1000 gal tanks
on inventory as I?
U.S.


Inter-Departmental Memorandum

TO: Vance S., Supervisor

FROM: *JA*, Worker

SUBJECT: CHP UST FILES

DATE: Mar 12/97

I re-inspected the CHP site to try to clear up the fact they have two sweeps numbers with a potential of 2 USTs. Although I don't have X-ray vision (that would be a hick!) it appears that the CHP has only one UST now. The fellow on site also is not aware of another unused UST around either. Their waste oil goes into an AST. They also have 2-500 gal propane ASTs. If all this is true I recommend combining the two files into one with one 12,000 gal UST. Maybe Sacramento CHP knows something the local guy doesn't know?

Karen F. Says the 1000 gal tank was closed in '94 that's all the info she has on it.

Doug

I talked to
Norm Stamp. Looks
like new facility #
was assigned in 1990
in error. Other materials
on site include ~~storage
gas tank & waste oil~~
If these are accounted for
1000 gal tank is probably a startup



Environmental Health

DEC 31 1996

Chico, California

LRA ENVIRONMENTAL

11500 SUNRISE GOLD CIRCLE, SUITE H
RANCHO CORDOVA, CA 95742
PHONE 916/631-4455

FAX 916/631-4466

December 31, 1996

Transmitted by facsimile to 895-6512
REVISED LETTER

Monday 1-13-97

Butte County Environmental Health Department
Attn: Ms. Leslie Roberts
411 Main Street
Chico, California 95928

Subject: File Review and List Review

Dear Ms. Roberts:

Our office would like to make an appointment to review files in the possession of the Butte County Environmental Health Department relative to hazardous materials releases, underground storage tanks, and hazardous materials generation and storage for the following addresses:

Humboldt Road Dump sites
Various locations
Chico, CA

Sigler Pest Control
1385 East 9th Street
Chico, CA

Stanford Gardens
1500 Humboldt Road
Chico, CA

Stanford Gardens
1850 Humboldt Road
Chico, CA

City of Chico Fire Department
901 Fir Street
Chico, CA

Eighth Street Automotive
1295 8th Street East
Chico, CA

Chico Scrap Metal Yard
1197 Humboldt Avenue
Chico, CA

California Highway Patrol
995 Fir Street
Chico, CA

Super Shopper Gas Mart
1885 East 8th Street
Chico, CA

Rept 210561

Environmental Health

DEC 31 1996

Chico, California

Ms. Leslie Roberts
December 31, 1996
Page 2

While we are at the Health Department we would also like to review the Hazardous Materials Incidence Master list and the Sites and Tanks list. If we find any locations on those lists that are near the property we are investigating we would like to review those files at the time of our appointment.

We look forward to hearing from you and we appreciate your help in this matter.

Sincerely,

LRA ENVIRONMENTAL

Crystal Stech

Crystal Stech
Environmental Investigator



NOV 13 1996

Chico, California

CHP FACILITIES SECTION
FACSIMILE COVER

TO:

Butte County

INDIVIDUALS NAME:

Tom Huantes

916. 891. 2727

FAX NUMBER:

916. 895. 6512

CONFIRMATION REQUESTED:

YES _____ NO _____

NUMBER OF PAGES TO FOLLOW:

1

DATE:

REMARKS:

Re: Chico - I will be your contact person
and I will be away from the office until 12/16.
I will call you on the 3rd to schedule a meeting
with you and the office. Also, do you want
to try and do Groville while were at it?


FROM: LIGAYA REYES-IBANEZ


California Highway Patrol
Facilities Section-078
2490 First Avenue, Room 270
Sacramento, CA 95818



TELEPHONE: (916) 657-7439, CALNET 437-7439

FAX: (916) 739-0838





Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF PUBLIC HEALTH DIVISION OF ENVIRONMENTAL HEALTH

18-B County Center Drive
Oroville, CA 95965
TEL: (916) 538-7282
FAX: (916) 538-2165

411 Main Street
P.O. Box 5364
Chico, CA 95927
TEL: (916) 891-2727
FAX: (916) 895-6512

7 County Center Drive
Oroville, CA 95965
TEL: (916) 538-7281
FAX: (916) 538-2140

RE: **FACILITY: California Highway Patrol** ADDRESS: 995 Fir St., Chico
INSPECTION DATE: Nov. 1, 1996 INSPECTOR: Doug Fogel SWEEPS# 17941

This report was generated from an inspection made of the facility listed above to address compliance with the requirements of the California Underground Storage Tank Regulations and Hazardous Materials Release Response Plan requirements.

The following item(s) were noted which need to be brought into compliance:

- (1) The required Operational Permit is not current.
- (2) No Certificate of Financial Responsibility is on file with this office.
- (3) The required Annual Report is not current.
- (4) No Monitoring/Emergency Response Plan was available on site.
- (5) Pumps had not been calibrated annually.
- (6) No Hazardous Materials Release Response Plan was available on site.
- (7) No current automatic gauge maintenance records were available on site.

The following corrections must be completed WITHIN THIRTY (30) DAYS to bring this facility into compliance:

- (1) Make all the following corrections required for issuance of Operational Permit.
- (2) Submit a completed Certificate of Financial Responsibility form to this office.
- (3) Submit the required Annual Report to this office.
- (4) Keep a copy of Monitoring/Emergency Response Plan at site.
- (5) Have pumps calibrated by California State Weights and Measures or an approved technician.
- (6) Keep a copy of Hazardous Materials Release Response Plan at site and submit a copy of HMRRP to this office.
- (7) Keep a copy of current automatic gauge maintenance records at site.

You should be aware that any facility which is not in compliance with the State Underground Storage Tank Regulations does not qualify for use of the Underground Storage Tank Clean-Up Fund to meet either the financial responsibility requirements or for funding for clean-up purposes.

A CLEAN INDOOR AIR ENVIRONMENT FOR A HEALTHIER TOMORROW



Please be informed that any and all underground storage tanks out of service for 12 months or more must be closed under the supervision of this Department. If you have any questions, please contact me at the Chico office between 8am and 9am, Monday through Thursday.

Sincerely,

Thomas Hughes

Thomas Hughes, Senior R.E.H.S.
Division of Environmental Health
TH/dd/comply/chpfirst Vg

COMPLIANCE REPORT

SWEEPS # 17941 PERSON PRESENT Chris Winters POSITION Auto tech

RE: FACILITY: Cal Highway Patrol ADDRESS: 995 Fin St Chico
 INSPECTION DATE: 2/21/16 INSPECTOR: Stogel

This report was generated from an inspection made of the facility listed above to address compliance with the requirements of the California Underground Storage Tank Regulations.

The following item(s) were noted which need to be brought into compliance:

- The required Operational Permit is not current.
- The required Annual Fee has not been submitted.
- No Certificate of Financial Responsibility is on file with this office.
- No approved Monitoring/Emergency Response Plan is on file with this office.
- Tank testing reports are not current.
- Product Piping test reports are not current.
- No current Forms A and/or B are on file with this office.
- No copy of Lessee/Owner Agreement is on file with this office.
- No cathodic protection certification on file with this office.
- The required Annual Report is not current.
- No Monitoring/Emergency Response Plan was available on site.
- No monitoring records were available on site.
- Inventory reconciliation was not done in accordance with Monitoring Plan.
- Measurements of product volume were not done in accordance with Monitoring Plan.
- Pumps had not been calibrated currently.
- Tank gauging stick was not available or in satisfactory condition at site.
- Tank gauging charts were not available at site.
- Tank gauging water paste was not available at site.
- Emergency shut-off was not available at or near pumps, or properly marked.
- No line-leak detectors operational on site.
- The number of tanks at the site did not match our files.
- No Hazardous Materials Release Response Plan was available on site.
- Cathodic protection system has not been certified by an appropriate company within the last 3 years.
- No impressed-current system monitoring records available on site.
- No current automatic gauge maintenance records available on site.

Yes
1

UST/gl/comprept

UNDERGROUND STORAGE TANK

Tank Owner: CALIFORNIA HIGHWAY PATROL

Facility Address: 995 FIR STREET, CHICO, CA

OPTIONS TO MEET THE 1998 DEADLINE		(Example Tank) ID#1	
For each tank choose Option A, B or C, then enter the Target or Actual completion date(s) in the appropriate tank column. If choosing Option C, please fill in completion dates 1 - 6. Please see example.		Capacity 1000 gal	Contents veg-wn
A) Permanent closure or removal of the tank and piping system			
B) Replacement of the tank and piping with a double-walled tank, double walled piping, and dispenser containment (required for non-motor vehicle fuel tanks.			B - 12/31/97 (Target)
C) Tank and piping upgrade as follows:			
1) Installation of striker plate(s) in tank.			
2) Installation of a spill container at the fill tube.			
3) Installation of an overfill prevention device with one of the following:			
a) Automatic shutoff device.			
b) Ball float valve.			
c) Audible and visual overfill alarm.			
4) Corrosion protection for the tank provided by one of the following:			
a) Tank made of non-corrodible material (such as fiberglass)			
b) Steel tank clad with (or encased in) noncorrodible material.			
c) Steel tank upgraded with interior lining and exterior cathodic protection.			
d) Steel tank upgraded with interior lining, exterior cathodic protection, and a bladder system.			
5) Corrosion protection for the associated piping provided by one of the following:			TARGET →
a) Piping made of non-corrodible material (such as fiberglass)			
b) Installation of new fiberglass or other non-corrodible double-walled piping and dispenser containment.			
c) Steel piping with corrosion-resistant coating and cathodic protection.			
d) Steel piping upgraded with cathodic protection.			
6) Installation of a line leak detector with an automatic shutoff system/device.			

Owner/Operator/Agent Steyer Inc., USF Coordinator

**BUTTE COUNTY
DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH**

1469 Humboldt Road, Suite 100
Chico, CA 95928
891-2727

Environmental Health

APR 10 1995
Oroville, California

**ANNUAL UNDERGROUND HAZARDOUS MATERIALS
STORAGE TANK PERMIT FEE
REMITTANCE/FACILITY INFORMATION UPDATE**

California Highway Patrol 44-000-236
Name of Establishment Board of Equalization #
995 FIR Street Chico CA 95928 2-6-14
Location Address Assessor's Parcel #

Business or Type Retail Fuel Sales Farm Residential
 Other FLEET - LAW ENFORCEMENT

Monitoring Methods Proposed VEEDER-ROOT TWS-350 TANK/LINE LEAK DETECTOR Number of Tanks 1

California Highway Patrol
Business Owner
995 FIR Street Chico CA 95928 (916) 895-4449
Mailing Address City, State, Zip Telephone
LT. ED Prieto Commander contact person - Chris Winters
Manager

Address City, State, Zip Telephone
SAME AS ABOVE
Owner of Tank

Address of Owner City, State, Zip

I declare that, to the best of my knowledge and belief, the above statements are correct and true. I hereby consent to all necessary inspections made pursuant to law and incidental to the issuance of this permit and operation of these underground storage facilities.

Signature: [Signature] PERMIT FEES - 199.5
Number of Containers 1
ANNUAL FEE \$ 98.00
STATE SURCHARGE \$ —
TOTAL FEES \$ 98.00


Date: 4/4/95

Departmental Use

Receipt # Check # Date 4/21/95 Computer # 17941
Posted  By [Signature] Permit Issued By

Environmental Health
MAY 23 1995
Chico, California

PUBLIC PARKING = 34
SECURITY PARKING = 35
CARPORT = 3



PLOT PLAN

~~SECRET~~

E. J. ...
LOCATION: CHICO, CA.
PROJECT:

REV. 7-31-84
DEPARTMENT OF THE CALIFORNIA HIGHWAY PATROL
FACILITIES SECTION 5-2-79. DRN. BY: R. M. LIM

NOV 13 1983 16:37 No. 006 P. 05

REMITTANCE ADVICE

STD. 404C (REV. 4-95)

VENDOR-ID PG 1
BUTTECOUNT-33

STATE OF CALIFORNIA

ENCLOSED WARRANT IN PAYMENT OF THE INVOICES SHOWN BELOW

DEPARTMENT NAME		ORG. CODE	INVOICE DATE	INVOICE NUMBER	INVOICE AMOUNT	RP
CALIFORNIA HIGHWAY PATROL		2720	11/01/95	96230024	207.00	
DEPARTMENT ADDRESS		CLAIM SCHED. NO.				
P. O. BOX 942901 SACRAMENTO CA 94298-2901		9511244				
VENDOR						
BUTTE COUNTY PUBLIC HEALTH 18 B COUNTY CENTER DRIVE OROVILLE CA 95955						
FEDERAL TAX ID NO. OR SSAN	RP TYPE	TAX YR	TOTAL REPORTED TO IRS	TOTAL PAYMENT		
			.00	207.00		

0461

APR 04 1995

Chico, California

USTMAN SIR SYSTEM
Yearly Statistical Inventory Reconciliation (SIR) Report 1994

STATION NAME: CHP CHICO	STATION #: C
COMPANY NAME: CHP CHICO	
ADDRESS: 995 FIR STREET	
CITY: CHICO	ZIP: 95928
STATE: CA	PHONE:
COUNTY: BUTTE	
DATE OF REPORT: 03/28/95	MONITORING THRESHOLD: 0.05 GPH

LEGEND -->	T - TIGHT/PASS	*I* - INVESTIGATE/FAIL
	IP - IN PROCESS/INCONCLUSIVE	ND - NO DATA SUBMITTED

TANKID	CAP	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
1	12K	T	T	T	T	T	T	T	ND	T	T	ND	ND

SIR PROVIDER: USTMAN INDUSTRIES, INC.
 12265 W. BAYAUD AVE.
 SUITE 110
 LAKEWOOD, CO 80228
 PH: 303/986-8011
 FAX: 303/986-8227

SIR VERSION: 91.1

I certify under penalty of perjury that all SIR results listed above are as calculated.

Chris Winters AT/
 Signature of Tank Owner/Operator of Agent

4/13/95
 Date

15. TANK TO TEST
#1 East (only)
 Identify by position
Res Unleaded
 (Brand and Grade)

15a. BRIEF DIAGRAM OF TANK FIELD

 N ↑
 CHP Office

16. CAPACITY
 Nominal Capacity 12,000 Gallons
 By most accurate capacity chart available 11,897 Gallons

- From Station Chart
 Tank Manufacturer's Chart
 Company Engineering Data
 Charts supplied with Tank Tester
 Other _____

17. FILL-UP FOR TEST
 Slick Water Bottom before Fill-up Ø in. Ø Gallons
 Tank Diameter _____ in.

Total Gallons vs. Flooding
 Inventory in Tank 11,897
 Water Bottom Ø
 Top off equipment 22
 Total Quantity 11,919

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK
 Water in tank Lines being tested with LVLLT
 High water table in tank excavation
 See manual sections applicable. Check below and record procedure in tag (27).
 Use minimum allowable test pressure for all tests. Four pound rule does not apply to double-walled tanks.
 Complete section below:

1. Is four pound rule required? Yes No
 2. Height to 12" mark from bottom of tank 154 in.
 3. Pressure at bottom of tank 4.00 P.S.I.
 4. Pressure at top of tank 1.64 P.S.I.

19. TANK MEASUREMENTS FOR TSTT ASSEMBLY
 Bottom of tank to grade* 134 in.
 Add 30" for "T" probe assembly 30 in.
 Total tubing to assemble - approximate 164 in.

20. EXTENSION HOSE SETTING
 Tank top to grade* 43 in.
 Extend hose on suction tube 6" or more
 below tank top +6 in.
 *If fill pipe extends above grade, use top of fill.

USE WITH THERMAL SENSOR PN5039 (Blue Box)
 22. Thermal Sensor reading after circulation N/A Digits
 23. Digits per °F in range of expected change N/A Digits


24a. IF USING THERMAL SENSOR DTS-2000 OR QC-2000 WHICH READ 1000 DIGITS PER °F TRANSFER 1000 TO LINE 26, DIGITS PER °F IN TEST RANGE.

21. VAPOR RECOVERY SYSTEM Stage I Stage II

24b. COEFFICIENT OF EXPANSION RECIPROCAL METHOD
 Type of Product Res U/L
 Hydrometer Employed Ø
 Temperature in Tank After Circulation 81.407 °F
 Temperature of Sample 66 °F
 Difference (°F) -15 °F
 Observed A.P.I. Gravity 56.4
 Reciprocal 1483 Page 60
11,919 Reciprocal 1483 Volume Change in this tank per °F 8.0370869
 Total quantity in full tank (17) Transfer to Line 25b

24c. FOR TESTING WITH WATER see Table C & D
 Water Temperature after Circulation Table C from Thermal Sensor N/A °F
 Coefficient of Water Table D N/A
 Add oil Surfactant? Yes No Transfer COE to Line 25b

25. (a) N/A Total quantity in full tank (17) (b) N/A Coefficient of expansion for involved product (c) N/A Volume change in this tank per °F
 26. (a) 8.0370869 Volume change per °F (75 of 24b) (b) 1000 Digits per °F in test (c) 0.0080370869 Volume change per digit This is test (.0080)



The above calculations are to be used for dry soil conditions to establish a positive pressure advantage, or when using the four pound rule to compensate for the presence of subsurface water in the tank area.

Refer to N.F.P.A. 30 Sections 2-324 and 2-72 and the tank manufacturer regarding allowable system test pressures.

4" 2" Cont Glass Remote

ENVIRONMENTAL HEALTH
 OCT 17 1994
 CHICO, CALIFORNIA

27. Sample Characterization		28. LOG OF T. JARS		29. Sample Level in Jars		30. HYDROSTATIC PRESSURE CONTROL			31. VOLUME MEASUREMENTS (RECORD TO 0.1%)			32. TEMPERATURE COMPENSATION USE FACTOR (1)			33. NET VOLUME CHANGE (EACH READING)		34. ACCUMULATED CHANGE
Date	Time (24 hr)	Record details of setting up and running test (Use full length of line if needed)	Reading in Jars	Sample Level in Jars	Level in Jars (Initial)	Initial Reading	Final Reading	Product Recovered (%)	Thermal Expansion	Contractor Expansion	Temperature Correction	Temperature Correction	Temperature Correction	Temperature Correction	Temperature Correction	Temperature Correction	Temperature Correction
06:10		Arrive @ Test Site, Take Tank Measurements, Check For Water In Tanks															
06:15		Set Up Test Equipment, Take On Product															
06:50		Pump Primed & Running, Bleed Off Air															
07:30		Remove API Hydrometer Sample															
08:05		First Sensor Reading	1		42	445	440	-205	797	-8	Factor A = (.008)						
08:20		Start High Level Test	2		42	490	250	-190	394	-5							
08:35		Cont'd High Level Test	3		42	360	000	-190	371	-2							
09:00		"	4		42	530	505	-075	385	14	1.032						
09:15		"	5		42	505	360	-145	401	16	1.048						
09:30		"	6		42	310	260	-140	406	15	1.050						
09:45		"	7		42	240	150	-110	410	14	1.032						
10:00		"	8		42	150	070	-80	415	15	1.040						
10:15		"	9		42												
10:30		Drop To Low Level Test															
10:45		Track Tank End Return And Temperature Destabilization															
11:00		First Sensor Reading	1		12	490	510	1020	450	12	1.016	1.004	1.004				
11:15		Start Low Level Test	2		12	510	510	1020	453	17	1.024	-004	-000				
11:30		Cont'd Low Level Test	3		12	530	550	1020	452	-1	1.024	1.028	Removal				
11:45		"	4		12	550	570	1020	454	12	1.016	1.004	1.004				
12:00		"	5		12	570	590	1020	457	13	1.024	-004	1.004				
12:15		"	6		12	590	610	1020	459	11	1.008	1.012	1.012				
12:30		"	7		12	610	625	1015	440	12	1.016	1.021	1.011				
12:45		"	8		12	635	645	1020	442	13	1.024	1.004	1.004				
13:00		"	9		12	645	660	1025	445	12	1.016	1.001	1.006				
13:15		"	10		12	660	675	1015	448	13	1.024	1.004	1.004				
13:30		"	11		12	675	690	1015	451	13	1.014	1.004	1.004				
13:45		Cont'd Low Level Test	12		12	690	710	1020	454	13	1.024	-004	1.016				
14:00		"	13		12	710	730	1020	457	13	1.024	-004	-000				
14:15		"	14		12	730	745	1025	458	11	1.008	1.007	1.013				
14:30		"	15		12	745	760	1015	460	12	1.016	1.001	1.014				
14:45		"	16		12	760	775	1015	463	13	1.024	1.004	1.004				
15:00		"	17		12	775	795	1020	466	13	1.024	1.004	1.004				
15:15		"	18		12	795	810	1015	468	12	1.016	1.001	1.004				
15:30		"	19		12	810	825	1015	470	12	1.016	1.001	1.004				
15:45		"	20		12	825	840	1015	473	13	1.024	1.004	1.004				
16:00		"	21		12	840	855	1015	475	12	1.016	1.001	1.004				
16:15		"	22		12	855	875	1020	478	13	1.024	1.004	1.013				
16:30		"	23		12	875	892	1015	481	13	1.024	1.004	1.012				
16:45		"	24		12	892	905	1015	482	12	1.016	1.001	1.012				
17:00		Stop Test	25			905	920	1015	485	12	1.016	1.011	1.014				

P-T Tank Test Data Chart
 Additional Info

1. Net Volume Change at Conclusion of Precision Test: 2.627 gpa

Signature of Tester: *B.A. Short*

Date: 9/22/94

2. Statement:

Tank and product handling system has been tested tight according to the Precision Test Criteria as established by regulatory agency. This is not intended to indicate permission of a test.

OR

Tank and product handling system has failed the tank tightness test according to the Precision Test Criteria as established by regulatory agency.

OR

Test invalid due to environmental or mechanical factors beyond control of the testing equipment.

It is the responsibility of the owner and/or operator of the system to immediately advise state and local authorities of any implied hazard and the possibility of any reportable pollution to the environment as a result of the indicated failure of the system. The manufacturer of this test method does not assume any responsibility or liability for any loss of product to the environment.

SHORT PRECISION TESTING
 (UST) Underground Storage Tank Testing

BARRY SHORT
 Certified Petro Title II
 License No. 05-1019

1252 Torrey Street
 Davis, CA 95616 (916) 750-9207
 1-800-750-9207

Tank Owner/Operator: *B. J. Thomas for COSA*

Date: 9/23/94



Data Chart for Tank System Tightness Test

ENVIRONMENTAL HEALTH

DIALYSIS NORTH

P.O. Box 95 • Bella Vista, CA • 96008 MAY - 4 1994
(916) 275-6667

PLEASE PRINT

1. OWNER <input type="checkbox"/> Property <input type="checkbox"/> Tank(s)	CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO, CA. CHICO, CALIFORNIA <small>Name Address Representative Telephone</small> CHRIS WINTERS 916-895-4444 <small>Name Address Representative Telephone</small>																					
2. OPERATOR	OWNER <small>Name Address Telephone</small>																					
3. REASON FOR TEST <small>(Explain Fully)</small>	VERIFY TANK SYSTEMS TIGHTNESS																					
4. WHO REQUESTED TEST AND WHEN	OWNER <small>Name Title Company or Affiliation</small>					Date 4-27-94																
5. TANK INVOLVED <small>Use additional lines for manifolded tanks.</small>	<small>Identify by Direction</small> #1 - ONE ONLY	<small>Capacity</small> 12000 GALS	<small>Brand/Supplier</small>	<small>Grade</small> UNLEADED	<small>Approx. Age</small> 15 YRS	<small>Steel/Fiberglass</small> FIBERGLASS																
6. INSTALLATION DATA	<small>Location</small> REAR <small>North inside driveway, Rear of station, etc.</small>	<small>Cover</small> CONCRETE <small>Concrete, Black Top, Earth, etc.</small>	<small>Fills</small> 4" <small>See Tank mass, Cross tubes, Remote Fills</small>	<small>Vents</small> 2" ND <small>See Manifold</small>	<small>Signages</small> NONE <small>Which tanks?</small>	<small>Pumps</small> TURBINE <small>Suction, Torque, Make if known</small>																
7. UNDERGROUND WATER	Depth to the water table <u>BELOW TANK BOTTOM.</u>				<small>Is the water over the tank?</small> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																	
8. FILL-UP ARRANGEMENTS	<small>Tanks to be filled _____ No. _____ Date _____ Arranged by _____ Name _____ Telephone _____</small> <small>Excess product to "top off" and run tank tester. How and who to provide? Consider NO Lead.</small> <small>Terminal or other contact for notice or inquiry _____ Company _____ Name _____ Telephone _____</small>																					
9. CONTRACTOR, MECHANICS, any other contractor involved																						
10. OTHER INFORMATION OR REMARKS	PETRO-TITE II - USING SELF-LEVELING STANDPIPE W/ DTS 200 TESTING COMPLETE SYSTEM; TANK, LINES & LEAK DETECTOR <small>Additional information on any items above. Circled or others to be advised when testing & in progress or completed. Visitors or observers present during test.</small>																					
11. TEST RESULTS	<small>Tests were made on the above tank systems in accordance with test procedures prescribed for as detailed on attached test charts with results as follows:</small> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;">Tank Identification</th> <th style="width: 15%;">Tight</th> <th style="width: 25%;">Leakage Indicated</th> <th style="width: 20%;">Date Tested</th> </tr> </thead> <tbody> <tr> <td>#1 - 12000 GAL UNLEAD</td> <td style="text-align: center;">YES</td> <td style="text-align: center;">-.038 6.P.H.</td> <td style="text-align: center;">4-27-94</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>						Tank Identification	Tight	Leakage Indicated	Date Tested	#1 - 12000 GAL UNLEAD	YES	-.038 6.P.H.	4-27-94								
Tank Identification	Tight	Leakage Indicated	Date Tested																			
#1 - 12000 GAL UNLEAD	YES	-.038 6.P.H.	4-27-94																			
12. SENSOR CERTIFICATION	13. This is to certify that these tank systems were tested on the date(s) shown. Those indicated as "Tight" meet the criteria established National Fire Protection Association Pamphlet 325. <small>Technician</small> 1. <u>RUSSELL ROGERS</u> <small>Certification #</small> <u>050592 A 0682</u> <u>STATE LIC. # 90-1292</u> <small>Certification #</small> _____ <div style="text-align: right;"> DIALYSIS NORTH P.O. Box 95 • Bella Vista, CA • 96008 </div>																					

MAY - 4 1994

CHICO, CALIFORNIA

Name of Supplier, Owner or Dealer

Address (in and (Street)

City

State

Date of Test

15. TANK TO TEST

#1 - ONE ONLY

Identity by position

UNLEADED

Brand and Grade

15a. BRIEF DIAGRAM OF TANK FIELD

C.H.P.

FIR ST

16. CAPACITY

Nominal Capacity 12,000 Gallons

By most accurate capacity chart available 11,625 Gallons

Form:

- Station Chart
Tank Manufacturer's Chart
Company Engineering Data
Charts supplied with Tank Tester
Other

17. FILL-UP FOR TEST

Back Water Bottom before Fill-up

to 12"

Gallons

92

Tank Diameter in.

Total Gallons on Reading

Inventory in Tank

11,625

Water Bottom

0

Top oil equipment

15

Total Quantity

11,640

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK

- Water in tank
(Lines) being tested with LULLT
High water table in tank excavation

See manual sections applicable. Check below and record procedure in log (27).

Use maximum allowable test pressure for all tests. Four pound rule does not apply to doublewalled tanks.

Complete section below:

1. Is four pound rule required?

Yes [X] No []

2. Height to 12" mark from bottom of tank

158 in.

3. Pressure at bottom of tank

4.108 P.S.I.

4. Pressure at top of tank

1.716 P.S.I.

19. TANK MEASUREMENTS FOR TSTT ASSEMBLY

Bottom of tank to grade in.
Add 30" for "T" probe assembly. 30 in.
Total tubing to assemble - approximate in.

20. EXTENSION HOSE SETTING

Tank top to grade in.
Extend hose on suction tube 8" or more below tank top in.

*If FIR pipe extends above grade, use top of FIR.

USE WITH THERMAL SENSOR PN5039 (Blue Box)

22. Thermal Sensor reading after circulation 63606 digits

23. Digits per "F" in range of expected change 63-64 Between 1000 digits

21. VAPOR RECOVERY SYSTEM [X] Stage I [] Stage II

24b. COEFFICIENT OF EXPANSION RECIPROCAL METHOD

Type of Product GASOLINE
Hydrometer Employed 6 H
Temperature in Tank After Circulation 64 °F
Temperature of Sample 64 °F
Difference (°F) 70 °F
Observed A.P.L. Gravity 55.16

Reciprocal 1516 Page # 59
Total quantity in full tank (17) 11640
Reciprocal 1516
Volume change in this tank per °F 7.678100264
Transfer to Line 26c.

24c. FOR TESTING WITH WATER see Table C & D

Water Temperature after Circulation Table C from Thermal Sensor °F
Coefficient of Water Table D
Added Surfactant? [] Yes [] No Transfer COE to Line 25b.

(916) 241-1275
FAX: (916) 241-1620

Construction Maintenance & Equipment




Redding Service Station Equipment
LIC. No. 495354

823 Twin View Blvd.
Redding, CA 96003

LARRY FOSTER
President

25. (a) Total quantity in full tank (17) 7.678100264
(b) Coefficient of expansion for involved product 1.000
(c) Volume change in this tank per °F 0.0077



NOTES:

The above calculations are to be used for dry soil conditions to establish a positive pressure advantage, or when using the four pound rule to compensate for the presence of subsurface water in the tank area.

Refer to H.F.P.A. 30, Sections 2-3.2.4 and 2.7.2 and the tank manufacturer regarding allowable system test pressures.

ENVIRONMENTAL CANADA

MAY - 4 1994

27. Snow Calibration		28. Record details of setting up and running test. (Use full length of line if needed)		29. Reading No.		30. Stampage Level in inches		31. Product in Reading		32. Product in Reading		33. Product Replaced (1)		34. Thermal Stress Reading		35. Change Higher/Lower (1)		36. Computation (1) = (2) + Expansion - Contraction (1) (33)(1) - (37)(1)		37. Temperature Adjustment Volume (1) or Contraction (1) (33)(1) - (37)(1)		38. At Low Level Computer Change per Flow (HFA criteria)	
DATE	TIME (1 hr)	Stampage Level in inches	Level to which Restored	During Reading	After Reading	Product Replaced (1)	Product Replaced (1)	Thermal Stress Reading	Change Higher/Lower (1)	Computation (1) = (2) + Expansion - Contraction (1) (33)(1) - (37)(1)	Temperature Adjustment Volume (1) or Contraction (1) (33)(1) - (37)(1)	At Low Level Computer Change per Flow (HFA criteria)											
		#1 - 12,000 GALLON UNLEAD SYSTEM																					
0900		SET UP and RUNNING TEST		---	70 ⁰	---	---	---	---	---	---	---											
1000		START HIGH LEVEL TEST		BASE	70 ⁰	---	.190	---	---	---	---	---											
1010		HIGH LEVEL TEST		1	70 ⁰	---	.170	-.020	---	---	---	---											
1020		HIGH LEVEL TEST		2	70 ⁰	---	.190	+0.020	---	---	---	---											
1030		HIGH LEVEL TEST		3	70 ⁰	---	.225	+0.035	---	---	---	---											
1040		HIGH LEVEL TEST		4	70 ⁰	---	.280	+0.055	---	---	---	---											
1050		HIGH LEVEL TEST		5	70 ⁰	---	.330	+0.050	---	---	---	---											
1100		HIGH LEVEL TEST		6	70 ⁰	---	.380	+0.050	---	---	---	---											
1105		LOWER LD STANDPIPE To 12"		---	12 ⁰	---	---	---	---	---	---	---											
1110		LOW LEVEL SPRING BACK		---	12 ⁰	---	---	---	---	---	---	---											
1130		START LOW LEVEL TEST		BASE	12 ⁰	---	.060	---	63 606	---	---	---											
1140		Low LEVEL TEST		1	12 ⁰	---	.120	+0.060	611	+5	+0.039	+0.021											
1150		Low LEVEL TEST		2	12 ⁰	---	.170	+0.050	620	+9	+0.069	-0.019	+0.002										
1200		Low LEVEL TEST		3	12 ⁰	---	.220	+0.050	634	+14	+0.108	-0.058	-0.056										
1210		Low LEVEL TEST		4	12 ⁰	---	.280	+0.060	641	+7	+0.054	+0.006	-0.050										
1220		Low LEVEL TEST		5	12 ⁰	---	.340	+0.060	647	+6	+0.046	+0.014	-0.036										
1230		Low LEVEL TEST		6	12 ⁰	---	.400	+0.060	655	+8	+0.062	-0.002	-0.038										
		END of TEST																					

**P-T Tank Test Data Chart
Additional Info**

Net Volume Change at Conclusion of Precision Test -.038 gph
 Signature of Tester Russell Roper
 Date 4-27-94
 CERT. #050592 A 0682 GREG MARTIN

2. Statement:
 Tank and product handling system has been tested tight according to the Precision Test Criteria as established by N.F.P.A. publication 329. This is not intended to indicate permission of a leak.
 ON
 Tank and product handling system has failed the tank tightness test according to the Precision Test Criteria as established by N.F.P.A. publication 329

It is the responsibility of the owner and/or operator of this system to immediately advise state and local authorities of any implied hazard and the possibility of any reportable pollution to the environment as a result of the indicated failure of this system. Health Consultants Incorporated does not assume any responsibility or liability for any loss of product to the environment.

Tank Owner/Operator CALIFORNIA HWY PATROL
 Date 4-27-94

C.A.P.
Name ENVIRONMENTAL HEALTH
MAY - 4 1994
OWNER CHICO, CALIFORNIA
CA. State CHICO City
94 Year 4 Mo. 27 Day DATE OF TEST

DATA CHART
For Use With

Petro-Tite
TANK TESTER

DIALYSIS NORTH
CERTIFIED PETRO-TITE TANK TESTERS
P.O. BOX 95 • BELLA VISTA, CA 96008
(916) 275-6667

1 LOCATION: CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO, CA. Telephone No. 916-895-4444

2 OWNER: C.H.P. 995 FIR ST. CHICO, CA. CHRIS WINTERS Telephone No. _____

3 OPERATOR: OWNER Name _____ Dealer, Mgr. or Other _____ Address (if different than Location) _____ Telephone No. _____

4 REASON FOR TEST VERIFY PRODUCT LINE TIGHTNESS

5 TEST REQUESTED BY: OWNER Name _____ Position _____ Order No. _____ Billing Address _____

6 SPECIAL INSTRUCTIONS: _____

7 CONTRACTOR OR COMPANY MAKING TEST
MECHANIC(S) NAME DIALYSIS NORTH / RUSSELL ROGERS

8 IS A TANK TEST TO BE MADE WITH THIS LINE TEST? YES NO

9 MAKE AND TYPE OF PUMP OR DISPENSERS BENNET - TURBINE

10 WEATHER PARTLY CLOUDY TEMPERATURE IN TANKS _____ °F _____ °C COVER OVER LINES CONCRETE APPROXIMATE BURIAL DEPTH 20"

11 IDENTIFY EACH LINE AS TESTED	12 TIME (MILITARY)	13 LOG OF TEST PROCEDURES, AMBIENT TEMPERATURE, WEATHER, ETC.	14 PRESSURE		15 VOLUME		16 TEST RESULTS
			psi OR kPa		READING		
			BEFORE	AFTER	BEFORE	AFTER	
	1025	BLEED BACK CHECK	50.0	0.0	.0250	.0450	+ .0200
	1030	START LINE TEST	0.0	50.0	---	.0260	---
	1045	LINE TEST	35.0	50.0	---	.0260	+ .0000
	1100	LINE TEST	35.0	50.0	---	.0250	- .0010
	1115	LINE TEST	35.0	50.0	---	.0240	- .0010
	1130	LINE TEST	40.0	50.0	---	.0235	- .0005
	1135	BLEED BACK CHECK	50.0	0.0	.0235	.0400	+ .0165

CONCRETE
Concrete, Black Top, etc.

6. P.H. UNLEAD LINE PASS
BLEED BACK O.K.

0470

MECHANICAL LINE LEAK DETECTOR TEST DATA CHART

ENVIRONMENTAL HEALTH

MAY - 4 1994

STATION NUMBER C. H. P. DATE: 4-27-94 CHICO, CALIFORNIA

1. Location: 995 FIR ST. CHICO, CA. 916-895-4444
Street No. and/or Corner City State Telephone No.

2. Owner: CALIFORNIA HIGHWAY PATROL 995 FIR ST. CHICO, CA. CHRIS WINTERS
Name Address Representative Position Telephone No.

3. Operator: SAME
Name Dealer, Mgr. / Other Address, if Different than Location Telephone No.

4. Contractor or Company Making Test
 Mechanic(s) NAME DIALYSIS NORTH / RUSSELL ROGERS STATE LIC. # 90-1292

LEAK DETECTOR


1. MAKE: <u>RED JACKET</u>	2. MAKE: _____
TYPE or MODEL: <u>PISTON</u>	TYPE or MODEL: _____
SERIAL NUMBER: <u>10292 6059</u>	SERIAL NUMBER: _____
3. MAKE: _____	4. MAKE: _____
TYPE or MODEL: _____	TYPE or MODEL: _____
SERIAL NUMBER: _____	SERIAL NUMBER: _____

No.	Full Operating Pressure PSI	Opening Time Seconds	Functional Element Holding PSI	Bleed Back ML	Metering Pressure PSI	Test Leak Rate ML/Minute GAL/HR	PASS		REMARKS
							YES	NO	
1.	28 psi	1.37	22 psi	130ml	10psi	$\frac{175\text{ML}}{2.78\text{GAL}} \text{HR.}$	X		
2.									
3.									
4.									

PETRO TITE®

→ CHPT ST file:

Butte County U.S.



LAND OF NATURAL WEALTH AND BEAUTY
A CLEAN INDOOR AIR ENVIRONMENT FOR A HEALTHIER TOMORROW
DEPARTMENT OF PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

ENVIRONMENTAL HEALTH

UNDERGROUND TANK REPAIR/MODIFICATION PERMIT APPLICATION

APR 18 1994

This permit expires in six months

CHICO, CALIFORNIA

18-B County Center Drive
Oroville, CA 95965
(916) 538-7283
FAX (916) 538-2165

1469 Humboldt Road
Chico, CA 95928
(916) 891-2727
FAX (916) 895-6512

Permit No. _____
Fee Req'd 6500
Fee Rcd. by 4-18-94 JL
Rec# 159958

FACILITY/SITE INFORMATION & ADDRESS (MUST BE COMPLETED)

FACILITY NAME Cal. Hwy Patrol 825-4010
FACILITY ADDRESS 995 Fir Street, Chico, Ca 95927
NEAREST CROSS STREET _____ PHONE NO. 895-4444
OWNERS NAME Div. of State Architect
OWNERS ADDRESS 400 P St. 5th Fl. Sacramento, Ca
95814

CONTRACTOR INFORMATION:

CONTRACTORS NAME P.T.S. Env. LICENSE TYPE & NO. 440591-A
CONTRACTORS ADDRESS Box 170, Loomis Ca PHONE NO. 916 652-5535
DESCRIPTION OF WORK: Install ⁹⁵⁶⁵⁰ leak detection alarm
and monitoring system

APPLICANT'S SIGNATURE:
Juan Passarello

DATE:
4/15/94

*Note: Please attach a blueprint/plot diagram of the facility and the repairs.

OFFICE USE

Permit: _____ Approved _____ Denied _____ Expires _____

Authorized Signature Date

UGrepair

TANK MONITORING PLAN

CALIFORNIA HIGHWAY PATROL
CHP - CHICO
995 FIR STREET
CHICO, CALIFORNIA 95927

CONTACT: CHRIS WINTERS
(916) 895-4444

REVISED TANK MONITORING PLANINTRODUCTION

The Office of the State Architect has developed the following Tank Monitoring Plan (TMP) as required by Title 23 Waters, Subchapter 16 Underground Tank Regulations from the California Code of Regulations. The TMP has been prepared to comply with the Local Enforcement Agency guidelines for leak detection and monitoring alternatives.

SITE DESCRIPTION

This site is operated by the California Highway Patrol for the State of California. This site is located at:

CHP - Chico
995 Fir Street
Chico, California 95927
(916) 895-4444

One tank at this facility is proposed for the installation of a tank level monitor. A brief overview of the tank information is presented below:

<u>O.S.A. ID NO.</u>	<u>CAPACITY</u>	<u>MATERIAL</u>	<u>INSTALLED</u>	<u>CONTENTS</u>
P-CHI-01	12,000 gal.	Fiberglass	1978	Unleaded

Plot plate SK-1 shows plan view of the tank.

TANK MONITORING PLAN (TMP)

The TMP outlined below is based on the Local Enforcement Agency guidelines and utilizes tank level monitoring. The Tank Level Monitoring (TLM) System will be installed at this facility. The TLM is an automatic system used for inventory reconciliation within an underground storage tank. The TLM refers to probes, monitoring consoles, alarms and other appurtenant devices. A measuring probe will be located inside the underground storage tank to automatically measure the level of the liquid, and hence, the volume stored in the tank. The probe will be connected to a monitoring console, audible and visual alarms and recorder. The TLM will also have the capabilities to perform a tank integrity test, activate a high level alarm, automatically alert a remote monitor and measure the water level in the tank. Specific details of the TMP are listed below:


1. Install TLM monitoring probe as per specifications in the underground storage tank and connect it to a monitoring console with audio/visual alarms and recorder as shown in the attached plot plate;

2. Install overspill protection device at the tank.
3. Install overflow prevention valve at the tank and retrofit fill pipe and/or drop tube as necessary;
4. Install a pipeline leak detector and retrofit pressure piping system with a flow restriction device.

GROUNDWATER

This facility is not located within a designated groundwater basin. The local groundwater table elevation is unknown.

EXISTING PANEL "P"-120/240V.
 FURNISH AND INSTALL 1-20A/1P
 CIRCUIT BREAKER AND CONNECT TO
 MONITORING PANEL



SITE PLAN

SCALE: 1"=30'-0"



NORTH

NOTE: SEE APPENDIX C, SHEET
 E-5 FOR LIST OF SYMBOLS & NOTES.

Office
 of the
 State
 Architect
 400 P ST., SACRAMENTO, CA 95814



CALIFORNIA HIGHWAY PATROL
 995 FJR STREET
 CHICO, CA 95927
 CONTACT: CHRIS WINTERS
 TEL: 916-895-4444

W.O. CHP850 08

ANARBIR DHILLON

23 FEB 1993

SK-1

Return bottom portion with payment

CALIFORNIA HIGHWAY PATROL
995 FIR ST ST
CHICO, CA 95928

07-01-93 THRU 06-30-94 2399- 17941 9423007:
23-98.00

PLEASE REMIT TO:

DUE DATE: 04-11-94

BUTTE COUNTY PUBLIC HEALTH

TOTAL DUE \$ 98.00

18 B COUNTY CENTER DRIVE
OROVILLE, CA 95965
MAKE CHECK PAYABLE TO
BUTTE COUNTY PUBLIC HEALTH

APR 08 1994

COUNTY OF BUTTE		159685
OFFICIAL RECEIPT		
Public Health		4-5 94
OFFICE OR DEPARTMENT ISSUING RECEIPT		
Received from	State of California (Ca Highway Patrol)	
The Sum of	Ninety-eight & 00/100	\$ 98 00
For	UST Fee	
Received:	Received By: <i>J. Nelson</i>	
CASH <input type="checkbox"/>	Title _____	
CHECK <input checked="" type="checkbox"/> 05-902971	By _____	

AGLES FORMS AND MORE (916) 743-6523

15. TANK TO TEST
#1 - ONE ONLY
Identify by position
UNLEADED
Brand and Grade

15a. BRIEF DIAGRAM OF TANK FIELD
#1

C.H.P. STATION
FIR ST

16. CAPACITY
 Nominal Capacity 12,000 Gallons
 By most accurate capacity chart available 11,627 Gallons

Form:
 Station Chart
 Tank Manufacturer's Chart
 Company Engineering Data
 Charts supplied with Tank Tester
 Other _____

17. FILL-UP FOR TEST
 Stick Water Bottom before Fill-up Ø in. Ø Gallons 92 in. Tank Diameter

	Total Gallons as Reading
Inventory in Tank	<u>11,627</u>
Water Bottom	<u>Ø</u>
Top off equipment	<u>+ 13</u>
Total Quantity	<u>11,640</u>

18. SPECIAL CONDITIONS AND PROCEDURES TO TEST THIS TANK
 Water in tank Line(s) being tested with LVLTL
 High water table in tank excavation

See manual sections applicable. Check below and record procedure in log (27).
 Use maximum allowable test pressure for all tests. Four pound rule does not apply to doublewalled tanks.
 Complete section below:
 1. Is four pound rule required? Yes No

2. Height to 12" mark from bottom of tank 158 in.
 3. Pressure at bottom of tank 4.108 P.S.I.
 4. Pressure at top of tank 1.716 P.S.I.


19. TANK MEASUREMENTS FOR TSTT ASSEMBLY
 Bottom of tank to grade* _____ in.
 Add 30" for "T" probe assembly 30 in.
 Total tubing to assemble - approximate _____ in.

20. EXTENSION HOSE SETTING
 Tank top to grade* _____ in.
 Extend hose on suction tube 6" or more below tank top _____ in.
 *If fill pipe extends above grade, use top of fill.

USE WITH THERMAL SENSOR PN5039 (Blue Box)
 22. Thermal-Sensor reading after circulation 66.373 digits
66.67 °F
 23. Digits per °F in range of expected change 1000 digits

21. VAPOR RECOVERY SYSTEM Stage I Stage II

24b. COEFFICIENT OF EXPANSION RECIPROCAL METHOD
 Type of Product GASOLINE
 Hydrometer Employed G H
 Temperature in Tank After Circulation 66 °F
 Temperature of Sample 68 °F
 Difference (T-1) +2 °F
 Observed A.P.I. Gravity 57.7
 Reciprocal 1493 Page # 61
11,640 / 1493 = 7.7963831
 Total quantity in full tank (17) Reciprocal Volume change in this tank per °F
 Transfer to Line 28a.



NOTES:
 The above calculations are to be used for dry soil conditions to establish a positive pressure advantage, or when using the four pound rule to compensate for the presence of subsurface water in the tank area.
 Refer to N.F.P.A. 30, Sections 2-3.2.4 and 2-7.2 and the tank manufacturer regarding allowable system test pressures.

(916) 275-6667

DIALYSIS NORTH
 CERTIFIED PETRO-TITE TANK TESTERS
 RUSSELL E. ROGERS
 DENISE M. ROGERS
 OWNERS/OPERATOR
 STATE LICENSE #90-1292
 CERT. #414810924
 P.O. BOX 95
 BELLA VISTA, CA
 96008

24c. FOR TESTING WITH WATER see Table C & D
 Water Temperature after Circulation Table C from Thermal Sensor _____ °F
 Coefficient of Water Table D _____
 Added Surfactant? Yes No Transfer COE to Line 28b.

25. (a) _____ × (b) _____ = (c) _____ gallons
 Total quantity in full tank (17) Coefficient of expansion for involved product Volume change in this tank per °F
 26. (a) 7.7963831 × (b) 1000 = (c) 7.7963831 This is test
 Volume change per °F (25 or 24b) Digits per °F in test Volume change per digit

0478

PAGE 188

STATE WATER RESOURCES CONTROL BOARD
HAZARDOUS SUBSTANCE STORAGE CONTAINER INFORMATION FOR BUTTE COUNTY

06/01/88

CONTAINER TYPES: 1, 2, 3, 4, 5
(1=FARM MOTOR VEHICLE FUEL TANKS, 2=ALL OTHER PRODUCT TANKS, 3=WASTE TANKS, 4=SUMPS, 5=PITS, PONDS, LAGOONS & OTHERS)

I OWNER

CALIFORNIA HIGHWAY PATROL
P.O. BOX 898 SACRAMENTO CA 95804

II FACILITY

CALIFORNIA HIGHWAY PATROL	MAILING ADDRESS	DEALER/FOREMAN/SUPERVISOR	TYPE OF BUSINESS
995 FIR ST.	TOWNSHIP/RANGE/SECTION	TELEPHONE	NO. OF CONTAINERS
CHICO CA 95927	P.O. BOX 1779		CHP
	CHICO CA 95927	(916) 322-5310	1
CROSS STREET :			

III 24-HR. CONTACT PERSON / TELEPHONE
DAY: FACILITIES SECTION

(916) 322-5310 NIGHT: DISPATCHER (916) 445-2211

***** OWNER ASSIGNED CONTAINER NUMBER: 241-2 ***** STATE BOARD ASSIGNED CONTAINER ID NUMBER: 00000035398001 *****

IV DESCRIPTION

A. CONTAINER TYPE : SUMP	E. REPAIRS : NONE IF YES WHEN :
B. MANUFACTURER/YR OF MFG: /	F. CURRENTLY USED : YES IF NO, YEAR OF LAST USE:
C. YEAR INSTALLED : UNK	G. STORES : WASTE
D. CAPACITY (GALLONS) :	H. MOTOR VEHICLE FUEL/WASTE OIL : NO CONTAINS:

IS CONTAINER LOCATED ON A FARM : NO

V CONTAINER CONSTRUCTION

A. THICKNESS:	B. VAULTING: NON-VAULTED	C. WALLING: SINGLE
D. MATERIAL : CONCRETE		
E. LINING : UNLINED		
F. WRAPPING : NONE		

VI PIPING


A. ABOVEGROUND PIPING :	B. UNDERGROUND PIPING : GRAVITY
C. REPAIRS : NONE IF YES, YEAR OF MOST RECENT REPAIR:	

VII LEAK DETECTION

NONE

VIII CHEMICAL COMPOSITION OF SUBSTANCES CURRENTLY STORED IN CONTAINER

STEAM CLEANING RUNOFF



1. TO BE MANY
BULBOS WIRE (CROSS)
0. 000000 1/2" DIA
6. TO BE PENNS
CROSS

GENERAL NOTES

1. TO BE MANY BULBOS WIRE (CROSS) 0. 000000 1/2" DIA 6. TO BE PENNS CROSS

1. TO BE GRADED AND 1/2" DIA TO DRAIN AWAY FROM PILES. UNLESS O/S AND GROUND WATER TO STREET CURB AND GUTTER DRAINAGE BY GROUND. CHANNELS OVER OR UNDER, OR TO ADJACENT PRIVATE. SHALL NOT BE PERMITTED UNLESS PROPER DOCUMENTED APPROVAL IS FROM THE PROPERTY OWNERS AFFECTED. ALL PAVED AREAS INCLUDING SIDEWALKS SHALL BE NOT LESS THAN 2% GRADE.



EVERY LINE DIMENSIONS, DIMENSIONS AND OTHER SURVEY INFORMATION AS SHOWN AND AS REQUIRED TO COMPLETE PLAN INFORMATION SHALL BE VERIFIED BY THE ENGINEER'S SURVEY.

EVERY LINE EXTEND TO CONC. WALKS & TO CONC. CURBS & OR ADJACENT SIDEWALKS UNLESS OTHERWISE NOTED. PROVIDE CONTINUOUS CONC. CURBS & PAVEMENT AND PLANTER AREAS.

ALL LINES AND REQUIRED WORK TO BE COMPLETED WITH LOCAL MATERIALS.

ALL ELECTRICAL SERVICES SHALL BE UNDERGROUND BE EXCEPT FOR EXTERIOR LIGHTING. ALL EXCEPT FOR SPRINKLER IRRIGATION SYSTEMS.

ALL CONC. BLOCK SHALL BE PLUMBED, PAINT. FROM CONC. BLOCK DRAINAGE BLOCK OR A SIMILAR APPROVED SAMPLE





**COMMUNITY DEVELOPMENT
DEPARTMENT
BUILDING**

5th and Main Streets
P.O. Box 3420
Chico, CA 95927
(916) 895-4891
ATSS 459-4891

August 2, 1993

**Michael Coon
509 Acacia Avenue
Corona Del Mar, CA 92625**

Re: 995 Fir Street

This is to confirm our conversation regarding 995 Fir Street and the fact that it is not in a seismic nor special study zone.

As to the 12" drain line, I referred you to Fritz McKinley at (916)895-4982 for verification that the line did not need to be relocated. In order to obtain that verification, you will need to provide him with details of how you propose to span the line.

**DAVID PURVIS
Building Official**

dp/kt

BF: 995 Fir Street

(bldg/kt)E:\:. . 995FirCo.on

0004

ROUTING			CITY OF CHICO INTER-OFFICE MEMORANDUM		ACTION DESIRED		
TO	DEPT. - OFF. - INDIV.	INT.	<p>TO: BUILDING OFFICIAL</p> <p>RE: Highway Patrol 1600 sq. ft. free-standing addition.</p> <p>Michael Coon spoke to you yesterday on the phone regarding the above. For his files, he asks that you send him a letter stating that the above-noted property is not in a seismic, nor alquist priolo, nor special study zone, and that it is alright to span a 12-inch diameter drain line with the building.</p> <p>Michael Coon Architectural Works 509 Acacia Avenue Corona Del Mar, CA 92625 (714)723-5480.</p>			Review (Comment if appropriate) and return	
	City Manager					Call/See me re this	
	City Attorney					Investigate and report	
	City Clerk					Act as indicated	
	ACM-					Please process	
	ACM-					For your info./file	
	R/GSM					Your signature required	
	Finance Off.					Return to sender	
	PIT/Ad. Tech-					Per your request	
	CSD					Circulate	
	Dir. Pub. Wrks.					Please Post	
	ADPW-					FILE	
	Bldg. Off.					995 Fir Street	
	Planning Dir					TICKLER	
	Park Dir.						
	Chief of Police						
	Fire Chief						
Signature			<i>Naivise DeBon</i>	Department	BLDG	Date	7/28/93

**CITY OF CHICO
DEPT. OF PUBLIC WORKS
FIFTH AND MAIN STREET - 343-4401**

No 5756

PLUMBING APPLICATION AND PERMIT

BUILDING ADDRESS 995 Fir Street			COUNTY AP. NO. 46-560-12, 14	
PERMITTEE/OWNER Joseph Gee (CHP Offices)			PLAN NO. 77-8-2422	
LOT 4 & 5	BLOCK	SUBDIVISION Bidwell 9th	ZONING DIST. C-1	FIRE ZONE 2
NAME OF CONTRACTOR Mauldin & Son Plumbing			CITY LICENSE: 2333	
ADDRESS OF CONTRACTOR 1845 High Street Oroville, CA 95965			STATE LICENSE: 308989	

DESCRIPTION OF WORK:
 NEW ALTERATION ADDITION REPAIRS DEMOLITION OTHER

USE OF STRUCTURE	PLUMBING PERMIT FEES		
ENTER APPROPRIATE NUMBER OR CHECK	NO.	@	FEE
SING. FAM. <input type="checkbox"/> LT. COM. IND. <input checked="" type="checkbox"/> HY. COM. IND. <input type="checkbox"/> SCHOOL. OR COLL. <input type="checkbox"/>	PERMIT FILING FEE		3.00
MULT. DWEL. <input type="checkbox"/> NO. MULT. LODG. <input type="checkbox"/> NO. TRAILER COURT <input type="checkbox"/> NO.	TOILET (WATER CLOSET)	3	4.50
OTHER <input type="checkbox"/> NO. HOSP. <input type="checkbox"/> NO. CHURCH <input type="checkbox"/> NO.	SEWER sand trap	1	1.50
	SHOWER	1	1.50
	LAVATORY (WASH BASIN)	2	3.00
	KITCHEN SINK	1	1.50
	DISHWASHER		
	LAUNDRY TRAY OR WASHER		
	WATER HEATER &/OR VENT	1	1.50
	SEWER CONNECTION	1	5.00
	SEPTIC TANK & DRAIN FIELD		
	REPAIR OR ALTER-DRAIN, VENT		
	FLOOR OR SERVICE SINK	5	7.50
	DRINKING FOUNTAIN	3	4.50
	GAS OUTLETS, 1 TO 5		2.00
	GAS OUTLETS, 6 OR MORE, EA.		
	MISC. <u> piping </u>		2.00
	TOTAL FEE		37.50

REMARKS: Cat. exempt. Encroachment permit must be obtained for actual connection to sewer main by licensed bonded contractor.

PERMIT EXPIRES IN 60 DAYS IF WORK IS NOT COMMENCED

APPROVALS	SIGNATURE	DATE
ROUGH IN		
GAS PRESSURE TEST		
WATER PIPING		
SEWER LINE		
APPLIANCES & VENTS		
FINAL		

APPLICANT'S CERTIFICATION: I certify that I have read and understand the above application and the same is true and correct. I further certify that the above work will be done in accordance with all laws, rules and regulations of the City of Chico and State of California. I further certify that, pursuant to Section 7031.5 of the Business and Professions Code of the State of California, I am

- A C-33 36 contractor and hold State of California License No. 308989 which is in full force and effect. (List subcontractors on reverse of Finance Office Business License Copy).
- Making improvements of less than \$100.00.
- Owner improving for own occupancy and the building will not be for sale within one year from date of completion.
- The owner and am contracting for project with licensed contractor. (List general contractor and sub-contractors on reverse side of Finance Office Business License Copy).
- Other _____

PERMITTEE SIGNATURE 	BUILDING OFFICIAL APPROVAL 	DATE: 6-14-78
-------------------------	--------------------------------	-------------------------

41-1 6-76 500

BUILDING FOLDER COPY

406578
 34,5785,317

ENCROACHMENT PERMIT

STD. NO(S) _____
 IS A PART OF THIS PERMIT

(PURSUANT TO ART. III OF CHAPTER 23 OF THE CODE OF THE CITY OF CHICO, CALIFORNIA 1958)

ALL WORK TO BE DONE ACCORDING TO CITY OF CHICO, DEPARTMENT OF PUB. WORKS STANDARD SPECIFICATIONS.

APPLICANT'S NAME	McKinney Bros.	CITY BUS. LIC. NO.	<input checked="" type="checkbox"/> YES <input type="checkbox"/> DNA
APPLICANT'S ADDRESS	1002 W E. 16th Street	STATE CONTR. LICENSE	<input checked="" type="checkbox"/> YES <input type="checkbox"/> DNA
CITY AND STATE	Chico, CA 95926	EXCAVATION BOND	<input checked="" type="checkbox"/> YES <input type="checkbox"/> DNA

PROPERTY OWNER: SAME AS APPLICANT
 California Highway Patrol

PROPERTY ADDRESS: 995 Fir Street A.P. No.: 46-560-12, 14

APPLICATION IS HEREBY MADE:

- TO EXCAVATE IN: STREET SIDEWALK CURB GUTTER
 OTHER _____
- TO INSTALL: DRIVEWAY SIDEWALK CURB GUTTER
 OTHER paving, sewer connection & storm drain
- FOR TEMPORARY PARKING PERMIT: (PURSUANT TO SEC. 23.20 OF THE CODE)
 BLDG. PER NO. _____ NO PARKING SIGN NO(S) _____
 ELEC. PER. NO. _____ METER NUMBER(S) _____
 PLUMB. PER NO. _____ VEHICLE DESCRIP. _____
 _____ PER NO. _____ VEH. LIC. NO. _____

DESCRIPTION AND/OR DIAGRAM OF PROPOSED WORK

Install off-site improvements per approved plan and per DFW standard specifications.

*Bldg Div:
 Plan 778-292*

ESTIMATED DATE OF ENCROACHMENT 9-7-78 19__

ESTIMATED DATE OF COMPLETION _____ 19__

NO. OF SQ. FEET TO BE REPLACED: _____



ENCROACHMENT AREA TO BE REPAIRED BY:
 APPLICANT OTHER (STATE BELOW)

NAME _____
 Add. _____


APPLICANT REQUESTS GRADES FROM DEPT. OF PUBLIC WORKS
 YES NO

FEE OF \$ _____ RECEIVED CHECK
 BY _____ 19__ CASH

PERMIT EXPIRES IN 60 DAYS IF WORK IS NOT COMMENCED	ENCROACHMENT PERMIT: <input checked="" type="checkbox"/> APPROVED <input type="checkbox"/> DENIED	DATE 9-6-78
SIGNATURE OF APPLICANT <i>[Signature]</i>	By <i>[Signature]</i> DIRECTOR OF PUBLIC WORKS	
TITLE <i>[Signature]</i>	APPROVED: <input type="checkbox"/> DNA	100,000 Series, P.G.&E. 200,000 Series, P.T.&T. 300,000 Series, Cal Water 400,000 Series, Others
ORGANIZATION <i>McKinney Bros.</i>	CITY MANAGER	



LEGEND

-  AREA PROPOSED FOR REZONING
-  ASSESSORS PARCEL NO.
-  STREET ADDRESS
-  CITY ZONING

REZONING NO. 151

Applicant: Chico Planning Commission

Request: To rezone from H-C Highway Commercial to C-1 Limited Commercial and R-3 Multiple Family Residential

Property Location: Area located on the east side of Highway 99, between Highway 32 and Little Chico Creek

APPROVED BY CHICO CITY COUNCIL ON NOVEMBER 16, 1971
ORDINANCE NO. 980

CITY OF CHICO

PLANNING OFFICE

PLAT TO ACCOMPANY
REZONING NO. 151

DRAWN BY J. B. CHECKED BY J. P. H.
DATE Sept. 27, 1971 SCALE 1" = 200'
APPROVED BY [Signature] CITY PLANNER

SHEET ___ OF ___ SHEETS

0040

ROUTING			CITY OF CHICO INTER-OFFICE MEMORANDUM		ACTION DESIRED	
TO	DEPT. - OFF. - INDIV.	INITIALS	<p>Message:</p> <p>Dept. Gen. Services Sec'd.</p> <p>Wally Umethrich, Tim.</p> <p>916/445-3331</p> <p>Highway Patrol Office</p>		Review (Comment if appropriate) and return	
	City Manager				Call me re this	
	Dep. City Mgr.				Investigate and report	
	Adm. Asst. - CM				Act as indicated	
	Secretary				Please process	
	Personnel Officer				For your info./file	
	City Clerk				Your signature required	
	Finance Officer				Return to sender	
	City Planner				Per your request	
	Chief of Police					
	Dir.-DPW					
	Fire Chief					
	Building Official				FILE	
	Park Supt.					
	Airport Mgr.				TICKLER:	
	City Atty.				213-MB Phase II	
	Equip. Maint. Sup.					
	Traffic Engineer					
	Adm. Asst. - DPW					
	News Media					
	MAYOR					
From (Signature)			Department	Date		

March 18, 1970

Mr. Charles B. Kuhlmann,
2546 Olive Highway
Oroville, California 95965

Dear Mr. Kuhlmann:

On Tuesday, March 17, 1970, the City Council held a hearing on the matter of your Use Application No. 550 which authorized the installation of an ice vending machine in an H-C zone at 995 Fir Street.

At the close of the hearing the Council accepted the recommendations of the Planning Commission and revoked said Use Permit 550.

Should you have any questions concerning this matter, please feel free to call the City Planner.

Very truly yours,



BARBARA A. EVANS
City Clerk

cc: Planner w/appl.

D.P.W.
CM DC



BF 995 Fir St.

Mid Valley Ice Service Company
2546 Olive Highway
Oroville, California 95965

November 10, 1969

Attn: Mr. Charles B. Kuhlmann

Re: Revocation of City of Chico Planning Commission Use Permit No. 550
995 Fir Street, Chico, California (AP 46-043-04)

Dear Mr. Kuhlmann:

Please be advised that the Chico City Planning Commission met at a regularly scheduled public hearing on November 3, 1969, reviewed the proposed revocation of your Use Permit No. 550 and unanimously approved said revocation.

As you are aware, this use permit is revoked because the condition requiring landscaping was never completed by your organization.

The Planning Commission recommendation for revocation is being forwarded to the Chico City Council for their action. Section 27.22 of the Code of the City of Chico 1958 requires the City Council to act upon this recommendation within thirty (30) days after receiving same from the Planning Commission.

For any information required on this subject, please feel free to contact this office at your convenience.


Very truly yours,
ORIGINAL SIGNED BY
JOHN P. HOOLE


John P. Hoole
City Planner

JPH:pb

CM Info/CP 84
A-208-4 (550)

RF: 995 Fir Street






USE PERMIT NO. 550

Applicant: Mid Valley Ice Service
457 Park Avenue, Chico

Request: To install an ice vending machine on property zoned "U" Unclassified.

Property Description: A.P. No. 46-560-07 (portion of)
995 Fir Street



LOCATION MAP

APPROVED BY PLANNING COMMISSION: April 1, 1968

CITY OF CHICO

PLANNING OFFICE

PLAT TO ACCOMPANY
USE PERMIT NO. 550

DRAWN BY: M. O. CHECKED BY: H. H.
DATE: 4/4/68 SCALE: 1" = 40'
APPROVED BY: *Shirley H. Smith*
CITY PLANNER

REV.	DATE	BY
	4/4/68	M.O.

CERTIFIED MAIL -- RETURN RECEIPT REQUESTED

Mid Valley Ice Service
P. O. Box 611
Felton, California

September 12, 1969

ATTN: Mr. Arnold

Re: Revocation of the City of Chico Planning Commission Use Permit No. 550 -
995 Fir Street, Chico, California (AP 46-043-04)

Gentlemen:

Reference is made to the above noted City of Chico Planning Commission Use Permit No. 550 and to our letter dated 6 February 1969 advising you that action was pending relative to revoking said use permit due to non-compliance with the conditions relative to same.

As you will recall, this office advised you that one of the conditions of said use permit required the installation of a low hedge along the northerly property line and the installation of a landscaped area with trees between the sidewalk and the paved portion of the lot at the curb return area. This condition of the use permit was never completed by your organization and as such, was discussed in detail by the City of Chico Planning Commission at their regularly scheduled meeting on 8 September 1969. Subsequently, the Planning Commission voted unanimously to initiate proceedings recommending revocation of this use permit.

As such, this letter is being written to advise you that the City of Chico Planning Commission will hold a public hearing on revoking this Use Permit No. 550 on 6 October 1969 in the City Council Chambers in the Municipal Building at 5th and Main Streets here in the City of Chico at 7:30 P.M. Subsequent to the completion of this hearing, the Commission will submit its recommendations relative to revocation of this use permit to the City Council for further action.

If any additional information is required on this subject, please feel free to contact this office at your convenience.

Very truly yours,

ORIGINAL SIGNED BY

A. J. SAVITZ
A. J. Savitz
Director of Public Works

AJS:pb

CH Info/CF 43
A-ZON-4 (550)

cc: Chas. E. Kuhlmann
2546 Olive Hwy.
Oroville, Calif.

BF: 995 Fir St

CITY OF CHICO
REPORT

TO: Planning Commission

DATE: 31 May 1968

FROM: Zoning Committee

FILE: A-Zon-3(93)

SUBJECT: Valley Ice Rezoning

BF
CM Info/GP-347

This rezoning was initiated by the Planning Commission as a result of a land division of the larger parcel, which is indicated on the attached plat. The Commission has previously indicated that the property should be zoned to H-C Highway Commercial, although it was zoned subsequent to annexation to R-3 Multiple Residential.


We recommend approval of this rezoning finding it to be in accord with adjacent land use, existing zoning and the Chico General Plan.


Respectfully submitted,

ZONING COMMITTEE,
Shirley Puritz, Chairman

BY: Harold Hewitt
Harold Hewitt, City Planner

HR:og
Attachment - plat






REZONING NO. 93

Applicant: City Planning Commission, Chico

Request: To rezone property from R-3 to H-C

Property Description: A.P. No. 46-560-07
995 Fir Street



LOCATION MAP

REV.	DATE	BY

CITY OF CHICO

PLANNING OFFICE

PLAT TO ACCOMPANY
REZONING NO. 93

DRAWN BY M. O. CHECKED BY H. H.
 DATE 4/5/68 SCALE 1" = 200'
 APPROVED BY [Signature] CITY PLANNER

SHEET ___ OF ___ SHEETS

21-MB



CITY OF CHICO, CALIFORNIA

OFFICE OF THE CITY MANAGER - P. O. BOX 3420, 95927
TELEPHONE (916) 343-4401 - AFTER 5:00 P. M. 343-7331



G-CP-5-1.57/chrono

March 16, 1977

Mr. Joseph D. Gee
Joseph D. Gee Enterprises, Inc.
900 East Main Street
Barstow, CA 92311

Dear Mr. Gee:

I am pleased to enclose one fully executed copy of STORM DRAINAGE DISCHARGE AGREEMENT (CITY OF CHICO - JOSEPH E. GEE ENTERPRISES, INCORPORATED). By copy of this letter I am requesting the Director of Public Works A.J. Savitz to secure from Architect Engineer Lorrin L. Ward copies of the required plans and specifications for the contemplated storm drainage facilities to be constructed by you in connection with the Agreement and provide them to you at his early convenience. I acknowledge receipt of your letter of March 11, 1977, submitted pursuant to the provisions of Section 3.b. of the Agreement, giving notice of your intended construction of the facilities at your sole cost and expense.

By separate memorandum which you should receive shortly you will be advised that the City interposes no objection to your negotiating with the City's contractor with regard to installation of these facilities.


Thank you for your cooperation and assistance.

Sincerely,

John H. Dougherty
JOHN H. DOUGHERTY
Deputy City Manager

JHD:td
Enc.

cc: CM/AA
DPW w/att.
Lorrin Ward
Ed Anderson, Rolls, Anderson & Rolls



*Advised Ed Anderson
to contact Gee - S.D. by
City - Gee to pay cost*

BF - C.H.P. - Eri

*008
3/23/77*



ENTERPRISES

Ca. Lic. #244644

900 EAST MAIN STREET / BARSTOW, CALIFORNIA 92311 / Telephone (714) 256-8497

March 13 1977 RECEIVED

MAR 14 1977

CITY MANAGER
CITY OF CHICO

BY _____

Mr. John Dougherty
Deputy City Manager
P. O. Box 3420
Chico, CA 95926

RE: C. H. P. Site Storm Drainage Agreement.

Dear Mr. Dougherty:

Enclosed herewith two executed copies of the drainage agreement per your letter of February 25, 1977.

Per authority of Par. 3.b.1 of the agreement, please consider this letter as notice from "GEE" to the City of Chico, that "GEE" be granted permission immediately to construct the following drainage facilities: 185 ft. ± of 24" AC pipe; 25 ft. ± of 12" AC pipe and two catch basins (excluding oil trap). The above construction will conform to the City of Chico's Municipal Service Center project drawing C-2.

By this letter, it is mutually agreed that "GEE" will bear the total cost and expenses for the above work and that "GEE" is permitted to perform the work either with his own work force or the contractor of his choice.

Sincerely yours,

Joseph D. Gee Pres.

CC:
Ed Anderson
Rolls, Anerson & Rolls.

Handwritten initials and date: U 011 5-1 57

RECEIVED

MAR 14 1977

STORM DRAINAGE DISCHARGE AGREEMENT
(CITY OF CHICO - JOSEPH D. GEE ENTERPRISES, INCORPORATED)

CITY MANAGER
CITY OF CHICO

This agreement made and entered into this 11th day of March, 1977, by and between the City of Chico, a municipal corporation, hereinafter referred to as "City", and Joseph D. Gee Enterprises, Incorporated, a California corporation, hereinafter referred to as "Gee".

WITNESSETH:

1. Purpose: City owns that certain real property commonly designated its Chico Municipal Services Center located generally southerly and easterly of the intersection of California State Highway Route 32 and Fir Street. Gee owns that certain real property as described on Exhibit "A" attached hereto, entitled "Legal Description to Accompany Storm Drainage Discharge Agreement (City of Chico - Joseph D. Gee Enterprises, Inc.)" as delineated upon Exhibit "B" attached hereto, entitled "Plat Delineating Joseph D. Gee Enterprises, Inc. Property to Accompany Storm Drainage Discharge Agreement (City of Chico - Joseph D. Gee Enterprises, Inc.)" which exhibits are by this reference incorporated herein. Gee desires to develop said property by constructing facilities to house the Chico substation of the California Highway Patrol. In connection with said development, Gee desires, and City is willing to permit Gee to discharge storm drainage waters from said site upon and across City's Municipal Services Center site through underground storm drainage facilities constructed in the manner and subject to all the terms, conditions and requirements as set forth herein.

2. Term: The term of this agreement shall commence upon the date set forth hereinabove and it shall continue to remain in full force and effect into perpetuity until and unless cancelled in the manner provided hereunder.

3. Grant, Terms and Conditions:

a. Grant. City does hereby grant to Gee the right to discharge storm drainage waters from Gee's proposed California Highway Patrol site upon and across City's Municipal Services Center site through underground storm drainage facilities in consideration of Gee's performance of all the terms, conditions and requirements imposed upon Gee by City in this agreement. Said facilities shall be constructed in the manner as generally set forth on Exhibit "C" attached hereto, entitled "Plat of Proposed Storm Drainage Improvement to Accompany Storm Drainage Agreement (City of Chico - Joseph D. Gee Enterprises, Inc.)" which exhibit is by this reference incorporated herein, in full compliance with plans and specifications therefor as approved by City's Department of Public Works.

b. Construction of Facilities.

1) By Gee: Upon giving thirty (30) days prior notice to City's Director of Public Works at its Municipal Office, Fifth and Main Streets, Post Office Box 3420, Chico, California 95927, of intended construction, Gee may commence construction of the required storm drainage facilities contemplated herein. Gee shall construct said facilities at his sole cost and expense. The phrase "sole cost and expense" as used herein shall include

0019

1 all construction, engineering, inspection and other costs asso-
2 ciated with and incidental to said construction. City reserves
3 the right, however, in its sole discretion, to refuse to permit
4 Gee to construct said facilities in view of City's contemplated
5 construction of its Municipal Services Center. In this instance,
6 City shall construct the required storm drainage facilities in the
7 manner provided below.

8 2) By City: In the event City is prepared to com-
9 mence construction of its contemplated Municipal Services Center,
10 City may in its sole discretion refuse to grant Gee permission to
11 construct the required storm drainage facilities and may proceed
12 with said construction in connection with its Municipal Services
13 Center construction project. In this instance, Gee shall pay to
14 City the storm drainage fees established pursuant to the provi-
15 sions of Section II. B. of City's duly established Storm Drain-
16 age Fees Schedule, which amount is hereby determined to be the sum
17 of Seven Thousand, One Hundred Thirty-five and 80/100 Dollars
18 (\$7,135.80).

19 c. No Vesting in Gee. Upon completion of said storm
20

1 drainage facilities, whether by Gee or by City, and payment of the
2 costs thereof by Gee, full title thereto shall vest in City there-
3 after and Gee waives and releases any claim to further interest
4 therein. Gee further consents and agrees to permitting City to
5 discharge storm drainage waters originating on its Municipal
6 Services Center site into said storm drainage facilities construct-
7 ed by Gee without limitation as to the amount of said discharges by
8 City. Said consent by Gee to permit City discharge of storm drain-
9 age waters shall be in consideration of City's maintenance of said
10 facilities upon completion in the manner provided hereunder.

11 d. Maintenance: Upon completion of said storm drainage
12 facilities, whether constructed by Gee or by City, in accordance
13 with City's specifications and requirements, City shall thereafter
14 accept responsibility for maintenance of said facilities in con-
15 sideration of Gee's construction thereof.

16 e. Indemnification: This agreement is made upon the
17 express condition that City, its officers, employees and agents
18 shall not be liable for any bodily injury or property damage
19 occasioned by the performance of the duties, responsibilities,
20 covenants or conditions contained herein, whether by City or by
21 Gee, to persons or property of third persons during its existence
22 and Gee hereby agrees to indemnify and save harmless City, its
23 officers, employees and agents from any and all liabilities and
24 responsibilities (including but not limited to attorneys fees and
25 costs of defense) on account of any such injury to persons or
26 property.

0021

1 6. Binding Covenant: This agreement and all the terms, con-
2 ditions and requirements contained herein constitutes a binding
3 covenant upon City and Gee and their respective heirs, successors
4 and assigns.

5 7. Cancellation: Upon execution by the parties hereto, but
6 prior to the commencement of construction of the storm drainage
7 facilities contemplated herein, this agreement may be cancelled by
8 Gee or by City by giving thirty (30) days prior notice to the
9 other of said cancellation in the manner provided hereinbelow.

10 To Gee:

11 Joseph D. Gee Enterprises
12 900 East Main Street
13 Barstow, California 92311

14 To City:

15 City Manager
16 City of Chico
17 P. O. Box 3420
18 Chico, California 95927


19 In the event of cancellation prior to commencement of
20 construction, Gee shall reimburse City, upon billing by City, for
21 any costs incurred by City in connection with the contemplated
22 construction.

23 Upon commencement of construction and thereafter as pro-
24 vided herein, this agreement shall not be cancelled by the parties
25 and they shall perform fully all the terms, conditions and

1 requirements as provided herein.

2 In witness whereof the parties hereto have executed this
3 agreement the day and year first written above.
4


5 JOSEPH D. GEE ENTERPRISES, INC.
6 A California Corporation

7 By 
8 Authorized Signature/Title

9 CITY OF CHICO
10 A Municipal Corporation

11 By 
12 City Manager

13 APPROVED AS TO FORM:

14 
15 George C. Thacher, City Attorney

16
17
18
19
20
21
22
23 Authorized pursuant to City of Chico
24 City Council
25 Resolution No. 118 70-77
26 Adopted 2-22-77


EXHIBIT "A"
Legal Description to Accompany
Storm Drainage Discharge Agreement
(City of Chico - Joseph D. Gee Enterprises, Inc.)

DESCRIPTION:

All that certain real property situate in the City of Chico, County of Butte, State of California, described as follows:

A portion of Lots 4 and 5, in Block 15 of the Ninth Addition of the John Bidwell Rancho, according to the Official Map thereof, recorded in the office of the Recorder of the County of Butte, State of California, on March 14, 1904, in Map Book 4, at page 64, and a portion of Section 25, Township 22 North, Range 1 East, M. D. B. & M., and more particularly described as follows:

COMMENCING at the Southeast corner of said Ninth Addition of the John Bidwell Rancho; thence North $63^{\circ} 39' 00''$ East, 54.14 feet to the Northerly right of way line of Humboldt Road; thence along the Northerly right of way line of said Humboldt Road, North $63^{\circ} 39' 00''$ East, 632.26 feet and North $71^{\circ} 06' 00''$ East, 92.40 feet; thence leaving said right of way line, North $13^{\circ} 00' 00''$ West, 188.07 feet; thence North $78^{\circ} 36' 00''$ East, 357.03 feet; thence North $06^{\circ} 15' 00''$ West, 345.10 feet to a point on the Southerly right of way line of the California State Highway Route No. 47; thence following along said right of way line, South $76^{\circ} 18' 12''$ West, 1003.47 feet; thence leaving said line, South $14^{\circ} 30' 37''$ East, 334.15 feet to the point of beginning; thence South $75^{\circ} 29' 23''$ West, 164.53 feet to a point on the Easterly line of aforesaid Block 15 of the Ninth Addition of the John Bidwell Rancho; thence along the Easterly line of said Block 15, South $06^{\circ} 32' 00''$ West 216.39 feet to the Northeast corner of Lot 5 of said Ninth Addition; thence along the Northerly line of lots 4 and 5 of said Ninth Addition, South $61^{\circ} 37' 20''$ West, 70.89 feet to the Northeasterly line of a Frontage Road; thence along the Northeasterly line of said Frontage Road, South $42^{\circ} 05' 50''$ East, 61.13 feet to the beginning of a 70.00 foot radius curve to the left; thence along the arc of said curve, through a central angle of $73^{\circ} 40' 40''$ an arc length of 90.01 feet; thence South $26^{\circ} 21' 00''$ East, 3.16 feet; thence North $63^{\circ} 39' 00''$ East along the Northerly right of way line of Humboldt Road 250 feet, thence leaving said line, Northwesterly to the point of beginning.



Joseph D. Gee Enterprises, Inc.
 Property to Accompany Storm Drainage Discharge Agreement
 City of Chico - Joseph D. Gee Enterprises, Inc.

0022

0024

ROUTING			CITY OF CHICO INTER-OFFICE MEMORANDUM		ACTION DESIRED	
TO	DEPT. - OFF. - INDIV.	INITIALS	<p>Message: 9/8/78</p> <p>Tolson Mr Mauldin 3105</p> <p>R.M.</p> <p>He did not connect</p> <p>to main line - stopped @</p> <p>PL as shown on plan.</p> <p>R.</p>			Review (Comment if appropriate) and return
	City Manager					Call me re this
	Dep. City Mgr.					Investigate and report
	Adm. Asst. - CM					Act as indicated
	Secretary					Please process
	Personnel Officer					For your info./file
	City Clerk					Your signature required
	Finance Officer					Return to sender
	City Planner					Per your request
	Chief of Police					
	Dir.-DPW					
	Fire Chief					
	Building Official					
	Park Supt.					FILE
	Airport Mgr.					
	City Atty.					
	Equip. Maint. Sup.					
	Traffic Engineer					
	Adm. Asst. - DPW					
	News Media					
	Com. Dev. Coord.					
From (Signature)			Department	Date	TICKLER:	

ENGINEERING DIVISION

CITY OF CHICO

995 FIRE ST.

File

SITE PLAN CHECK

STRUCTURAL PLAN CHECK

BLDG. PLAN NO. _____

A.P. NO. 2656.12, 1C

SITE ADDRESS: Humboldt Rd

OWNER: CHP (Lessor)

PLANS PREPARED BY: Rolls Anderson & Rolls

DATE RECEIVED BY ENGINEERING DIVISION: 1/11/77

PLAN CHECKED BY: MC

COMPLETED (DATE) 1/17/77

PLAN CHECK REVIEWED BY: _____

FORWARDED (DATE) _____

COMMENTS:

I Site plan

- 1. Oil trap req'd @ most N'ly inlet on city property
- 2. Tie bldg to FR
- 3. Dimension between parking islands and bldg.
- 4. Locate w'ly hi point @ S/W
- 5. Provide plan details of SD on city property

II St improvements

- 1. See attached proposed grades for Humboldt.
- 2. provide transition to standard 20' wide roadway at Ely end of improvements.
- 3. Regrade ditch on Ely end as necessary to avoid blocking existing drainage.
- 4. Punt section to be 2" AC, 8" AB.
- 5. Provide 2" sand cushion under S/W.

No. filed (P. D. Smith)
RA 2/12/77
1/19/77

MC 1/17/77

[Signature]

Mark review w/ [Signature]

Sheet 1 of _____

0201

ROUTING			CITY OF CHICO INTER-OFFICE MEMORANDUM		ACTION DESIRED	
TO	DEPT. - OFF. - INDIV.	INITIALS	<p>Message:</p> <p><i>B.F. -</i> <i>RECORD -</i></p> <p><i>TRAN # 77-8-1242</i></p> <p><i>AS MARKED BY</i> <i>J. G. PLANEY - SENT TO</i> <i>ARCHITECT - E. S. RICHARDSON</i> <i>ACTADENA.</i></p> <p><i>FOR CORRECTION REFERENCE</i> <i>PER PLANEY COMMENTS -</i> <i>TO BE RETURNED TO CITY</i> <i>(REFER TO STATUS DATED 9-27)</i></p>			Review (Comment if appropriate) and return
	City Manager					Call me re this
	Dep. City Mgr.					Investigate and report
	Adm. Asst. - CM					Act as indicated
	Secretary					Please process
	Personnel Officer					For your info./file
	City Clerk					Your signature required
	Finance Officer					Return to sender
	City Planner					Per your request
	Chief of Police					
	Dir.-DPW					
	Fire Chief					
	Building Official					
	Park Supt.					
	Airport Mgr.					
	City Atty.					
	Equip. Maint. Sup.					
	Traffic Engineer					
	Adm. Asst. - DPW					
	News Media					
	MAYOR					
From (Signature)			Department	Date		

FILE


ok

TICKER:

NOTE: PH COPY T.F.

[Signature]

h



Butte County

LAND OF NATURAL WEALTH AND BEAUTY

DEPARTMENT OF HEALTH
PUBLIC HEALTH SERVICES
DIVISION OF ENVIRONMENTAL HEALTH

Address 695 Oleander Avenue, P.O. Box 1100 7 County Center Drive 747 Elliott Road
Chico, California 95927 Oroville, California 95965 Paradise, California 95969
Reply to Telephone: 916/343-4211, Ext. 62 Telephone: 916/534-4281 Telephone: 916/877-0852

To: A. J. SAVITZ, City of Chico Public Works Director
From: HENRY MARTIN, R. S., Butte County Health Department *HM*
Subject: Sewage Disposal Plans - CHP Building, Fir and Humboldt
Date: December 12, 1977


This department has reviewed the sewage disposal plans for the Highway Patrol office at the corner of Fir and Humboldt. It is our opinion that the car wash facilities should be separate from the sewage disposal system. The following requirements will meet Butte County Health Department criteria:

1,000 gallon tank and 100' of 36" wide drainage with 6" rock under pipe.

Our recommendation for the car wash would be a minimum 1,000 gallon tank and 75' of leachline 24" wide drainage with 6" rock under pipe.

If you have any questions, please contact this office between 8:30 and 9:30 a.m.

HM:js



Mr. Joseph Gee
900 E. Main Street
Barstow, California 92311

December 19, 1977

RE: Architectural Review of the landscaping plan for the proposed Highway
Patrol building at 995 Fir Street, Chico

Dear Mr. Gee:

Please be advised that the Architectural Review Board reviewed and approved the above noted landscaping plan at their December 15, 1977 meeting. We have not yet received the exterior lighting plan, but will schedule it for review upon receipt.

If you have any questions regarding this matter, please contact the Planning Office at your convenience.

Sincerely,

Jere Bolster
Planning Technician


JB/km
CP 4204/Arch. File
CM Info
cc: DPH - BF: 995 Fir Street

RECEIVED

DEC 20 1977

CITY OF CHICO
DEPT. OF PUBLIC WORKS

COPY



© FIRE HYDRANT LOCATION

Any and all easements and rights of way which may be necessary or reasonably appropriate for this extension will be conveyed or caused to be conveyed by the Applicant.

1. EXTEND MAIN FULL WIDTH OF FRONTAGES
2. HYDRANT TO BE AT THE CORNER OF HUNBOLDT & F.R. EXACT LOCATION MUST BE SPECIFIED ON DEVELOPMENT SITE PLAN
3. HYDRANT TO BE AT THE PROPERTY LINE ON HUNBOLDT ROAD.

Return this copy to the Chico Fire Department

APPROVED
 CHICO FIRE DEPARTMENT
 DATE 3/2/77 BY [Signature]
 NOT TO FIELD INSPECTOR

ALL CODES SHALL APPLY EXCEPT WHERE SHOWN OTHERWISE ON PLANS ARE SOLELY FOR INFORMATION PURPOSES. THE CHICO FIRE DEPARTMENT IS NOT RESPONSIBLE FOR THE ACCURACY OF ANY INFORMATION CONTAINED HEREIN. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACCURACY OF ANY INFORMATION CONTAINED HEREIN.

4/11/77 C.L.D. 524

CALIFORNIA WATER SERVICE CO. ENGINEERING DEPARTMENT			
CHICO		DISTRICT	
EXTENSION FROM STREET 1 FOR HIGHWAY 171/171/171			
DRAWN BY R. N. ARRETC	DATE 3/2/77	APPROVED BY [Signature]	
TRACED BY [Signature]	SCALE 1" = 100'	SET NO. 9325 CH	
CHECKED BY R. N. ARRETC	SCALE 1" = 100'	D.W. NO. CH-2410	

Return this copy to the Chico Fire Department

Joseph Bell Enterprises, Inc.
400 East Main Street
Barstow, Ca. 92311

RESEARCH - CH.P. 945 FIRST

CURRENT STATUS: (P# 77-8-2002)
(4-21-78) (REC. 1304)

S.S. APP# 1165 - \$2,893.42 PAYABLE (3/1/78)
(# 110 - VOIDED)

X ARCH. REVIEW - (P) - APPROVED 12/15/77
1/5/78 - (FINAL LTR.)

HEALTH DEPT RECOMMENDATIONS FOR
SEPTIC TANKS - LETTER DATED 12/14/77.

(THIS NOT NECESSARY - TO USE - CITY SYSTEM)

USE PERMIT # 108

X 6" CHAIN LINK FENCE w/ 3 STRANDS PARALLEL WIDE
APPROVED 9/14/77 -

DRAINAGE AGREEMENT - (RESOLUTION # 118 76-77)

BLANEY COMPLETE REC -
etc: 10/21/77

LETTER - 8/1/77 - \$3,724.00 STORM
DRAINAGE
PER AGREEMENT.

J. DOUGHERTY LETTER

(PAID. ?)



CITY OF CHICO, CALIFORNIA

MUNICIPAL BUILDING - P. O. BOX 3420, 95927
TELEPHONE (916) 343-4401



BUILDING DIVISION

DATE September 27, 1977

STATUS OF PLAN CHECK

I. BUILDING INFORMATION

Building Address 995 Fir Street A.P. Number 46-560-12, 14

Joseph Gee Owner's Name

900 E. Main Street

Barstow, CA 92311

() Architect Earl S. Richardson
() Designer 4623 Risinghill Road
(XX) Engineer Altadena, CA 91001
() Contractor

Date Plans Received August 31, 1977 Plan Number 77-8-2422

The plans submitted by you on the above date have been checked by this office and found to be in accordance with the Chico Municipal Code, and the standards of the Department of Public Works of the City of Chico. You may pick up your building permit from this office at your convenience.

The plans submitted by you on the above noted date have been checked by this office and the following corrections and/or additional information will be required prior to the issuance of a building permit.

1. Submit plans for Architectural Review per letter dated September 2, 1977.
2. Pay Storm drainage fee of \$7,135.80.
3. Submit plan for approval by City/County Health Department for private disposal system, or pay fee for City sewer connection.
4. See attached comments from structural engineer, Guinan-Blaney.
5. See attached requirements from City of Chico Fire Department.

APPEAL: Should you be dissatisfied with the determination set forth above you may appeal to the City Appeals Board within 10 days after receipt of this status of Plan Check by filing such appeal with the City Clerk and paying the appropriate appeal fee.

Distr: Orig. Arch; Engr; Designer; Contr.
COPY. BF: Owner

A. J. Savitz
Director of Public Works
By: [Signature]
Building Official

BUILDING DIVISION

DATE 9/27/77

STATUS OF PLAN CHECK

I. BUILDING INFORMATION

Building Address 995 Fir A. P. No. 46-560-12-14

Name of Owner Joseph Lee Address 900 East Main St -

() Architect () Contractor
() Designer () Engineer Carl D. Richardson

4623 Bramhill Rd. Altadena Calif
91001

Address _____

II. EVALUATION OF PLANS

Date Plans Received 8/31/77 Plan Number 77-8-2422

() The plans submitted by you on the above date have been checked by this office and found to be in accordance with the Chico Municipal Code, and the standards of the Department of Public Works of the City of Chico. You may pick up your building permit from this office at your convenience.

(X) The plans submitted by you on the above noted date have been checked by this office and the following corrections and/or additional information will be required prior to the issuance of a building permit:

- ① Submit Plans for Arch Review Per Letter 9/2/77
- ② Pay Storm Drainage 7135/80
- ③ Submit plan for ~~sanitary~~ private disposal system - approved by City-County Health Dept - pay fee for city connection
- ④ See attached sheet from Planning
- ⑤ See attached sheet Fire Dept.

Please contact this office at your earliest convenience to discuss the items above.

A. J. Savitz,
Director of Public Works

Distribution:

- Orig. - Arch., Engr., Desgrn., Contr.
- Copy - DPW (BF)
- Copy - Owner

By: _____
Building Official
Department of Public Wor
City of Chico

150 DPW 11/75

DATE 2/9/77

STORM DRAINAGE FEE COMPUTATION SHEET

NO. 420

Street Address 995 FIR ST. A.P. NO. 46-560-12 & 14

Building Plan No. RECORD OF SURVEY BY ROLL Date FILED 1/10/77 W/ COUNTY

Existing Land Use VACANT No. of Units _____ % Lot use _____

Proposed Use: Single Family Duplex Apartments _____ Units
 Commercial-Industrial _____ % of lot used Other - see Remarks

- Drainage Condition:
- II-A-1 Own S.D. constructed to adequate natural channel. No fee.
 - II-A-2 In S.D. District. No density change. No fee.
 - ~~II-A-3 At the Chico Municipal Airport. No fee.~~
 - II-B-1-a Not in a S.D. District and paying fee.
 - II-B-1-b Not in a S.D. District and constructing S.D. to adequate natural channel. No fee.
 - II-B-2-a Partially complete S.D. District and paying fee.
 - II-B-2-b Partially complete S.D. District and constructing S.D. to existing City S.D.
 - II-B-3-a In S.D. District, changing density and paying fee.
 - II-B-3-b In S.D. District, changing density and constructing S.D. to existing City S.D.
 - II-B-4-a Not in S.D. District but can be served by other local agency and paying fee.
 - II-B-4-b Not in S.D. District but can be served by other local agency and construct S.D. to existing S.D.
 - III Subdivision constructing own S.D. to channel. No fee.

Remarks CALIF. HWY. PATROL STATION

Project Area 1.699 Acres

Density = DNA (No. Units) = _____ Units/Acre
(Acres)

Drainage Fee Rate \$ 4200 /Acre

$$\text{DRAINAGE FEE} = \frac{1.699}{\text{Acres}} \times \left[\frac{4200}{\text{Drainage fee rate}} - \frac{0}{\text{Existing Assessment}} \right] - \left[\frac{0}{\text{Cost of S.D. Extension}} \right]$$

DRAINAGE FEE = \$ 7135.80

By UR MR
Approved ADS

Entered in S.D. Book (date) 5-11-78 bmb

Rev. 7/75

BT R

CITY OF CHICO - OFFICIAL RECEIPT

NOTICE TO PAYOR: Check this Receipt carefully. It is your proof of payment to City of amount shown below for purpose cited. If Receipt is incorrect, notify Finance Office immediately.

No 28529

I. FO POSTING REFERENCE			II. PAYMENT INFORMATION			
Fund	Acct.	Amount	1. Date	2. Amount Paid (2 cks)		
1 <input type="checkbox"/> GF	491	2,893.42	May 10, 1978	6,677.42		
3 <input type="checkbox"/> LF			3. Purpose AP 46-560-12,14 995 Fir St. San.Sew.1165 Storm Drain #420 amended	4. Received by sn		
4 <input type="checkbox"/> PF						
5 <input checked="" type="checkbox"/> SRF			493	3,784.00	5. Payor Joseph Gee	
7 <input type="checkbox"/> AF						
43 <input type="checkbox"/> STF						
22 <input checked="" type="checkbox"/> SD						

DISTRIBUTION: White—FO Serial File; Yellow—FO Date File; Pink—Payor.
15-1 12-77 5M

SO 19599

CITY OF CHICO
DEPT. OF PUBLIC WORKS
FIFTH AND MAIN STREETS -- PHONE 343-4401

NO 103013

ENCROACHMENT PERMIT

STD. NO(S) _____
IS A PART OF THIS PERMIT

(PURSUANT TO ART. III OF CHAPTER 23 OF THE CODE OF THE CITY OF CHICO, CALIFORNIA 1958)


ALL WORK TO BE DONE ACCORDING TO CITY OF CHICO, DEPARTMENT OF PUB. WORKS STANDARD SPECIFICATIONS.

APPLICANT'S NAME <u>P.G. & E</u>	CITY BUS. <input type="checkbox"/> YES
APPLICANT'S ADDRESS <u>350 SALEM ST</u>	LIC. NO. <input type="checkbox"/> DNA
CITY AND STATE <u>CHICO CALIF</u>	STATE CONTR. LICENSE <input type="checkbox"/> YES <input type="checkbox"/> DNA
PROPERTY OWNER: <input type="checkbox"/> SAME AS APPLICANT <u>CITY OF CHICO</u>	EXCAVATION BOND <input type="checkbox"/> YES <input type="checkbox"/> DNA

PROPERTY ADDRESS: C.H.P. BUILDING HUMBOLDT A.P. & FIR ST No.:

APPLICATION IS HEREBY MADE:

- TO EXCAVATE IN: STREET SIDEWALK CURB GUTTER
 OTHER _____
- TO INSTALL: DRIVEWAY SIDEWALK CURB GUTTER
 OTHER INSTALL NEW GAS SERVICE
- FOR TEMPORARY PARKING PERMIT: (PURSUANT TO SEC. 23:20 OF THE CODE)
BLDG. PER NO. _____ NO PARKING SIGN NO(S) _____
ELEC. PER. NO. _____ METER NUMBER(S) _____
PLUMB. PER NO. _____ VEHICLE DESCRIP. _____
PER NO. _____ VEH. LIC. NO. _____



ESTIMATED DATE OF ENCROACHMENT 8-1 1978

ESTIMATED DATE OF COMPLETION 10-1 1978

NO. OF SQ. FEET TO BE REPLACED: 25'

ENCROACHMENT AREA TO BE REPAIRED BY:
 APPLICANT OTHER (STATE BELOW)

NAME _____

ADD. _____

APPLICANT REQUESTS GRADES FROM DEPT. OF PUBLIC WORKS
 YES NO

FEE OF \$ _____ RECEIVED CHECK BY _____, 19____, CASH

PERMIT EXPIRES IN 60 DAYS IF WORK IS NOT COMMENCED

ENCROACHMENT PERMIT:

x ED OETINGER (JG)
SIGNATURE OF APPLICANT
TITLE GAS ENGINEER
ORGANIZATION P.G. & E

APPROVED DENIED
BY [Signature] 7-26-78
DIRECTOR OF PUBLIC WORKS DATE
APPROVED: DNA
CITY MANAGER
100,000 Series, P.G.&E.
200,000 Series, P.T.&T.
300,000 Series, Cal Water
400,000 Series, Others

RECEIVED
JUL 24 1978
CITY OF CHICO
DEPT. OF PUBLIC WORKS

D


Environmental Data Resources (EDR)

DGS Chico CHP

995 Fir Street
Chico, CA 95928

Inquiry Number: 4611368.2s
May 05, 2016

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	8
Orphan Summary	65
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
 Please contact EDR at 1-800-352-0050
 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

995 FIR STREET
CHICO, CA 95928

COORDINATES

Latitude (North): 39.7355490 - 39° 44' 7.97"
Longitude (West): 121.8165240 - 121° 48' 59.48"
Universal Transverse Mercator: Zone 10
UTM X (Meters): 601413.8
UTM Y (Meters): 4398866.5
Elevation: 221 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 5603314 CHICO, CA
Version Date: 2012

North Map: 5603350 RICHARDSON SPRINGS, CA
Version Date: 2012

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20120705
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:
 995 FIR STREET
 CHICO, CA 95928

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	CA HIGHWAY PATROL CH	995 FIR ST	FINDS, ECHO		TP
A2	CALIFORNIA HIGHWAY P	995 FIR ST ST	CA FID UST		TP
A3	STATE OF CALIFORNIA	995 FIR ST	SWEEPS UST, CA FID UST, CUPA Listings		TP
A4	CALIFORNINA HIGHWAY	995 FIR	AST		TP
A5		PARKING LOT, CHICO C	CHMIRS		TP
A6	CALIFORNIA HIGHWAY P	995 FIR ST	UST, SWEEPS UST, HIST UST		TP
A7	CAL HIGHWAY PATROL-C	995 FIR STREET	EMI, HAZNET		TP
8	VERIZON WIRELESS CHI	1460 HUMBOLDT RD	CUPA Listings	Lower	176, 0.033, SSE
B9	CHICO CITY OF FIRE D	901 FIR ST	RCRA-SQG, FINDS, ECHO	Lower	566, 0.107, NW
B10	CITY OF CHICO	901 FIR ST	LUST, CA FID UST, CUPA Listings, HIST CORTESE,...	Lower	571, 0.108, NW
B11	CITY OF CHICO	901 FIR ST	UST, SWEEPS UST, HIST UST	Lower	571, 0.108, NW
B12	MUNICIPAL SERVICES C	901 FIR STREET	LUST, EMI	Lower	571, 0.108, NW
C13	FRAZEE #1511	1390 E 9TH ST STE 10	CUPA Listings	Lower	1049, 0.199, West
C14	CHICO CAR CARE	1369 E 9TH ST	CUPA Listings	Lower	1115, 0.211, West
15	DUCHI, ANGELO A. & S	1588 8TH	HIST CORTESE	Higher	1217, 0.230, North
16	SHELL SS MIKES FORME	1295 8TH ST E	LUST, HIST CORTESE	Lower	1889, 0.358, West
D17	CHICO SCRAP METAL YA	1197 HUMBOLDT AVENUE	HIST Cal-Sites	Lower	1973, 0.374, SW
D18	CHICO SCRAP METAL	1197 HUMBOLDT	ENVIROSTOR, CA BOND EXP. PLAN, HIST CORTESE	Lower	1973, 0.374, SW
19	CACITTI JACK PROPERT	1180 9TH ST E	LUST, HIST CORTESE	Lower	2188, 0.414, WSW
20	CHICO SCRAP METAL -	878 EAST 20TH STREET	RESPONSE, ENVIROSTOR, SLIC, LIENS, Cortese	Lower	4091, 0.775, South

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
CA HIGHWAY PATROL CH 995 FIR ST CHICO, CA 95928	FINDS Registry ID:: 110057045647 ECHO	N/A
CALIFORNIA HIGHWAY P 995 FIR ST ST CHICO, CA 95928	CA FID UST Facility Id: 04000276 Status: A	N/A
STATE OF CALIFORNIA 995 FIR ST CHICO, CA 95928	SWEEPS UST Status: A Tank Status: A Comp Number: 12345 CA FID UST Facility Id: 04000241 Status: A CUPA Listings Facility ID: FA0000655	N/A
CALIFORNINA HIGHWAY 995 FIR CHICO, CA 95928	AST	N/A
PARKING LOT, CHICO C PARKING LOT, CHICO C CHICO, CA 95927	CHMIRS OES Incident Number: 11325	N/A
CALIFORNIA HIGHWAY P 995 FIR ST CHICO, CA 95928	UST Facility Id: 17941 SWEEPS UST Status: A Tank Status: A Comp Number: 17941 HIST UST Facility Id: 00000017941 Facility Id: 00000035398	N/A
CAL HIGHWAY PATROL-C 995 FIR STREET CHICO, CA 95928	EMI Facility Id: 278 HAZNET	N/A

EXECUTIVE SUMMARY

GEPAID: CAL000046131

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY..... Federal Facility Site Information listing
SEMS..... Superfund Enterprise Management System

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System
US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

EXECUTIVE SUMMARY

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Solid Waste Information System

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land
SLIC..... Statewide SLIC Cases

State and tribal registered storage tank lists

FEMA UST..... Underground Storage Tank Listing
INDIAN UST..... Underground Storage Tanks on Indian Land

State and tribal voluntary cleanup sites

VCP..... Voluntary Cleanup Program Properties
INDIAN VCP..... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

BROWNFIELDS..... Considered Brownfields Sites Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT..... Waste Management Unit Database
SWRCY..... Recycler Database
HAULERS..... Registered Waste Tire Haulers Listing
INDIAN ODL..... Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations
ODI..... Open Dump Inventory

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL..... Delisted National Clandestine Laboratory Register
SCH..... School Property Evaluation Program
CDL..... Clandestine Drug Labs
Toxic Pits..... Toxic Pits Cleanup Act Sites
US CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS..... Environmental Liens Listing
LIENS 2..... CERCLA Lien Information
DEED..... Deed Restriction Listing

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

EXECUTIVE SUMMARY

LDS..... Land Disposal Sites Listing
MCS..... Military Cleanup Sites Listing
SPILLS 90..... SPILLS 90 data from FirstSearch

Other Ascertainable Records

RCRA NonGen / NLR..... RCRA - Non Generators / No Longer Regulated
FUDS..... Formerly Used Defense Sites
DOD..... Department of Defense Sites
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR..... Financial Assurance Information
EPA WATCH LIST..... EPA WATCH LIST
2020 COR ACTION..... 2020 Corrective Action Program List
TSCA..... Toxic Substances Control Act
TRIS..... Toxic Chemical Release Inventory System
SSTS..... Section 7 Tracking Systems
ROD..... Records Of Decision
RMP..... Risk Management Plans
RAATS..... RCRA Administrative Action Tracking System
PRP..... Potentially Responsible Parties
PADS..... PCB Activity Database System
ICIS..... Integrated Compliance Information System
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS..... Material Licensing Tracking System
COAL ASH DOE..... Steam-Electric Plant Operation Data
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
RADINFO..... Radiation Information Database
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS..... Incident and Accident Data
CONSENT..... Superfund (CERCLA) Consent Decrees
INDIAN RESERV..... Indian Reservations
FUSRAP..... Formerly Utilized Sites Remedial Action Program
UMTRA..... Uranium Mill Tailings Sites
LEAD SMELTERS..... Lead Smelter Sites
US AIRS..... Aerometric Information Retrieval System Facility Subsystem
US MINES..... Mines Master Index File
Cortese..... "Cortese" Hazardous Waste & Substances Sites List
DRYCLEANERS..... Cleaner Facilities
ENF..... Enforcement Action Listing
Financial Assurance..... Financial Assurance Information Listing
HWP..... EnviroStor Permitted Facilities Listing
HWT..... Registered Hazardous Waste Transporter Database
MINES..... Mines Site Location Listing
MWMP..... Medical Waste Management Program Listing
NPDES..... NPDES Permits Listing
PEST LIC..... Pesticide Regulation Licenses Listing
PROC..... Certified Processors Database
Notify 65..... Proposition 65 Records
UIC..... UIC Listing
WASTEWATER PITS..... Oil Wastewater Pits Listing
WDS..... Waste Discharge System
WIP..... Well Investigation Program Case List
FUELS PROGRAM..... EPA Fuels Program Registered Listing

EXECUTIVE SUMMARY

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP..... EDR Proprietary Manufactured Gas Plants
EDR Hist Auto..... EDR Exclusive Historic Gas Stations
EDR Hist Cleaner..... EDR Exclusive Historic Dry Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF..... Recovered Government Archive Solid Waste Facilities List
RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 12/09/2015 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>CHICO CITY OF FIRE D</i>	<i>901 FIR ST</i>	<i>NW 0 - 1/8 (0.107 mi.)</i>	<i>B9</i>	<i>15</i>

EXECUTIVE SUMMARY

State- and tribal - equivalent NPL

RESPONSE: Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

A review of the RESPONSE list, as provided by EDR, and dated 02/01/2016 has revealed that there is 1 RESPONSE site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHICO SCRAP METAL - Status: Active Facility Id: 60000800	878 EAST 20TH STREET	S 1/2 - 1 (0.775 mi.)	20	40

State- and tribal - equivalent CERCLIS

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 02/01/2016 has revealed that there are 2 ENVIROSTOR sites within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHICO SCRAP METAL Facility Id: 4500009 Status: Inactive - Action Required	1197 HUMBOLDT	SW 1/4 - 1/2 (0.374 mi.)	D18	37
CHICO SCRAP METAL - Facility Id: 60000800 Status: Active	878 EAST 20TH STREET	S 1/2 - 1 (0.775 mi.)	20	40

State and tribal leaking storage tank lists

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the State Water Resources Control Board Leaking Underground Storage Tank Information System.

A review of the LUST list, as provided by EDR, and dated 12/14/2015 has revealed that there are 4 LUST sites within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CITY OF CHICO	901 FIR ST	NW 0 - 1/8 (0.108 mi.)	B10	17

EXECUTIVE SUMMARY

Status: Completed - Case Closed
 Status: Case Closed
 Global Id: T0600700022
 Global Id: T0600701763

MUNICIPAL SERVICES C Status: Leak being confirmed	901 FIR STREET	NW 0 - 1/8 (0.108 mi.)	B12	28
SHELL SS MIKES FORME Status: Completed - Case Closed Status: Case Closed Global Id: T0600700033	1295 8TH ST E	W 1/4 - 1/2 (0.358 mi.)	16	32
CACITTI JACK PROPERT Status: Completed - Case Closed Status: Case Closed Global Id: T0600700112	1180 9TH ST E	WSW 1/4 - 1/2 (0.414 mi.)	19	38

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, and dated 03/14/2016 has revealed that there is 1 UST site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CITY OF CHICO Facility Id: 42698	901 FIR ST	NW 0 - 1/8 (0.108 mi.)	B11	25

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

HIST Cal-Sites: Formerly known as ASPIS, this database contains both known and potential hazardous substance sites. The source is the California Department of Toxic Substance Control. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

A review of the HIST Cal-Sites list, as provided by EDR, and dated 08/08/2005 has revealed that there is 1 HIST Cal-Sites site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CHICO SCRAP METAL YA	1197 HUMBOLDT AVENUE	SW 1/4 - 1/2 (0.374 mi.)	D17	34

EXECUTIVE SUMMARY

Local Lists of Registered Storage Tanks

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there is 1 SWEEPS UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CITY OF CHICO Status: A Tank Status: A Comp Number: 42698	901 FIR ST	NW 0 - 1/8 (0.108 mi.)	B11	25

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there is 1 HIST UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CITY OF CHICO Facility Id: 00000042698	901 FIR ST	NW 0 - 1/8 (0.108 mi.)	B11	25

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there is 1 CA FID UST site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CITY OF CHICO Facility Id: 04000028 Status: A	901 FIR ST	NW 0 - 1/8 (0.108 mi.)	B10	17

Other Ascertainable Records

CA BOND EXP. PLAN: Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

A review of the CA BOND EXP. PLAN list, as provided by EDR, and dated 01/01/1989 has revealed that there is 1 CA BOND EXP. PLAN site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CHICO SCRAP METAL	1197 HUMBOLDT	SW 1/4 - 1/2 (0.374 mi.)	D18	37

EXECUTIVE SUMMARY

CUPA Listings: A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

A review of the CUPA Listings list, as provided by EDR, has revealed that there are 4 CUPA Listings sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VERIZON WIRELESS CHI Facility ID: FA0003551	1460 HUMBOLDT RD	SSE 0 - 1/8 (0.033 mi.)	8	15
CITY OF CHICO Facility ID: FA0002048	901 FIR ST	NW 0 - 1/8 (0.108 mi.)	B10	17
FRAZEE #1511 Facility ID: FA0004941	1390 E 9TH ST STE 10	W 1/8 - 1/4 (0.199 mi.)	C13	31
CHICO CAR CARE Facility ID: FA0003707	1369 E 9TH ST	W 1/8 - 1/4 (0.211 mi.)	C14	31

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSTITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 5 HIST CORTESE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DUCHI, ANGELO A. & S Reg Id: 6A189012N37	1588 8TH	N 1/8 - 1/4 (0.230 mi.)	15	32
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CITY OF CHICO Reg Id: 040025	901 FIR ST	NW 0 - 1/8 (0.108 mi.)	B10	17
SHELL SS MIKES FORME Reg Id: 040036	1295 8TH ST E	W 1/4 - 1/2 (0.358 mi.)	16	32
CHICO SCRAP METAL Reg Id: 04500009	1197 HUMBOLDT	SW 1/4 - 1/2 (0.374 mi.)	D18	37
CACITTI JACK PROPERT Reg Id: 040117	1180 9TH ST E	WSW 1/4 - 1/2 (0.414 mi.)	19	38

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 10 records.

<u>Site Name</u>	<u>Database(s)</u>
ROSELLINI PROPERTY	RESPONSE, ENVIROSTOR
CHICO DEVELOPMENT INC.	RESPONSE, ENVIROSTOR
WEST PROPERTY	RESPONSE, ENVIROSTOR
SCOTT PROPERTY	RESPONSE, ENVIROSTOR
JOHNSON PROPERTY	RESPONSE, ENVIROSTOR
MULKEY PROPERTY	RESPONSE, ENVIROSTOR
DUNN PROPERTY	RESPONSE, ENVIROSTOR
HIGNALL DEVELOPMENT	ENVIROSTOR, VCP
OLD FARM ESTATES BRUCE ROAD	ENVIROSTOR, VCP
UNION OIL COMPANY OF CA #1	ENVIROSTOR

OVERVIEW MAP - 4611368.2S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- Power transmission lines
- Pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- National Wetland Inventory
- State Wetlands
- Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

<p>SITE NAME: DGS Chico CHP ADDRESS: 995 Fir Street Chico CA 95928 LAT/LONG: 39.735549 / 121.816524</p>	<p>CLIENT: SHN Consulting Engineers CONTACT: Diana Ward INQUIRY #: 4611368.2s DATE: May 05, 2016 8:02 pm</p>
---	---

DETAIL MAP - 4611368.2S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ⚡ Sensitive Receptors
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites
- ☒ Indian Reservations BIA
- ⚡ Power transmission lines
- ☒ 100-year flood zone
- ☒ 500-year flood zone
- ☒ National Wetland Inventory
- ☒ State Wetlands
- ☒ Areas of Concern

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

<p>SITE NAME: DGS Chico CHP ADDRESS: 995 Fir Street Chico CA 95928 LAT/LONG: 39.735549 / 121.816524</p>	<p>CLIENT: SHN Consulting Engineers CONTACT: Diana Ward INQUIRY #: 4611368.2s DATE: May 05, 2016 8:02 pm</p>
--	---

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Search Distance (Miles)</u>	<u>Target Property</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
<u>STANDARD ENVIRONMENTAL RECORDS</u>								
<i>Federal NPL site list</i>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site list</i>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		1	0	NR	NR	NR	1
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	TP		NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent NPL</i>								
RESPONSE	1.000		0	0	0	1	NR	1
<i>State- and tribal - equivalent CERCLIS</i>								
ENVIROSTOR	1.000		0	0	1	1	NR	2
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LUST	0.500		2	0	2	NR	NR	4

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
SLIC	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250	1	1	0	NR	NR	NR	2
AST	0.250	1	0	0	NR	NR	NR	1
INDIAN UST	0.250		0	0	NR	NR	NR	0
State and tribal voluntary cleanup sites								
VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
WMUDS/SWAT	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	TP		NR	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	1	0	NR	1
SCH	0.250		0	0	NR	NR	NR	0
CDL	TP		NR	NR	NR	NR	NR	0
Toxic Pits	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
SWEEPS UST	0.250	2	1	0	NR	NR	NR	3
HIST UST	0.250	1	1	0	NR	NR	NR	2
CA FID UST	0.250	2	1	0	NR	NR	NR	3
Local Land Records								
LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
DEED	0.500		0	0	0	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CHMIRS	TP	1	NR	NR	NR	NR	NR	1
LDS	TP		NR	NR	NR	NR	NR	0
MCS	TP		NR	NR	NR	NR	NR	0
SPILLS 90	TP		NR	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP	1	NR	NR	NR	NR	NR	1
CA BOND EXP. PLAN	1.000		0	0	1	0	NR	1
Cortese	0.500		0	0	0	NR	NR	0
CUPA Listings	0.250	1	2	2	NR	NR	NR	5
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
EMI	TP	1	NR	NR	NR	NR	NR	1
ENF	TP		NR	NR	NR	NR	NR	0
Financial Assurance	TP		NR	NR	NR	NR	NR	0
HAZNET	TP	1	NR	NR	NR	NR	NR	1
HIST CORTESE	0.500		1	1	3	NR	NR	5
HWP	1.000		0	0	0	0	NR	0
HWT	0.250		0	0	NR	NR	NR	0
MINES	TP		NR	NR	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A1 **CA HIGHWAY PATROL CHICO**
Target **995 FIR ST**
Property **CHICO, CA 95928**

FINDS **1016713487**
ECHO **N/A**

Site 1 of 7 in cluster A

Actual:
221 ft.

FINDS:

Registry ID: 110057045647

Environmental Interest/Information System
AIR EMISSIONS CLASSIFICATION UNKNOWN

STATE MASTER

ECHO:

Envid: 1016713487
Registry ID: 110057045647
DFR URL: http://echo.epa.gov/detailed_facility_report?fid=110057045647

A2 **CALIFORNIA HIGHWAY PATROL**
Target **995 FIR ST ST**
Property **CHICO, CA 95928**

CA FID UST **S101580623**
N/A

Site 2 of 7 in cluster A

Actual:
221 ft.

CA FID UST:

Facility ID: 04000276
Regulated By: UTNKA
Regulated ID: 00017941
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 9168954444
Mail To: Not reported
Mailing Address: P.O.BOX 942898
Mailing Address 2: Not reported
Mailing City,St,Zip: CHICO 95928
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

A3 **STATE OF CALIFORNIA**
Target **995 FIR ST**
Property **CHICO, CA 95928**

SWEEPS UST **S101580614**
CA FID UST **N/A**
CUPA Listings

Site 3 of 7 in cluster A

Actual:
221 ft.

SWEEPS UST:

Status: Active
Comp Number: 12345
Number: 6
Board Of Equalization: Not reported
Referral Date: 12-05-90

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

STATE OF CALIFORNIA (Continued)

S101580614

Action Date: 02-08-94
Created Date: 12-05-90
Owner Tank Id: Not reported
SWRCB Tank Id: 04-000-012345-000001
Tank Status: A
Capacity: 1000
Active Date: 12-05-90
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: 1

CA FID UST:

Facility ID: 04000241
Regulated By: UTKA
Regulated ID: Not reported
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 9168954444
Mail To: Not reported
Mailing Address: 995 FIR ST
Mailing Address 2: Not reported
Mailing City,St,Zip: CHICO 95928
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CUPA BUTTE:

Program/Element: B1 - RANGE 2 - 5,500 - 55,000 GALLONS
Billing Status: ACTIVE, BILLABLE

Program/Element: HAZ WASTE GEN < THAN 100 kg/mo
Billing Status: ACTIVE, BILLABLE

Program/Element: 10,001-100,000g NONQUALIFIED ENGINEER SPCC
Billing Status: ACTIVE, BILLABLE

A4
Target
Property

CALIFORNINA HIGHWAY PATROL
995 FIR
CHICO, CA 95928

AST A100323309
N/A

Site 4 of 7 in cluster A

Actual:
221 ft.

AST:
Certified Unified Program Agencies: Butte
Owner: CALIFORNIA HIGHWAY PATROL
Total Gallons: 10,200

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

A5
Target
Property

**PARKING LOT, CHICO CHP 995 FIR STREET
 CHICO, CA 95927**

**CHMIRS S105637952
 N/A**

Site 5 of 7 in cluster A

**Actual:
 221 ft.**

CHMIRS:
 OES Incident Number: 11325
 OES notification: Not reported
 OES Date: 12/13/1995
 OES Time: 08:08:47 PM
Date Completed: Not reported
 Property Use: Not reported
 Agency Id Number: Not reported
 Agency Incident Number: Not reported
 Time Notified: Not reported
 Time Completed: Not reported
 Surrounding Area: Not reported
 Estimated Temperature: Not reported
 Property Management: Not reported
 More Than Two Substances Involved?: Not reported
 Resp Agency Personnel # Of Decontaminated: Not reported
 Responding Agency Personnel # Of Injuries: Not reported
 Responding Agency Personnel # Of Fatalities: Not reported
 Others Number Of Decontaminated: Not reported
 Others Number Of Injuries: Not reported
 Others Number Of Fatalities: Not reported
 Vehicle Make/year: Not reported
 Vehicle License Number: Not reported
 Vehicle State: Not reported
 Vehicle Id Number: Not reported
 CA DOT PUC/ICC Number: Not reported
 Company Name: Not reported
 Reporting Officer Name/ID: Not reported
 Report Date: Not reported
 Facility Telephone: Not reported
 Waterway Involved: YES
 Waterway: Not reported
 Spill Site: Not reported
 Cleanup By: ac industrial
 Containment: Not reported
 What Happened: Not reported
 Type: CHEMICAL
 Measure: Not reported
 Other: Not reported
 Date/Time: Not reported
 Year: 1995
 Agency: chp-chico
 Incident Date: 1838/13dec95
 Admin Agency: Not reported
 Amount: unk
 Contained: NO
 Site Type: OTHER
 E Date: Not reported
 Substance: misc drug lab waste, 2 canisters
 Unknown: Not reported
 Substance #2: Not reported
 Substance #3: Not reported
 Evacuations: NO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105637952

Number of Injuries:	NO
Number of Fatalities:	NO
#1 Pipeline:	Not reported
#2 Pipeline:	Not reported
#3 Pipeline:	Not reported
#1 Vessel >= 300 Tons:	Not reported
#2 Vessel >= 300 Tons:	Not reported
#3 Vessel >= 300 Tons:	Not reported
Evacs:	Not reported
Injuries:	Not reported
Fatals:	Not reported
Comments:	Not reported
Description:	traffic stop on stolen vehicle, subsequent search in parking lot revealed illegal drug substance

A6
Target
Property

CALIFORNIA HIGHWAY PATROL
995 FIR ST
CHICO, CA 95928

UST U001616671
SWEEPS UST N/A
HIST UST

Site 6 of 7 in cluster A

Actual:
221 ft.

UST:

Facility ID:	17941
Permitting Agency:	BUTTE COUNTY
Latitude:	39.73503
Longitude:	-121.81686

SWEEPS UST:

Status:	Active
Comp Number:	17941
Number:	6
Board Of Equalization:	44-000236
Referral Date:	09-17-90
Action Date:	02-02-94
Created Date:	07-31-88
Owner Tank Id:	241-1
SWRCB Tank Id:	04-000-017941-000001
Tank Status:	A
Capacity:	12000
Active Date:	09-17-90
Tank Use:	M.V. FUEL
STG:	P
Content:	REG UNLEADED
Number Of Tanks:	1

HIST UST:

File Number:	00021EF5
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00021EF5.pdf
Region:	STATE
Facility ID:	0000017941
Facility Type:	Other
Other Type:	CHP
Contact Name:	Not reported
Telephone:	9168954444
Owner Name:	CALIFORNIA HIGHWAY PATROL
Owner Address:	P.O. BOX 898
Owner City,St,Zip:	SACRAMENTO, CA 95804

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CALIFORNIA HIGHWAY PATROL (Continued)

U001616671

Total Tanks: 0001
 Tank Num: 001
 Container Num: 241-1
 Year Installed: 1978
 Tank Capacity: 00012000
 Tank Used for: PRODUCT
 Type of Fuel: UNLEADED
 Container Construction Thickness: Not reported
 Leak Detection: Visual, Stock Inventor

Tank Num: 001
 Container Num: 241-2
 Year Installed: Not reported
 Tank Capacity: 00000000
 Tank Used for: WASTE
 Type of Fuel: Not reported
 Container Construction Thickness: Not reported
 Leak Detection: None

Tank Num: 001
 Container Num: 241-2
 Year Installed: Not reported
 Tank Capacity: 00000000
 Tank Used for: WASTE
 Type of Fuel: Not reported
 Container Construction Thickness: Not reported
 Leak Detection: None

Tank Num: 001
 Container Num: 241-1
 Year Installed: 1978
 Tank Capacity: 00012000
 Tank Used for: PRODUCT
 Type of Fuel: UNLEADED
 Container Construction Thickness: Not reported
 Leak Detection: Visual, Stock Inventor

[Click here for Geo Tracker PDF:](#)

**A7
 Target
 Property**

**CAL HIGHWAY PATROL-CHICO
 995 FIR STREET
 CHICO, CA 95928**

**EMI S113040264
 HAZNET N/A**

Site 7 of 7 in cluster A

**Actual:
 221 ft.**

EMI:
 Year: 2011
 County Code: 4
 Air Basin: SV
 Facility ID: 278
 Air District Name: BUT
 SIC Code: 9221
 Air District Name: BUTTE COUNTY AQMD
 Community Health Air Pollution Info System: Not reported
 Consolidated Emission Reporting Rule: Not reported
 Total Organic Hydrocarbon Gases Tons/Yr: 0.03
 Reactive Organic Gases Tons/Yr: 0.020958

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAL HIGHWAY PATROL-CHICO (Continued)

S113040264

Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2012
County Code: 4
Air Basin: SV
Facility ID: 278
Air District Name: BUT
SIC Code: 9221
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.03
Reactive Organic Gases Tons/Yr: 0.020958
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

Year: 2013
County Code: 4
Air Basin: SV
Facility ID: 278
Air District Name: BUT
SIC Code: 9221
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0.03
Reactive Organic Gases Tons/Yr: 0.020958
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smlr Tons/Yr: 0

HAZNET:

envid: S113040264
Year: 2011
GEPAID: CAL000046131
Contact: BETH DE PAOLA
Telephone: 9168433800
Mailing Name: Not reported
Mailing Address: PO BOX 942898
Mailing City,St,Zip: SACRAMENTO, CA 942980001
Gen County: Not reported
TSD EPA ID: CAD982444481
TSD County: Not reported
Waste Category: Other organic solids
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Tons: 0.0075
Cat Decode: Other organic solids
Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAL HIGHWAY PATROL-CHICO (Continued)

S113040264

Facility County: Butte
envid: S113040264
Year: 2011
GEPAID: CAL000046131
Contact: BETH DE PAOLA
Telephone: 9168433800
Mailing Name: Not reported
Mailing Address: PO BOX 942898
Mailing City,St,Zip: SACRAMENTO, CA 942980001
Gen County: Not reported
TSD EPA ID: CAD982444481
TSD County: Not reported
Waste Category: Other organic solids
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Tons: 0.0075
Cat Decode: Other organic solids
Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Facility County: Butte

envid: S113040264
Year: 2010
GEPAID: CAL000046131
Contact: BETH DEPAOLA
Telephone: 9168433817
Mailing Name: Not reported
Mailing Address: PO BOX 942898
Mailing City,St,Zip: SACRAMENTO, CA 942980001
Gen County: Not reported
TSD EPA ID: CAD982444481
TSD County: Not reported
Waste Category: Other organic solids
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Tons: 0.008
Cat Decode: Other organic solids
Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Facility County: Butte

envid: S113040264
Year: 2010
GEPAID: CAL000046131
Contact: BETH DEPAOLA
Telephone: 9168433817
Mailing Name: Not reported
Mailing Address: PO BOX 942898
Mailing City,St,Zip: SACRAMENTO, CA 942980001
Gen County: Not reported
TSD EPA ID: CAD982444481
TSD County: Not reported
Waste Category: Other organic solids
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Tons: 0.008
Cat Decode: Other organic solids
Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
Facility County: Butte

envid: S113040264

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

EDR ID Number
 EPA ID Number

CAL HIGHWAY PATROL-CHICO (Continued)

S113040264

Year: 2009
 GEPAID: CAL000046131
 Contact: BETH DEPAOLA
 Telephone: 9163752140
 Mailing Name: Not reported
 Mailing Address: PO BOX 942898
 Mailing City,St,Zip: SACRAMENTO, CA 942980001
 Gen County: Not reported
 TSD EPA ID: CAD982444481
 TSD County: Not reported
 Waste Category: Other organic solids
 Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
 Tons: 0.03
 Cat Decode: Other organic solids
 Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect
 Facility County: Butte

[Click this hyperlink](#) while viewing on your computer to access
 35 additional CA_HAZNET: record(s) in the EDR Site Report.

8
SSE
 < 1/8
 0.033 mi.
 176 ft.

VERIZON WIRELESS CHICO CENTRAL
1460 HUMBOLDT RD
CHICO, CA 95630

CUPA Listings S102804323
N/A

Relative:
Lower

CUPA BUTTE:
 Program/Element: B1 - RANGE 0 - 55 - 550 GALLONS
 Billing Status: ACTIVE, BILLABLE

Actual:
220 ft.

B9
NW
 < 1/8
 0.107 mi.
 566 ft.

CHICO CITY OF FIRE DEPT
901 FIR ST
CHICO, CA 95928
Site 1 of 4 in cluster B

RCRA-SQG 1000175651
FINDS CAD981627110
ECHO

Relative:
Lower

RCRA-SQG:
 Date form received by agency: 09/01/1996
 Facility name: CHICO CITY OF FIRE DEPT
 Facility address: 901 FIR ST
 CHICO, CA 95928
 EPA ID: CAD981627110
 Mailing address: 842 SALEM ST
 CHICO, CA 95928
 Contact: Not reported
 Contact address: Not reported
 Not reported
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 09
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO CITY OF FIRE DEPT (Continued)

1000175651

hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NOT REQUIRED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CITY OF CHICO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, ME 99999
Owner/operator country: Not reported
Owner/operator telephone: (415) 555-1212
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/29/1987
Site name: CHICO CITY OF FIRE DEPT
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002729799

Environmental Interest/Information System

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CHICO CITY OF FIRE DEPT (Continued)

1000175651

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ECHO:

Envid: 1000175651
 Registry ID: 110002729799
 DFR URL: http://echo.epa.gov/detailed_facility_report?fid=110002729799

**B10
 NW
 < 1/8
 0.108 mi.
 571 ft.**

**CITY OF CHICO
 901 FIR ST
 CHICO, CA 95926
 Site 2 of 4 in cluster B**

**LUST S101628726
 CA FID UST N/A
 CUPA Listings
 HIST CORTESE
 NPDES
 WDS**

**Relative:
 Lower**

LUST:

**Actual:
 219 ft.**

Region: STATE
 Global Id: T0600700022
 Latitude: 39.7365705
 Longitude: -121.8176366
 Case Type: LUST Cleanup Site
 Status: Completed - Case Closed
 Status Date: 12/09/1993
 Lead Agency: CENTRAL VALLEY RWQCB (REGION 5R)
 Case Worker: Not reported
 Local Agency: BUTTE COUNTY
 RB Case Number: 040025
 LOC Case Number: Not reported
 File Location: Not reported
 Potential Media Affect: Surface water
 Potential Contaminants of Concern: Diesel
 Site History: Not reported

Click here to access the California GeoTracker records for this facility:

Contact:

Global Id: T0600700022
 Contact Type: Local Agency Caseworker
 Contact Name: LESLIE ROBERTS
 Organization Name: BUTTE COUNTY
 Address: 411 MAIN STREET
 City: CHICO
 Email: lroberts@buttecounty.net
 Phone Number: 5308912727

Global Id: T0600700022
 Contact Type: Regional Board Caseworker
 Contact Name: RECEPTIONIST, REGION 5 REDDING
 Organization Name: CENTRAL VALLEY RWQCB (REGION 5R)
 Address: 415 KNOLLCREST DR., SUITE 100
 City: REDDING
 Email: Not reported
 Phone Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

S101628726

Status History:

Global Id: T0600700022
Status: Completed - Case Closed
Status Date: 12/09/1993

Global Id: T0600700022
Status: Open - Case Begin Date
Status Date: 07/21/1989

Global Id: T0600700022
Status: Open - Remediation
Status Date: 08/16/1989

Global Id: T0600700022
Status: Open - Site Assessment
Status Date: 07/21/1989

Global Id: T0600700022
Status: Open - Site Assessment
Status Date: 08/31/1989

Global Id: T0600700022
Status: Open - Site Assessment
Status Date: 02/16/1990

Global Id: T0600700022
Status: Open - Site Assessment
Status Date: 06/10/1993

Global Id: T0600700022
Status: Open - Verification Monitoring
Status Date: 09/30/1991

Regulatory Activities:

Global Id: T0600700022
Action Type: Other
Date: 07/26/1989
Action: Leak Reported

Global Id: T0600700022
Action Type: Other
Date: 07/21/1989
Action: Leak Discovery

Global Id: T0600700022
Action Type: ENFORCEMENT
Date: 12/09/1993
Action: Closure/No Further Action Letter

Global Id: T0600700022
Action Type: Other
Date: 07/21/1989
Action: Leak Stopped

Region: STATE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

S101628726

Global Id: T0600701763
Latitude: 39.73641
Longitude: -121.817656666667
Case Type: LUST Cleanup Site
Status: Completed - Case Closed
Status Date: 11/04/2014
Lead Agency: CENTRAL VALLEY RWQCB (REGION 5R)
Case Worker: MAB
Local Agency: BUTTE COUNTY
RB Case Number: 040294
LOC Case Number: Not reported
File Location: Local Agency
Potential Media Affect: Under Investigation
Potential Contaminants of Concern: Diesel
Site History: Not reported

[Click here to access the California GeoTracker records for this facility.](#)

Contact:

Global Id: T0600701763
Contact Type: Regional Board Caseworker
Contact Name: MELISSA BUCIAK
Organization Name: CENTRAL VALLEY RWQCB (REGION 5R)
Address: 364 Knollcrest Dr. Suite 200
City: REDDING
Email: mbuciak@waterboards.ca.gov
Phone Number: 5302244854

Status History:

Global Id: T0600701763
Status: Completed - Case Closed
Status Date: 11/04/2014

Global Id: T0600701763
Status: Open - Case Begin Date
Status Date: 02/03/2004

Global Id: T0600701763
Status: Open - Eligible for Closure
Status Date: 07/30/2013

Global Id: T0600701763
Status: Open - Site Assessment
Status Date: 04/21/2004

Regulatory Activities:

Global Id: T0600701763
Action Type: RESPONSE
Date: 04/24/2004
Action: Other Report / Document

Global Id: T0600701763
Action Type: RESPONSE
Date: 07/20/2004
Action: Request for Closure

Global Id: T0600701763

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

S101628726

Action Type: RESPONSE
Date: 02/19/2004
Action: Unauthorized Release Form

Global Id: T0600701763
Action Type: RESPONSE
Date: 05/24/2004
Action: Monitoring Report - Other

Global Id: T0600701763
Action Type: ENFORCEMENT
Date: 02/18/2004
Action: Staff Letter

Global Id: T0600701763
Action Type: ENFORCEMENT
Date: 11/04/2014
Action: Closure/No Further Action Letter

Global Id: T0600701763
Action Type: Other
Date: 02/19/2004
Action: Leak Reported

Global Id: T0600701763
Action Type: ENFORCEMENT
Date: 07/09/2013
Action: Referral to Regional Board

Global Id: T0600701763
Action Type: Other
Date: 02/03/2004
Action: Leak Discovery

Global Id: T0600701763
Action Type: ENFORCEMENT
Date: 04/23/2004
Action: Staff Letter

Global Id: T0600701763
Action Type: ENFORCEMENT
Date: 06/01/2004
Action: Staff Letter

Global Id: T0600701763
Action Type: Other
Date: 02/03/2004
Action: Leak Stopped

Global Id: T0600701763
Action Type: RESPONSE
Date: 05/24/2004
Action: Monitoring Report - Other

LUST REG 5:
Region: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

S101628726

Status: Case Closed
Case Number: 040025
Case Type: Surface Water
Substance: DIESEL
Staff Initials: KLC
Lead Agency: Regional
Program: LUST
MTBE Code: N/A

CA FID UST:

Facility ID: 04000028
Regulated By: UTNKA
Regulated ID: 00042698
Cortese Code: Not reported
SIC Code: Not reported
Facility Phone: 9168954951
Mail To: Not reported
Mailing Address: P O BOX
Mailing Address 2: Not reported
Mailing City,St,Zip: CHICO 95926
Contact: Not reported
Contact Phone: Not reported
DUNs Number: Not reported
NPDES Number: Not reported
EPA ID: Not reported
Comments: Not reported
Status: Active

CUPA BUTTE:

Program/Element: B4 - RANGE 0 - 55 - 550 GALLONS
Billing Status: ACTIVE, BILLABLE

Program/Element: HAZ WASTE GEN 100 TO 1,000 kg/mo
Billing Status: ACTIVE, BILLABLE

Program/Element: GENERAL UST
Billing Status: ACTIVE, EXEMPT FROM BILLING

HIST CORTESE:

Region: CORTESE
Facility County Code: 4
Reg By: LTNKA
Reg Id: 040025

NPDES:

Npdes Number: CAS000001
Facility Status: Terminated
Agency Id: 0
Region: 5R
Regulatory Measure Id: 197182
Order No: 97-03-DWQ
Regulatory Measure Type: Enrollee
Place Id: Not reported
WDID: 5R04I003207
Program Type: Industrial

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

S101628726

Adoption Date Of Regulatory Measure: Not reported
Effective Date Of Regulatory Measure: 04/03/1992
Expiration Date Of Regulatory Measure: Not reported
Termination Date Of Regulatory Measure: 01/16/2016
Discharge Name: Chico City
Discharge Address: 411 Main Street
Discharge City: Chico
Discharge State: California
Discharge Zip: 95927
RECEIVED DATE: Not reported
PROCESSED DATE: Not reported
STATUS CODE NAME: Not reported
STATUS DATE: Not reported
PLACE SIZE: Not reported
PLACE SIZE UNIT: Not reported
FACILITY CONTACT NAME: Not reported
FACILITY CONTACT TITLE: Not reported
FACILITY CONTACT PHONE: Not reported
FACILITY CONTACT PHONE EXT: Not reported
FACILITY CONTACT EMAIL: Not reported
OPERATOR NAME: Not reported
OPERATOR ADDRESS: Not reported
OPERATOR CITY: Not reported
OPERATOR STATE: Not reported
OPERATOR ZIP: Not reported
OPERATOR CONTACT NAME: Not reported
OPERATOR CONTACT TITLE: Not reported
OPERATOR CONTACT PHONE: Not reported
OPERATOR CONTACT PHONE EXT: Not reported
OPERATOR CONTACT EMAIL: Not reported
OPERATOR TYPE: Not reported
DEVELOPER NAME: Not reported
DEVELOPER ADDRESS: Not reported
DEVELOPER CITY: Not reported
DEVELOPER STATE: Not reported
DEVELOPER ZIP: Not reported
DEVELOPER CONTACT NAME: Not reported
DEVELOPER CONTACT TITLE: Not reported
CONSTYPE LINEAR UTILITY IND: Not reported
EMERGENCY PHONE NO: Not reported
EMERGENCY PHONE EXT: Not reported
CONSTYPE ABOVE GROUND IND: Not reported
CONSTYPE BELOW GROUND IND: Not reported
CONSTYPE CABLE LINE IND: Not reported
CONSTYPE COMM LINE IND: Not reported
CONSTYPE COMMERTIAL IND: Not reported
CONSTYPE ELECTRICAL LINE IND: Not reported
CONSTYPE GAS LINE IND: Not reported
CONSTYPE INDUSTRIAL IND: Not reported
CONSTYPE OTHER DESRIPTION: Not reported
CONSTYPE OTHER IND: Not reported
CONSTYPE RECONS IND: Not reported
CONSTYPE RESIDENTIAL IND: Not reported
CONSTYPE TRANSPORT IND: Not reported
CONSTYPE UTILITY DESCRIPTION: Not reported
CONSTYPE UTILITY IND: Not reported
CONSTYPE WATER SEWER IND: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

S101628726

DIR DISCHARGE USWATER IND:	Not reported
RECEIVING WATER NAME:	Not reported
CERTIFIER NAME:	Not reported
CERTIFIER TITLE:	Not reported
CERTIFICATION DATE:	Not reported
PRIMARY SIC:	Not reported
SECONDARY SIC:	Not reported
TERTIARY SIC:	Not reported
Npdes Number:	Not reported
Facility Status:	Not reported
Agency Id:	Not reported
Region:	5R
Regulatory Measure Id:	197182
Order No:	Not reported
Regulatory Measure Type:	Industrial
Place Id:	Not reported
WDID:	5R04I003207
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	1/16/2016
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
RECEIVED DATE:	5/9/2008
PROCESSED DATE:	4/3/1992
STATUS CODE NAME:	Terminated
STATUS DATE:	2/10/2016
PLACE SIZE:	11
PLACE SIZE UNIT:	Acres
FACILITY CONTACT NAME:	Erik Gustafson
FACILITY CONTACT TITLE:	Acting Deputy Public Works Director
FACILITY CONTACT PHONE:	530-894-4202
FACILITY CONTACT PHONE EXT:	Not reported
FACILITY CONTACT EMAIL:	erik.gustafson@chicoca.gov
OPERATOR NAME:	Chico City
OPERATOR ADDRESS:	411 Main Street
OPERATOR CITY:	Chico
OPERATOR STATE:	California
OPERATOR ZIP:	95927
OPERATOR CONTACT NAME:	Erik Gustafson
OPERATOR CONTACT TITLE:	Acting Deputy Public Works Director
OPERATOR CONTACT PHONE:	530-894-4202
OPERATOR CONTACT PHONE EXT:	Not reported
OPERATOR CONTACT EMAIL:	erik.gustafson@chicoca.gov
OPERATOR TYPE:	City/Town Agency
DEVELOPER NAME:	Not reported
DEVELOPER ADDRESS:	Not reported
DEVELOPER CITY:	Not reported
DEVELOPER STATE:	California
DEVELOPER ZIP:	Not reported
DEVELOPER CONTACT NAME:	Not reported
DEVELOPER CONTACT TITLE:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

S101628726

CONSTYPE LINEAR UTILITY IND: Not reported
EMERGENCY PHONE NO: 530-410-2709
EMERGENCY PHONE EXT: Not reported
CONSTYPE ABOVE GROUND IND: Not reported
CONSTYPE BELOW GROUND IND: Not reported
CONSTYPE CABLE LINE IND: Not reported
CONSTYPE COMM LINE IND: Not reported
CONSTYPE COMMERTIAL IND: Not reported
CONSTYPE ELECTRICAL LINE IND: Not reported
CONSTYPE GAS LINE IND: Not reported
CONSTYPE INDUSTRIAL IND: Not reported
CONSTYPE OTHER DESRIPTION: Not reported
CONSTYPE OTHER IND: Not reported
CONSTYPE RECONS IND: Not reported
CONSTYPE RESIDENTIAL IND: Not reported
CONSTYPE TRANSPORT IND: Not reported
CONSTYPE UTILITY DESCRIPTION: Not reported
CONSTYPE UTILITY IND: Not reported
CONSTYPE WATER SEWER IND: Not reported
DIR DISCHARGE USWATER IND: N
RECEIVING WATER NAME: Little Chico Creek
CERTIFIER NAME: Ruben Martinez
CERTIFIER TITLE: Public Works Director
CERTIFICATION DATE: 24-APR-15
PRIMARY SIC: 4212-Local Trucking Without Storage
SECONDARY SIC: Not reported
TERTIARY SIC: Not reported

WDS:

Facility ID: 5R 04I003207
Facility Type: Other - Does not fall into the category of Municipal/Domestic, Industrial, Agricultural or Solid Waste (Class I, II or III)
Facility Status: Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.
NPDES Number: CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board
Subregion: 0
Facility Telephone: Not reported
Facility Contact: Not reported
Agency Name: CHICO CITY OF
Agency Address: PO BOX 3420
Agency City,St,Zip: CHICO 959273420
Agency Contact: Not reported
Agency Telephone: Not reported
Agency Type: City
SIC Code: 7538
SIC Code 2: Not reported
Primary Waste Type: Inert/Influent or Solid Wastes that do not contain soluble pollutants or organic wastes and have little adverse impact on water quality. Such wastes could cause turbidity and siltation. Uncontaminated soils, rubble and concrete are examples of this category.
Primary Waste: STORMS
Waste Type2: Not reported
Waste2: Stormwater Runoff
Primary Waste Type: Inert/Influent or Solid Wastes that do not contain soluble pollutants or organic wastes and have little adverse impact on water quality. Such wastes could cause turbidity and siltation. Uncontaminated soils,

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CITY OF CHICO (Continued)

S101628726

Secondary Waste: rubble and concrete are examples of this category.
 Secondary Waste: Not reported
 Secondary Waste Type: Not reported
 Design Flow: 0
 Baseline Flow: 0
 Reclamation: Not reported
 POTW: Not reported
 Treat To Water: Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.
 Complexity: Category C - Facilities having no waste treatment systems, such as cooling water dischargers or those who must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

B11
NW
< 1/8
0.108 mi.
571 ft.

CITY OF CHICO
901 FIR ST
CHICO, CA 95928
Site 3 of 4 in cluster B

UST **U001616456**
SWEEPS UST **N/A**
HIST UST

Relative:
Lower

UST:
 Facility ID: 42698
 Permitting Agency: BUTTE COUNTY
 Latitude: 39.73663
 Longitude: -121.81792

Actual:
219 ft.

SWEEPS UST:
 Status: Active
 Comp Number: 42698
 Number: 9
 Board Of Equalization: 44-001937
 Referral Date: 07-01-85
 Action Date: Not reported
 Created Date: 10-13-88
 Owner Tank Id: 1
 SWRCB Tank Id: 04-000-042698-000001
 Tank Status: A
 Capacity: 10000
 Active Date: 01-09-91
 Tank Use: M.V. FUEL
 STG: P
 Content: DIESEL
 Number Of Tanks: 4

 Status: Active
 Comp Number: 42698
 Number: 9
 Board Of Equalization: 44-001937
 Referral Date: 07-01-85
 Action Date: Not reported
 Created Date: 10-13-88

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

U001616456

Owner Tank Id: 2
SWRCB Tank Id: 04-000-042698-000002
Tank Status: A
Capacity: 10000
Active Date: 01-09-91
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Status: Active
Comp Number: 42698
Number: 9
Board Of Equalization: 44-001937
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 10-13-88
Owner Tank Id: 3
SWRCB Tank Id: 04-000-042698-000003
Tank Status: A
Capacity: 10000
Active Date: 01-09-91
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Status: Active
Comp Number: 42698
Number: 9
Board Of Equalization: 44-001937
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 10-13-88
Owner Tank Id: Not reported
SWRCB Tank Id: 04-000-042698-000004
Tank Status: A
Capacity: 2000
Active Date: 01-09-91
Tank Use: OIL
STG: W
Content: WASTE OIL
Number Of Tanks: Not reported

Status: Active
Comp Number: 42698
Number: 9
Board Of Equalization: 44-001937
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 10-13-88
Owner Tank Id: 1
SWRCB Tank Id: 04-002-042698-000001
Tank Status: A
Capacity: 10000
Active Date: 01-09-91
Tank Use: M.V. FUEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY OF CHICO (Continued)

U001616456

STG: P
Content: DIESEL
Number Of Tanks: 4

Status: Active
Comp Number: 42698
Number: 9
Board Of Equalization: 44-001937
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 10-13-88
Owner Tank Id: 2
SWRCB Tank Id: 04-002-042698-000002
Tank Status: A
Capacity: 10000
Active Date: 01-09-91
Tank Use: M.V. FUEL
STG: P
Content: LEADED
Number Of Tanks: Not reported

Status: Active
Comp Number: 42698
Number: 9
Board Of Equalization: 44-001937
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 10-13-88
Owner Tank Id: 3
SWRCB Tank Id: 04-002-042698-000003
Tank Status: A
Capacity: 10000
Active Date: 01-09-91
Tank Use: M.V. FUEL
STG: P
Content: REG UNLEADED
Number Of Tanks: Not reported

Status: Active
Comp Number: 42698
Number: 9
Board Of Equalization: 44-001937
Referral Date: 07-01-85
Action Date: Not reported
Created Date: 10-13-88
Owner Tank Id: Not reported
SWRCB Tank Id: 04-002-042698-000004
Tank Status: A
Capacity: 2000
Active Date: 01-09-91
Tank Use: OIL
STG: W
Content: Not reported
Number Of Tanks: Not reported

HIST UST:
File Number: 00021F59

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CITY OF CHICO (Continued)

U001616456

URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00021F59.pdf>
 Region: STATE
 Facility ID: 00000042698
 Facility Type: Not reported
 Other Type: Not reported
 Contact Name: Not reported
 Telephone: 9168954951
 Owner Name: CITY OF CHICO
 Owner Address: P.O. BOX 3420
 Owner City,St,Zip: CHICO, CA 95927
 Total Tanks: 0003

Tank Num: 001
 Container Num: 1
 Year Installed: 1977
 Tank Capacity: 00006000
 Tank Used for: PRODUCT
 Type of Fuel: DIESEL
 Container Construction Thickness: Not reported
 Leak Detection: Pressure Test

Tank Num: 002
 Container Num: 2
 Year Installed: 1977
 Tank Capacity: 00004000
 Tank Used for: PRODUCT
 Type of Fuel: REGULAR
 Container Construction Thickness: Not reported
 Leak Detection: Pressure Test

Tank Num: 003
 Container Num: 3
 Year Installed: 1977
 Tank Capacity: 00004000
 Tank Used for: PRODUCT
 Type of Fuel: UNLEADED
 Container Construction Thickness: Not reported
 Leak Detection: Pressure Test

[Click here for Geo Tracker PDF:](#)

**B12
 NW
 < 1/8
 0.108 mi.
 571 ft.**

**MUNICIPAL SERVICES CENTER
 901 FIR STREET
 CHICO, CA 95928**

**LUST S106248232
 EMI N/A**

Site 4 of 4 in cluster B

**Relative:
 Lower**

LUST REG 5:
 Region: 5
 Status: Leak being confirmed
 Case Number: Not reported
 Case Type: Undefined
 Substance: DIESEL
 Staff Initials: RDJ
 Lead Agency: Local
 Program: LUST
 MTBE Code: N/A

**Actual:
 219 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUNICIPAL SERVICES CENTER (Continued)

S106248232

EMI:

Year: 2002
County Code: 4
Air Basin: SV
Facility ID: 627
Air District Name: BUT
SIC Code: 9631
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smllr Tons/Yr: 0

Year: 2003
County Code: 4
Air Basin: SV
Facility ID: 627
Air District Name: BUT
SIC Code: 9631
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0
Part. Matter 10 Micrometers & Smllr Tons/Yr: 0

Year: 2004
County Code: 4
Air Basin: SV
Facility ID: 627
Air District Name: BUT
SIC Code: 9631
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: 0.034
Part. Matter 10 Micrometers & Smllr Tons/Yr: 0.02

Year: 2005
County Code: 4
Air Basin: SV
Facility ID: 627
Air District Name: BUT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUNICIPAL SERVICES CENTER (Continued)

S106248232

SIC Code: 9631
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: .034
Part. Matter 10 Micrometers & Smlr Tons/Yr: .020672

Year: 2006
County Code: 4
Air Basin: SV
Facility ID: 627
Air District Name: BUT
SIC Code: 9631
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: .034
Part. Matter 10 Micrometers & Smlr Tons/Yr: .020672

Year: 2007
County Code: 4
Air Basin: SV
Facility ID: 627
Air District Name: BUT
SIC Code: 9631
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0
Carbon Monoxide Emissions Tons/Yr: 0
NOX - Oxides of Nitrogen Tons/Yr: 0
SOX - Oxides of Sulphur Tons/Yr: 0
Particulate Matter Tons/Yr: .034
Part. Matter 10 Micrometers & Smlr Tons/Yr: .020672

Year: 2008
County Code: 4
Air Basin: SV
Facility ID: 627
Air District Name: BUT
SIC Code: 9631
Air District Name: BUTTE COUNTY AQMD
Community Health Air Pollution Info System: Not reported
Consolidated Emission Reporting Rule: Not reported
Total Organic Hydrocarbon Gases Tons/Yr: 0
Reactive Organic Gases Tons/Yr: 0

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MUNICIPAL SERVICES CENTER (Continued)

S106248232

Carbon Monoxide Emissions Tons/Yr: 0
 NOX - Oxides of Nitrogen Tons/Yr: 0
 SOX - Oxides of Sulphur Tons/Yr: 0
 Particulate Matter Tons/Yr: .034
 Part. Matter 10 Micrometers & Smllr Tons/Yr: .020672

Year: 2009
 County Code: 4
 Air Basin: SV
 Facility ID: 627
 Air District Name: BUT
 SIC Code: 9631
 Air District Name: BUTTE COUNTY AQMD
 Community Health Air Pollution Info System: Not reported
 Consolidated Emission Reporting Rule: Not reported
 Total Organic Hydrocarbon Gases Tons/Yr: 0
 Reactive Organic Gases Tons/Yr: 0
 Carbon Monoxide Emissions Tons/Yr: 0
 NOX - Oxides of Nitrogen Tons/Yr: 0
 SOX - Oxides of Sulphur Tons/Yr: 0
 Particulate Matter Tons/Yr: 3.4000000000000002E-2
 Part. Matter 10 Micrometers & Smllr Tons/Yr: 2.0671999999999999E-2

C13
 West
 1/8-1/4
 0.199 mi.
 1049 ft.

FRAZEE #1511
 1390 E 9TH ST STE 100
 CHICO, CA 95928
 Site 1 of 2 in cluster C

CUPA Listings S117353123
 N/A

Relative:
 Lower

CUPA BUTTE:
 Program/Element: HAZ WASTE GEN < THAN 100 kg/mo
 Billing Status: ACTIVE, BILLABLE

Actual:
 217 ft.

C14
 West
 1/8-1/4
 0.211 mi.
 1115 ft.

CHICO CAR CARE
 1369 E 9TH ST
 CHICO, CA 95928
 Site 2 of 2 in cluster C

CUPA Listings S110818712
 N/A

Relative:
 Lower

CUPA BUTTE:
 Program/Element: B1 - RANGE 0 - 55 - 550 GALLONS
 Billing Status: ACTIVE, BILLABLE

Actual:
 216 ft.

Program/Element: HAZ WASTE GEN 100 TO 1,000 kg/mo
 Billing Status: ACTIVE, BILLABLE

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

<p>15 North 1/8-1/4 0.230 mi. 1217 ft.</p> <p>Relative: Higher</p> <p>Actual: 223 ft.</p>	<p>DUCHI, ANGELO A. & S. RON 1588 8TH CHICO, CA 95928</p> <p>HIST CORTESE: Region: CORTESE Facility County Code: 18 Reg By: WBC&D Reg Id: 6A189012N37</p>	<p>HIST CORTESE</p>	<p>S105023224 N/A</p>
--	--	---------------------	---------------------------

<p>16 West 1/4-1/2 0.358 mi. 1889 ft.</p> <p>Relative: Lower</p> <p>Actual: 214 ft.</p>	<p>SHELL SS MIKES FORMER 1295 8TH ST E CHICO, CA 95928</p> <p>LUST: Region: STATE Global Id: T0600700033 Latitude: 39.7349875 Longitude: -121.8224436 Case Type: LUST Cleanup Site Status: Completed - Case Closed Status Date: 06/02/1995 Lead Agency: CENTRAL VALLEY RWQCB (REGION 5R) Case Worker: Not reported Local Agency: BUTTE COUNTY RB Case Number: 040036 LOC Case Number: Not reported File Location: Archived Potential Media Affect: Aquifer used for drinking water supply Potential Contaminants of Concern: Gasoline Site History: Not reported</p>	<p>LUST HIST CORTESE</p>	<p>S104403055 N/A</p>
--	---	------------------------------	---------------------------

Click here to access the California GeoTracker records for this facility:

Contact:

Global Id:	T0600700033
Contact Type:	Local Agency Caseworker
Contact Name:	LESLIE ROBERTS
Organization Name:	BUTTE COUNTY
Address:	411 MAIN STREET
City:	CHICO
Email:	lroberts@buttecounty.net
Phone Number:	5308912727

Global Id:	T0600700033
Contact Type:	Regional Board Caseworker
Contact Name:	RECEPTIONIST, REGION 5 REDDING
Organization Name:	CENTRAL VALLEY RWQCB (REGION 5R)
Address:	415 KNOLLCREST DR., SUITE 100
City:	REDDING
Email:	Not reported
Phone Number:	Not reported

Status History:

Global Id:	T0600700033
Status:	Completed - Case Closed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

SHELL SS MIKES FORMER (Continued)

S104403055

Status Date: 06/02/1995

Global Id: T0600700033
Status: Open - Case Begin Date
Status Date: 10/20/1989

Global Id: T0600700033
Status: Open - Remediation
Status Date: 11/07/1989

Global Id: T0600700033
Status: Open - Site Assessment
Status Date: 10/20/1989

Global Id: T0600700033
Status: Open - Site Assessment
Status Date: 11/07/1989

Global Id: T0600700033
Status: Open - Site Assessment
Status Date: 10/17/1990

Global Id: T0600700033
Status: Open - Site Assessment
Status Date: 12/27/1990

Global Id: T0600700033
Status: Open - Verification Monitoring
Status Date: 10/17/1990

Regulatory Activities:

Global Id: T0600700033
Action Type: Other
Date: 11/09/1989
Action: Leak Reported

Global Id: T0600700033
Action Type: ENFORCEMENT
Date: 06/02/1995
Action: Closure/No Further Action Letter

Global Id: T0600700033
Action Type: Other
Date: 10/20/1989
Action: Leak Discovery

Global Id: T0600700033
Action Type: ENFORCEMENT
Date: 11/01/1989
Action: Staff Letter

Global Id: T0600700033
Action Type: Other
Date: 11/09/1989
Action: Leak Stopped

Global Id: T0600700033

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Database(s) EDR ID Number
 EPA ID Number

SHELL SS MIKES FORMER (Continued)

S104403055

Action Type: REMEDIATION
 Date: 11/09/1989
 Action: Excavation

LUST REG 5:

Region: 5
 Status: Case Closed
 Case Number: 040036
 Case Type: Drinking Water Aquifer affected
 Substance: GASOLINE
 Staff Initials: KLC
 Lead Agency: Regional
 Program: LUST
 MTBE Code: N/A

HIST CORTESE:

Region: CORTESE
 Facility County Code: 4
 Reg By: LTNKA
 Reg Id: 040036

D17
SW
1/4-1/2
0.374 mi.
1973 ft.

CHICO SCRAP METAL YARD
1197 HUMBOLDT AVENUE
CHICO, CA 95928

HIST Cal-Sites S101479841
N/A

Site 1 of 2 in cluster D

Relative:
Lower

Actual:
212 ft.

Calsite:
 Region: SACRAMENTO
 Facility ID: 04500009
 Facility Type: RP
 Type: RESPONSIBLE PARTY
 Branch: CC
 Branch Name: CENTRAL CALIFORNIA
 File Name: Not reported
 State Senate District: 05092005
 Status: REMOVAL ACTION REQUIRED
 Status Name: REMOVAL ACTION REQUIRED-USED FOR NON-AWP SITES
 Lead Agency: N/A
 NPL: Not Listed
 SIC Code: 50
 SIC Name: WHOLESALE TRADE - DURABLE GOODS
 Access: Not reported
 Cortese: Not reported
 Hazardous Ranking Score: Not reported
 Date Site Hazard Ranked: Not reported
 Groundwater Contamination: Not reported
 Staff Member Responsible for Site: Not reported
 Supervisor Responsible for Site: Not reported
 Region Water Control Board: Not reported
 Region Water Control Board Name: Not reported
 Lat/Long Direction: Not reported
 Lat/Long (dms): 0 0 0 / 0 0 0
 Lat/long Method: Not reported
 Lat/Long Description: Not reported
 State Assembly District Code: 03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL YARD (Continued)

S101479841

State Senate District Code: 04
Facility ID: 04500009
Activity: DISC
Activity Name: DISCOVERY
AWP Code: Not reported
Proposed Budget: 0
AWP Completion Date: Not reported
Revised Due Date: Not reported
Comments Date: 10211982
Est Person-Yrs to complete: 0
Estimated Size: Not reported
Request to Delete Activity: Not reported
Activity Status: BKLG
Definition of Status: BACKLOG - POTENTIAL AWP SITE
Liquids Removed (Gals): 0
Liquids Treated (Gals): 0
Action Included Capping: Not reported
Well Decommissioned: Not reported
Action Included Fencing: Not reported
Removal Action Certification: Not reported
Activity Comments: Not reported
For Commercial Reuse: 0
For Industrial Reuse: 0
For Residential Reuse: 0
Unknown Type: 0
Alternate Address: 1197 HUMBOLDT AVENUE
Alternate City,St,Zip: CHICO, CA 95928
Background Info: The City of Chico purchased the Site in 1983 and worked with DHS to address heavy metals and polychlorinated biphenyls soil contamination. Using a DHS approved workplan, the City removed approximately 200 cubic yards of soil in 1985. Fill material was imported to the Site and the Site was graded. DHS told the City that the Site had been recommended for delisting. The delisting procedures changed, and DHS determined that additional confirmation sampling was required. DHS sampled the Site on three separate occasions and the analysis revealed that the Site had random areas of elevated metals contamination. In 1987 DHS recommended that a deed restriction be placed on the use of the property and that the removal of the random contamination would not be cost effective. In 1988 the City of Chico requested and received DHS's requirements for a removal of the contaminated soil.
Comments Date: 01011985
Comments: This is the date the site was first listed AWP pursuant to
Comments Date: 01011985
Comments: Section 25356.
Comments Date: 02221989
Comments: HAZD. RANKING SCORE 13.57 TIER 3
Comments Date: 05091983
Comments: FACILITY DRIVE-BY LOOKS CONTINUOUS WITH 1171 HUMBOLDT
Comments Date: 05091983
Comments: ACTIVE, FENCED,CAN'T SEE MUCH
Comments Date: 05092005
Comments: THE SITE STATUS IS BEING CHANGED TO REMOVAL REQUIRED BECAUSE
Comments Date: 05092005
Comments: LAND USE CONTROLS ARE NEEDED FOR THE SITE. PLACING LAND USE
Comments Date: 05092005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL YARD (Continued)

S101479841

Comments: CONTROLS ON A SITE IS INCLUDED IN THE DEFINITION OF A REMOVAL
Comments Date: 05092005
Comments: ACTION.
Comments Date: 05131983
Comments: QUESTIONNAIRE SENT
Comments Date: 05151991
Comments: NOT ON 90/91 AWP. STATUS NEEDS TO BE DET
Comments Date: 05161983
Comments: QUEST. SENT (HUMBOLDT)
Comments Date: 05231983
Comments: QUEST. RETURNED UNDELIVERABLE (HUMBOLDT)
Comments Date: 05241999
Comments: SS DONE UNDER PA/SI GRANT. RECOMMENDATION IS FURTHER
Comments Date: 05241999
Comments: SI UNDER DTSC LEAD. NEEDS SAMPLING OF LITTLE CHICO CREEK
Comments Date: 05241999
Comments: FOR METAL CONTAMINATION AND A DEED RESTRICTION ON THE
Comments Date: 05241999
Comments: PARCEL TO PREVENT RESIDENTIAL DEVELOPMENT.
Comments Date: 05311983
Comments: Q. RETURNED-"NO WASTE"
Comments Date: 06021983
Comments: COUNTY ENV'L HEALTH-CITY OWNS PROP.
Comments Date: 06071989
Comments: SITE IS ON 1989 BOND EXPENDITURE PLAN
Comments Date: 06161983
Comments: CHICO FIRE DEPT - HISTORY OF PROBLEMS
Comments Date: 06161983
Comments: PROPERTY OWNED BY CITY, WILL BE PARK
Comments Date: 06171983
Comments: FINAL STRATEGY NEEDS A.S.P. SAMPLING
Comments Date: 10211982
Comments: FACILITY IDENTIFIED ID FROM 1982 PHONE BOOK
Comments Date: 10251996
Comments: Site requires deed restriction on land use or removal of
Comments Date: 10251996
Comments: random areas of metals contamination. Site has Tier 3 (low
Comments Date: 10251996
Comments: priority) status on backlog.
Comments Date: 11091983
Comments: CITY OF CHICO - BEING CLEANED UP BY CONTRACTOR.
Comments Date: 11141983
Comments: FINAL STRATEGY SITE REFERRED: TO PS&E
ID Name: CALSTARS CODE
ID Value: 100037
Alternate Name: CHICO SCRAP METAL YARDDISCOUNT AUTO WRECKERSVALLEY AUTO & TRUCK
WRECKERSHUMBOLDT JUNK
Special Programs Code: Not reported
Special Programs Name: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

D18
SW
1/4-1/2
0.374 mi.
1973 ft.

CHICO SCRAP METAL
1197 HUMBOLDT
CHICO, CA 95927
Site 2 of 2 in cluster D

ENVIROSTOR
CA BOND EXP. PLAN
HIST CORTESE

S100833565
N/A

Relative:
Lower

ENVIROSTOR:

Facility ID: 4500009
Status: Inactive - Action Required
Status Date: 05/09/2005
Site Code: 100037
Site Type: Evaluation
Site Type Detailed: Evaluation
Acres: 3.55
NPL: NO
Regulatory Agencies: SMBRP
Lead Agency: SMBRP
Program Manager: Not reported
Supervisor: Steven Becker
Division Branch: Cleanup Sacramento
Assembly: 03
Senate: 04
Special Program: EPA - PASI
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Responsible Party
Latitude: 39.73188
Longitude: -121.8214
APN: 004-364-013-000
Past Use: RECYCLING - SCRAP METAL, METAL RECLAMATION, RECYCLING - SCRAP METAL
Potential COC: Lead Polychlorinated biphenyls (PCBs Lead Polychlorinated biphenyls (PCBs Copper and compounds
Confirmed COC: Polychlorinated biphenyls (PCBs Lead Lead 30156-NO 30018-NO
Potential Description: SOIL, SOIL
Alias Name: Not reported
Alias Type: Not reported

Completed Info:

Completed Area Name: Not reported
Completed Sub Area Name: Not reported
Completed Document Type: Not reported
Completed Date: Not reported
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: Not reported
Schedule Sub Area Name: Not reported
Schedule Document Type: Not reported
Schedule Due Date: Not reported
Schedule Revised Date: Not reported

CA BOND EXP. PLAN:

Responsible Party: TIER 3 (MINIMUM HAZARD THRESHOLD SITE) REPORT
Project Revenue Source Company: Not reported
Project Revenue Source Addr: Not reported
Project Revenue Source City,St,Zip: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

CHICO SCRAP METAL (Continued) **S100833565**

Project Revenue Source Desc: Not reported
 Site Description: A former scrap metal yard was located at this site. The three and one half acre site was acquired by the City of Chico in 1983 for urban renewal purposes.
 Hazardous Waste Desc: Initial analysis of the site soil indicated moderate contamination involving chromium, cadmium, lead, arsenic and copper. Onsite debris and a significant quantity of the surface soil was removed from the site by the City of Chico. Subsequent testing of the site soils indicated that sporadic spots of relatively low levels of lead remained at the site.
 Threat To Public Health & Env: Not reported
 Site Activity Status: As a Tier 3 site, this site will be listed annually in this report. The City of Chico or other parties interested in developing this property will be encouraged to take final abatement action or place appropriate deed restrictions on the property. The City will also be advised that DHS may order such additional action in the future if deemed appropriate.

HIST CORTESE:
 Region: CORTESE
 Facility County Code: 4
 Reg By: CALSI
 Reg Id: 04500009

19 WSW **CACITTI JACK PROPERTY** **LUST** **S104403076**
1/4-1/2 **1180 9TH ST E** **HIST CORTESE** **N/A**
0.414 mi. **CHICO, CA 95926**

Relative: LUST:
Lower Region: STATE
 Global Id: T0600700112
Actual: Latitude: 39.7331655
212 ft. Longitude: -121.8237786
 Case Type: LUST Cleanup Site
 Status: Completed - Case Closed
 Status Date: 11/01/1996
 Lead Agency: CENTRAL VALLEY RWQCB (REGION 5R)
 Case Worker: Not reported
 Local Agency: BUTTE COUNTY
 RB Case Number: 040117
 LOC Case Number: Not reported
 File Location: Archived
 Potential Media Affect: Aquifer used for drinking water supply
 Potential Contaminants of Concern: Gasoline
 Site History: Not reported

[Click here to access the California GeoTracker records for this facility:](#)

Contact:
 Global Id: T0600700112
 Contact Type: Local Agency Caseworker
 Contact Name: LESLIE ROBERTS
 Organization Name: BUTTE COUNTY
 Address: 411 MAIN STREET
 City: CHICO
 Email: lroberts@buttecounty.net
 Phone Number: 5308912727

 Global Id: T0600700112

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CACITTI JACK PROPERTY (Continued)

S104403076

Contact Type: Regional Board Caseworker
Contact Name: RECEPTIONIST, REGION 5 REDDING
Organization Name: CENTRAL VALLEY RWQCB (REGION 5R)
Address: 415 KNOLLCREST DR., SUITE 100
City: REDDING
Email: Not reported
Phone Number: Not reported

Status History:

Global Id: T0600700112
Status: Completed - Case Closed
Status Date: 11/01/1996

Global Id: T0600700112
Status: Open - Case Begin Date
Status Date: 06/29/1994

Global Id: T0600700112
Status: Open - Remediation
Status Date: 10/10/1995

Global Id: T0600700112
Status: Open - Site Assessment
Status Date: 06/29/1994

Global Id: T0600700112
Status: Open - Site Assessment
Status Date: 10/24/1994

Global Id: T0600700112
Status: Open - Site Assessment
Status Date: 04/21/1995

Global Id: T0600700112
Status: Open - Site Assessment
Status Date: 06/07/1995

Global Id: T0600700112
Status: Open - Verification Monitoring
Status Date: 07/31/1996

Regulatory Activities:

Global Id: T0600700112
Action Type: ENFORCEMENT
Date: 11/01/1996
Action: Closure/No Further Action Letter

Global Id: T0600700112
Action Type: Other
Date: 07/12/1994
Action: Leak Reported

Global Id: T0600700112
Action Type: ENFORCEMENT
Date: 11/01/1996
Action: Closure/No Further Action Letter

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CACITTI JACK PROPERTY (Continued)

S104403076

Global Id: T0600700112
Action Type: Other
Date: 06/29/1994
Action: Leak Discovery

Global Id: T0600700112
Action Type: Other
Date: 06/29/1994
Action: Leak Stopped

LUST REG 5:

Region: 5
Status: Case Closed
Case Number: 040117
Case Type: Drinking Water Aquifer affected
Substance: GASOLINE
Staff Initials: KLC
Lead Agency: Regional
Program: LUST
MTBE Code: 5

HIST CORTESE:

Region: CORTESE
Facility County Code: 4
Reg By: LTNKA
Reg Id: 040117

20
South
1/2-1
0.775 mi.
4091 ft.

CHICO SCRAP METAL - 20TH STREET
878 EAST 20TH STREET
CHICO, CA 95928

RESPONSE **S109277102**
ENVIROSTOR **N/A**
SLIC
LIENS
Cortese

Relative:
Lower

Actual:
209 ft.

RESPONSE:

Facility ID: 60000800
Site Type: State Response
Site Type Detail: State Response or NPL
Acres: 2
National Priorities List: NO
Cleanup Oversight Agencies: SMBRP, BUTTE COUNTY
Lead Agency Description: DTSC - Site Cleanup Program
Project Manager: Leona Winner
Supervisor: Steven Becker
Division Branch: Cleanup San Joaquin
Site Code: 101937
Site Mgmt. Req.: NONE SPECIFIED
Assembly: 03
Senate: 04
Special Program Status: Voluntary Cleanup Program
Status: Active
Status Date: 01/31/2008
Restricted Use: NO
Funding: Responsible Party
Latitude: 39.72518
Longitude: -121.8167
APN: 005-422-009, 005-422-013, 005-422-017, 005-450-014-000, 005-450-030

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Past Use: JUNKYARD, RECYCLING - SCRAP METAL, RECYCLING - SCRAP METAL
Potential COC : Lead Polychlorinated biphenyls (PCBs Zinc TPH-diesel TPH-MOTOR OIL
Confirmed COC: Lead Zinc Polychlorinated biphenyls (PCBs TPH-diesel TPH-MOTOR OIL
Potential Description: SOIL
Alias Name: 005-422-009
Alias Type: APN
Alias Name: 005-422-013
Alias Type: APN
Alias Name: 005-422-017
Alias Type: APN
Alias Name: 005-450-014-000
Alias Type: APN
Alias Name: 005-450-030
Alias Type: APN
Alias Name: 110033620446
Alias Type: EPA (FRS #)
Alias Name: T10000000358
Alias Type: GeoTracker Global ID
Alias Name: 100999
Alias Type: Site Code - Historical
Alias Name: 101937
Alias Type: Project Code (Site Code)
Alias Name: 60000800
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Order
Completed Date: 10/01/2008
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Inspections/Visit (Non LUR)
Completed Date: 05/24/2011
Comments: Step-out samples were collected at 4 locations.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Proposed Determination of non-compliance
Completed Date: 04/15/2011
Comments: A letter on intent to file non-compliance was sent.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Lien
Completed Date: 07/11/2014
Comments: Final Recorded lien.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation / Feasibility Study
Completed Date: 03/24/2010
Comments: Revised RI/FS Workplan approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Document Type: Monitoring Report
Completed Date: 03/15/2010
Comments: Completed monthly report. No comments.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fieldwork
Completed Date: 05/03/2010
Comments: First phase of fieldwork has been completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/21/2009
Comments: Monthly updates are reviewed and an e-mail response is sent back, if acceptable.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/20/2009
Comments: Monthly Report completed

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/16/2009
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/16/2009
Comments: Monthly Report

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/20/2009
Comments: Monthly Report completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/20/2009
Comments: Monthly Report completed

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/20/2009
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/20/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Comments: Monthly Report for December 2009.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/18/2010
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/16/2010
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/05/2010
Comments: Monthly Report completed for March 2010.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/10/2010
Comments: April Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/15/2010
Comments: Monthly Report complete. No comments from DTSC needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/15/2010
Comments: Completed Monthly Report. DTSC response not needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/12/2010
Comments: Completed Monthly Report. DTSC response not necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/15/2010
Comments: Completed Monthly Report. No Response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/13/2010
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/12/2011
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/22/2011
Comments: Monthly Monitoring Report. No written response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/14/2011
Comments: Monthly Monitoring report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/13/2011
Comments: Monthly Monitoring Report. No Comment needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/17/2011
Comments: Monthly Monitoring Report for April 2011.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/07/2011
Comments: Monthly Monitoring Report. No comment necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation Report
Completed Date: 04/12/2012
Comments: Completed Report

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Community Profile
Completed Date: 04/03/2012
Comments: Completed Community Profile.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/26/2010
Comments: Monthly Status Report. No comment needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/16/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Comments: Completed Monthly Report. No response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Workplan
Completed Date: 04/29/2011
Comments: Amended RI/FS Workplan approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/13/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/05/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/10/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/07/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/14/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/14/2011
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/23/2012
Comments: Monthly Report. No comment necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/13/2012
Comments: Monthly Monitoring Report. No Response needed.

Completed Area Name: PROJECT WIDE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/21/2012
Comments: Monthly Monitoring Report. Requested lab results which took multiple request before they were received.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/09/2012
Comments: Monthly Report. No written response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/03/2012
Comments: Monthly Monitoring Report. No written response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/12/2012
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/09/2012
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Workplan
Completed Date: 01/05/2012
Comments: Approved step-out sampling; however, if these samples contain elevated levels of PCB additional step-outs will be necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/27/2012
Comments: Completed Monthly Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/03/2012
Comments: Monthly Monitoring Report. No Response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/09/2012
Comments: Monthly Monitoring Report. There were revisions needed and DTSC responded on 10/3/2012 and received the corrected version on 10/5/2012
Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/06/2012
Comments: Final Report submitted. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/03/2013
Comments: Monthly Report. No response was necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/09/2013
Comments: I have no record of the information regarding working with accounting.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/06/2013
Comments: Monthly Report received. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/20/2013
Comments: Monthly Monitoring Report. No response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/16/2013
Comments: Monthly Monitoring Report. No Response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/11/2013
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/18/2013
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/20/2013
Comments: Monthly Monitoring Report. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Document Type: Monitoring Report
Completed Date: 09/16/2013
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/21/2013
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/22/2013
Comments: Monthly Monitoring Report. No response was necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/20/2013
Comments: Monthly Monitoring Report. No Response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/21/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/28/2014
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/16/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/22/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/20/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/02/2014
Comments: Monthly Monitoring Report. No Response necessary.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/15/2014
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/23/2014
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/23/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/25/2014
Comments: Monthly Monitoring Report. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/03/2015
Comments: Monthly Report for November 2014. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/04/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/23/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/23/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/28/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Date: 06/18/2015
Comments: Monthly monitoring report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/18/2015
Comments: Monthly monitoring report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/27/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/27/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/28/2015
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/02/2015
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/17/2015
Comments: Monthly Monitoring Report. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/14/2016
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/10/2012
Comments: Annual cost estimate letter for July 2012 to June 30, 2013.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/11/2013
Comments: Annual Cost Estimate Letter sent.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/28/2014
Comments: Annual Cost Estimate completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Proposed Determination of non-compliance
Completed Date: 02/13/2014
Comments: Proposed letter of non-compliance sent due to failure to adequate address contamination left in place after repeated request.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Triage Meeting
Completed Date: 07/07/2015
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Removal Action Workplan
Schedule Due Date: 06/01/2016
Schedule Revised Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Fact Sheets
Schedule Due Date: 03/15/2016
Schedule Revised Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Public Notice
Schedule Due Date: 03/15/2016
Schedule Revised Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: CEQA - Notice of Exemption
Schedule Due Date: 06/01/2016
Schedule Revised Date: Not reported

ENVIROSTOR:

Facility ID: 60000800
Status: Active
Status Date: 01/31/2008
Site Code: 101937
Site Type: State Response
Site Type Detailed: State Response or NPL
Acres: 2
NPL: NO
Regulatory Agencies: SMBRP, BUTTE COUNTY
Lead Agency: SMBRP
Program Manager: Leona Winner
Supervisor: Steven Becker

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Division Branch: Cleanup San Joaquin
Assembly: 03
Senate: 04
Special Program: Voluntary Cleanup Program
Restricted Use: NO
Site Mgmt Req: NONE SPECIFIED
Funding: Responsible Party
Latitude: 39.72518
Longitude: -121.8167
APN: 005-422-009, 005-422-013, 005-422-017, 005-450-014-000, 005-450-030
Past Use: JUNKYARD, RECYCLING - SCRAP METAL, RECYCLING - SCRAP METAL
Potential COC: Lead Polychlorinated biphenyls (PCBs Zinc Polychlorinated biphenyls (PCBs TPH-diesel TPH-MOTOR OIL
Confirmed COC: Lead Zinc Polychlorinated biphenyls (PCBs TPH-diesel TPH-MOTOR OIL Polychlorinated biphenyls (PCBs
Potential Description: SOIL
Alias Name: 005-422-009
Alias Type: APN
Alias Name: 005-422-013
Alias Type: APN
Alias Name: 005-422-017
Alias Type: APN
Alias Name: 005-450-014-000
Alias Type: APN
Alias Name: 005-450-030
Alias Type: APN
Alias Name: 110033620446
Alias Type: EPA (FRS #)
Alias Name: T10000000358
Alias Type: GeoTracker Global ID
Alias Name: 100999
Alias Type: Site Code - Historical
Alias Name: 101937
Alias Type: Project Code (Site Code)
Alias Name: 60000800
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Consent Order
Completed Date: 10/01/2008
Comments: Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Inspections/Visit (Non LUR)
Completed Date: 05/24/2011
Comments: Step-out samples were collected at 4 locations.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Proposed Determination of non-compliance
Completed Date: 04/15/2011
Comments: A letter on intent to file non-compliance was sent.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Document Type: Lien
Completed Date: 07/11/2014
Comments: Final Recorded lien.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation / Feasibility Study
Completed Date: 03/24/2010
Comments: Revised RI/FS Workplan approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/15/2010
Comments: Completed monthly report. No comments.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Fieldwork
Completed Date: 05/03/2010
Comments: First phase of fieldwork has been completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/21/2009
Comments: Monthly updates are reviewed and an e-mail response is sent back, if acceptable.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/20/2009
Comments: Monthly Report completed

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/16/2009
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/16/2009
Comments: Monthly Report

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/20/2009
Comments: Monthly Report completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/20/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Comments: Monthly Report completed

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/20/2009
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/20/2009
Comments: Monthly Report for December 2009.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/18/2010
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/16/2010
Comments: Completed Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/05/2010
Comments: Monthly Report completed for March 2010.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/10/2010
Comments: April Monthly Report.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/15/2010
Comments: Monthly Report complete. No comments from DTSC needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/15/2010
Comments: Completed Monthly Report. DTSC response not needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/12/2010
Comments: Completed Monthly Report. DTSC response not necessary.

Completed Area Name: PROJECT WIDE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/15/2010
Comments: Completed Monthly Report. No Response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/13/2010
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/12/2011
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/22/2011
Comments: Monthly Monitoring Report. No written response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/14/2011
Comments: Monthly Monitoring report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/13/2011
Comments: Monthly Monitoring Report. No Comment needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/17/2011
Comments: Monthly Monitoring Report for April 2011.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/07/2011
Comments: Monthly Monitoring Report. No comment necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Remedial Investigation Report
Completed Date: 04/12/2012
Comments: Completed Report

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Community Profile
Completed Date: 04/03/2012

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Comments: Completed Community Profile.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/26/2010
Comments: Monthly Status Report. No comment needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/16/2010
Comments: Completed Monthly Report. No response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Workplan
Completed Date: 04/29/2011
Comments: Amended RI/FS Workplan approved.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/13/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/05/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/10/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/07/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/14/2011
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/14/2011
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/23/2012
Comments: Monthly Report. No comment necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/13/2012
Comments: Monthly Monitoring Report. No Response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/21/2012
Comments: Monthly Monitoring Report. Requested lab results which took multiple request before they were received.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/09/2012
Comments: Monthly Report. No written response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/03/2012
Comments: Monthly Monitoring Report. No written response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/12/2012
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/09/2012
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Site Characterization Workplan
Completed Date: 01/05/2012
Comments: Approved step-out sampling; however, if these samples contain elevated levels of PCB additional step-outs will be necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/27/2012
Comments: Completed Monthly Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Document Type: Monitoring Report
Completed Date: 10/03/2012
Comments: Monthly Monitoring Report. No Response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/09/2012
Comments: Monthly Monitoring Report. There were revisions needed and DTSC responded on 10/3/2012 and received the corrected version on 10/5/2012
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/06/2012
Comments: Final Report submitted. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/03/2013
Comments: Monthly Report. No response was necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/09/2013
Comments: I have no record of the information regarding working with accounting.
Not reported

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/06/2013
Comments: Monthly Report received. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 03/20/2013
Comments: Monthly Monitoring Report. No response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/16/2013
Comments: Monthly Monitoring Report. No Response needed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/11/2013
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Document Type: Monitoring Report
Completed Date: 06/18/2013
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/20/2013
Comments: Monthly Monitoring Report. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/16/2013
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/21/2013
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/22/2013
Comments: Monthly Monitoring Report. No response was necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/20/2013
Comments: Monthly Monitoring Report. No Response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/21/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/28/2014
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/16/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/22/2014
Comments: Monthly Monitoring Report. No response is necessary.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 05/20/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 07/02/2014
Comments: Monthly Monitoring Report. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/15/2014
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/23/2014
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 10/23/2014
Comments: Monthly Monitoring Report. No response is necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/25/2014
Comments: Monthly Monitoring Report. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/03/2015
Comments: Monthly Report for November 2014. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/04/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 02/23/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Date: 03/23/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 04/28/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/18/2015
Comments: Monthly monitoring report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 06/18/2015
Comments: Monthly monitoring report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/27/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 08/27/2015
Comments: Monthly Monitoring Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 09/28/2015
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 11/02/2015
Comments: Monthly Report. No response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 12/17/2015
Comments: Monthly Monitoring Report. No Response necessary.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Monitoring Report
Completed Date: 01/14/2016
Comments: Monthly Monitoring Report. No response necessary.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/10/2012
Comments: Annual cost estimate letter for July 2012 to June 30, 2013.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 09/11/2013
Comments: Annual Cost Estimate Letter sent.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Annual Oversight Cost Estimate
Completed Date: 10/28/2014
Comments: Annual Cost Estimate completed.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Proposed Determination of non-compliance
Completed Date: 02/13/2014
Comments: Proposed letter of non-compliance sent due to failure to adequate address contamination left in place after repeated request.

Completed Area Name: PROJECT WIDE
Completed Sub Area Name: Not reported
Completed Document Type: Triage Meeting
Completed Date: 07/07/2015
Comments: Not reported

Future Area Name: Not reported
Future Sub Area Name: Not reported
Future Document Type: Not reported
Future Due Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Removal Action Workplan
Schedule Due Date: 06/01/2016
Schedule Revised Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Fact Sheets
Schedule Due Date: 03/15/2016
Schedule Revised Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: Public Notice
Schedule Due Date: 03/15/2016
Schedule Revised Date: Not reported
Schedule Area Name: PROJECT WIDE
Schedule Sub Area Name: Not reported
Schedule Document Type: CEQA - Notice of Exemption
Schedule Due Date: 06/01/2016
Schedule Revised Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

SLIC:

Region:	STATE
Facility Status:	Open - Site Assessment
Status Date:	09/17/2008
Global Id:	T10000000358
Lead Agency:	DEPARTMENT OF TOXIC SUBSTANCES CONTROL
Lead Agency Case Number:	60000800
Latitude:	39.7256655
Longitude:	-121.816545266666
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	DEPARTMENT OF TOXIC SUBSTANCES CONTROL
RB Case Number:	SLT5R1051
File Location:	Regional Board
Potential Media Affected:	Soil, Under Investigation
Potential Contaminants of Concern:	Polychlorinated biphenyls (PCBs), Lead, Other Metal
Site History:	Not reported

[Click here to access the California GeoTracker records for this facility:](#)

LIENS:

Envirostor Id:	60000800
Latitude:	39.725188
Longitude:	-121.81673
Project Mgr:	LEONA WINNER
Project Code:	101937
If Satisfied:	NO
Date Satisfied:	Not reported
Site Status:	ACTIVE
Site Type:	STATE RESPONSE OR NPL
Completed:	07/11/2014
Lien Amount:	\$24,391.12
Amount Remaining:	Not reported
Description:	Chico Scrap Metals, Inc. began operations at the site in 1983. Operations include scrap metal recovery, recycling, and salvage sales. The facility conducts among other activities aluminum can recycling, and white goods recycling. On May 15, 2007 DTSC conducted a joint inspection with Butte County officials and collected samples from numerous locations. Sample analysis revealed that hazardous substances are present in the soil at the Site as further discussed in Section 2.4. On June 25, 2007 the Butte County District Attorneys office issued a Notice to Abate Public Nuisance to the George W. Scott, Sr. Revocable Inter Vivos Trust requiring the Respondents to abate the public nuisance posed by segregating scrap metal from soil piles containing hazardous substances, covering and securing contaminated areas from access, and posting of warning signs along the perimeter of the Site. On December 5, 2007, the Respondents submitted a report dated November 13, 2007 and other documents for DTSC to consider in determining the appropriate course for remediation. The Report is entitled Soil Remediation Report & Site Assessment Work Plan and was prepared by Grayland Environmental for Chico Scrap Metal. The report and documents were prepared in an effort to comply with an order issued by the Butte County Superior Court on September 14, 2007. The Grayland Environmental Report describes the removal of contaminated soil and recommends further sampling to identify areas where remediation is necessary.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

CHICO SCRAP METAL - 20TH STREET (Continued)

S109277102

CORTESE:

Region:	CORTESE
Envirostor Id:	60000800
Site/Facility Type:	STATE RESPONSE
Cleanup Status:	ACTIVE
Status Date:	01/31/2008
Site Code:	101937
Latitude:	39.725188
Longitude:	-121.81673
Owner:	Not reported
Enf Type:	Not reported
Swat R:	Not reported
Flag:	envirostor
Order No:	Not reported
Waste Discharge System No:	Not reported
Effective Date:	Not reported
Region 2:	Not reported
WID Id:	Not reported
Solid Waste Id No:	Not reported
Waste Management Uit Name:	Not reported

Count: 10 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
CHICO	S116165313	UNION OIL COMPANY OF CA #1	W 5TH & POMONA	95926	ENVIROSTOR
CHICO	S116165321	ROSELLINI PROPERTY	BRUCE ROAD AND HUMBOLDT ROAD,	95926	RESPONSE, ENVIROSTOR
CHICO	S116165324	CHICO DEVELOPMENT INC.	BRUCE AND HUMBOLDT ROADS, HWY	95926	RESPONSE, ENVIROSTOR
CHICO	S116165325	WEST PROPERTY	BRUCE AND HUMBOLDT ROADS, HWY	95926	RESPONSE, ENVIROSTOR
CHICO	S116165319	SCOTT PROPERTY	BRUCE ROAD AND HUMBOLDT ROAD,	95926	RESPONSE, ENVIROSTOR
CHICO	S116165320	JOHNSON PROPERTY	BRUCE ROAD AND HUMBOLDT ROAD,	95926	RESPONSE, ENVIROSTOR
CHICO	S116165304	HIGNALL DEVELOPMENT	BRUCE ROAD	95928	ENVIROSTOR, VCP
CHICO	S116165326	MULKEY PROPERTY	BRUCE AND HUMBOLDT RD, HWY 32	95926	RESPONSE, ENVIROSTOR
CHICO	S116165323	DUNN PROPERTY	NE CORNER BRUCE RD. & HUMBOLT	95926	RESPONSE, ENVIROSTOR
CHICO	S116165305	OLD FARM ESTATES BRUCE ROAD	NW INTERSECTION OF HWY 32 AND	95928	ENVIROSTOR, VCP

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: N/A
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: N/A
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: N/A
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 03/26/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/08/2015	Telephone: 703-603-8704
Date Made Active in Reports: 06/11/2015	Last EDR Contact: 04/08/2016
Number of Days to Update: 64	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: 800-424-9346
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Quarterly

Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: 800-424-9346
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/09/2015	Source: EPA
Date Data Arrived at EDR: 03/02/2016	Telephone: 800-424-9346
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (415) 495-8895
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (415) 495-8895
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (415) 495-8895
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (415) 495-8895
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/28/2015	Source: Department of the Navy
Date Data Arrived at EDR: 05/29/2015	Telephone: 843-820-7326
Date Made Active in Reports: 06/11/2015	Last EDR Contact: 02/16/2016
Number of Days to Update: 13	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 02/29/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 02/29/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/22/2015
Date Data Arrived at EDR: 06/26/2015
Date Made Active in Reports: 09/16/2015
Number of Days to Update: 82

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 03/30/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Annually

State- and tribal - equivalent NPL

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 02/01/2016
Date Data Arrived at EDR: 02/03/2016
Date Made Active in Reports: 03/22/2016
Number of Days to Update: 48

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 05/04/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Quarterly

State- and tribal - equivalent CERCLIS

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 02/01/2016
Date Data Arrived at EDR: 02/03/2016
Date Made Active in Reports: 03/22/2016
Number of Days to Update: 48

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 05/04/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Quarterly

State and tribal landfill and/or solid waste disposal site lists

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 02/15/2016
Date Data Arrived at EDR: 02/17/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 44

Source: Department of Resources Recycling and Recovery
Telephone: 916-341-6320
Last EDR Contact: 02/17/2016
Next Scheduled EDR Contact: 05/30/2016
Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005	Source: California Regional Water Quality Control Board Santa Ana Region (8)
Date Data Arrived at EDR: 02/15/2005	Telephone: 909-782-4496
Date Made Active in Reports: 03/28/2005	Last EDR Contact: 08/15/2011
Number of Days to Update: 41	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: Varies

LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003	Source: California Regional Water Quality Control Board Central Coast Region (3)
Date Data Arrived at EDR: 05/19/2003	Telephone: 805-542-4786
Date Made Active in Reports: 06/02/2003	Last EDR Contact: 07/18/2011
Number of Days to Update: 14	Next Scheduled EDR Contact: 10/31/2011
	Data Release Frequency: No Update Planned

LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/07/2004	Source: California Regional Water Quality Control Board Los Angeles Region (4)
Date Data Arrived at EDR: 09/07/2004	Telephone: 213-576-6710
Date Made Active in Reports: 10/12/2004	Last EDR Contact: 09/06/2011
Number of Days to Update: 35	Next Scheduled EDR Contact: 12/19/2011
	Data Release Frequency: No Update Planned

LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008	Source: California Regional Water Quality Control Board Central Valley Region (5)
Date Data Arrived at EDR: 07/22/2008	Telephone: 916-464-4834
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 07/01/2011
Number of Days to Update: 9	Next Scheduled EDR Contact: 10/17/2011
	Data Release Frequency: No Update Planned

LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003	Source: California Regional Water Quality Control Board Lahontan Region (6)
Date Data Arrived at EDR: 09/10/2003	Telephone: 530-542-5572
Date Made Active in Reports: 10/07/2003	Last EDR Contact: 09/12/2011
Number of Days to Update: 27	Next Scheduled EDR Contact: 12/26/2011
	Data Release Frequency: No Update Planned

LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001	Source: California Regional Water Quality Control Board San Diego Region (9)
Date Data Arrived at EDR: 04/23/2001	Telephone: 858-637-5595
Date Made Active in Reports: 05/21/2001	Last EDR Contact: 09/26/2011
Number of Days to Update: 28	Next Scheduled EDR Contact: 01/09/2012
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004	Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Date Data Arrived at EDR: 02/26/2004	Telephone: 760-776-8943
Date Made Active in Reports: 03/24/2004	Last EDR Contact: 08/01/2011
Number of Days to Update: 27	Next Scheduled EDR Contact: 11/14/2011
	Data Release Frequency: No Update Planned

LUST: Geotracker's Leaking Underground Fuel Tank Report

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state. For more information on a particular leaking underground storage tank sites, please contact the appropriate regulatory agency.

Date of Government Version: 12/14/2015	Source: State Water Resources Control Board
Date Data Arrived at EDR: 12/14/2015	Telephone: see region list
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 03/16/2016
Number of Days to Update: 56	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Quarterly

LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004	Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Date Data Arrived at EDR: 10/20/2004	Telephone: 510-622-2433
Date Made Active in Reports: 11/19/2004	Last EDR Contact: 09/19/2011
Number of Days to Update: 30	Next Scheduled EDR Contact: 01/02/2012
	Data Release Frequency: Quarterly

LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001	Source: California Regional Water Quality Control Board North Coast (1)
Date Data Arrived at EDR: 02/28/2001	Telephone: 707-570-3769
Date Made Active in Reports: 03/29/2001	Last EDR Contact: 08/01/2011
Number of Days to Update: 29	Next Scheduled EDR Contact: 11/14/2011
	Data Release Frequency: No Update Planned

LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005	Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Date Data Arrived at EDR: 06/07/2005	Telephone: 760-241-7365
Date Made Active in Reports: 06/29/2005	Last EDR Contact: 09/12/2011
Number of Days to Update: 22	Next Scheduled EDR Contact: 12/26/2011
	Data Release Frequency: No Update Planned

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 01/07/2016	Source: EPA Region 10
Date Data Arrived at EDR: 01/08/2016	Telephone: 206-553-2857
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 41	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/04/2015	Source: EPA, Region 5
Date Data Arrived at EDR: 11/13/2015	Telephone: 312-886-7439
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 04/27/2016
Number of Days to Update: 52	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/27/2015	Source: EPA Region 1
Date Data Arrived at EDR: 10/29/2015	Telephone: 617-918-1313
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 67	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/24/2015	Source: EPA Region 4
Date Data Arrived at EDR: 12/01/2015	Telephone: 404-562-8677
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 04/26/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Semi-Annually

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 08/20/2015	Source: EPA Region 6
Date Data Arrived at EDR: 10/30/2015	Telephone: 214-665-6597
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 111	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/30/2015	Source: EPA Region 7
Date Data Arrived at EDR: 04/28/2015	Telephone: 913-551-7003
Date Made Active in Reports: 06/22/2015	Last EDR Contact: 04/29/2016
Number of Days to Update: 55	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/13/2015	Source: EPA Region 8
Date Data Arrived at EDR: 10/23/2015	Telephone: 303-312-6271
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/27/2016
Number of Days to Update: 118	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/08/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/08/2015	Telephone: 415-972-3372
Date Made Active in Reports: 02/09/2015	Last EDR Contact: 04/27/2016
Number of Days to Update: 32	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SLIC: Statewide SLIC Cases

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 12/14/2015
Date Data Arrived at EDR: 12/14/2015
Date Made Active in Reports: 02/08/2016
Number of Days to Update: 56

Source: State Water Resources Control Board
Telephone: 866-480-1028
Last EDR Contact: 03/16/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Varies

SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003
Date Data Arrived at EDR: 04/07/2003
Date Made Active in Reports: 04/25/2003
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)
Telephone: 707-576-2220
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004
Date Data Arrived at EDR: 10/20/2004
Date Made Active in Reports: 11/19/2004
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457
Last EDR Contact: 09/19/2011
Next Scheduled EDR Contact: 01/02/2012
Data Release Frequency: Quarterly

SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006
Date Data Arrived at EDR: 05/18/2006
Date Made Active in Reports: 06/15/2006
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)
Telephone: 805-549-3147
Last EDR Contact: 07/18/2011
Next Scheduled EDR Contact: 10/31/2011
Data Release Frequency: Semi-Annually

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004
Date Data Arrived at EDR: 11/18/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)
Telephone: 213-576-6600
Last EDR Contact: 07/01/2011
Next Scheduled EDR Contact: 10/17/2011
Data Release Frequency: Varies

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005
Date Data Arrived at EDR: 04/05/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)
Telephone: 916-464-3291
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005
Date Data Arrived at EDR: 05/25/2005
Date Made Active in Reports: 06/16/2005
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch
Telephone: 619-241-6583
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: Semi-Annually

SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004
Date Data Arrived at EDR: 09/07/2004
Date Made Active in Reports: 10/12/2004
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004
Date Data Arrived at EDR: 11/29/2004
Date Made Active in Reports: 01/04/2005
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 760-346-7491
Last EDR Contact: 08/01/2011
Next Scheduled EDR Contact: 11/14/2011
Data Release Frequency: No Update Planned

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008
Date Data Arrived at EDR: 04/03/2008
Date Made Active in Reports: 04/14/2008
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)
Telephone: 951-782-3298
Last EDR Contact: 09/12/2011
Next Scheduled EDR Contact: 12/26/2011
Data Release Frequency: Semi-Annually

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007
Date Data Arrived at EDR: 09/11/2007
Date Made Active in Reports: 09/28/2007
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)
Telephone: 858-467-2980
Last EDR Contact: 08/08/2011
Next Scheduled EDR Contact: 11/21/2011
Data Release Frequency: Annually

State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 04/11/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 03/14/2016	Source: SWRCB
Date Data Arrived at EDR: 03/16/2016	Telephone: 916-341-5851
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/16/2016
Number of Days to Update: 49	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Semi-Annually

AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 08/01/2009	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2009	Telephone: 916-327-5092
Date Made Active in Reports: 10/01/2009	Last EDR Contact: 03/11/2016
Number of Days to Update: 21	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/20/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 10/29/2015	Telephone: 617-918-1313
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 67	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 11/24/2015	Source: EPA Region 4
Date Data Arrived at EDR: 12/01/2015	Telephone: 404-562-9424
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 04/26/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/05/2015	Source: EPA Region 5
Date Data Arrived at EDR: 11/13/2015	Telephone: 312-886-6136
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 04/27/2016
Number of Days to Update: 52	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 08/20/2015	Source: EPA Region 6
Date Data Arrived at EDR: 10/30/2015	Telephone: 214-665-7591
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 111	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014	Source: EPA Region 7
Date Data Arrived at EDR: 11/25/2014	Telephone: 913-551-7003
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 04/29/2016
Number of Days to Update: 65	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/13/2015	Source: EPA Region 8
Date Data Arrived at EDR: 10/23/2015	Telephone: 303-312-6137
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 118	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 01/07/2016	Source: EPA Region 10
Date Data Arrived at EDR: 01/08/2016	Telephone: 206-553-2857
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 41	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 12/14/2014	Source: EPA Region 9
Date Data Arrived at EDR: 02/13/2015	Telephone: 415-972-3368
Date Made Active in Reports: 03/13/2015	Last EDR Contact: 04/27/2016
Number of Days to Update: 28	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/01/2016
Number of Days to Update: 142	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

Date of Government Version: 02/01/2016	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 02/03/2016	Telephone: 916-323-3400
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 05/04/2016
Number of Days to Update: 48	Next Scheduled EDR Contact: 08/15/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008

Source: EPA, Region 7

Date Data Arrived at EDR: 04/22/2008

Telephone: 913-551-7365

Date Made Active in Reports: 05/19/2008

Last EDR Contact: 04/20/2009

Number of Days to Update: 27

Next Scheduled EDR Contact: 07/20/2009

Data Release Frequency: Varies

State and tribal Brownfields sites

BROWNFIELDS: Considered Brownfields Sites Listing

A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 02/29/2016

Source: State Water Resources Control Board

Date Data Arrived at EDR: 03/07/2016

Telephone: 916-323-7905

Date Made Active in Reports: 05/04/2016

Last EDR Contact: 03/07/2016

Number of Days to Update: 58

Next Scheduled EDR Contact: 06/20/2016

Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/22/2015

Source: Environmental Protection Agency

Date Data Arrived at EDR: 12/23/2015

Telephone: 202-566-2777

Date Made Active in Reports: 02/18/2016

Last EDR Contact: 03/22/2016

Number of Days to Update: 57

Next Scheduled EDR Contact: 07/04/2016

Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

Date of Government Version: 04/01/2000

Source: State Water Resources Control Board

Date Data Arrived at EDR: 04/10/2000

Telephone: 916-227-4448

Date Made Active in Reports: 05/10/2000

Last EDR Contact: 02/08/2016

Number of Days to Update: 30

Next Scheduled EDR Contact: 05/23/2016

Data Release Frequency: No Update Planned

SWRCY: Recycler Database

A listing of recycling facilities in California.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/14/2015
Date Data Arrived at EDR: 12/17/2015
Date Made Active in Reports: 02/08/2016
Number of Days to Update: 53

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 03/16/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Quarterly

HAULERS: Registered Waste Tire Haulers Listing
A listing of registered waste tire haulers.

Date of Government Version: 11/23/2015
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 01/21/2016
Number of Days to Update: 58

Source: Integrated Waste Management Board
Telephone: 916-341-6422
Last EDR Contact: 02/14/2016
Next Scheduled EDR Contact: 05/30/2016
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 09/17/2015
Date Data Arrived at EDR: 12/04/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 76

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/01/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: No Update Planned

HIST CAL-SITES: Calsites Database

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/08/2005
Date Data Arrived at EDR: 08/03/2006
Date Made Active in Reports: 08/24/2006
Number of Days to Update: 21

Source: Department of Toxic Substance Control
Telephone: 916-323-3400
Last EDR Contact: 02/23/2009
Next Scheduled EDR Contact: 05/25/2009
Data Release Frequency: No Update Planned

SCH: School Property Evaluation Program

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 02/01/2016
Date Data Arrived at EDR: 02/03/2016
Date Made Active in Reports: 03/22/2016
Number of Days to Update: 48

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 05/04/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 09/30/2015
Date Data Arrived at EDR: 01/19/2016
Date Made Active in Reports: 03/22/2016
Number of Days to Update: 63

Source: Department of Toxic Substances Control
Telephone: 916-255-6504
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Varies

TOXIC PITS: Toxic Pits Cleanup Act Sites

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995
Date Data Arrived at EDR: 08/30/1995
Date Made Active in Reports: 09/26/1995
Number of Days to Update: 27

Source: State Water Resources Control Board
Telephone: 916-227-4364
Last EDR Contact: 01/26/2009
Next Scheduled EDR Contact: 04/27/2009
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/17/2015
Date Data Arrived at EDR: 12/04/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 76

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/01/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/01/1994
Date Data Arrived at EDR: 07/07/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 35

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/03/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 11/25/2015
Date Data Arrived at EDR: 12/01/2015
Date Made Active in Reports: 12/17/2015
Number of Days to Update: 16

Source: Department of Public Health
Telephone: 707-463-4466
Last EDR Contact: 03/28/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Annually

HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990
Date Data Arrived at EDR: 01/25/1991
Date Made Active in Reports: 02/12/1991
Number of Days to Update: 18

Source: State Water Resources Control Board
Telephone: 916-341-5851
Last EDR Contact: 07/26/2001
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/1994
Date Data Arrived at EDR: 09/05/1995
Date Made Active in Reports: 09/29/1995
Number of Days to Update: 24

Source: California Environmental Protection Agency
Telephone: 916-341-5851
Last EDR Contact: 12/28/1998
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 03/08/2016
Date Data Arrived at EDR: 03/11/2016
Date Made Active in Reports: 05/04/2016
Number of Days to Update: 54

Source: Department of Toxic Substances Control
Telephone: 916-323-3400
Last EDR Contact: 03/07/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014
Date Data Arrived at EDR: 03/18/2014
Date Made Active in Reports: 04/24/2014
Number of Days to Update: 37

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

DEED: Deed Restriction Listing

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 03/07/2016	Source: DTSC and SWRCB
Date Data Arrived at EDR: 03/08/2016	Telephone: 916-323-3400
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/08/2016
Number of Days to Update: 57	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/24/2015	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 06/26/2015	Telephone: 202-366-4555
Date Made Active in Reports: 09/02/2015	Last EDR Contact: 03/30/2016
Number of Days to Update: 68	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Annually

CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 12/16/2015	Source: Office of Emergency Services
Date Data Arrived at EDR: 01/27/2016	Telephone: 916-845-8400
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/27/2016
Number of Days to Update: 55	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

LDS: Land Disposal Sites Listing

The Land Disposal program regulates of waste discharge to land for treatment, storage and disposal in waste management units.

Date of Government Version: 12/14/2015	Source: State Water Quality Control Board
Date Data Arrived at EDR: 12/14/2015	Telephone: 866-480-1028
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 03/16/2016
Number of Days to Update: 56	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Quarterly

MCS: Military Cleanup Sites Listing

The State Water Resources Control Board and nine Regional Water Quality Control Boards partner with the Department of Defense (DoD) through the Defense and State Memorandum of Agreement (DSMOA) to oversee the investigation and remediation of water quality issues at military facilities.

Date of Government Version: 12/14/2015	Source: State Water Resources Control Board
Date Data Arrived at EDR: 12/14/2015	Telephone: 866-480-1028
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 03/16/2016
Number of Days to Update: 56	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 02/22/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 50	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (415) 495-8895
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Varies

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 07/08/2015	Telephone: 202-528-4285
Date Made Active in Reports: 10/13/2015	Last EDR Contact: 03/11/2016
Number of Days to Update: 97	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 04/15/2016
Number of Days to Update: 62	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 04/15/2016
Number of Days to Update: 339	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2011 Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2011 Telephone: 615-532-8599
Date Made Active in Reports: 05/02/2011 Last EDR Contact: 02/19/2016
Number of Days to Update: 54 Next Scheduled EDR Contact: 05/30/2016
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/01/2015 Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/03/2015 Telephone: 202-566-1917
Date Made Active in Reports: 11/03/2015 Last EDR Contact: 02/16/2016
Number of Days to Update: 61 Next Scheduled EDR Contact: 05/30/2016
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013 Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014 Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014 Last EDR Contact: 02/09/2016
Number of Days to Update: 88 Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013 Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/03/2015 Telephone: 703-308-4044
Date Made Active in Reports: 03/09/2015 Last EDR Contact: 02/12/2016
Number of Days to Update: 6 Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012 Source: EPA
Date Data Arrived at EDR: 01/15/2015 Telephone: 202-260-5521
Date Made Active in Reports: 01/29/2015 Last EDR Contact: 03/24/2016
Number of Days to Update: 14 Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 133

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 02/24/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/25/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013
Date Data Arrived at EDR: 12/12/2013
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 74

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 03/08/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2015
Date Data Arrived at EDR: 08/26/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 69

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/25/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/12/2016
Number of Days to Update: 3	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014	Source: EPA
Date Data Arrived at EDR: 10/15/2014	Telephone: 202-566-0500
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 04/12/2016
Number of Days to Update: 33	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/23/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/06/2015	Telephone: 202-564-5088
Date Made Active in Reports: 03/09/2015	Last EDR Contact: 04/08/2016
Number of Days to Update: 31	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/22/2016
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/22/2016
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/07/2016	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 03/18/2016	Telephone: 301-415-7169
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 02/08/2016
Number of Days to Update: 28	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 04/15/2016
Number of Days to Update: 76	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 03/11/2016
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/19/2011	Telephone: 202-566-0517
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 04/26/2016
Number of Days to Update: 83	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/07/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/09/2015	Telephone: 202-343-9775
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 04/08/2016
Number of Days to Update: 69	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 05/04/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 04/17/2015
Date Made Active in Reports: 06/02/2015
Number of Days to Update: 46

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 02/24/2015
Date Made Active in Reports: 09/30/2015
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/26/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 11/23/2015
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 86

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 02/08/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/14/2010
Date Data Arrived at EDR: 10/07/2011
Date Made Active in Reports: 03/01/2012
Number of Days to Update: 146

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 03/28/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 11/25/2014
Date Data Arrived at EDR: 11/26/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 64

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 04/07/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust.

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/27/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 69

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/27/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 69

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 44

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 03/02/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/05/2005 Source: USGS
Date Data Arrived at EDR: 02/29/2008 Telephone: 703-648-7709
Date Made Active in Reports: 04/18/2008 Last EDR Contact: 03/04/2016
Number of Days to Update: 49 Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011 Source: USGS
Date Data Arrived at EDR: 06/08/2011 Telephone: 703-648-7709
Date Made Active in Reports: 09/13/2011 Last EDR Contact: 03/04/2016
Number of Days to Update: 97 Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Varies

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/20/2015 Source: EPA
Date Data Arrived at EDR: 09/09/2015 Telephone: (415) 947-8000
Date Made Active in Reports: 11/03/2015 Last EDR Contact: 03/08/2016
Number of Days to Update: 55 Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Quarterly

CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989 Source: Department of Health Services
Date Data Arrived at EDR: 07/27/1994 Telephone: 916-255-2118
Date Made Active in Reports: 08/02/1994 Last EDR Contact: 05/31/1994
Number of Days to Update: 6 Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 12/28/2015 Source: CAL EPA/Office of Emergency Information
Date Data Arrived at EDR: 12/29/2015 Telephone: 916-323-3400
Date Made Active in Reports: 01/21/2016 Last EDR Contact: 03/30/2016
Number of Days to Update: 23 Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Quarterly

DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 02/08/2016 Source: Department of Toxic Substance Control
Date Data Arrived at EDR: 02/24/2016 Telephone: 916-327-4498
Date Made Active in Reports: 04/01/2016 Last EDR Contact: 02/05/2016
Number of Days to Update: 37 Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2013	Source: California Air Resources Board
Date Data Arrived at EDR: 09/25/2015	Telephone: 916-322-2990
Date Made Active in Reports: 11/05/2015	Last EDR Contact: 03/22/2016
Number of Days to Update: 41	Next Scheduled EDR Contact: 07/04/2016
	Data Release Frequency: Varies

ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 01/26/2016	Source: State Water Resources Control Board
Date Data Arrived at EDR: 01/29/2016	Telephone: 916-445-9379
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/21/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 01/28/2016	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 01/29/2016	Telephone: 916-255-3628
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/21/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 02/17/2016	Source: California Integrated Waste Management Board
Date Data Arrived at EDR: 02/23/2016	Telephone: 916-341-6066
Date Made Active in Reports: 04/01/2016	Last EDR Contact: 02/16/2016
Number of Days to Update: 38	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: Varies

HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2014	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 10/14/2015	Telephone: 916-255-1136
Date Made Active in Reports: 12/11/2015	Last EDR Contact: 04/15/2016
Number of Days to Update: 58	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Annually

HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSiTES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 01/22/2009	Telephone: 916-323-3400
Date Made Active in Reports: 04/08/2009	Last EDR Contact: 01/22/2009
Number of Days to Update: 76	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 02/22/2016	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 02/24/2016	Telephone: 916-323-3400
Date Made Active in Reports: 04/01/2016	Last EDR Contact: 02/24/2016
Number of Days to Update: 37	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Quarterly

HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 01/11/2016	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 01/13/2016	Telephone: 916-440-7145
Date Made Active in Reports: 02/22/2016	Last EDR Contact: 04/12/2016
Number of Days to Update: 40	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Quarterly

MINES: Mines Site Location Listing

A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 12/14/2015	Source: Department of Conservation
Date Data Arrived at EDR: 12/17/2015	Telephone: 916-322-1080
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 03/16/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Varies

MWMP: Medical Waste Management Program Listing

The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 02/29/2016	Source: Department of Public Health
Date Data Arrived at EDR: 03/08/2016	Telephone: 916-558-1784
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/08/2016
Number of Days to Update: 57	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Varies

NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 02/16/2016	Source: State Water Resources Control Board
Date Data Arrived at EDR: 02/17/2016	Telephone: 916-445-9379
Date Made Active in Reports: 04/01/2016	Last EDR Contact: 02/17/2016
Number of Days to Update: 44	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: Quarterly

PEST LIC: Pesticide Regulation Licenses Listing

A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 12/07/2015	Source: Department of Pesticide Regulation
Date Data Arrived at EDR: 12/08/2015	Telephone: 916-445-4038
Date Made Active in Reports: 01/21/2016	Last EDR Contact: 03/08/2016
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PROC: Certified Processors Database

A listing of certified processors.

Date of Government Version: 12/14/2015
Date Data Arrived at EDR: 12/17/2015
Date Made Active in Reports: 03/01/2016
Number of Days to Update: 75

Source: Department of Conservation
Telephone: 916-323-3836
Last EDR Contact: 03/16/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Quarterly

NOTIFY 65: Proposition 65 Records

Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 09/10/2015
Date Data Arrived at EDR: 01/05/2016
Date Made Active in Reports: 02/12/2016
Number of Days to Update: 38

Source: State Water Resources Control Board
Telephone: 916-445-3846
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: No Update Planned

UIC: UIC Listing

A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 07/23/2015
Date Data Arrived at EDR: 09/15/2015
Date Made Active in Reports: 10/13/2015
Number of Days to Update: 28

Source: Department of Conservation
Telephone: 916-445-2408
Last EDR Contact: 03/16/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Varies

WASTEWATER PITS: Oil Wastewater Pits Listing

Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water board's review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 04/15/2015
Date Data Arrived at EDR: 04/17/2015
Date Made Active in Reports: 06/23/2015
Number of Days to Update: 67

Source: RWQCB, Central Valley Region
Telephone: 559-445-5577
Last EDR Contact: 01/15/2016
Next Scheduled EDR Contact: 04/25/2016
Data Release Frequency: Varies

WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007
Date Data Arrived at EDR: 06/20/2007
Date Made Active in Reports: 06/29/2007
Number of Days to Update: 9

Source: State Water Resources Control Board
Telephone: 916-341-5227
Last EDR Contact: 02/19/2016
Next Scheduled EDR Contact: 06/16/2016
Data Release Frequency: Quarterly

WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009
Date Data Arrived at EDR: 07/21/2009
Date Made Active in Reports: 08/03/2009
Number of Days to Update: 13

Source: Los Angeles Water Quality Control Board
Telephone: 213-576-6726
Last EDR Contact: 03/28/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/20/2015
Date Data Arrived at EDR: 09/23/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 103

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 03/23/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/23/2015
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 86

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 02/24/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: State Water Resources Control Board
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

COUNTY RECORDS

ALAMEDA COUNTY:

Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 01/11/2016
Date Data Arrived at EDR: 01/12/2016
Date Made Active in Reports: 02/22/2016
Number of Days to Update: 41

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 04/11/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Semi-Annually

Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 01/11/2016
Date Data Arrived at EDR: 01/14/2016
Date Made Active in Reports: 03/01/2016
Number of Days to Update: 47

Source: Alameda County Environmental Health Services
Telephone: 510-567-6700
Last EDR Contact: 04/11/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Semi-Annually

AMADOR COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA Facility List

Cupa Facility List

Date of Government Version: 03/21/2016
Date Data Arrived at EDR: 03/22/2016
Date Made Active in Reports: 05/04/2016
Number of Days to Update: 43

Source: Amador County Environmental Health
Telephone: 209-223-6439
Last EDR Contact: 03/21/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Varies

BUTTE COUNTY:

CUPA Facility Listing

Cupa facility list.

Date of Government Version: 02/19/2016
Date Data Arrived at EDR: 02/23/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 38

Source: Public Health Department
Telephone: 530-538-7149
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: No Update Planned

CALVERAS COUNTY:

CUPA Facility Listing

Cupa Facility Listing

Date of Government Version: 02/02/2016
Date Data Arrived at EDR: 02/04/2016
Date Made Active in Reports: 02/22/2016
Number of Days to Update: 18

Source: Calveras County Environmental Health
Telephone: 209-754-6399
Last EDR Contact: 03/28/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Quarterly

COLUSA COUNTY:

CUPA Facility List

Cupa facility list.

Date of Government Version: 02/22/2016
Date Data Arrived at EDR: 02/24/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 37

Source: Health & Human Services
Telephone: 530-458-0396
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Varies

CONTRA COSTA COUNTY:

Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 02/24/2016
Date Data Arrived at EDR: 02/26/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 35

Source: Contra Costa Health Services Department
Telephone: 925-646-2286
Last EDR Contact: 05/02/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Semi-Annually

DEL NORTE COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA Facility List

Cupa Facility list

Date of Government Version: 01/22/2016
Date Data Arrived at EDR: 02/05/2016
Date Made Active in Reports: 03/07/2016
Number of Days to Update: 37

Source: Del Norte County Environmental Health Division
Telephone: 707-465-0426
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

EL DORADO COUNTY:

CUPA Facility List

CUPA facility list.

Date of Government Version: 02/22/2016
Date Data Arrived at EDR: 02/24/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 37

Source: El Dorado County Environmental Management Department
Telephone: 530-621-6623
Last EDR Contact: 05/02/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

FRESNO COUNTY:

CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 04/04/2016
Date Data Arrived at EDR: 04/06/2016
Date Made Active in Reports: 05/04/2016
Number of Days to Update: 28

Source: Dept. of Community Health
Telephone: 559-445-3271
Last EDR Contact: 04/04/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Semi-Annually

HUMBOLDT COUNTY:

CUPA Facility List

CUPA facility list.

Date of Government Version: 03/16/2016
Date Data Arrived at EDR: 03/21/2016
Date Made Active in Reports: 05/04/2016
Number of Days to Update: 44

Source: Humboldt County Environmental Health
Telephone: N/A
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

IMPERIAL COUNTY:

CUPA Facility List

Cupa facility list.

Date of Government Version: 01/25/2016
Date Data Arrived at EDR: 01/27/2016
Date Made Active in Reports: 02/22/2016
Number of Days to Update: 26

Source: San Diego Border Field Office
Telephone: 760-339-2777
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INYO COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA Facility List

Cupa facility list.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 09/11/2013
Date Made Active in Reports: 10/14/2013
Number of Days to Update: 33

Source: Inyo County Environmental Health Services
Telephone: 760-878-0238
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

KERN COUNTY:

Underground Storage Tank Sites & Tank Listing Kern County Sites and Tanks Listing.

Date of Government Version: 05/19/2015
Date Data Arrived at EDR: 06/18/2015
Date Made Active in Reports: 07/22/2015
Number of Days to Update: 34

Source: Kern County Environment Health Services Department
Telephone: 661-862-8700
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Quarterly

KINGS COUNTY:

CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 02/23/2016
Date Data Arrived at EDR: 02/25/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 36

Source: Kings County Department of Public Health
Telephone: 559-584-1411
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

LAKE COUNTY:

CUPA Facility List

Cupa facility list

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 02/12/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 49

Source: Lake County Environmental Health
Telephone: 707-263-1164
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Varies

LOS ANGELES COUNTY:

San Gabriel Valley Areas of Concern

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office.

Date of Government Version: 03/30/2009
Date Data Arrived at EDR: 03/31/2009
Date Made Active in Reports: 10/23/2009
Number of Days to Update: 206

Source: EPA Region 9
Telephone: 415-972-3178
Last EDR Contact: 03/21/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 11/24/2014	Source: Department of Public Works
Date Data Arrived at EDR: 01/30/2015	Telephone: 626-458-3517
Date Made Active in Reports: 03/04/2015	Last EDR Contact: 04/01/2016
Number of Days to Update: 33	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Semi-Annually

List of Solid Waste Facilities

Solid Waste Facilities in Los Angeles County.

Date of Government Version: 01/19/2016	Source: La County Department of Public Works
Date Data Arrived at EDR: 01/20/2016	Telephone: 818-458-5185
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/20/2016
Number of Days to Update: 62	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Varies

City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 01/01/2016	Source: Engineering & Construction Division
Date Data Arrived at EDR: 01/26/2016	Telephone: 213-473-7869
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/18/2016
Number of Days to Update: 56	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Varies

Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 01/15/2015	Source: Community Health Services
Date Data Arrived at EDR: 01/29/2015	Telephone: 323-890-7806
Date Made Active in Reports: 03/10/2015	Last EDR Contact: 03/28/2016
Number of Days to Update: 40	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Annually

City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 03/30/2015	Source: City of El Segundo Fire Department
Date Data Arrived at EDR: 04/02/2015	Telephone: 310-524-2236
Date Made Active in Reports: 04/13/2015	Last EDR Contact: 04/18/2016
Number of Days to Update: 11	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Semi-Annually

City of Long Beach Underground Storage Tank

Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 11/04/2015	Source: City of Long Beach Fire Department
Date Data Arrived at EDR: 11/13/2015	Telephone: 562-570-2563
Date Made Active in Reports: 12/17/2015	Last EDR Contact: 01/25/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Annually

City of Torrance Underground Storage Tank

Underground storage tank sites located in the city of Torrance.

Date of Government Version: 01/12/2016	Source: City of Torrance Fire Department
Date Data Arrived at EDR: 01/15/2016	Telephone: 310-618-2973
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 01/11/2016
Number of Days to Update: 24	Next Scheduled EDR Contact: 04/25/2016
	Data Release Frequency: Semi-Annually

MADERA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 03/02/2016	Source: Madera County Environmental Health
Date Data Arrived at EDR: 03/07/2016	Telephone: 559-675-7823
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 02/22/2016
Number of Days to Update: 58	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Varies

MARIN COUNTY:

Underground Storage Tank Sites

Currently permitted USTs in Marin County.

Date of Government Version: 10/05/2015	Source: Public Works Department Waste Management
Date Data Arrived at EDR: 10/08/2015	Telephone: 415-499-6647
Date Made Active in Reports: 10/15/2015	Last EDR Contact: 04/18/2016
Number of Days to Update: 7	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Semi-Annually

MERCED COUNTY:

CUPA Facility List

CUPA facility list.

Date of Government Version: 02/26/2016	Source: Merced County Environmental Health
Date Data Arrived at EDR: 03/01/2016	Telephone: 209-381-1094
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 02/22/2016
Number of Days to Update: 64	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Varies

MONO COUNTY:

CUPA Facility List

CUPA Facility List

Date of Government Version: 03/03/2016	Source: Mono County Health Department
Date Data Arrived at EDR: 03/07/2016	Telephone: 760-932-5580
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 02/29/2016
Number of Days to Update: 58	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: Varies

MONTEREY COUNTY:

CUPA Facility Listing

CUPA Program listing from the Environmental Health Division.

Date of Government Version: 03/15/2016	Source: Monterey County Health Department
Date Data Arrived at EDR: 03/18/2016	Telephone: 831-796-1297
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 02/22/2016
Number of Days to Update: 47	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Varies

NAPA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Sites With Reported Contamination

A listing of leaking underground storage tank sites located in Napa county.

Date of Government Version: 12/05/2011	Source: Napa County Department of Environmental Management
Date Data Arrived at EDR: 12/06/2011	Telephone: 707-253-4269
Date Made Active in Reports: 02/07/2012	Last EDR Contact: 02/29/2016
Number of Days to Update: 63	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: No Update Planned

Closed and Operating Underground Storage Tank Sites

Underground storage tank sites located in Napa county.

Date of Government Version: 01/15/2008	Source: Napa County Department of Environmental Management
Date Data Arrived at EDR: 01/16/2008	Telephone: 707-253-4269
Date Made Active in Reports: 02/08/2008	Last EDR Contact: 02/29/2016
Number of Days to Update: 23	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA Facility List

CUPA facility list.

Date of Government Version: 01/27/2016	Source: Community Development Agency
Date Data Arrived at EDR: 02/04/2016	Telephone: 530-265-1467
Date Made Active in Reports: 02/22/2016	Last EDR Contact: 04/29/2016
Number of Days to Update: 18	Next Scheduled EDR Contact: 08/15/2016
	Data Release Frequency: Varies

ORANGE COUNTY:

List of Industrial Site Cleanups

Petroleum and non-petroleum spills.

Date of Government Version: 02/01/2016	Source: Health Care Agency
Date Data Arrived at EDR: 02/12/2016	Telephone: 714-834-3446
Date Made Active in Reports: 04/01/2016	Last EDR Contact: 02/09/2016
Number of Days to Update: 49	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Annually

List of Underground Storage Tank Cleanups

Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 02/01/2016	Source: Health Care Agency
Date Data Arrived at EDR: 02/12/2016	Telephone: 714-834-3446
Date Made Active in Reports: 04/01/2016	Last EDR Contact: 02/09/2016
Number of Days to Update: 49	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

List of Underground Storage Tank Facilities

Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 02/01/2016	Source: Health Care Agency
Date Data Arrived at EDR: 02/10/2016	Telephone: 714-834-3446
Date Made Active in Reports: 04/01/2016	Last EDR Contact: 02/10/2016
Number of Days to Update: 51	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

PLACER COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 03/07/2016	Source: Placer County Health and Human Services
Date Data Arrived at EDR: 03/09/2016	Telephone: 530-745-2363
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/07/2016
Number of Days to Update: 66	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Semi-Annually

RIVERSIDE COUNTY:

Listing of Underground Tank Cleanup Sites

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 01/20/2016	Source: Department of Environmental Health
Date Data Arrived at EDR: 01/22/2016	Telephone: 951-358-5055
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 03/21/2016
Number of Days to Update: 60	Next Scheduled EDR Contact: 07/04/2016
	Data Release Frequency: Quarterly

Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 01/20/2016	Source: Department of Environmental Health
Date Data Arrived at EDR: 01/22/2016	Telephone: 951-358-5055
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 03/21/2016
Number of Days to Update: 60	Next Scheduled EDR Contact: 07/04/2016
	Data Release Frequency: Quarterly

SACRAMENTO COUNTY:

Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 11/02/2015	Source: Sacramento County Environmental Management
Date Data Arrived at EDR: 01/05/2016	Telephone: 916-875-8406
Date Made Active in Reports: 02/12/2016	Last EDR Contact: 04/06/2016
Number of Days to Update: 38	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Quarterly

Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 11/02/2015	Source: Sacramento County Environmental Management
Date Data Arrived at EDR: 01/05/2016	Telephone: 916-875-8406
Date Made Active in Reports: 02/12/2016	Last EDR Contact: 04/06/2016
Number of Days to Update: 38	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Quarterly

SAN BERNARDINO COUNTY:

Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/14/2015
Date Data Arrived at EDR: 12/18/2015
Date Made Active in Reports: 02/08/2016
Number of Days to Update: 52

Source: San Bernardino County Fire Department Hazardous Materials Division
Telephone: 909-387-3041
Last EDR Contact: 02/08/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Quarterly

SAN DIEGO COUNTY:

Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 09/23/2013
Date Data Arrived at EDR: 09/24/2013
Date Made Active in Reports: 10/17/2013
Number of Days to Update: 23

Source: Hazardous Materials Management Division
Telephone: 619-338-2268
Last EDR Contact: 03/07/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Quarterly

Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 10/31/2015
Date Data Arrived at EDR: 11/07/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 58

Source: Department of Health Services
Telephone: 619-338-2209
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 06/15/2010
Date Made Active in Reports: 07/09/2010
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health
Telephone: 619-338-2371
Last EDR Contact: 03/03/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: No Update Planned

SAN FRANCISCO COUNTY:

Local Oversight Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008
Date Data Arrived at EDR: 09/19/2008
Date Made Active in Reports: 09/29/2008
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County
Telephone: 415-252-3920
Last EDR Contact: 02/08/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Quarterly

Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 11/29/2010
Date Data Arrived at EDR: 03/10/2011
Date Made Active in Reports: 03/15/2011
Number of Days to Update: 5

Source: Department of Public Health
Telephone: 415-252-3920
Last EDR Contact: 02/08/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Quarterly

SAN JOAQUIN COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 04/06/2016
Date Data Arrived at EDR: 04/08/2016
Date Made Active in Reports: 05/04/2016
Number of Days to Update: 26

Source: Environmental Health Department
Telephone: N/A
Last EDR Contact: 04/04/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Semi-Annually

SAN LUIS OBISPO COUNTY:

CUPA Facility List

Cupa Facility List.

Date of Government Version: 02/22/2016
Date Data Arrived at EDR: 02/24/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 37

Source: San Luis Obispo County Public Health Department
Telephone: 805-781-5596
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/21/2016
Data Release Frequency: Varies

SAN MATEO COUNTY:

Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.

Date of Government Version: 10/14/2015
Date Data Arrived at EDR: 10/15/2015
Date Made Active in Reports: 11/16/2015
Number of Days to Update: 32

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 03/28/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Annually

Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 12/14/2015
Date Data Arrived at EDR: 12/17/2015
Date Made Active in Reports: 02/08/2016
Number of Days to Update: 53

Source: San Mateo County Environmental Health Services Division
Telephone: 650-363-1921
Last EDR Contact: 03/14/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Semi-Annually

SANTA BARBARA COUNTY:

CUPA Facility Listing

CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011
Date Data Arrived at EDR: 09/09/2011
Date Made Active in Reports: 10/07/2011
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department
Telephone: 805-686-8167
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

SANTA CLARA COUNTY:

Cupa Facility List

Cupa facility list

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/18/2015
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 12/11/2015
Number of Days to Update: 17

Source: Department of Environmental Health
Telephone: 408-918-1973
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005
Date Data Arrived at EDR: 03/30/2005
Date Made Active in Reports: 04/21/2005
Number of Days to Update: 22

Source: Santa Clara Valley Water District
Telephone: 408-265-2600
Last EDR Contact: 03/23/2009
Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014
Date Data Arrived at EDR: 03/05/2014
Date Made Active in Reports: 03/18/2014
Number of Days to Update: 13

Source: Department of Environmental Health
Telephone: 408-918-3417
Last EDR Contact: 02/29/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Annually

Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

Date of Government Version: 02/05/2016
Date Data Arrived at EDR: 02/10/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 51

Source: City of San Jose Fire Department
Telephone: 408-535-7694
Last EDR Contact: 02/08/2016
Next Scheduled EDR Contact: 05/23/2016
Data Release Frequency: Annually

SANTA CRUZ COUNTY:

CUPA Facility List

CUPA facility listing.

Date of Government Version: 02/26/2016
Date Data Arrived at EDR: 03/01/2016
Date Made Active in Reports: 05/04/2016
Number of Days to Update: 64

Source: Santa Cruz County Environmental Health
Telephone: 831-464-2761
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

SHASTA COUNTY:

CUPA Facility List

Cupa Facility List.

Date of Government Version: 03/18/2016
Date Data Arrived at EDR: 03/21/2016
Date Made Active in Reports: 05/04/2016
Number of Days to Update: 44

Source: Shasta County Department of Resource Management
Telephone: 530-225-5789
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

SOLANO COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 10/30/2015	Source: Solano County Department of Environmental Management
Date Data Arrived at EDR: 12/14/2015	Telephone: 707-784-6770
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 03/14/2016
Number of Days to Update: 56	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Quarterly

Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 03/14/2016	Source: Solano County Department of Environmental Management
Date Data Arrived at EDR: 03/21/2016	Telephone: 707-784-6770
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/14/2016
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Quarterly

SONOMA COUNTY:

Cupa Facility List

Cupa Facility list

Date of Government Version: 04/05/2016	Source: County of Sonoma Fire & Emergency Services Department
Date Data Arrived at EDR: 04/08/2016	Telephone: 707-565-1174
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/28/2016
Number of Days to Update: 26	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Varies

Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 01/05/2016	Source: Department of Health Services
Date Data Arrived at EDR: 01/07/2016	Telephone: 707-565-6565
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 03/28/2016
Number of Days to Update: 32	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

SUTTER COUNTY:

Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 03/14/2016	Source: Sutter County Department of Agriculture
Date Data Arrived at EDR: 03/15/2016	Telephone: 530-822-7500
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/07/2016
Number of Days to Update: 50	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Semi-Annually

TUOLUMNE COUNTY:

CUPA Facility List

Cupa facility list

Date of Government Version: 10/29/2015	Source: Division of Environmental Health
Date Data Arrived at EDR: 10/30/2015	Telephone: 209-533-5633
Date Made Active in Reports: 12/11/2015	Last EDR Contact: 04/21/2016
Number of Days to Update: 42	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

VENTURA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Business Plan, Hazardous Waste Producers, and Operating Underground Tanks

The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 12/28/2015	Source: Ventura County Environmental Health Division
Date Data Arrived at EDR: 01/29/2016	Telephone: 805-654-2813
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/25/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

Inventory of Illegal Abandoned and Inactive Sites

Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011	Source: Environmental Health Division
Date Data Arrived at EDR: 12/01/2011	Telephone: 805-654-2813
Date Made Active in Reports: 01/19/2012	Last EDR Contact: 04/04/2016
Number of Days to Update: 49	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Annually

Listing of Underground Tank Cleanup Sites

Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008	Source: Environmental Health Division
Date Data Arrived at EDR: 06/24/2008	Telephone: 805-654-2813
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 02/14/2016
Number of Days to Update: 37	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: Quarterly

Medical Waste Program List

To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 12/28/2015	Source: Ventura County Resource Management Agency
Date Data Arrived at EDR: 01/29/2016	Telephone: 805-654-2813
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/25/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Quarterly

Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 02/26/2016	Source: Environmental Health Division
Date Data Arrived at EDR: 03/17/2016	Telephone: 805-654-2813
Date Made Active in Reports: 05/04/2016	Last EDR Contact: 03/17/2016
Number of Days to Update: 48	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Quarterly

YOLO COUNTY:

Underground Storage Tank Comprehensive Facility Report

Underground storage tank sites located in Yolo county.

Date of Government Version: 02/01/2016	Source: Yolo County Department of Health
Date Data Arrived at EDR: 02/05/2016	Telephone: 530-666-8646
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 04/04/2016
Number of Days to Update: 46	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Annually

YUBA COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA Facility List

CUPA facility listing for Yuba County.

Date of Government Version: 02/01/2016
Date Data Arrived at EDR: 02/05/2016
Date Made Active in Reports: 02/22/2016
Number of Days to Update: 17

Source: Yuba County Environmental Health Department
Telephone: 530-749-7523
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/18/2016
Next Scheduled EDR Contact: 05/30/2016
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/17/2015
Date Made Active in Reports: 08/12/2015
Number of Days to Update: 26

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/12/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 02/01/2016
Date Data Arrived at EDR: 02/03/2016
Date Made Active in Reports: 03/22/2016
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 02/03/2016
Next Scheduled EDR Contact: 05/16/2016
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/24/2015
Date Made Active in Reports: 08/18/2015
Number of Days to Update: 25

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 06/19/2015
Date Made Active in Reports: 07/15/2015
Number of Days to Update: 26

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 03/21/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2014

Date Data Arrived at EDR: 03/19/2015

Date Made Active in Reports: 04/07/2015

Number of Days to Update: 19

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 03/14/2016

Next Scheduled EDR Contact: 06/27/2016

Data Release Frequency: Annually

Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Facilities

Source: Department of Social Services

Telephone: 916-657-4041

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Department of Fish & Game

Telephone: 916-445-0411

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

DGS CHICO CHP
995 FIR STREET
CHICO, CA 95928

TARGET PROPERTY COORDINATES

Latitude (North):	39.735549 - 39° 44' 7.98"
Longitude (West):	121.816524 - 121° 48' 59.49"
Universal Transverse Mercator:	Zone 10
UTM X (Meters):	601413.8
UTM Y (Meters):	4398866.5
Elevation:	221 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5603314 CHICO, CA
Version Date:	2012
North Map:	5603350 RICHARDSON SPRINGS, CA
Version Date:	2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u> BUTTE, CA	FEMA Flood <u>Electronic Data</u> YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	06007C - FEMA DFIRM Flood data
Additional Panels in search area:	Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u> CHICO	NWI Electronic <u>Data Coverage</u> YES - refer to the Overview Map and Detail Map
---	--

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:
 Search Radius: 1.25 miles
 Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Cenozoic
System: Quaternary
Series: Quaternary
Code: Q (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: BRENTWOOD

Soil Surface Texture: clay loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: HIGH

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	18 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 0.60 Min: 0.20	Max: 8.40 Min: 6.10
2	18 inches	50 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 0.60 Min: 0.20	Max: 8.40 Min: 6.10
3	50 inches	60 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 0.60 Min: 0.20	Max: 8.40 Min: 7.90

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: loam
clay
sandy loam
gravelly - loam

Surficial Soil Types: loam
clay
sandy loam
gravelly - loam

Shallow Soil Types: clay
gravelly - sandy clay loam

Deeper Soil Types: stratified
indurated
loam
clay

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A9	USGS40000193634	1/2 - 1 Mile NW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	15234	1/8 - 1/4 Mile NW
2	15232	1/4 - 1/2 Mile NE
3	15233	1/2 - 1 Mile East
4	15231	1/2 - 1 Mile NNW
5	15235	1/2 - 1 Mile WSW
6	15236	1/2 - 1 Mile SSE
7	15267	1/2 - 1 Mile NE
8	15238	1/2 - 1 Mile WSW
A10	15229	1/2 - 1 Mile NW
11	15240	1/2 - 1 Mile West
12	CADW60000009119	1/2 - 1 Mile East

PHYSICAL SETTING SOURCE MAP - 4611368.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



<p>SITE NAME: DGS Chico CHP ADDRESS: 995 Fir Street Chico CA 95928 LAT/LONG: 39.735549 / 121.816524</p>	<p>CLIENT: SHN Consulting Engineers CONTACT: Diana Ward INQUIRY #: 4611368.2s DATE: May 05, 2016 8:02 pm</p>
---	---

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1	CA WELLS	15234
NW		
1/8 - 1/4 Mile		
Lower		

Water System Information:

Prime Station Code: 22N/01E-25C01 M	User ID: BUG	Butte
FRDS Number: 0410002018	County: WELL/AMBNT/MUN/INTAKE/SUPPLY	
District Number: 02	Station Type: WELL/AMBNT/MUN/INTAKE/SUPPLY	
Water Type: Well/Groundwater	Well Status: Active Untreated	
Source Lat/Long: 394413.4 1214903.2	Precision: 10 Feet (1/10 Second)	
Source Name: WELL 18-01		
System Number: 0410002		
System Name: Cal-Water Service Co.-Chico		
Organization That Operates System:		
Not Reported		
Chico, CA 95926		
Pop Served: 75100	Connections: 21152	
Area Served: CHICO		
Sample Collected: 22-MAR-11	Findings: 260. US	
Chemical: SPECIFIC CONDUCTANCE		
Sample Collected: 22-MAR-11	Findings: 7.9	
Chemical: PH, LABORATORY		
Sample Collected: 22-MAR-11	Findings: 120. MG/L	
Chemical: ALKALINITY (TOTAL) AS CaCO3		
Sample Collected: 22-MAR-11	Findings: 150. MG/L	
Chemical: BICARBONATE ALKALINITY		
Sample Collected: 22-MAR-11	Findings: 120. MG/L	
Chemical: HARDNESS (TOTAL) AS CaCO3		
Sample Collected: 22-MAR-11	Findings: 23. MG/L	
Chemical: CALCIUM		
Sample Collected: 22-MAR-11	Findings: 15. MG/L	
Chemical: MAGNESIUM		
Sample Collected: 22-MAR-11	Findings: 13. MG/L	
Chemical: SODIUM		
Sample Collected: 22-MAR-11	Findings: 11. MG/L	
Chemical: CHLORIDE		
Sample Collected: 22-MAR-11	Findings: 190. MG/L	
Chemical: TOTAL DISSOLVED SOLIDS		
Sample Collected: 22-MAR-11	Findings: - 0.18	
Chemical: LANGELIER INDEX @ 60 C		
Sample Collected: 22-MAR-11	Findings: 4. MG/L	
Chemical: NITRATE (AS NO3)		
Sample Collected: 22-MAR-11	Findings: 12.	
Chemical: AGGRSSIVE INDEX (CORROSIVITY)		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	08-JUN-11	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	07-SEP-11	Findings:	7.8
Chemical:	PH, FIELD		
Sample Collected:	07-DEC-11	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	06-MAR-12	Findings:	7.47
Chemical:	PH, FIELD		
Sample Collected:	21-MAR-12	Findings:	3.634 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	05-JUN-12	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	05-SEP-12	Findings:	7.31
Chemical:	PH, FIELD		
Sample Collected:	05-DEC-12	Findings:	7.03
Chemical:	PH, FIELD		
Sample Collected:	06-MAR-13	Findings:	7.27
Chemical:	PH, FIELD		
Sample Collected:	20-MAR-13	Findings:	3.589 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	04-JUN-13	Findings:	7.35
Chemical:	PH, FIELD		
Sample Collected:	03-SEP-13	Findings:	7.28
Chemical:	PH, FIELD		
Sample Collected:	02-DEC-13	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	04-MAR-14	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	04-MAR-14	Findings:	290. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	04-MAR-14	Findings:	7.4
Chemical:	PH, LABORATORY		
Sample Collected:	04-MAR-14	Findings:	140. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	04-MAR-14	Findings:	170. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	04-MAR-14	Findings:	130. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		
Sample Collected:	04-MAR-14	Findings:	25. MG/L
Chemical:	CALCIUM		
Sample Collected:	04-MAR-14	Findings:	15. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	04-MAR-14	Findings:	14. MG/L
Chemical:	SODIUM		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	04-MAR-14	Findings:	11. MG/L
Chemical:	CHLORIDE		
Sample Collected:	04-MAR-14	Findings:	200. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	04-MAR-14	Findings:	- 0.58
Chemical:	LANGELIER INDEX @ 60 C		
Sample Collected:	04-MAR-14	Findings:	3.8 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	04-MAR-14	Findings:	11.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	03-JUN-14	Findings:	7.34
Chemical:	PH, FIELD		
Sample Collected:	03-SEP-14	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	03-DEC-14	Findings:	19.3 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	03-DEC-14	Findings:	7.8
Chemical:	PH, FIELD		
Sample Collected:	04-MAR-15	Findings:	17.9 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	04-MAR-15	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	17-MAR-15	Findings:	3.289 MG/L
Chemical:	NITRATE (AS NO3)		

2
NE
1/4 - 1/2 Mile
Higher

CA WELLS 15232

Water System Information:

Prime Station Code:	22N/01E-25A01 M	User ID:	BUG
FRDS Number:	0410002038	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394421.9 1214832.8	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 39-01		
System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		
Sample Collected:	20-OCT-14	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	21-JAN-15	Findings:	17.2 C
Chemical:	SOURCE TEMPERATURE C		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	21-JAN-15	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	20-APR-15	Findings:	17.7 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	20-APR-15	Findings:	7.8
Chemical:	PH, FIELD		
Sample Collected:	18-APR-11	Findings:	2.3 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	19-JUL-11	Findings:	8.3
Chemical:	PH, FIELD		
Sample Collected:	18-OCT-11	Findings:	6.7
Chemical:	PH, FIELD		
Sample Collected:	17-JAN-13	Findings:	7.37
Chemical:	PH, FIELD		
Sample Collected:	20-FEB-13	Findings:	2.939 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	19-MAR-13	Findings:	2.766 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	19-MAR-13	Findings:	2.4 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	19-MAR-13	Findings:	3. PCI/L
Chemical:	GROSS ALPHA MDA95		
Sample Collected:	26-MAR-13	Findings:	2.292 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	16-APR-13	Findings:	7.87
Chemical:	PH, FIELD		
Sample Collected:	15-JUL-13	Findings:	8.24
Chemical:	PH, FIELD		
Sample Collected:	14-OCT-13	Findings:	8.1
Chemical:	PH, FIELD		
Sample Collected:	21-JAN-14	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	14-JUL-14	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	20-OCT-14	Findings:	18.4 C
Chemical:	SOURCE TEMPERATURE C		

3
East
1/2 - 1 Mile
Higher

CA WELLS 15233

Water System Information:

Prime Station Code:	22N/01E-25A02 M	User ID:	BUG
FRDS Number:	0410002057	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394404.9 1214822.3	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 57-01		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		
Sample Collected:	25-JUL-11	Findings:	5. MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	08-AUG-11	Findings:	8.2
Chemical:	PH, FIELD		
Sample Collected:	08-NOV-11	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	26-JAN-12	Findings:	2.3 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	26-JAN-12	Findings:	3. PCI/L
Chemical:	GROSS ALPHA MDA95		
Sample Collected:	22-FEB-12	Findings:	6.7
Chemical:	PH, FIELD		
Sample Collected:	14-MAY-12	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	14-AUG-12	Findings:	7.53
Chemical:	PH, FIELD		
Sample Collected:	21-AUG-12	Findings:	4.54 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	13-NOV-12	Findings:	7.81
Chemical:	PH, FIELD		
Sample Collected:	12-FEB-13	Findings:	7.46
Chemical:	PH, FIELD		
Sample Collected:	13-MAY-13	Findings:	7.63
Chemical:	PH, FIELD		
Sample Collected:	14-AUG-13	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	19-AUG-13	Findings:	0.69 PCI/L
Chemical:	RADIUM 228 MDA95		
Sample Collected:	27-AUG-13	Findings:	4.829 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	10-OCT-13	Findings:	5. UNITS
Chemical:	COLOR		
Sample Collected:	10-OCT-13	Findings:	280. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	10-OCT-13	Findings:	7.7
Chemical:	PH, LABORATORY		
Sample Collected:	10-OCT-13	Findings:	130. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	10-OCT-13	Findings:	160. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	10-OCT-13	Findings:	130. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO ₃		
Sample Collected:	10-OCT-13	Findings:	25. MG/L
Chemical:	CALCIUM		
Sample Collected:	10-OCT-13	Findings:	16. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	10-OCT-13	Findings:	11. MG/L
Chemical:	SODIUM		
Sample Collected:	10-OCT-13	Findings:	9.2 MG/L
Chemical:	CHLORIDE		
Sample Collected:	10-OCT-13	Findings:	190. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	10-OCT-13	Findings:	5.4 MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	10-OCT-13	Findings:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	12-NOV-13	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	10-FEB-14	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	13-NOV-14	Findings:	17.3 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	13-NOV-14	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	18-DEC-14	Findings:	3.3 UG/L
Chemical:	CHROMIUM, HEXAVALENT		
Sample Collected:	18-DEC-14	Findings:	5.58 MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	20-JAN-15	Findings:	16.5 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	20-JAN-15	Findings:	7.97
Chemical:	PH, FIELD		
Sample Collected:	26-JAN-15	Findings:	17.2 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	26-JAN-15	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	02-FEB-15	Findings:	18.4 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	02-FEB-15	Findings:	8.04
Chemical:	PH, FIELD		
Sample Collected:	09-FEB-15	Findings:	17.5 C
Chemical:	SOURCE TEMPERATURE C		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	09-FEB-15	Findings:	7.73
Chemical:	PH, FIELD		
Sample Collected:	17-FEB-15	Findings:	18.1 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	17-FEB-15	Findings:	8.04
Chemical:	PH, FIELD		
Sample Collected:	23-FEB-15	Findings:	17.9 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	23-FEB-15	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	02-MAR-15	Findings:	16.9 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	02-MAR-15	Findings:	7.85
Chemical:	PH, FIELD		
Sample Collected:	09-MAR-15	Findings:	17.6 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	09-MAR-15	Findings:	7.8
Chemical:	PH, FIELD		
Sample Collected:	11-MAY-15	Findings:	19.7 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	11-MAY-15	Findings:	6.85
Chemical:	PH, FIELD		
Sample Collected:	09-JUN-15	Findings:	4.5 MG/L
Chemical:	NITRATE (AS NO3)		

**4
NNW
1/2 - 1 Mile
Higher**

CA WELLS 15231

Water System Information:

Prime Station Code:	22N/01E-24N01 M	User ID:	BUG
FRDS Number:	0410002020	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394433.9 1214914.4	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 20-01		
System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		
Sample Collected:	31-MAY-11	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	06-JUN-11	Findings:	6.8
Chemical:	PH, FIELD		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	13-JUN-11	Findings:	7.2
Chemical:	PH, FIELD		
Sample Collected:	25-JUL-11	Findings:	8.1
Chemical:	PH, FIELD		
Sample Collected:	14-SEP-11	Findings:	240. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	14-SEP-11	Findings:	8.2
Chemical:	PH, LABORATORY		
Sample Collected:	14-SEP-11	Findings:	100. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	14-SEP-11	Findings:	120. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	14-SEP-11	Findings:	96. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO ₃		
Sample Collected:	14-SEP-11	Findings:	19. MG/L
Chemical:	CALCIUM		
Sample Collected:	14-SEP-11	Findings:	12. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	14-SEP-11	Findings:	12. MG/L
Chemical:	SODIUM		
Sample Collected:	14-SEP-11	Findings:	7. MG/L
Chemical:	CHLORIDE		
Sample Collected:	14-SEP-11	Findings:	0.11 MG/L
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)		
Sample Collected:	14-SEP-11	Findings:	150. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	14-SEP-11	Findings:	3.7 MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	14-SEP-11	Findings:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	04-OCT-11	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	11-OCT-11	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	17-OCT-11	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	24-OCT-11	Findings:	6.8
Chemical:	PH, FIELD		
Sample Collected:	25-APR-12	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	02-MAY-12	Findings:	7.28
Chemical:	PH, FIELD		
Sample Collected:	07-MAY-12	Findings:	7.54
Chemical:	PH, FIELD		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	14-MAY-12	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	21-MAY-12	Findings:	7.61
Chemical:	PH, FIELD		
Sample Collected:	29-MAY-12	Findings:	7.8
Chemical:	PH, FIELD		
Sample Collected:	05-JUN-12	Findings:	7.62
Chemical:	PH, FIELD		
Sample Collected:	11-JUN-12	Findings:	7.83
Chemical:	PH, FIELD		
Sample Collected:	18-JUN-12	Findings:	7.84
Chemical:	PH, FIELD		
Sample Collected:	25-JUN-12	Findings:	7.79
Chemical:	PH, FIELD		
Sample Collected:	02-JUL-12	Findings:	7.63
Chemical:	PH, FIELD		
Sample Collected:	09-JUL-12	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	17-JUL-12	Findings:	7.52
Chemical:	PH, FIELD		
Sample Collected:	23-JUL-12	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	17-SEP-12	Findings:	3.922 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	15-OCT-12	Findings:	2.1 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	15-OCT-12	Findings:	3. PCI/L
Chemical:	GROSS ALPHA MDA95		
Sample Collected:	15-OCT-12	Findings:	0.82 PCI/L
Chemical:	RADIUM 228 MDA95		
Sample Collected:	22-OCT-12	Findings:	7.41
Chemical:	PH, FIELD		
Sample Collected:	02-MAY-13	Findings:	7.34
Chemical:	PH, FIELD		
Sample Collected:	06-MAY-13	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	16-MAY-13	Findings:	7.35
Chemical:	PH, FIELD		
Sample Collected:	17-MAY-13	Findings:	7.44
Chemical:	PH, FIELD		
Sample Collected:	22-MAY-13	Findings:	7.34
Chemical:	PH, FIELD		
Sample Collected:	28-MAY-13	Findings:	7.52
Chemical:	PH, FIELD		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	04-JUN-13	Findings:	7.53
Chemical:	PH, FIELD		
Sample Collected:	10-JUN-13	Findings:	7.53
Chemical:	PH, FIELD		
Sample Collected:	18-JUN-13	Findings:	7.56
Chemical:	PH, FIELD		
Sample Collected:	24-JUN-13	Findings:	7.57
Chemical:	PH, FIELD		
Sample Collected:	01-JUL-13	Findings:	7.69
Chemical:	PH, FIELD		
Sample Collected:	09-JUL-13	Findings:	7.66
Chemical:	PH, FIELD		
Sample Collected:	16-JUL-13	Findings:	7.48
Chemical:	PH, FIELD		
Sample Collected:	22-JUL-13	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	30-JUL-13	Findings:	7.44
Chemical:	PH, FIELD		
Sample Collected:	27-AUG-13	Findings:	4.008 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	21-JUL-14	Findings:	7.51
Chemical:	PH, FIELD		
Sample Collected:	16-SEP-14	Findings:	240. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	16-SEP-14	Findings:	7.99
Chemical:	PH, LABORATORY		
Sample Collected:	16-SEP-14	Findings:	100. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	16-SEP-14	Findings:	130. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	16-SEP-14	Findings:	99. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		
Sample Collected:	16-SEP-14	Findings:	20. MG/L
Chemical:	CALCIUM		
Sample Collected:	16-SEP-14	Findings:	12. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	16-SEP-14	Findings:	12. MG/L
Chemical:	SODIUM		
Sample Collected:	16-SEP-14	Findings:	7.2 MG/L
Chemical:	CHLORIDE		
Sample Collected:	16-SEP-14	Findings:	180. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	16-SEP-14	Findings:	- 0.12
Chemical:	LANGELIER INDEX @ 60 C		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	16-SEP-14	Findings:	. 4.2 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	16-SEP-14	Findings:	. 12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	14-OCT-14	Findings:	. 20.4 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	14-OCT-14	Findings:	. 8.05
Chemical:	PH, FIELD		
Sample Collected:	27-APR-15	Findings:	. 21.3 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	27-APR-15	Findings:	. 7.4
Chemical:	PH, FIELD		

5
WSW
1/2 - 1 Mile
Lower

CA WELLS 15235

Water System Information:

Prime Station Code:	22N/01E-25M01 M	User ID:	BUG
FRDS Number:	0410002006	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394353.9 1214928.0	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 07-04		
System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		
Sample Collected:	16-FEB-11	Findings:	310. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	16-FEB-11	Findings:	8.
Chemical:	PH, LABORATORY		
Sample Collected:	16-FEB-11	Findings:	120. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	16-FEB-11	Findings:	150. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	16-FEB-11	Findings:	130. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		
Sample Collected:	16-FEB-11	Findings:	26. MG/L
Chemical:	CALCIUM		
Sample Collected:	16-FEB-11	Findings:	16. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	16-FEB-11	Findings:	12. MG/L
Chemical:	SODIUM		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	16-FEB-11	Findings:	10. MG/L
Chemical:	CHLORIDE		
Sample Collected:	16-FEB-11	Findings:	190. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	16-FEB-11	Findings:	7.3 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	16-FEB-11	Findings:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	02-AUG-11	Findings:	8.
Chemical:	PH, FIELD		
Sample Collected:	31-OCT-11	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	01-NOV-11	Findings:	7.2
Chemical:	PH, FIELD		
Sample Collected:	06-FEB-12	Findings:	7.27
Chemical:	PH, FIELD		
Sample Collected:	07-FEB-12	Findings:	6.316 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	01-MAY-12	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	06-AUG-12	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	06-NOV-12	Findings:	7.56
Chemical:	PH, FIELD		
Sample Collected:	05-FEB-13	Findings:	7.19
Chemical:	PH, FIELD		
Sample Collected:	25-FEB-13	Findings:	6.472 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	06-MAY-13	Findings:	7.82
Chemical:	PH, FIELD		
Sample Collected:	04-NOV-13	Findings:	7.66
Chemical:	PH, FIELD		
Sample Collected:	05-FEB-14	Findings:	7.2
Chemical:	PH, FIELD		
Sample Collected:	11-FEB-14	Findings:	280. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	11-FEB-14	Findings:	7.2
Chemical:	PH, LABORATORY		
Sample Collected:	11-FEB-14	Findings:	130. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	11-FEB-14	Findings:	160. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	11-FEB-14	Findings:	120. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	11-FEB-14	Findings:	24. MG/L
Chemical:	CALCIUM		
Sample Collected:	11-FEB-14	Findings:	15. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	11-FEB-14	Findings:	11. MG/L
Chemical:	SODIUM		
Sample Collected:	11-FEB-14	Findings:	8.9 MG/L
Chemical:	CHLORIDE		
Sample Collected:	11-FEB-14	Findings:	200. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	11-FEB-14	Findings:	- 0.83
Chemical:	LANGELIER INDEX @ 60 C		
Sample Collected:	11-FEB-14	Findings:	5.6 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	11-FEB-14	Findings:	11.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	06-MAY-14	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	04-AUG-14	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	04-NOV-14	Findings:	18.1 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	04-NOV-14	Findings:	7.2
Chemical:	PH, FIELD		
Sample Collected:	02-FEB-15	Findings:	17.6 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	02-FEB-15	Findings:	7.1
Chemical:	PH, FIELD		
Sample Collected:	24-FEB-15	Findings:	7.075 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	04-MAY-15	Findings:	17.3 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	04-MAY-15	Findings:	7.3
Chemical:	PH, FIELD		

6
SSE
1/2 - 1 Mile
Lower

CA WELLS 15236

Water System Information:

Prime Station Code:	22N/01E-25R01 M	User ID:	BUG
FRDS Number:	0410002061	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394340.0 1214834.2	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 61-01		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		
Sample Collected:	22-MAR-11	Findings:	6.9 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	02-MAY-11	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	31-MAY-11	Findings:	8.1
Chemical:	PH, FIELD		
Sample Collected:	08-JUN-11	Findings:	8.
Chemical:	PH, FIELD		
Sample Collected:	13-JUN-11	Findings:	7.2
Chemical:	PH, FIELD		
Sample Collected:	21-JUN-11	Findings:	8.1
Chemical:	PH, FIELD		
Sample Collected:	27-JUN-11	Findings:	8.1
Chemical:	PH, FIELD		
Sample Collected:	05-JUL-11	Findings:	6.7
Chemical:	PH, FIELD		
Sample Collected:	11-JUL-11	Findings:	8.2
Chemical:	PH, FIELD		
Sample Collected:	18-JUL-11	Findings:	6.8
Chemical:	PH, FIELD		
Sample Collected:	25-JUL-11	Findings:	8.
Chemical:	PH, FIELD		
Sample Collected:	01-AUG-11	Findings:	6.8
Chemical:	PH, FIELD		
Sample Collected:	15-AUG-11	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	19-SEP-11	Findings:	7.1
Chemical:	PH, FIELD		
Sample Collected:	21-DEC-11	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	27-DEC-11	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	03-JAN-12	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	09-JAN-12	Findings:	8.2
Chemical:	PH, FIELD		
Sample Collected:	17-JAN-12	Findings:	7.7
Chemical:	PH, FIELD		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	23-JAN-12	Findings:	8.
Chemical:	PH, FIELD		
Sample Collected:	23-JAN-12	Findings:	2.3 PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	23-JAN-12	Findings:	3. PCI/L
Chemical:	GROSS ALPHA MDA95		
Sample Collected:	30-JAN-12	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	21-MAR-12	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	21-MAR-12	Findings:	3.069 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	20-JUN-12	Findings:	7.75
Chemical:	PH, FIELD		
Sample Collected:	17-SEP-12	Findings:	7.81
Chemical:	PH, FIELD		
Sample Collected:	17-DEC-12	Findings:	7.58
Chemical:	PH, FIELD		
Sample Collected:	07-MAR-13	Findings:	0.67 PCI/L
Chemical:	RADIUM 228 MDA95		
Sample Collected:	19-MAR-13	Findings:	7.66
Chemical:	PH, FIELD		
Sample Collected:	20-MAR-13	Findings:	2.917 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	09-APR-13	Findings:	220. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	09-APR-13	Findings:	8.2
Chemical:	PH, LABORATORY		
Sample Collected:	09-APR-13	Findings:	120. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	09-APR-13	Findings:	140. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	09-APR-13	Findings:	94. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		
Sample Collected:	09-APR-13	Findings:	19. MG/L
Chemical:	CALCIUM		
Sample Collected:	09-APR-13	Findings:	12. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	09-APR-13	Findings:	12. MG/L
Chemical:	SODIUM		
Sample Collected:	09-APR-13	Findings:	2.4 MG/L
Chemical:	POTASSIUM		
Sample Collected:	09-APR-13	Findings:	4.8 MG/L
Chemical:	CHLORIDE		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	09-APR-13	Findings:	170. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	09-APR-13	Findings:	4.4e-002
Chemical:	LANGELIER INDEX @ 60 C		
Sample Collected:	09-APR-13	Findings:	3.2 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	09-APR-13	Findings:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	17-JUN-13	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	16-SEP-13	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	16-DEC-13	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	25-FEB-14	Findings:	19.5 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	25-FEB-14	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	25-FEB-14	Findings:	2.706 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	17-MAR-14	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	18-JUN-14	Findings:	7.48
Chemical:	PH, FIELD		
Sample Collected:	01-JUL-14	Findings:	7.65
Chemical:	PH, FIELD		
Sample Collected:	07-JUL-14	Findings:	8.
Chemical:	PH, FIELD		
Sample Collected:	14-JUL-14	Findings:	7.85
Chemical:	PH, FIELD		
Sample Collected:	21-JUL-14	Findings:	7.68
Chemical:	PH, FIELD		
Sample Collected:	28-JUL-14	Findings:	7.69
Chemical:	PH, FIELD		
Sample Collected:	04-AUG-14	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	11-AUG-14	Findings:	7.26
Chemical:	PH, FIELD		
Sample Collected:	18-AUG-14	Findings:	7.3
Chemical:	PH, FIELD		
Sample Collected:	25-AUG-14	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	08-SEP-14	Findings:	1.1 UG/L
Chemical:	CHROMIUM, HEXAVALENT		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	15-SEP-14	Findings:	. 7.5
Chemical:	PH, FIELD		
Sample Collected:	09-DEC-14	Findings:	. 18. C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	09-DEC-14	Findings:	. 7.4
Chemical:	PH, FIELD		
Sample Collected:	16-MAR-15	Findings:	. 20.2 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	16-MAR-15	Findings:	. 7.91
Chemical:	PH, FIELD		
Sample Collected:	16-MAR-15	Findings:	. 8.159 MG/L
Chemical:	NITRATE (AS NO3)		

**7
NE
1/2 - 1 Mile
Higher**

CA WELLS 15267

Water System Information:

Prime Station Code:	22N/02E-19N01 M	User ID:	BUG
FRDS Number:	0410002054	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394433.4 1214820.6	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 54-01		
System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		
Sample Collected:	27-APR-11	Findings:	3.3 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	12-JUL-11	Findings:	6.7
Chemical:	PH, FIELD		
Sample Collected:	12-OCT-11	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	10-JAN-12	Findings:	8.
Chemical:	PH, FIELD		
Sample Collected:	09-APR-12	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	17-APR-12	Findings:	4.469 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	27-APR-12	Findings:	2. PCI/L
Chemical:	GROSS ALPHA COUNTING ERROR		
Sample Collected:	27-APR-12	Findings:	3. PCI/L
Chemical:	GROSS ALPHA MDA95		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	09-JUL-12	Findings:	7.73
Chemical:	PH, FIELD		
Sample Collected:	09-OCT-12	Findings:	7.86
Chemical:	PH, FIELD		
Sample Collected:	07-JAN-13	Findings:	7.95
Chemical:	PH, FIELD		
Sample Collected:	09-APR-13	Findings:	8.02
Chemical:	PH, FIELD		
Sample Collected:	09-APR-13	Findings:	240. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	09-APR-13	Findings:	8.2
Chemical:	PH, LABORATORY		
Sample Collected:	09-APR-13	Findings:	110. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	09-APR-13	Findings:	140. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	09-APR-13	Findings:	97. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO ₃		
Sample Collected:	09-APR-13	Findings:	20. MG/L
Chemical:	CALCIUM		
Sample Collected:	09-APR-13	Findings:	12. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	09-APR-13	Findings:	12. MG/L
Chemical:	SODIUM		
Sample Collected:	09-APR-13	Findings:	2.1 MG/L
Chemical:	POTASSIUM		
Sample Collected:	09-APR-13	Findings:	7.7 MG/L
Chemical:	CHLORIDE		
Sample Collected:	09-APR-13	Findings:	180. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	09-APR-13	Findings:	2.6e-002
Chemical:	LANGELIER INDEX @ 60 C		
Sample Collected:	09-APR-13	Findings:	4. MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	09-APR-13	Findings:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	15-APR-13	Findings:	7.97
Chemical:	PH, FIELD		
Sample Collected:	22-APR-13	Findings:	8.14
Chemical:	PH, FIELD		
Sample Collected:	29-APR-13	Findings:	8.14
Chemical:	PH, FIELD		
Sample Collected:	06-MAY-13	Findings:	8.22
Chemical:	PH, FIELD		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	13-MAY-13	Findings:	7.34
Chemical:	PH, FIELD		
Sample Collected:	20-MAY-13	Findings:	7.85
Chemical:	PH, FIELD		
Sample Collected:	28-MAY-13	Findings:	8.6
Chemical:	PH, FIELD		
Sample Collected:	08-JUL-13	Findings:	8.15
Chemical:	PH, FIELD		
Sample Collected:	09-OCT-13	Findings:	8.2
Chemical:	PH, FIELD		
Sample Collected:	13-JAN-14	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	18-DEC-14	Findings:	5.76 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	12-JAN-15	Findings:	17. C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	12-JAN-15	Findings:	8.
Chemical:	PH, FIELD		
Sample Collected:	08-APR-15	Findings:	4.514 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	14-APR-15	Findings:	16.6 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	14-APR-15	Findings:	7.92
Chemical:	PH, FIELD		

8
WSW
 1/2 - 1 Mile
 Lower

CA WELLS 15238

Water System Information:

Prime Station Code:	22N/01E-26J02 M	User ID:	BUG
FRDS Number:	0410002004	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394352.8 1214944.3	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 04-02		
System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		

A9
NW
 1/2 - 1 Mile
 Lower

FED USGS USGS40000193634

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-CA		
Formal name:	USGS California Water Science Center		
Monloc Identifier:	USGS-394437121494201		
Monloc name:	022N001E23R001M		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	18020103	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	39.7434945
Longitude:	-121.8294221	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	215.00
Vert measure units:	feet	Vertacc measure val:	2.
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Central Valley aquifer system		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	19670421	Welldepth:	784
Welldepth units:	ft	Wellholedepth:	784
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1967-04-21	62.00	

**A10
NW
1/2 - 1 Mile
Lower**

CA WELLS 15229

Water System Information:

Prime Station Code:	22N/01E-23R01 M	User ID:	BUG
FRDS Number:	0410002037	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Water Type:	Well/Groundwater	Well Status:	Active Untreated
Source Lat/Long:	394437.8 1214944.7	Precision:	10 Feet (1/10 Second)
Source Name:	WELL 38-01		
System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		
Sample Collected:	26-JAN-11	Findings:	1.3 UG/L
Chemical:	CHROMIUM, HEXAVALENT		
Sample Collected:	04-MAY-11	Findings:	1.1 UG/L
Chemical:	CHROMIUM, HEXAVALENT		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	08-JUN-11	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	03-AUG-11	Findings:	1.1 UG/L
Chemical:	CHROMIUM, HEXAVALENT		
Sample Collected:	16-AUG-11	Findings:	230. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	16-AUG-11	Findings:	8.2
Chemical:	PH, LABORATORY		
Sample Collected:	16-AUG-11	Findings:	99. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO ₃		
Sample Collected:	16-AUG-11	Findings:	120. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	16-AUG-11	Findings:	94. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO ₃		
Sample Collected:	16-AUG-11	Findings:	18. MG/L
Chemical:	CALCIUM		
Sample Collected:	16-AUG-11	Findings:	12. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	16-AUG-11	Findings:	11. MG/L
Chemical:	SODIUM		
Sample Collected:	16-AUG-11	Findings:	5.7 MG/L
Chemical:	CHLORIDE		
Sample Collected:	16-AUG-11	Findings:	170. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	16-AUG-11	Findings:	3.5 MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	16-AUG-11	Findings:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	06-SEP-11	Findings:	3.164 MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	06-SEP-11	Findings:	7.9
Chemical:	PH, FIELD		
Sample Collected:	06-DEC-11	Findings:	7.5
Chemical:	PH, FIELD		
Sample Collected:	07-MAR-12	Findings:	7.6
Chemical:	PH, FIELD		
Sample Collected:	05-JUN-12	Findings:	7.58
Chemical:	PH, FIELD		
Sample Collected:	05-SEP-12	Findings:	7.7
Chemical:	PH, FIELD		
Sample Collected:	17-SEP-12	Findings:	3.381 MG/L
Chemical:	NITRATE (AS NO ₃)		
Sample Collected:	04-DEC-12	Findings:	7.75
Chemical:	PH, FIELD		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	04-MAR-13	Findings:	7.44
Chemical:	PH, FIELD		
Sample Collected:	04-JUN-13	Findings:	7.52
Chemical:	PH, FIELD		
Sample Collected:	03-SEP-13	Findings:	7.67
Chemical:	PH, FIELD		
Sample Collected:	16-SEP-13	Findings:	3.458 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	03-DEC-13	Findings:	7.4
Chemical:	PH, FIELD		
Sample Collected:	05-MAR-14	Findings:	7.58
Chemical:	PH, FIELD		
Sample Collected:	03-JUN-14	Findings:	8.09
Chemical:	PH, FIELD		
Sample Collected:	12-AUG-14	Findings:	230. US
Chemical:	SPECIFIC CONDUCTANCE		
Sample Collected:	12-AUG-14	Findings:	7.7
Chemical:	PH, LABORATORY		
Sample Collected:	12-AUG-14	Findings:	100. MG/L
Chemical:	ALKALINITY (TOTAL) AS CaCO3		
Sample Collected:	12-AUG-14	Findings:	120. MG/L
Chemical:	BICARBONATE ALKALINITY		
Sample Collected:	12-AUG-14	Findings:	88. MG/L
Chemical:	HARDNESS (TOTAL) AS CaCO3		
Sample Collected:	12-AUG-14	Findings:	17. MG/L
Chemical:	CALCIUM		
Sample Collected:	12-AUG-14	Findings:	11. MG/L
Chemical:	MAGNESIUM		
Sample Collected:	12-AUG-14	Findings:	11. MG/L
Chemical:	SODIUM		
Sample Collected:	12-AUG-14	Findings:	5.8 MG/L
Chemical:	CHLORIDE		
Sample Collected:	12-AUG-14	Findings:	170. MG/L
Chemical:	TOTAL DISSOLVED SOLIDS		
Sample Collected:	12-AUG-14	Findings:	-0.28
Chemical:	LANGELIER INDEX @ 60 C		
Sample Collected:	12-AUG-14	Findings:	3.7 MG/L
Chemical:	NITRATE (AS NO3)		
Sample Collected:	12-AUG-14	Findings:	12.
Chemical:	AGGRSSIVE INDEX (CORROSIVITY)		
Sample Collected:	02-SEP-14	Findings:	7.77
Chemical:	PH, FIELD		
Sample Collected:	17-SEP-14	Findings:	3.21 MG/L
Chemical:	NITRATE (AS NO3)		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	02-DEC-14	Findings:	. 17.6 C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	02-DEC-14	Findings:	. 7.47
Chemical:	PH, FIELD		
Sample Collected:	02-MAR-15	Findings:	. 18. C
Chemical:	SOURCE TEMPERATURE C		
Sample Collected:	02-MAR-15	Findings:	. 7.3
Chemical:	PH, FIELD		

11
West
1/2 - 1 Mile
Lower

CA WELLS 15240

Water System Information:

Prime Station Code:	22N/01E-26L01 M	User ID:	BUG
FRDS Number:	0410002002	County:	Butte
District Number:	02	Station Type:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Water Type:	Well/Groundwater	Well Status:	Destroyed
Source Lat/Long:	394400.0 1215000.0	Precision:	Undefined
Source Name:	WELL 02-01 - DESTROYED		
System Number:	0410002		
System Name:	Cal-Water Service Co.-Chico		
Organization That Operates System:	Not Reported		
	Chico, CA 95926		
Pop Served:	75100	Connections:	21152
Area Served:	CHICO		

12
East
1/2 - 1 Mile
Higher

CA WELLS CADW60000009119

Objectid:	9119
Latitude:	39.738274
Longitude:	-121.798157
Site code:	397383N1217982W001
State well numbe:	22N02E30C002M
Local well name:	'BMO 22N02E30C002M'
Well use id:	1
Well use descrip:	Observation
County id:	4
County name:	Butte
Basin code:	'5-21.58'
Basin desc:	West Butte
Dwr region id:	80235
Dwr region:	Northern Region Office
Site id:	CADW60000009119

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: CA Radon

Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
95928	13	1

Federal EPA Radon Zone for BUTTE County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
 : Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 95928

Number of sites tested: 7

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.600 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	3.000 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetland Inventory

Source: Department of Fish & Game

Telephone: 916-445-0411

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Water Well Database

Source: Department of Water Resources

Telephone: 916-651-9648

California Drinking Water Quality Database

Source: Department of Public Health

Telephone: 916-324-2319

The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

OTHER STATE DATABASE INFORMATION

California Oil and Gas Well Locations

Source: Department of Conservation

Telephone: 916-323-1779

Oil and Gas well locations in the state.

RADON

State Database: CA Radon

Source: Department of Health Services

Telephone: 916-324-2208

Radon Database for California

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

E

Questionnaires

Site Assessment Questionnaire

Question	Owner			Occupant (if applicable)			Observed During Site Visit		
	Yes	No	Unk	Yes	No	Unk	Yes	No	Unk
1. Is the property or any adjoining property used for an industrial use? Comments: CHP facility								<input checked="" type="checkbox"/>	
2. To the best of your knowledge, has the property or any adjoining property been occupied by an industrial use in the past? Comments:									<input checked="" type="checkbox"/>
3. Is the property or any adjoining property used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard, or landfill, or as a waste treatment storage, disposal, processing, or recycling facility? Comments: However, facility has a fueling station and an auto routine maintenance area. Primary function is as law enforcement								<input checked="" type="checkbox"/>	
4. To the best of your knowledge has the property or any adjoining property been used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard or landfill, or as a waste treatment, storage, disposal, processing, or recycling facility? Comments:									<input checked="" type="checkbox"/>
5. Are there currently, or to the best of your knowledge have there been previously, any damaged or discarded automotive or industrial batteries, pesticides, <u>paints</u> , or <u>other chemicals</u> in individual containers of greater than 5 gal (19 L) in volume or 50 gal (190 L) in the aggregate, stored on or used at the property or at the facility? Comments: Paints (stored new), Adhesives (will be trashed), gasoline, used oil								<input checked="" type="checkbox"/>	
6. Are there currently, or the best of your knowledge have there been previously, any industrial drums (typically 55 gal, 208 L) or sacks of chemicals located on the property or at the facility? Comments: Properly labeled drum (used oil filters) 55-gal, boxes of flares " " 20 gal drum = used rags, buckets of fire retardant								<input checked="" type="checkbox"/>	
7. Has fill dirt been brought on the property that originated from a contaminated site or that is of an unknown origin? Comments:								<input checked="" type="checkbox"/>	
8. Are there currently, or to the best of your knowledge have there been previously, any pits, ponds, or lagoons located on the property in connection with waste treatment or waste disposal? Comments: septic lift type station inground (circular) - sump.								<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
9. Is there currently, or to the best of your knowledge has there been previously, any stained soil on the property? Comments: None observed								<input checked="" type="checkbox"/>	
10. Are there currently, or to the best of your knowledge have there been previously, any registered or unregistered storage tanks (above or underground) located on the property? Comments: Historic VST, 10K gal AST								<input checked="" type="checkbox"/>	

Question	Owner			Occupant (if applicable)			Observed During Site Visit		
	Yes	No	Unk	Yes	No	Unk	Yes	No	Unk
11. Are there currently, or to the best of your knowledge have there been previously, any vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground on the property or adjacent to any structure located on the property?							✓		
Comments: <i>vent pipe possibly associated w/ septic lift station/sump?</i>									
12. Are there currently, or to the best of your knowledge have there been previously, any flooring, drains, or walls located within the facility that are stained by substances other than water or are emitting foul odors?								✓	
Comments:									
13. If the property is served by a private well or non-public water system, have contaminants been identified in the well or system that exceed guidelines applicable to the water system or has the well been designated as contaminated by any government environmental/health agency?									
Comments: <i>N/A public water</i>									
14. Does the owner or of the property have any knowledge of environmental liens or governmental notification relating to past or recurrent violations of environmental laws with respect to the property or any facility located on the property?									✓
Comments: <i>See Phase I ESA User Questionnaire</i>									
15. Has the owner or occupant or the property been informed of the past or current existence of hazardous substances or petroleum products or environmental violations with respect to the property or any facility located on the property?									✓
Comments:									
16. Does the owner or occupant of the property have any knowledge of any environmental site assessment for the property or facility that indicated the presence of hazardous substances or petroleum products on, or contamination of, the property, or recommend further assessment of the property?									✓
Comments:									
17. Does the owner or occupant of the property know of any past, threatened, or pending lawsuits or administrative proceedings concerning a release or threatened release of any hazardous substance or petroleum products involving the property by any owner or occupant of the property?									✓
Comments:									
18. Does the property discharge wastewater on or adjacent to the property other than storm water into a sanitary sewer system?								✓	
Comments:									
19. To the best of your knowledge, have any hazardous substances or petroleum products, unidentified waste materials, tires, automotive or industrial batteries or any other waste materials been dumped above ground, buried and/or burned on the property?									✓
Comments: <i>Not observed.</i>									

Question	Owner			Occupant (if applicable)			Observed During Site Visit		
	Yes	No	Unk	Yes	No	Unk	Yes	No	Unk
20. Is there a transformer, capacitor, or any hydraulic equipment for which there are any records indicating the presence of PCBs?									<input checked="" type="checkbox"/>
Comments: Transformers near property lines. Transformer associated w/ Dispatch building									
21. What date did you purchase the property? _____ ; and from whom?									
22. Any other pertinent information or contacts?									
This Owner questionnaire was completed by:									
Name: _____									
Title: _____									
Firm: _____									
Address: _____									
Phone Number: _____									
Date: _____									
This Occupants questionnaire was completed by: _____									
Name: _____									
Title: _____									
Firm: _____									
Address: _____									
Phone Number: _____									
Date: _____									
This Observers questionnaire was completed by:									
Name: <u>Mike Palmer</u>									
Title: <u>Environmental Scientist</u>									
Firm: <u>SHN</u>									
Address: <u>350 Hartnell Ave., Suite B</u> <u>Redding, CA 96002</u>									
Phone Number: <u>(530) 221-5424</u>									
Date: <u>8/5/2016</u>									

Reference: ASTM E 1527

Site Assessment Questionnaire

Question	Owner			Occupant (if applicable)			Observed During Site Visit		
	Yes	No	Unk	Yes	No	Unk	Yes	No	Unk
1. Is the property or any adjoining property used for an industrial use?			X						
Comments:									
2. To the best of your knowledge, has the property or any adjoining property been occupied by an industrial use in the past?			X						
Comments:									
3. Is the property or any adjoining property used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard, or landfill, or as a waste treatment storage, disposal, processing, or recycling facility?			X						
Comments:									
4. To the best of your knowledge has the property or any adjoining property been used as a gasoline station, motor repair facility, commercial printing facility, dry cleaners, photo developing laboratory, junkyard or landfill, or as a waste treatment, storage, disposal, processing, or recycling facility?			X						
Comments:									
5. Are there currently, or to the best of your knowledge have there been previously, any damaged or discarded automotive or industrial batteries, pesticides, paints, or other chemicals in individual containers of greater than 5 gal (19 L) in volume or 50 gal (190 L) in the aggregate, stored on or used at the property or at the facility?			X						
Comments:									
6. Are there currently, or the best of your knowledge have there been previously, any industrial drums (typically 55 gal, 208 L) or sacks of chemicals located on the property or at the facility?			X						
Comments:									
7. Has fill dirt been brought on the property that originated from a contaminated site or that is of an unknown origin?			X						
Comments:									
8. Are there currently, or to the best of your knowledge have there been previously, any pits, ponds, or lagoons located on the property in connection with waste treatment or waste disposal?		X							
Comments:									
9. Is there currently, or to the best of your knowledge has there been previously, any stained soil on the property?		X							
Comments:									
10. Are there currently, or to the best of your knowledge have there been previously, any registered or unregistered storage tanks (above or underground) located on the property?	X								
Comments:									

Question	Owner			Occupant (if applicable)			Observed During Site Visit		
	Yes	No	Unk	Yes	No	Unk	Yes	No	Unk
11. Are there currently, or to the best of your knowledge have there been previously, any vent pipes, fill pipes, or access ways indicating a fill pipe protruding from the ground on the property or adjacent to any structure located on the property?	X								
Comments:									
12. Are there currently, or to the best of your knowledge have there been previously, any flooring, drains, or walls located within the facility that are stained by substances other than water or are emitting foul odors?		X							
Comments:									
13. If the property is served by a private well or non-public water system, have contaminants been identified in the well or system that exceed guidelines applicable to the water system or has the well been designated as contaminated by any government environmental/health agency?		X							
Comments:									
14. Does the owner or of the property have any knowledge of environmental liens or governmental notification relating to past or recurrent violations of environmental laws with respect to the property or any facility located on the property?		X							
Comments:									
15. Has the owner or occupant or the property been informed of the past or current existence of hazardous substances or petroleum products or environmental violations with respect to the property or any facility located on the property?	X								
Comments:									
16. Does the owner or occupant of the property have any knowledge of any environmental site assessment for the property or facility that indicated the presence of hazardous substances or petroleum products on, or contamination of, the property, or recommend further assessment of the property?		X							
Comments:									
17. Does the owner or occupant of the property know of any past, threatened, or pending lawsuits or administrative proceedings concerning a release or threatened release of any hazardous substance or petroleum products involving the property by any owner or occupant of the property?		X							
Comments:									
18. Does the property discharge wastewater on or adjacent to the property other than storm water into a sanitary sewer system?		X							
Comments:									
19. To the best of your knowledge, have any hazardous substances or petroleum products, unidentified waste materials, tires, automotive or industrial batteries or any other waste materials been dumped above ground, buried and/or burned on the property?		X							
Comments:									

Question	Owner			Occupant (if applicable)			Observed During Site Visit		
	Yes	No	Unk	Yes	No	Unk	Yes	No	Unk
20. Is there a transformer, capacitor, or any hydraulic equipment for which there are any records indicating the presence of PCBs?			X						
Comments:									
21. What date did you purchase the property? _____ ; and from whom?									
22. Any other pertinent information or contacts?									
This Owner questionnaire was completed by:									
Name: California Highway Patrol									
Title:									
Firm:									
Address: 975 Fir Street									
Chico, Ca 95927									
Phone Number:									
Date:									
This Occupants questionnaire was completed by: _____									
Name: John Price									
Title: Captain / Commander									
Firm: California Highway Patrol									
Address: 995 Fir Street									
Chico, Ca.									
Phone Number:									
Date: 8-5-16									
This Observers questionnaire was completed by: _____									
Name: _____									
Title: _____									
Firm: _____									
Address: _____									
Phone Number: _____									
Date: _____									

Reference: ASTM E 1527

Phase I ESA User Questionnaire

This user questionnaire was prepared in general accordance with American Society for Testing and Materials-International (ASTM) "Standard E1527-13: Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process."

Section I. Landowner Liability Protection Required Information

In order to qualify for one of the landowner liability protections (LLPs) offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the "Brownfields Amendments") the user must provide the following information (if available) to the environmental professional. Failure to provide this information could result in a determination that "all appropriate inquiry" is not complete.

Question	Determination		
1. Environmental cleanup liens that are filed or recorded against the site (40 CFR 312.25). Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state, or local law?	Yes	No	Unk x
<i>Comments:</i>			
2. Activity and land use limitations that are in place on the site or that have been filed or recorded in a registry (40 CFR 312.26). Are you aware of any activity and use limitations (AULs) (such as, engineering controls, land use restrictions, or institutional controls) that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state, or local law?	Yes	No	Unk x
<i>Comments:</i>			
3. Specialized knowledge or experience of the person seeking to qualify for the LLP (40 CFR 312.28). As the user of this ESA, do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business?	Yes	No	Unk x
<i>Comments:</i>			
4. Relationship of the purchase price to the fair market value of the property if it were not contaminated (40 CFR 312.20). Does the purchase price being paid for this property reasonably reflect the fair market value of the property? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property?	Yes	No	Unk x
<i>Comments:</i>			

5. Commonly known or reasonably ascertainable information about the property (40 CFR 312.30). Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, as user,	Yes	No	Unk x
a. Do you know the past uses of the property?			x
Do you know of specific chemicals that are present or once were present at the property? California Environmental Reporting System ID#. 10276366 verify via on site observation	x		
b. Do you know of spills or other chemical releases that have taken place at the property?			x
c. Do you know of any environmental cleanups that have taken place at the property?			x
<i>Comments:</i>			
6. The degree of obviousness of the presence or likely presence of contamination at the property, and the ability to detect the contamination by appropriate investigation (40 CFR 312.13). As the user of this ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property?	Yes	No	Unk x
<i>Comments:</i>			

Section II. Useful Information for Conducting the Phase I ESA

Please answer the following questions and provide the requested information. (This information is intended to assist the environmental professional but is not necessarily required to qualify for one of the LLPs.) The information includes:

1. Why is this Phase I ESA required? **Selling property**
2. What type of property and property transaction is involved (for example, sale, purchase, exchange, etc.)? **sale**
3. Provide the complete and correct address for the property. (Attaching a map or other documentation showing property location and boundaries is helpful, if available.)

Already provided

4. Provide the scope of services desired for the Phase I (including whether any parties to the property transaction may have a required standard scope of services on whether any considerations beyond the requirements of Practice E 1527 are to be considered). **Already provided**

5. Please identify and provide contact information for all parties who will rely on the Phase I report. **CHP, DGS, City of Chico and the general public**
6. Identify the site contact and provide contact information (name and phone number).
Capt. John Price and/or Sgt. Dan Canalia.
7. Are there any special terms and conditions that must be agreed upon by the environmental professional? Yes No If so, what are they?
8. Please provide any other knowledge or experience with the property that may be pertinent to the environmental professional (for example, copies of any available prior environmental site assessment reports, documents, correspondence, etc., concerning the property and its environmental condition).
California Environmental Reporting System ID#. 10276366

Completed by: Beth DeBuda

Date: 8/2/2016